

FreeWRL / FreeX3D

4.3.0

Generated by Doxygen 1.9.1



---

<b>1 cson JSON API</b>	<b>1</b>
<b>2 Hierarchical Index</b>	<b>3</b>
2.1 Class Hierarchy . . . . .	3
<b>3 Data Structure Index</b>	<b>31</b>
3.1 Data Structures . . . . .	31
<b>4 Data Structure Documentation</b>	<b>57</b>
4.1 _AnyNative Struct Reference . . . . .	57
4.1.1 Detailed Description . . . . .	57
4.2 _Atlas Struct Reference . . . . .	57
4.2.1 Detailed Description . . . . .	58
4.3 _AtlasEntry Struct Reference . . . . .	58
4.3.1 Detailed Description . . . . .	58
4.4 _AtlasFont Struct Reference . . . . .	58
4.4.1 Detailed Description . . . . .	58
4.5 _BrowserNative Struct Reference . . . . .	59
4.5.1 Detailed Description . . . . .	59
4.6 _BUTitem Struct Reference . . . . .	59
4.6.1 Detailed Description . . . . .	59
4.7 _cd_list_t Struct Reference . . . . .	59
4.7.1 Detailed Description . . . . .	59
4.8 _contenttype Struct Reference . . . . .	60
4.8.1 Detailed Description . . . . .	60
4.9 _CRnodeStruct Struct Reference . . . . .	60
4.9.1 Detailed Description . . . . .	60
4.10 _FW_PluginInstance Struct Reference . . . . .	60
4.10.1 Detailed Description . . . . .	61
4.11 _geosys Struct Reference . . . . .	61
4.11.1 Detailed Description . . . . .	61
4.12 _GLwDrawingAreaClassPart Struct Reference . . . . .	61
4.12.1 Detailed Description . . . . .	61
4.13 _GLwDrawingAreaClassRec Struct Reference . . . . .	62
4.13.1 Detailed Description . . . . .	62
4.14 _GLwDrawingAreaRec Struct Reference . . . . .	62
4.14.1 Detailed Description . . . . .	62
4.15 _GUIElement Struct Reference . . . . .	62
4.15.1 Detailed Description . . . . .	62
4.16 _intX3D_MFBool Struct Reference . . . . .	63
4.16.1 Detailed Description . . . . .	63
4.17 _intX3D_MFColor Struct Reference . . . . .	63
4.17.1 Detailed Description . . . . .	63

4.18	_intX3D_MFColorRGBA Struct Reference . . . . .	63
4.18.1	Detailed Description . . . . .	63
4.19	_intX3D_MFFloat Struct Reference . . . . .	64
4.19.1	Detailed Description . . . . .	64
4.20	_intX3D_MFImage Struct Reference . . . . .	64
4.20.1	Detailed Description . . . . .	64
4.21	_intX3D_MFInt32 Struct Reference . . . . .	64
4.21.1	Detailed Description . . . . .	64
4.22	_intX3D_MFNode Struct Reference . . . . .	65
4.22.1	Detailed Description . . . . .	65
4.23	_intX3D_MFRotation Struct Reference . . . . .	65
4.23.1	Detailed Description . . . . .	65
4.24	_intX3D_MFString Struct Reference . . . . .	65
4.24.1	Detailed Description . . . . .	65
4.25	_intX3D_MFTime Struct Reference . . . . .	66
4.25.1	Detailed Description . . . . .	66
4.26	_intX3D_MFVec2d Struct Reference . . . . .	66
4.26.1	Detailed Description . . . . .	66
4.27	_intX3D_MFVec2f Struct Reference . . . . .	66
4.27.1	Detailed Description . . . . .	66
4.28	_intX3D_MFVec3d Struct Reference . . . . .	67
4.28.1	Detailed Description . . . . .	67
4.29	_intX3D_MFVec3f Struct Reference . . . . .	67
4.29.1	Detailed Description . . . . .	67
4.30	_intX3D_SFBool Struct Reference . . . . .	67
4.30.1	Detailed Description . . . . .	67
4.31	_intX3D_SFColor Struct Reference . . . . .	68
4.31.1	Detailed Description . . . . .	68
4.32	_intX3D_SFColorRGBA Struct Reference . . . . .	68
4.32.1	Detailed Description . . . . .	68
4.33	_intX3D_SFFloat Struct Reference . . . . .	68
4.33.1	Detailed Description . . . . .	68
4.34	_intX3D_SFImage Struct Reference . . . . .	69
4.34.1	Detailed Description . . . . .	69
4.35	_intX3D_SFInt32 Struct Reference . . . . .	69
4.35.1	Detailed Description . . . . .	69
4.36	_intX3D_SFNode Struct Reference . . . . .	69
4.36.1	Detailed Description . . . . .	69
4.37	_intX3D_SFRotation Struct Reference . . . . .	70
4.37.1	Detailed Description . . . . .	70
4.38	_intX3D_SFString Struct Reference . . . . .	70
4.38.1	Detailed Description . . . . .	70

---

4.39	_intX3D_SFTime Struct Reference . . . . .	70
4.39.1	Detailed Description . . . . .	70
4.40	_intX3D_SFVec2d Struct Reference . . . . .	71
4.40.1	Detailed Description . . . . .	71
4.41	_intX3D_SFVec2f Struct Reference . . . . .	71
4.41.1	Detailed Description . . . . .	71
4.42	_intX3D_SFVec3d Struct Reference . . . . .	71
4.42.1	Detailed Description . . . . .	71
4.43	_intX3D_SFVec3f Struct Reference . . . . .	72
4.43.1	Detailed Description . . . . .	72
4.44	_intX3DEventIn Struct Reference . . . . .	72
4.44.1	Detailed Description . . . . .	72
4.45	_NPByteRange Struct Reference . . . . .	72
4.45.1	Detailed Description . . . . .	73
4.46	_NPEmbedPrint Struct Reference . . . . .	73
4.46.1	Detailed Description . . . . .	73
4.47	_NPFullPrint Struct Reference . . . . .	73
4.47.1	Detailed Description . . . . .	73
4.48	_NPImageExpose Struct Reference . . . . .	74
4.48.1	Detailed Description . . . . .	74
4.49	_NPNetscapeFuncs Struct Reference . . . . .	74
4.49.1	Detailed Description . . . . .	75
4.50	_NPP Struct Reference . . . . .	75
4.50.1	Detailed Description . . . . .	75
4.51	_NPPluginFuncs Struct Reference . . . . .	76
4.51.1	Detailed Description . . . . .	76
4.52	_NPPrint Struct Reference . . . . .	76
4.52.1	Detailed Description . . . . .	76
4.53	_NPRect Struct Reference . . . . .	77
4.53.1	Detailed Description . . . . .	77
4.54	_NPSavedData Struct Reference . . . . .	77
4.54.1	Detailed Description . . . . .	77
4.55	_NPSize Struct Reference . . . . .	77
4.55.1	Detailed Description . . . . .	77
4.56	_NPStream Struct Reference . . . . .	78
4.56.1	Detailed Description . . . . .	78
4.57	_NPString Struct Reference . . . . .	78
4.57.1	Detailed Description . . . . .	78
4.58	_NPVariant Struct Reference . . . . .	78
4.58.1	Detailed Description . . . . .	79
4.59	_NPWindow Struct Reference . . . . .	79
4.59.1	Detailed Description . . . . .	79

4.60	_s_list_t Struct Reference	79
4.60.1	Detailed Description	79
4.61	freeWRLSAI_cpp::_SAIParameter Class Reference	80
4.61.1	Detailed Description	80
4.62	_SFColorNative Struct Reference	80
4.62.1	Detailed Description	80
4.63	_SFColorRGBANative Struct Reference	80
4.63.1	Detailed Description	80
4.64	_SFImageNative Struct Reference	81
4.64.1	Detailed Description	81
4.65	_SFNodeNative Struct Reference	81
4.65.1	Detailed Description	81
4.66	_SFRotationNative Struct Reference	81
4.66.1	Detailed Description	81
4.67	_SFVec2fNative Struct Reference	82
4.67.1	Detailed Description	82
4.68	_SFVec3dNative Struct Reference	82
4.68.1	Detailed Description	82
4.69	_SFVec3fNative Struct Reference	82
4.69.1	Detailed Description	82
4.70	_SFVec4dNative Struct Reference	83
4.70.1	Detailed Description	83
4.71	_SFVec4fNative Struct Reference	83
4.71.1	Detailed Description	83
4.72	_urlRequest Struct Reference	83
4.72.1	Detailed Description	83
4.73	_X3DNode Union Reference	84
4.73.1	Detailed Description	84
4.74	AcknowledgePdu Struct Reference	84
4.74.1	Detailed Description	85
4.75	AcknowledgeReliablePdu Struct Reference	85
4.75.1	Detailed Description	85
4.76	AcousticBeamData Struct Reference	85
4.76.1	Detailed Description	86
4.77	AcousticBeamFundamentalParameter Struct Reference	86
4.77.1	Detailed Description	86
4.78	AcousticEmitter Struct Reference	86
4.78.1	Detailed Description	87
4.79	AcousticEmitterSystem Struct Reference	87
4.79.1	Detailed Description	87
4.79.2	Field Documentation	87
4.79.2.1	acousticFunction	87

4.79.2.2 acousticID . . . . .	88
4.80 AcousticEmitterSystemData Struct Reference . . . . .	88
4.80.1 Detailed Description . . . . .	88
4.80.2 Field Documentation . . . . .	88
4.80.2.1 beamRecords . . . . .	89
4.81 ActionRequestPdu Struct Reference . . . . .	89
4.81.1 Detailed Description . . . . .	89
4.82 ActionRequestReliablePdu Struct Reference . . . . .	90
4.82.1 Detailed Description . . . . .	90
4.83 ActionResponsePdu Struct Reference . . . . .	90
4.83.1 Detailed Description . . . . .	91
4.84 ActionResponseReliablePdu Struct Reference . . . . .	91
4.84.1 Detailed Description . . . . .	91
4.85 ActiveRegion Struct Reference . . . . .	91
4.85.1 Detailed Description . . . . .	92
4.86 AggregateID Struct Reference . . . . .	92
4.86.1 Detailed Description . . . . .	92
4.87 AggregateMarking Struct Reference . . . . .	92
4.87.1 Detailed Description . . . . .	92
4.88 AggregateStatePdu Struct Reference . . . . .	93
4.88.1 Detailed Description . . . . .	93
4.88.2 Field Documentation . . . . .	94
4.88.2.1 pad2 . . . . .	94
4.89 AggregateType Struct Reference . . . . .	94
4.89.1 Detailed Description . . . . .	94
4.90 AngularVelocityVector Struct Reference . . . . .	95
4.90.1 Detailed Description . . . . .	95
4.91 AntennaLocation Struct Reference . . . . .	95
4.91.1 Detailed Description . . . . .	95
4.92 anyVrml Union Reference . . . . .	95
4.92.1 Detailed Description . . . . .	96
4.93 ApaData Struct Reference . . . . .	96
4.93.1 Detailed Description . . . . .	96
4.94 Arc Class Reference . . . . .	96
4.94.1 Detailed Description . . . . .	98
4.95 ArcSdirSorter Class Reference . . . . .	98
4.95.1 Detailed Description . . . . .	98
4.96 ArcSorter Class Reference . . . . .	98
4.96.1 Detailed Description . . . . .	99
4.97 ArcTdirSorter Class Reference . . . . .	99
4.97.1 Detailed Description . . . . .	99
4.98 ArcTessellator Class Reference . . . . .	100

---

4.98.1 Detailed Description . . . . .	100
4.99 ArealObjectStatePdu Struct Reference . . . . .	100
4.99.1 Detailed Description . . . . .	101
4.100 ArgListType Struct Reference . . . . .	101
4.100.1 Detailed Description . . . . .	101
4.101 ArticulationParameter Struct Reference . . . . .	101
4.101.1 Detailed Description . . . . .	101
4.102 AtlasEntrySet Struct Reference . . . . .	102
4.102.1 Detailed Description . . . . .	102
4.103 Backend Class Reference . . . . .	102
4.103.1 Detailed Description . . . . .	103
4.104 vrml.BaseNode Class Reference . . . . .	103
4.104.1 Detailed Description . . . . .	104
4.105 BasePlugin Class Reference . . . . .	104
4.105.1 Detailed Description . . . . .	104
4.106 BasicCurveEvaluator Class Reference . . . . .	105
4.106.1 Detailed Description . . . . .	105
4.107 BasicSurfaceEvaluator Class Reference . . . . .	105
4.107.1 Detailed Description . . . . .	106
4.108 BeamAntennaPattern Struct Reference . . . . .	107
4.108.1 Detailed Description . . . . .	107
4.108.2 Field Documentation . . . . .	107
4.108.2.1 beamDirection . . . . .	107
4.109 BeamData Struct Reference . . . . .	108
4.109.1 Detailed Description . . . . .	108
4.109.2 Field Documentation . . . . .	108
4.109.2.1 beamSweepSync . . . . .	108
4.110 BezierArc Struct Reference . . . . .	108
4.110.1 Detailed Description . . . . .	109
4.111 bezierPatch Struct Reference . . . . .	109
4.111.1 Detailed Description . . . . .	109
4.112 bezierPatchMesh Struct Reference . . . . .	110
4.112.1 Detailed Description . . . . .	110
4.113 Bin Class Reference . . . . .	110
4.113.1 Detailed Description . . . . .	111
4.114 bindablestack Struct Reference . . . . .	111
4.114.1 Detailed Description . . . . .	111
4.115 block Struct Reference . . . . .	111
4.115.1 Detailed Description . . . . .	112
4.116 Breakpt Struct Reference . . . . .	112
4.116.1 Detailed Description . . . . .	112
4.117 brotoDefpair Struct Reference . . . . .	112

---



4.117.1 Detailed Description . . . . .	112
4.118 brotoIS Struct Reference . . . . .	113
4.118.1 Detailed Description . . . . .	113
4.119 brotoRoute Struct Reference . . . . .	113
4.119.1 Detailed Description . . . . .	113
4.120 broteEnd Struct Reference . . . . .	114
4.120.1 Detailed Description . . . . .	114
4.121 org.web3d.x3d.sai.Browser Interface Reference . . . . .	114
4.121.1 Detailed Description . . . . .	115
4.122 vrml.Browser Class Reference . . . . .	115
4.122.1 Detailed Description . . . . .	115
4.123 vrml.external.Browser Class Reference . . . . .	116
4.123.1 Detailed Description . . . . .	117
4.124 org.web3d.x3d.sai.BrowserEvent Class Reference . . . . .	117
4.124.1 Detailed Description . . . . .	118
4.125 sai.BrowserFactory Class Reference . . . . .	118
4.125.1 Detailed Description . . . . .	118
4.126 org.web3d.x3d.sai.BrowserFactoryImpl Interface Reference . . . . .	118
4.126.1 Detailed Description . . . . .	119
4.127 sai.BrowserGlobals Class Reference . . . . .	119
4.127.1 Detailed Description . . . . .	119
4.128 vrml.external.BrowserGlobals Class Reference . . . . .	119
4.128.1 Detailed Description . . . . .	119
4.129 org.web3d.x3d.sai.BrowserInterface Interface Reference . . . . .	120
4.129.1 Detailed Description . . . . .	120
4.130 vrml.external.BrowserInterface Interface Reference . . . . .	120
4.130.1 Detailed Description . . . . .	120
4.131 org.web3d.x3d.sai.BrowserListener Interface Reference . . . . .	121
4.131.1 Detailed Description . . . . .	121
4.132 freeWRLSAI_cpp::browserNotSharedException Class Reference . . . . .	121
4.132.1 Detailed Description . . . . .	121
4.133 org.web3d.x3d.sai.BrowserNotSharedException Class Reference . . . . .	122
4.133.1 Detailed Description . . . . .	122
4.134 Buffer Class Reference . . . . .	122
4.134.1 Detailed Description . . . . .	122
4.135 BurstDescriptor Struct Reference . . . . .	123
4.135.1 Detailed Description . . . . .	123
4.136 CachedVertex Struct Reference . . . . .	123
4.136.1 Detailed Description . . . . .	123
4.137 CachingEvaluator Class Reference . . . . .	123
4.137.1 Detailed Description . . . . .	124
4.138 cbDataExactName Struct Reference . . . . .	124

4.138.1 Detailed Description . . . . .	124
4.139 cbDataRootNameAndRouteDir Struct Reference . . . . .	125
4.139.1 Detailed Description . . . . .	125
4.140 CdIfFreeWRL Class Reference . . . . .	125
4.140.1 Detailed Description . . . . .	126
4.141 chardata Struct Reference . . . . .	126
4.141.1 Detailed Description . . . . .	126
4.142 chaser_ptrs Struct Reference . . . . .	127
4.142.1 Detailed Description . . . . .	127
4.143 cline Struct Reference . . . . .	127
4.143.1 Detailed Description . . . . .	127
4.144 ClockTime Struct Reference . . . . .	127
4.144.1 Detailed Description . . . . .	128
4.145 coded_block_pattern_entry Struct Reference . . . . .	128
4.145.1 Detailed Description . . . . .	128
4.146 CollisionElasticPdu Struct Reference . . . . .	128
4.146.1 Detailed Description . . . . .	129
4.146.2 Field Documentation . . . . .	129
4.146.2.1 unitSurfaceNormal . . . . .	129
4.147 CollisionPdu Struct Reference . . . . .	129
4.147.1 Detailed Description . . . . .	130
4.148 colorScheme Struct Reference . . . . .	130
4.148.1 Detailed Description . . . . .	130
4.149 command Struct Reference . . . . .	130
4.149.1 Detailed Description . . . . .	130
4.150 CommentPdu Struct Reference . . . . .	131
4.150.1 Detailed Description . . . . .	131
4.151 CommentReliablePdu Struct Reference . . . . .	131
4.151.1 Detailed Description . . . . .	131
4.152 org.web3d.x3d.sai.ComponentInfo Interface Reference . . . . .	132
4.152.1 Detailed Description . . . . .	132
4.153 connection_info_struct Struct Reference . . . . .	132
4.153.1 Detailed Description . . . . .	132
4.154 freeWRLSAI_cpp::connectionException Class Reference . . . . .	133
4.154.1 Detailed Description . . . . .	133
4.155 org.web3d.x3d.sai.ConnectionException Class Reference . . . . .	133
4.155.1 Detailed Description . . . . .	134
4.156 consoleLine Struct Reference . . . . .	134
4.156.1 Detailed Description . . . . .	134
4.157 vrml.ConstField Class Reference . . . . .	134
4.157.1 Detailed Description . . . . .	135
4.158 vrml.field.ConstMFColor Class Reference . . . . .	135

4.158.1 Detailed Description . . . . .	135
4.159 vrml.field.ConstMFFloat Class Reference . . . . .	136
4.159.1 Detailed Description . . . . .	136
4.160 vrml.ConstMField Class Reference . . . . .	136
4.160.1 Detailed Description . . . . .	137
4.161 vrml.field.ConstMFInt32 Class Reference . . . . .	138
4.161.1 Detailed Description . . . . .	138
4.162 vrml.field.ConstMFNode Class Reference . . . . .	138
4.162.1 Detailed Description . . . . .	139
4.163 vrml.field.ConstMFRotation Class Reference . . . . .	139
4.163.1 Detailed Description . . . . .	140
4.164 vrml.field.ConstMFString Class Reference . . . . .	140
4.164.1 Detailed Description . . . . .	140
4.165 vrml.field.ConstMFTime Class Reference . . . . .	141
4.165.1 Detailed Description . . . . .	141
4.166 vrml.field.ConstMFVec2f Class Reference . . . . .	141
4.166.1 Detailed Description . . . . .	142
4.167 vrml.field.ConstMFVec3f Class Reference . . . . .	142
4.167.1 Detailed Description . . . . .	143
4.168 vrml.field.ConstSFBool Class Reference . . . . .	143
4.168.1 Detailed Description . . . . .	143
4.169 vrml.field.ConstSFColor Class Reference . . . . .	144
4.169.1 Detailed Description . . . . .	144
4.170 vrml.field.ConstSFFloat Class Reference . . . . .	144
4.170.1 Detailed Description . . . . .	145
4.171 vrml.field.ConstSFImage Class Reference . . . . .	145
4.171.1 Detailed Description . . . . .	146
4.172 vrml.field.ConstSFInt32 Class Reference . . . . .	146
4.172.1 Detailed Description . . . . .	146
4.173 vrml.field.ConstSFNode Class Reference . . . . .	147
4.173.1 Detailed Description . . . . .	147
4.174 vrml.field.ConstSFRotation Class Reference . . . . .	147
4.174.1 Detailed Description . . . . .	148
4.175 vrml.field.ConstSFString Class Reference . . . . .	148
4.175.1 Detailed Description . . . . .	148
4.176 vrml.field.ConstSFTime Class Reference . . . . .	149
4.176.1 Detailed Description . . . . .	149
4.177 vrml.field.ConstSFVec2f Class Reference . . . . .	149
4.177.1 Detailed Description . . . . .	150
4.178 vrml.field.ConstSFVec3f Class Reference . . . . .	150
4.178.1 Detailed Description . . . . .	151
4.179 contenttype_captiontext Struct Reference . . . . .	151

---

4.179.1 Detailed Description . . . . .	151
4.180 contentType_e3dmouse Struct Reference . . . . .	151
4.180.1 Detailed Description . . . . .	152
4.181 contentType_layer Struct Reference . . . . .	152
4.181.1 Detailed Description . . . . .	152
4.182 contentType_multitouch Struct Reference . . . . .	152
4.182.1 Detailed Description . . . . .	152
4.183 contentType_orientation Struct Reference . . . . .	153
4.183.1 Detailed Description . . . . .	153
4.184 contentType_quadrant Struct Reference . . . . .	153
4.184.1 Detailed Description . . . . .	153
4.185 contentType_scene Struct Reference . . . . .	153
4.185.1 Detailed Description . . . . .	154
4.186 contentType_splitter Struct Reference . . . . .	154
4.186.1 Detailed Description . . . . .	154
4.187 contentType_statusbar Struct Reference . . . . .	154
4.187.1 Detailed Description . . . . .	154
4.188 contentType_stereo_anaglyph Struct Reference . . . . .	154
4.188.1 Detailed Description . . . . .	155
4.189 contentType_stereo_shutter Struct Reference . . . . .	155
4.189.1 Detailed Description . . . . .	155
4.190 contentType_stereo_sidebyside Struct Reference . . . . .	155
4.190.1 Detailed Description . . . . .	155
4.191 contentType_stereo_updown Struct Reference . . . . .	155
4.191.1 Detailed Description . . . . .	156
4.192 contentType_switch Struct Reference . . . . .	156
4.192.1 Detailed Description . . . . .	156
4.193 contentType_textpanel Struct Reference . . . . .	156
4.193.1 Detailed Description . . . . .	157
4.194 contentType_texturegrid Struct Reference . . . . .	157
4.194.1 Detailed Description . . . . .	157
4.195 CoveAndTiler Class Reference . . . . .	157
4.195.1 Detailed Description . . . . .	158
4.196 CPlugin Class Reference . . . . .	158
4.196.1 Detailed Description . . . . .	158
4.196.2 Constructor & Destructor Documentation . . . . .	158
4.196.2.1 CPlugin() . . . . .	159
4.197 CR_RegStruct Struct Reference . . . . .	159
4.197.1 Detailed Description . . . . .	159
4.198 CreateEntityPdu Struct Reference . . . . .	159
4.198.1 Detailed Description . . . . .	160
4.199 CreateEntityReliablePdu Struct Reference . . . . .	160

---

4.199.1 Detailed Description . . . . .	160
4.200 CRjsnameStruct Struct Reference . . . . .	160
4.200.1 Detailed Description . . . . .	160
4.201 CRscriptStruct Struct Reference . . . . .	161
4.201.1 Detailed Description . . . . .	161
4.202 CRStruct Struct Reference . . . . .	161
4.202.1 Detailed Description . . . . .	161
4.203 cson_array Struct Reference . . . . .	162
4.203.1 Detailed Description . . . . .	162
4.204 cson_buffer Struct Reference . . . . .	162
4.204.1 Detailed Description . . . . .	163
4.204.2 Field Documentation . . . . .	163
4.204.2.1 capacity . . . . .	163
4.204.2.2 mem . . . . .	163
4.204.2.3 timesExpanded . . . . .	164
4.204.2.4 used . . . . .	164
4.205 cson_data_source_StringSource_ Struct Reference . . . . .	164
4.205.1 Detailed Description . . . . .	164
4.205.2 Field Documentation . . . . .	165
4.205.2.1 pos . . . . .	165
4.206 cson_kvpair Struct Reference . . . . .	165
4.206.1 Detailed Description . . . . .	165
4.207 cson_kvpair_list Struct Reference . . . . .	166
4.207.1 Detailed Description . . . . .	166
4.208 cson_object Struct Reference . . . . .	166
4.208.1 Detailed Description . . . . .	166
4.209 cson_object_iterator Struct Reference . . . . .	167
4.209.1 Detailed Description . . . . .	167
4.210 cson_output_opt Struct Reference . . . . .	167
4.210.1 Detailed Description . . . . .	168
4.210.2 Field Documentation . . . . .	168
4.210.2.1 escapeForwardSlashes . . . . .	168
4.210.2.2 indentation . . . . .	168
4.210.2.3 maxDepth . . . . .	169
4.211 cson_parse_info Struct Reference . . . . .	169
4.211.1 Detailed Description . . . . .	169
4.212 cson_parse_opt Struct Reference . . . . .	170
4.212.1 Detailed Description . . . . .	170
4.212.2 Field Documentation . . . . .	170
4.212.2.1 allowComments . . . . .	170
4.213 cson_parser Struct Reference . . . . .	170
4.213.1 Detailed Description . . . . .	171

4.214 cson_string Struct Reference . . . . .	171
4.214.1 Detailed Description . . . . .	171
4.215 cson_value Struct Reference . . . . .	172
4.215.1 Detailed Description . . . . .	172
4.215.2 Field Documentation . . . . .	173
4.215.2.1 api . . . . .	173
4.215.2.2 refcount . . . . .	174
4.215.2.3 value . . . . .	174
4.216 cson_value_api Struct Reference . . . . .	174
4.216.1 Detailed Description . . . . .	175
4.216.2 Field Documentation . . . . .	175
4.216.2.1 cleanup . . . . .	175
4.217 cson_value_list Struct Reference . . . . .	175
4.217.1 Detailed Description . . . . .	175
4.218 curfile64_info Struct Reference . . . . .	176
4.218.1 Detailed Description . . . . .	176
4.219 currayhit Struct Reference . . . . .	176
4.219.1 Detailed Description . . . . .	176
4.220 Curve Class Reference . . . . .	177
4.220.1 Detailed Description . . . . .	177
4.221 curveEvalMachine Struct Reference . . . . .	177
4.221.1 Detailed Description . . . . .	177
4.222 Curvelist Class Reference . . . . .	178
4.222.1 Detailed Description . . . . .	178
4.223 damper_ptr Struct Reference . . . . .	178
4.223.1 Detailed Description . . . . .	178
4.224 DataPdu Struct Reference . . . . .	179
4.224.1 Detailed Description . . . . .	179
4.225 DataQueryPdu Struct Reference . . . . .	179
4.225.1 Detailed Description . . . . .	179
4.225.2 Field Documentation . . . . .	180
4.225.2.1 timeInterval . . . . .	180
4.226 DataQueryReliablePdu Struct Reference . . . . .	180
4.226.1 Detailed Description . . . . .	180
4.227 DataReliablePdu Struct Reference . . . . .	181
4.227.1 Detailed Description . . . . .	181
4.228 datChnk Struct Reference . . . . .	181
4.228.1 Detailed Description . . . . .	181
4.229 dct_dc_size_entry Struct Reference . . . . .	182
4.229.1 Detailed Description . . . . .	182
4.230 DDS_header Union Reference . . . . .	182
4.230.1 Detailed Description . . . . .	183

4.231 DdsLoadInfo Struct Reference . . . . .	183
4.231.1 Detailed Description . . . . .	183
4.232 DeadReckoningParameter Struct Reference . . . . .	183
4.232.1 Detailed Description . . . . .	184
4.233 depth_slice Struct Reference . . . . .	184
4.233.1 Detailed Description . . . . .	184
4.234 DesignatorPdu Struct Reference . . . . .	184
4.234.1 Detailed Description . . . . .	185
4.235 DetonationPdu Struct Reference . . . . .	185
4.235.1 Detailed Description . . . . .	185
4.235.2 Field Documentation . . . . .	185
4.235.2.1 locationInEntityCoordinates . . . . .	186
4.236 Dict Struct Reference . . . . .	186
4.236.1 Detailed Description . . . . .	186
4.237 DictNode Struct Reference . . . . .	186
4.237.1 Detailed Description . . . . .	186
4.238 directedLine Class Reference . . . . .	187
4.238.1 Detailed Description . . . . .	188
4.239 dis_class Struct Reference . . . . .	188
4.239.1 Detailed Description . . . . .	188
4.240 dis_socket Struct Reference . . . . .	188
4.240.1 Detailed Description . . . . .	188
4.241 disfieldattr Struct Reference . . . . .	189
4.241.1 Detailed Description . . . . .	189
4.242 DisplayList Class Reference . . . . .	189
4.242.1 Detailed Description . . . . .	189
4.243 freeWRLSAI_cpp::disposedException Class Reference . . . . .	190
4.243.1 Detailed Description . . . . .	190
4.244 DistributedEmissionsFamilyPdu Struct Reference . . . . .	190
4.244.1 Detailed Description . . . . .	190
4.245 Dlnode Struct Reference . . . . .	190
4.245.1 Detailed Description . . . . .	191
4.246 draw_call_params Struct Reference . . . . .	191
4.246.1 Detailed Description . . . . .	191
4.247 duk__bigint Struct Reference . . . . .	192
4.247.1 Detailed Description . . . . .	192
4.248 duk__compile_raw_args Struct Reference . . . . .	192
4.248.1 Detailed Description . . . . .	192
4.249 duk__compiler_stkstate Struct Reference . . . . .	192
4.249.1 Detailed Description . . . . .	192
4.250 duk__decode_context Struct Reference . . . . .	193
4.250.1 Detailed Description . . . . .	193

4.251 duk__encode_context Struct Reference . . . . .	193
4.251.1 Detailed Description . . . . .	193
4.252 duk__exp_limits Struct Reference . . . . .	193
4.252.1 Detailed Description . . . . .	194
4.253 duk__id_lookup_result Struct Reference . . . . .	194
4.253.1 Detailed Description . . . . .	194
4.254 duk__numconv_stringify_ctx Struct Reference . . . . .	194
4.254.1 Detailed Description . . . . .	195
4.255 duk__objlit_state Struct Reference . . . . .	195
4.255.1 Detailed Description . . . . .	195
4.256 duk__pcall_prop_args Struct Reference . . . . .	195
4.256.1 Detailed Description . . . . .	195
4.257 duk__re_disjunction_info Struct Reference . . . . .	195
4.257.1 Detailed Description . . . . .	196
4.258 duk__transform_context Struct Reference . . . . .	196
4.258.1 Detailed Description . . . . .	196
4.259 duk_activation Struct Reference . . . . .	196
4.259.1 Detailed Description . . . . .	196
4.260 duk_bitdecoder_ctx Struct Reference . . . . .	197
4.260.1 Detailed Description . . . . .	197
4.261 duk_bitencoder_ctx Struct Reference . . . . .	197
4.261.1 Detailed Description . . . . .	197
4.262 duk_breakpoint Struct Reference . . . . .	197
4.262.1 Detailed Description . . . . .	198
4.263 duk_bufwriter_ctx Struct Reference . . . . .	198
4.263.1 Detailed Description . . . . .	198
4.264 duk_catcher Struct Reference . . . . .	198
4.264.1 Detailed Description . . . . .	198
4.265 duk_compiler_ctx Struct Reference . . . . .	199
4.265.1 Detailed Description . . . . .	199
4.266 duk_compiler_func Struct Reference . . . . .	199
4.266.1 Detailed Description . . . . .	200
4.267 duk_compiler_instr Struct Reference . . . . .	200
4.267.1 Detailed Description . . . . .	201
4.268 duk_double_union Union Reference . . . . .	201
4.268.1 Detailed Description . . . . .	201
4.269 duk_function_list_entry Struct Reference . . . . .	201
4.269.1 Detailed Description . . . . .	201
4.270 duk_harray Struct Reference . . . . .	202
4.270.1 Detailed Description . . . . .	202
4.271 duk_hbuffer Struct Reference . . . . .	202
4.271.1 Detailed Description . . . . .	202



4.272 duk_hbuffer_dynamic Struct Reference . . . . .	202
4.272.1 Detailed Description . . . . .	202
4.273 duk_hbuffer_external Struct Reference . . . . .	203
4.273.1 Detailed Description . . . . .	203
4.274 duk_hbuffer_fixed Struct Reference . . . . .	203
4.274.1 Detailed Description . . . . .	203
4.275 duk_hbufobj Struct Reference . . . . .	203
4.275.1 Detailed Description . . . . .	204
4.276 duk_hcompfunc Struct Reference . . . . .	204
4.276.1 Detailed Description . . . . .	204
4.277 duk_heap Struct Reference . . . . .	204
4.277.1 Detailed Description . . . . .	205
4.278 duk_heaphdr Struct Reference . . . . .	205
4.278.1 Detailed Description . . . . .	205
4.279 duk_heaphdr_string Struct Reference . . . . .	205
4.279.1 Detailed Description . . . . .	206
4.280 duk_hnatfunc Struct Reference . . . . .	206
4.280.1 Detailed Description . . . . .	206
4.281 duk_hobject Struct Reference . . . . .	206
4.281.1 Detailed Description . . . . .	206
4.282 duk_hstring Struct Reference . . . . .	207
4.282.1 Detailed Description . . . . .	207
4.283 duk_hstring_external Struct Reference . . . . .	207
4.283.1 Detailed Description . . . . .	207
4.284 duk_hthread Struct Reference . . . . .	208
4.284.1 Detailed Description . . . . .	208
4.285 duk_internal_thread_state Struct Reference . . . . .	208
4.285.1 Detailed Description . . . . .	209
4.286 duk_ispec Struct Reference . . . . .	209
4.286.1 Detailed Description . . . . .	209
4.287 duk_ivalue Struct Reference . . . . .	209
4.287.1 Detailed Description . . . . .	209
4.288 duk_jmpbuf Struct Reference . . . . .	209
4.288.1 Detailed Description . . . . .	210
4.289 duk_json_dec_ctx Struct Reference . . . . .	210
4.289.1 Detailed Description . . . . .	210
4.290 duk_json_enc_ctx Struct Reference . . . . .	210
4.290.1 Detailed Description . . . . .	211
4.291 duk_labelinfo Struct Reference . . . . .	211
4.291.1 Detailed Description . . . . .	211
4.292 duk_lexer_codepoint Struct Reference . . . . .	211
4.292.1 Detailed Description . . . . .	211

4.293 duk_lexer_ctx Struct Reference . . . . .	212
4.293.1 Detailed Description . . . . .	212
4.294 duk_lexer_point Struct Reference . . . . .	212
4.294.1 Detailed Description . . . . .	212
4.295 duk_ljstate Struct Reference . . . . .	213
4.295.1 Detailed Description . . . . .	213
4.296 duk_memory_functions Struct Reference . . . . .	213
4.296.1 Detailed Description . . . . .	213
4.297 duk_number_list_entry Struct Reference . . . . .	213
4.297.1 Detailed Description . . . . .	214
4.298 duk_propaccessor Struct Reference . . . . .	214
4.298.1 Detailed Description . . . . .	214
4.299 duk_propdesc Struct Reference . . . . .	214
4.299.1 Detailed Description . . . . .	214
4.300 duk_propvalue Union Reference . . . . .	215
4.300.1 Detailed Description . . . . .	215
4.301 duk_re_compiler_ctx Struct Reference . . . . .	215
4.301.1 Detailed Description . . . . .	215
4.302 duk_re_matcher_ctx Struct Reference . . . . .	215
4.302.1 Detailed Description . . . . .	216
4.303 duk_re_token Struct Reference . . . . .	216
4.303.1 Detailed Description . . . . .	216
4.304 duk_strcache Struct Reference . . . . .	216
4.304.1 Detailed Description . . . . .	216
4.305 duk_strtab_entry Struct Reference . . . . .	217
4.305.1 Detailed Description . . . . .	217
4.306 duk_thread_state Struct Reference . . . . .	217
4.306.1 Detailed Description . . . . .	217
4.307 duk_time_components Struct Reference . . . . .	217
4.307.1 Detailed Description . . . . .	218
4.308 duk_token Struct Reference . . . . .	218
4.308.1 Detailed Description . . . . .	218
4.309 duk_tval_struct Struct Reference . . . . .	218
4.309.1 Detailed Description . . . . .	219
4.310 duk_tval_unused Struct Reference . . . . .	219
4.310.1 Detailed Description . . . . .	219
4.311 EAI_Extra_Data Struct Reference . . . . .	219
4.311.1 Detailed Description . . . . .	219
4.312 EAI_ListenerStruct Struct Reference . . . . .	220
4.312.1 Detailed Description . . . . .	220
4.313 sai.eai.EAIAsyncMessage Class Reference . . . . .	220
4.313.1 Detailed Description . . . . .	220

4.314 vrml.external.FreeWRLEAI.EAIAsyncMessage Class Reference . . . . .	220
4.314.1 Detailed Description . . . . .	221
4.315 sai.eai.EAIAsyncQueue Class Reference . . . . .	221
4.315.1 Detailed Description . . . . .	221
4.316 vrml.external.FreeWRLEAI.EAIAsyncQueue Class Reference . . . . .	221
4.316.1 Detailed Description . . . . .	221
4.317 sai.eai.EAIAsyncThread Class Reference . . . . .	222
4.317.1 Detailed Description . . . . .	222
4.318 vrml.external.FreeWRLEAI.EAIAsyncThread Class Reference . . . . .	222
4.318.1 Detailed Description . . . . .	222
4.319 sai.eai.EAIInThread Class Reference . . . . .	223
4.319.1 Detailed Description . . . . .	223
4.320 vrml.external.FreeWRLEAI.EAIInThread Class Reference . . . . .	223
4.320.1 Detailed Description . . . . .	223
4.321 sai.eai.EAIMessage Class Reference . . . . .	224
4.321.1 Detailed Description . . . . .	224
4.322 vrml.external.FreeWRLEAI.EAIMessage Class Reference . . . . .	224
4.322.1 Detailed Description . . . . .	224
4.323 EAINodeIndexStruct Struct Reference . . . . .	224
4.323.1 Detailed Description . . . . .	225
4.324 EAINodeParams Struct Reference . . . . .	225
4.324.1 Detailed Description . . . . .	225
4.325 sai.eai.EAIoutQueue Class Reference . . . . .	225
4.325.1 Detailed Description . . . . .	225
4.326 vrml.external.FreeWRLEAI.EAIoutQueue Class Reference . . . . .	226
4.326.1 Detailed Description . . . . .	226
4.327 sai.eai.EAIoutThread Class Reference . . . . .	226
4.327.1 Detailed Description . . . . .	226
4.328 vrml.external.FreeWRLEAI.EAIoutThread Class Reference . . . . .	227
4.328.1 Detailed Description . . . . .	227
4.329 EdgePair Struct Reference . . . . .	227
4.329.1 Detailed Description . . . . .	227
4.330 EightByteChunk Struct Reference . . . . .	227
4.330.1 Detailed Description . . . . .	228
4.331 ElectronicEmissionBeamData Struct Reference . . . . .	228
4.331.1 Detailed Description . . . . .	228
4.331.2 Field Documentation . . . . .	228
4.331.2.1 beamParameterIndex . . . . .	229
4.332 ElectronicEmissionsPdu Struct Reference . . . . .	229
4.332.1 Detailed Description . . . . .	229
4.333 ElectronicEmissionSystemData Struct Reference . . . . .	230
4.333.1 Detailed Description . . . . .	230

4.333.2 Field Documentation . . . . .	230
4.333.2.1 numberOfBeams . . . . .	230
4.333.2.2 systemDataLength . . . . .	230
4.334 ellipsoid Struct Reference . . . . .	231
4.334.1 Detailed Description . . . . .	231
4.335 EmitterSystem Struct Reference . . . . .	231
4.335.1 Detailed Description . . . . .	231
4.336 EntityID Struct Reference . . . . .	231
4.336.1 Detailed Description . . . . .	232
4.337 EntityInformationFamilyPdu Struct Reference . . . . .	232
4.337.1 Detailed Description . . . . .	232
4.338 EntityManagementFamilyPdu Struct Reference . . . . .	232
4.338.1 Detailed Description . . . . .	232
4.339 EntityStatePdu Struct Reference . . . . .	233
4.339.1 Detailed Description . . . . .	233
4.340 EntityStateUpdatePdu Struct Reference . . . . .	234
4.340.1 Detailed Description . . . . .	234
4.341 EntityType Struct Reference . . . . .	234
4.341.1 Detailed Description . . . . .	235
4.342 Environment Struct Reference . . . . .	235
4.342.1 Detailed Description . . . . .	235
4.343 EnvironmentalProcessPdu Struct Reference . . . . .	235
4.343.1 Detailed Description . . . . .	236
4.344 vrml.Event Class Reference . . . . .	236
4.344.1 Detailed Description . . . . .	236
4.345 EventID Struct Reference . . . . .	236
4.345.1 Detailed Description . . . . .	237
4.346 vrml.external.field.EventIn Class Reference . . . . .	237
4.346.1 Detailed Description . . . . .	238
4.347 vrml.external.field.EventInMFColor Class Reference . . . . .	238
4.347.1 Detailed Description . . . . .	238
4.348 vrml.external.field.EventInMFFloat Class Reference . . . . .	238
4.348.1 Detailed Description . . . . .	239
4.349 vrml.external.field.EventInMFInt32 Class Reference . . . . .	239
4.349.1 Detailed Description . . . . .	239
4.350 vrml.external.field.EventInMFNode Class Reference . . . . .	240
4.350.1 Detailed Description . . . . .	240
4.351 vrml.external.field.EventInMFRotation Class Reference . . . . .	240
4.351.1 Detailed Description . . . . .	240
4.352 vrml.external.field.EventInMFString Class Reference . . . . .	241
4.352.1 Detailed Description . . . . .	241
4.353 vrml.external.field.EventInMFVec2f Class Reference . . . . .	241

4.353.1 Detailed Description . . . . .	241
4.354 vrml.external.field.EventInMFVec3f Class Reference . . . . .	242
4.354.1 Detailed Description . . . . .	242
4.355 vrml.external.field.EventInSFBool Class Reference . . . . .	242
4.355.1 Detailed Description . . . . .	242
4.356 vrml.external.field.EventInSFColor Class Reference . . . . .	243
4.356.1 Detailed Description . . . . .	243
4.357 vrml.external.field.EventInSFFloat Class Reference . . . . .	243
4.357.1 Detailed Description . . . . .	243
4.358 vrml.external.field.EventInSFImage Class Reference . . . . .	244
4.358.1 Detailed Description . . . . .	244
4.359 vrml.external.field.EventInSFInt32 Class Reference . . . . .	244
4.359.1 Detailed Description . . . . .	244
4.360 vrml.external.field.EventInSFNode Class Reference . . . . .	245
4.360.1 Detailed Description . . . . .	245
4.361 vrml.external.field.EventInSFRotation Class Reference . . . . .	245
4.361.1 Detailed Description . . . . .	245
4.362 vrml.external.field.EventInSFString Class Reference . . . . .	246
4.362.1 Detailed Description . . . . .	246
4.363 vrml.external.field.EventInSFTime Class Reference . . . . .	246
4.363.1 Detailed Description . . . . .	246
4.364 vrml.external.field.EventInSFVec2f Class Reference . . . . .	247
4.364.1 Detailed Description . . . . .	247
4.365 vrml.external.field.EventInSFVec3f Class Reference . . . . .	247
4.365.1 Detailed Description . . . . .	247
4.366 vrml.external.field.EventOut Class Reference . . . . .	248
4.366.1 Detailed Description . . . . .	249
4.367 vrml.external.field.EventOutMFColor Class Reference . . . . .	249
4.367.1 Detailed Description . . . . .	249
4.368 vrml.external.field.EventOutMFFloat Class Reference . . . . .	249
4.368.1 Detailed Description . . . . .	250
4.369 vrml.external.field.EventOutMField Class Reference . . . . .	250
4.369.1 Detailed Description . . . . .	251
4.370 vrml.external.field.EventOutMFInt32 Class Reference . . . . .	251
4.370.1 Detailed Description . . . . .	251
4.371 vrml.external.field.EventOutMFNode Class Reference . . . . .	251
4.371.1 Detailed Description . . . . .	252
4.372 vrml.external.field.EventOutMFRotation Class Reference . . . . .	252
4.372.1 Detailed Description . . . . .	252
4.373 vrml.external.field.EventOutMFString Class Reference . . . . .	253
4.373.1 Detailed Description . . . . .	253
4.374 vrml.external.field.EventOutMFVec2f Class Reference . . . . .	253

4.374.1 Detailed Description . . . . .	254
4.375 vrml.external.field.EventOutMFVec3f Class Reference . . . . .	254
4.375.1 Detailed Description . . . . .	254
4.376 vrml.external.field.EventOutObserver Interface Reference . . . . .	254
4.376.1 Detailed Description . . . . .	255
4.377 vrml.external.field.EventOutSFBool Class Reference . . . . .	255
4.377.1 Detailed Description . . . . .	255
4.378 vrml.external.field.EventOutSFColor Class Reference . . . . .	255
4.378.1 Detailed Description . . . . .	256
4.379 vrml.external.field.EventOutSFFloat Class Reference . . . . .	256
4.379.1 Detailed Description . . . . .	256
4.380 vrml.external.field.EventOutSFImage Class Reference . . . . .	256
4.380.1 Detailed Description . . . . .	257
4.381 vrml.external.field.EventOutSFInt32 Class Reference . . . . .	257
4.381.1 Detailed Description . . . . .	257
4.382 vrml.external.field.EventOutSFNode Class Reference . . . . .	258
4.382.1 Detailed Description . . . . .	258
4.383 vrml.external.field.EventOutSFRotation Class Reference . . . . .	258
4.383.1 Detailed Description . . . . .	258
4.384 vrml.external.field.EventOutSFString Class Reference . . . . .	259
4.384.1 Detailed Description . . . . .	259
4.385 vrml.external.field.EventOutSFTime Class Reference . . . . .	259
4.385.1 Detailed Description . . . . .	259
4.386 vrml.external.field.EventOutSFVec2f Class Reference . . . . .	260
4.386.1 Detailed Description . . . . .	260
4.387 vrml.external.field.EventOutSFVec3f Class Reference . . . . .	260
4.387.1 Detailed Description . . . . .	260
4.388 EventReportPdu Struct Reference . . . . .	261
4.388.1 Detailed Description . . . . .	261
4.389 EventReportReliablePdu Struct Reference . . . . .	261
4.389.1 Detailed Description . . . . .	262
4.390 org.web3d.x3d.sai.ExternalBrowser Interface Reference . . . . .	262
4.390.1 Detailed Description . . . . .	262
4.391 extrusion Struct Reference . . . . .	262
4.391.1 Detailed Description . . . . .	263
4.392 FaceCount Struct Reference . . . . .	263
4.392.1 Detailed Description . . . . .	263
4.393 FastEntityStatePdu Struct Reference . . . . .	263
4.393.1 Detailed Description . . . . .	265
4.394 vrml.Field Class Reference . . . . .	265
4.394.1 Detailed Description . . . . .	266
4.395 field_info Struct Reference . . . . .	266

4.395.1 Detailed Description . . . . .	266
4.396 FieldDecl Struct Reference . . . . .	266
4.396.1 Detailed Description . . . . .	267
4.397 vrml.external.field.FieldTypes Class Reference . . . . .	267
4.397.1 Detailed Description . . . . .	267
4.398 file_in_zip64_read_info_s Struct Reference . . . . .	268
4.398.1 Detailed Description . . . . .	268
4.399 FirePdu Struct Reference . . . . .	268
4.399.1 Detailed Description . . . . .	269
4.400 FirstStruct Struct Reference . . . . .	269
4.400.1 Detailed Description . . . . .	269
4.401 FixedDatum Struct Reference . . . . .	269
4.401.1 Detailed Description . . . . .	269
4.402 Flist Class Reference . . . . .	270
4.402.1 Detailed Description . . . . .	270
4.403 FlistSorter Class Reference . . . . .	270
4.403.1 Detailed Description . . . . .	271
4.404 flychord Struct Reference . . . . .	271
4.404.1 Detailed Description . . . . .	271
4.405 fmtChnk Struct Reference . . . . .	271
4.405.1 Detailed Description . . . . .	272
4.406 FourByteChunk Struct Reference . . . . .	272
4.406.1 Detailed Description . . . . .	272
4.407 freewrl_params Struct Reference . . . . .	272
4.407.1 Detailed Description . . . . .	273
4.408 sai.FreeWRLBrowser Class Reference . . . . .	273
4.408.1 Detailed Description . . . . .	275
4.409 sai.FreeWRLBrowserInfo Class Reference . . . . .	275
4.409.1 Detailed Description . . . . .	275
4.410 sai.FreeWRLComponent Class Reference . . . . .	275
4.410.1 Detailed Description . . . . .	275
4.411 sai.FreeWRLField Class Reference . . . . .	276
4.411.1 Detailed Description . . . . .	277
4.412 sai.FreeWRLFieldDefinition Class Reference . . . . .	277
4.412.1 Detailed Description . . . . .	278
4.413 sai.FreeWRLFieldTypes Class Reference . . . . .	278
4.413.1 Detailed Description . . . . .	278
4.414 sai.FreeWRLMField Class Reference . . . . .	279
4.414.1 Detailed Description . . . . .	279
4.415 sai.FreeWRLNode Class Reference . . . . .	280
4.415.1 Detailed Description . . . . .	280
4.416 sai.FreeWRLNodeTypes Class Reference . . . . .	280

4.416.1 Detailed Description . . . . .	281
4.417 sai.FreeWRLRendererInfo Class Reference . . . . .	281
4.417.1 Detailed Description . . . . .	281
4.418 sai.FreeWRLScene Class Reference . . . . .	282
4.418.1 Detailed Description . . . . .	283
4.419 ftype Struct Reference . . . . .	283
4.419.1 Detailed Description . . . . .	283
4.420 FundamentalParameterData Struct Reference . . . . .	284
4.420.1 Detailed Description . . . . .	284
4.420.2 Field Documentation . . . . .	284
4.420.2.1 beamSweepSync . . . . .	284
4.420.2.2 effectiveRadiatedPower . . . . .	285
4.421 FundamentalParameterDataIff Struct Reference . . . . .	285
4.421.1 Detailed Description . . . . .	285
4.422 fw_MaterialParameters Struct Reference . . . . .	286
4.422.1 Detailed Description . . . . .	286
4.423 FWBITMAPFILEHEADER Struct Reference . . . . .	286
4.423.1 Detailed Description . . . . .	286
4.424 FWBITMAPINFO Struct Reference . . . . .	286
4.424.1 Detailed Description . . . . .	287
4.425 FWBITMAPINFOHEADER Struct Reference . . . . .	287
4.425.1 Detailed Description . . . . .	287
4.426 sai.FWComponentInfo Class Reference . . . . .	287
4.426.1 Detailed Description . . . . .	288
4.427 vrml.FWCreateField Class Reference . . . . .	288
4.427.1 Detailed Description . . . . .	288
4.428 sai.FWExternProtoDeclaration Class Reference . . . . .	288
4.428.1 Detailed Description . . . . .	289
4.429 FWFunctionSpec Struct Reference . . . . .	289
4.429.1 Detailed Description . . . . .	289
4.430 vrml.FWHelper Class Reference . . . . .	289
4.430.1 Detailed Description . . . . .	289
4.431 vrml.FWJavaScript Class Reference . . . . .	290
4.431.1 Detailed Description . . . . .	290
4.432 vrml.FWJavaScriptBinding Class Reference . . . . .	290
4.432.1 Detailed Description . . . . .	290
4.433 vrml.FWJavaScriptClassLoader Class Reference . . . . .	291
4.433.1 Detailed Description . . . . .	291
4.433.2 Constructor & Destructor Documentation . . . . .	291
4.433.2.1 FWJavaScriptClassLoader() . . . . .	291
4.434 sai.FWMFColor Class Reference . . . . .	292
4.434.1 Detailed Description . . . . .	292



4.435 sai.FWMFColorRGBA Class Reference . . . . .	292
4.435.1 Detailed Description . . . . .	293
4.436 sai.FWMFDouble Class Reference . . . . .	293
4.436.1 Detailed Description . . . . .	294
4.437 sai.FWMFFloat Class Reference . . . . .	294
4.437.1 Detailed Description . . . . .	294
4.438 sai.FWMFInt32 Class Reference . . . . .	295
4.438.1 Detailed Description . . . . .	295
4.439 sai.FWMFNode Class Reference . . . . .	295
4.439.1 Detailed Description . . . . .	296
4.440 sai.FWMFRotation Class Reference . . . . .	296
4.440.1 Detailed Description . . . . .	297
4.441 sai.FWMFString Class Reference . . . . .	297
4.441.1 Detailed Description . . . . .	297
4.442 sai.FWMFVec2d Class Reference . . . . .	298
4.442.1 Detailed Description . . . . .	298
4.443 sai.FWMFVec2f Class Reference . . . . .	298
4.443.1 Detailed Description . . . . .	299
4.444 sai.FWMFVec3d Class Reference . . . . .	299
4.444.1 Detailed Description . . . . .	300
4.445 sai.FWMFVec3f Class Reference . . . . .	300
4.445.1 Detailed Description . . . . .	300
4.446 sai.FWProfileInfo Class Reference . . . . .	301
4.446.1 Detailed Description . . . . .	301
4.447 sai.FWProfInfo Class Reference . . . . .	301
4.447.1 Detailed Description . . . . .	301
4.448 FWPropertySpec Struct Reference . . . . .	302
4.448.1 Detailed Description . . . . .	302
4.449 sai.FWProtoDeclaration Class Reference . . . . .	302
4.449.1 Detailed Description . . . . .	303
4.450 sai.FWProtoInstance Class Reference . . . . .	303
4.450.1 Detailed Description . . . . .	303
4.451 FWRGBQUAD Struct Reference . . . . .	303
4.451.1 Detailed Description . . . . .	304
4.452 sai.FWRoute Class Reference . . . . .	304
4.452.1 Detailed Description . . . . .	304
4.453 sai.FWSFBool Class Reference . . . . .	304
4.453.1 Detailed Description . . . . .	305
4.454 sai.FWSFColor Class Reference . . . . .	305
4.454.1 Detailed Description . . . . .	305
4.455 sai.FWSFColorRGBA Class Reference . . . . .	306
4.455.1 Detailed Description . . . . .	306

4.456 sai.FWSFDouble Class Reference . . . . .	306
4.456.1 Detailed Description . . . . .	307
4.457 sai.FWSFFloat Class Reference . . . . .	307
4.457.1 Detailed Description . . . . .	307
4.458 sai.FWSFImage Class Reference . . . . .	307
4.458.1 Detailed Description . . . . .	308
4.459 sai.FWSFInt32 Class Reference . . . . .	308
4.459.1 Detailed Description . . . . .	308
4.460 sai.FWSFNode Class Reference . . . . .	309
4.460.1 Detailed Description . . . . .	309
4.461 sai.FWSFRotation Class Reference . . . . .	309
4.461.1 Detailed Description . . . . .	310
4.462 sai.FWSFString Class Reference . . . . .	310
4.462.1 Detailed Description . . . . .	310
4.463 sai.FWSFTime Class Reference . . . . .	310
4.463.1 Detailed Description . . . . .	311
4.464 sai.FWSFVec2d Class Reference . . . . .	311
4.464.1 Detailed Description . . . . .	311
4.465 sai.FWSFVec2f Class Reference . . . . .	312
4.465.1 Detailed Description . . . . .	312
4.466 sai.FWSFVec3d Class Reference . . . . .	312
4.466.1 Detailed Description . . . . .	313
4.467 sai.FWSFVec3f Class Reference . . . . .	313
4.467.1 Detailed Description . . . . .	313
4.468 FWSNDMSG Struct Reference . . . . .	313
4.468.1 Detailed Description . . . . .	314
4.469 FWTYPE Struct Reference . . . . .	314
4.469.1 Detailed Description . . . . .	314
4.470 FWVAL Struct Reference . . . . .	314
4.470.1 Detailed Description . . . . .	315
4.471 FXY Struct Reference . . . . .	315
4.471.1 Detailed Description . . . . .	315
4.472 gcgd Struct Reference . . . . .	315
4.472.1 Detailed Description . . . . .	316
4.473 GLUface Struct Reference . . . . .	316
4.473.1 Detailed Description . . . . .	316
4.474 GLUhalfEdge Struct Reference . . . . .	316
4.474.1 Detailed Description . . . . .	316
4.475 GLUmesh Struct Reference . . . . .	317
4.475.1 Detailed Description . . . . .	317
4.476 GLUnurbs Class Reference . . . . .	317
4.476.1 Detailed Description . . . . .	318

4.477 GLUtesselator Struct Reference . . . . .	318
4.477.1 Detailed Description . . . . .	319
4.478 GLUvertex Struct Reference . . . . .	319
4.478.1 Detailed Description . . . . .	319
4.479 GLwDrawingAreaCallbackStruct Struct Reference . . . . .	319
4.479.1 Detailed Description . . . . .	320
4.480 GLwDrawingAreaPart Struct Reference . . . . .	320
4.480.1 Detailed Description . . . . .	320
4.481 GoP Struct Reference . . . . .	321
4.481.1 Detailed Description . . . . .	321
4.482 GridAxisRecord Struct Reference . . . . .	321
4.482.1 Detailed Description . . . . .	321
4.483 GridAxisRecordRepresentation0 Struct Reference . . . . .	321
4.483.1 Detailed Description . . . . .	322
4.484 GridAxisRecordRepresentation1 Struct Reference . . . . .	322
4.484.1 Detailed Description . . . . .	322
4.485 GridAxisRecordRepresentation2 Struct Reference . . . . .	322
4.485.1 Detailed Description . . . . .	322
4.486 gridBoundaryChain Class Reference . . . . .	323
4.486.1 Detailed Description . . . . .	323
4.487 GriddedDataPdu Struct Reference . . . . .	323
4.487.1 Detailed Description . . . . .	324
4.488 Gridline Struct Reference . . . . .	324
4.488.1 Detailed Description . . . . .	324
4.489 GridTrimVertex Class Reference . . . . .	325
4.489.1 Detailed Description . . . . .	325
4.490 GridVertex Struct Reference . . . . .	325
4.490.1 Detailed Description . . . . .	326
4.491 gridWrap Class Reference . . . . .	326
4.491.1 Detailed Description . . . . .	326
4.492 GUINamedType Struct Reference . . . . .	326
4.492.1 Detailed Description . . . . .	327
4.493 GUIScreen Struct Reference . . . . .	327
4.493.1 Detailed Description . . . . .	327
4.494 Hull Class Reference . . . . .	327
4.494.1 Detailed Description . . . . .	328
4.495 vrml.external.IBrowser Interface Reference . . . . .	328
4.495.1 Detailed Description . . . . .	329
4.496 IffAtcNavAidsLayer1Pdu Struct Reference . . . . .	329
4.496.1 Detailed Description . . . . .	329
4.496.2 Field Documentation . . . . .	329
4.496.2.1 location . . . . .	330

4.497	IffAtcNavAidsLayer2Pdu Struct Reference . . . . .	330
4.497.1	Detailed Description . . . . .	330
4.497.2	Field Documentation . . . . .	330
4.497.2.1	fundamentallffParameters . . . . .	330
4.498	IffFundamentalData Struct Reference . . . . .	331
4.498.1	Detailed Description . . . . .	331
4.499	iiglobal Struct Reference . . . . .	331
4.499.1	Detailed Description . . . . .	333
4.500	IMEXPORT Struct Reference . . . . .	334
4.500.1	Detailed Description . . . . .	334
4.501	org.web3d.x3d.sai.ImportedException Class Reference . . . . .	334
4.501.1	Detailed Description . . . . .	334
4.502	initialRouteStruct Struct Reference . . . . .	334
4.502.1	Detailed Description . . . . .	335
4.503	freeWRLSAI_cpp::insufficientCapabilitiesException Class Reference . . . . .	335
4.503.1	Detailed Description . . . . .	335
4.504	org.web3d.x3d.sai.InsufficientCapabilitiesException Class Reference . . . . .	335
4.504.1	Detailed Description . . . . .	336
4.505	IntercomCommunicationsParameters Struct Reference . . . . .	336
4.505.1	Detailed Description . . . . .	336
4.505.2	Field Documentation . . . . .	336
4.505.2.1	recordSpecificField . . . . .	336
4.506	IntercomControlPdu Struct Reference . . . . .	337
4.506.1	Detailed Description . . . . .	337
4.506.2	Field Documentation . . . . .	337
4.506.2.1	intercomParameters . . . . .	337
4.507	IntercomSignalPdu Struct Reference . . . . .	338
4.507.1	Detailed Description . . . . .	338
4.508	intersection_info Struct Reference . . . . .	338
4.508.1	Detailed Description . . . . .	338
4.509	freeWRLSAI_cpp::invalidAccessTypeException Class Reference . . . . .	339
4.509.1	Detailed Description . . . . .	339
4.510	freeWRLSAI_cpp::invalidBrowserException Class Reference . . . . .	339
4.510.1	Detailed Description . . . . .	340
4.511	org.web3d.x3d.sai.InvalidBrowserException Class Reference . . . . .	340
4.511.1	Detailed Description . . . . .	340
4.512	freeWRLSAI_cpp::invalidDocumentException Class Reference . . . . .	340
4.512.1	Detailed Description . . . . .	341
4.513	org.web3d.x3d.sai.InvalidDocumentException Class Reference . . . . .	341
4.513.1	Detailed Description . . . . .	341
4.514	vrml.external.exception.InvalidEventInException Class Reference . . . . .	341
4.514.1	Detailed Description . . . . .	342

4.514.2 Constructor & Destructor Documentation . . . . .	342
4.514.2.1 InvalidEventInException() . . . . .	342
4.515 vrml.InvalidEventInException Class Reference . . . . .	342
4.515.1 Detailed Description . . . . .	343
4.516 vrml.external.exception.InvalidEventOutException Class Reference . . . . .	343
4.516.1 Detailed Description . . . . .	343
4.517 vrml.InvalidEventOutException Class Reference . . . . .	343
4.517.1 Detailed Description . . . . .	344
4.518 freeWRLSAI_cpp::invalidExecutionContextException Class Reference . . . . .	344
4.518.1 Detailed Description . . . . .	344
4.519 org.web3d.x3d.sai.InvalidExecutionContextException Class Reference . . . . .	344
4.519.1 Detailed Description . . . . .	345
4.520 vrml.InvalidExposedFieldException Class Reference . . . . .	345
4.520.1 Detailed Description . . . . .	345
4.521 vrml.InvalidFieldChangeException Class Reference . . . . .	345
4.521.1 Detailed Description . . . . .	346
4.522 freeWRLSAI_cpp::invalidFieldException Class Reference . . . . .	346
4.522.1 Detailed Description . . . . .	346
4.523 org.web3d.x3d.sai.InvalidFieldException Class Reference . . . . .	347
4.523.1 Detailed Description . . . . .	347
4.524 vrml.InvalidFieldException Class Reference . . . . .	347
4.524.1 Detailed Description . . . . .	347
4.525 org.web3d.x3d.sai.InvalidFieldValueException Class Reference . . . . .	348
4.525.1 Detailed Description . . . . .	348
4.526 freeWRLSAI_cpp::invalidImportException Class Reference . . . . .	348
4.526.1 Detailed Description . . . . .	348
4.527 org.web3d.x3d.sai.InvalidNameException Class Reference . . . . .	349
4.527.1 Detailed Description . . . . .	349
4.528 freeWRLSAI_cpp::invalidNodeException Class Reference . . . . .	349
4.528.1 Detailed Description . . . . .	350
4.529 org.web3d.x3d.sai.InvalidNodeException Class Reference . . . . .	350
4.529.1 Detailed Description . . . . .	350
4.530 vrml.external.exception.InvalidNodeException Class Reference . . . . .	350
4.530.1 Detailed Description . . . . .	351
4.530.2 Constructor & Destructor Documentation . . . . .	351
4.530.2.1 InvalidNodeException() . . . . .	351
4.531 freeWRLSAI_cpp::invalidOperationTimingException Class Reference . . . . .	351
4.531.1 Detailed Description . . . . .	352
4.532 org.web3d.x3d.sai.InvalidOperationTimingException Class Reference . . . . .	352
4.532.1 Detailed Description . . . . .	352
4.533 org.web3d.x3d.sai.InvalidProtoException Class Reference . . . . .	353
4.533.1 Detailed Description . . . . .	353

4.534 freeWRLSAI_cpp::InvalidReadableFieldException Class Reference . . . . .	353
4.534.1 Detailed Description . . . . .	354
4.535 org.web3d.x3d.sai.InvalidRouteException Class Reference . . . . .	354
4.535.1 Detailed Description . . . . .	354
4.536 vrml.InvalidRouteException Class Reference . . . . .	354
4.536.1 Detailed Description . . . . .	355
4.537 freeWRLSAI_cpp::invalidUrlException Class Reference . . . . .	355
4.537.1 Detailed Description . . . . .	355
4.538 org.web3d.x3d.sai.InvalidURLErrorException Class Reference . . . . .	355
4.538.1 Detailed Description . . . . .	356
4.539 vrml.external.exception.InvalidVrmlException Class Reference . . . . .	356
4.539.1 Detailed Description . . . . .	356
4.539.2 Constructor & Destructor Documentation . . . . .	356
4.539.2.1 InvalidVrmlException() . . . . .	356
4.540 vrml.InvalidVRMLSyntaxException Class Reference . . . . .	357
4.540.1 Detailed Description . . . . .	357
4.541 freeWRLSAI_cpp::InvalidWritableFieldException Class Reference . . . . .	357
4.541.1 Detailed Description . . . . .	358
4.542 freeWRLSAI_cpp::invalidX3DException Class Reference . . . . .	358
4.542.1 Detailed Description . . . . .	358
4.543 org.web3d.x3d.sai.InvalidX3DException Class Reference . . . . .	359
4.543.1 Detailed Description . . . . .	359
4.544 vrml.InvalidX3DSyntaxException Class Reference . . . . .	359
4.544.1 Detailed Description . . . . .	359
4.545 IsGroupOfPdu Struct Reference . . . . .	360
4.545.1 Detailed Description . . . . .	360
4.545.2 Field Documentation . . . . .	360
4.545.2.1 groupedEntityDescriptions . . . . .	360
4.546 IsPartOfPdu Struct Reference . . . . .	361
4.546.1 Detailed Description . . . . .	361
4.546.2 Field Documentation . . . . .	361
4.546.2.1 partLocation . . . . .	361
4.547 ivec2 Struct Reference . . . . .	361
4.547.1 Detailed Description . . . . .	362
4.548 ivec4 Struct Reference . . . . .	362
4.548.1 Detailed Description . . . . .	362
4.549 Jarcloc Class Reference . . . . .	362
4.549.1 Detailed Description . . . . .	362
4.550 JMATRIX Struct Reference . . . . .	363
4.550.1 Detailed Description . . . . .	363
4.551 JSON_config Struct Reference . . . . .	363
4.551.1 Detailed Description . . . . .	363

4.551.2 Field Documentation . . . . .	363
4.551.2.1 callback . . . . .	364
4.551.2.2 callback_ctx . . . . .	364
4.551.2.3 depth . . . . .	364
4.551.2.4 free . . . . .	364
4.551.2.5 malloc . . . . .	365
4.552 JSON_parser_struct Struct Reference . . . . .	365
4.552.1 Detailed Description . . . . .	365
4.553 JSON_value_struct Struct Reference . . . . .	366
4.553.1 Detailed Description . . . . .	366
4.554 key Struct Reference . . . . .	366
4.554.1 Detailed Description . . . . .	366
4.555 keyHit Struct Reference . . . . .	366
4.555.1 Detailed Description . . . . .	367
4.556 keyval Struct Reference . . . . .	367
4.556.1 Detailed Description . . . . .	367
4.557 Knotspec Struct Reference . . . . .	367
4.557.1 Detailed Description . . . . .	368
4.558 Knotvector Struct Reference . . . . .	368
4.558.1 Detailed Description . . . . .	369
4.559 LayerHeader Struct Reference . . . . .	369
4.559.1 Detailed Description . . . . .	369
4.560 layout_scale_item Struct Reference . . . . .	369
4.560.1 Detailed Description . . . . .	369
4.561 layoutmode Struct Reference . . . . .	370
4.561.1 Detailed Description . . . . .	370
4.562 LinearObjectStatePdu Struct Reference . . . . .	370
4.562.1 Detailed Description . . . . .	370
4.563 LinearSegmentParameter Struct Reference . . . . .	371
4.563.1 Detailed Description . . . . .	371
4.564 linkedlist_data_s Struct Reference . . . . .	371
4.564.1 Detailed Description . . . . .	371
4.565 linkedlist_datablock_internal_s Struct Reference . . . . .	372
4.565.1 Detailed Description . . . . .	372
4.566 LogisticsFamilyPdu Struct Reference . . . . .	372
4.566.1 Detailed Description . . . . .	372
4.567 macroblock Struct Reference . . . . .	372
4.567.1 Detailed Description . . . . .	373
4.568 Mapdesc Class Reference . . . . .	373
4.568.1 Detailed Description . . . . .	374
4.569 Maplist Class Reference . . . . .	374
4.569.1 Detailed Description . . . . .	375

4.570 Marking Struct Reference . . . . .	375
4.570.1 Detailed Description . . . . .	375
4.571 matpropstruct Struct Reference . . . . .	375
4.571.1 Detailed Description . . . . .	376
4.572 org.web3d.x3d.sai.Matrix Interface Reference . . . . .	376
4.572.1 Detailed Description . . . . .	376
4.573 org.web3d.x3d.sai.Matrix3 Class Reference . . . . .	376
4.573.1 Detailed Description . . . . .	377
4.574 org.web3d.x3d.sai.Matrix4 Class Reference . . . . .	377
4.574.1 Detailed Description . . . . .	378
4.575 mb_addr_inc_entry Struct Reference . . . . .	378
4.575.1 Detailed Description . . . . .	378
4.576 mb_type_entry Struct Reference . . . . .	378
4.576.1 Detailed Description . . . . .	378
4.577 Mesher Class Reference . . . . .	379
4.577.1 Detailed Description . . . . .	379
4.578 org.web3d.x3d.sai.MFBool Interface Reference . . . . .	379
4.578.1 Detailed Description . . . . .	380
4.579 org.web3d.x3d.sai.MFColor Interface Reference . . . . .	380
4.579.1 Detailed Description . . . . .	380
4.580 vrml.field.MFColor Class Reference . . . . .	381
4.580.1 Detailed Description . . . . .	381
4.581 org.web3d.x3d.sai.MFColorRGBA Interface Reference . . . . .	382
4.581.1 Detailed Description . . . . .	382
4.582 org.web3d.x3d.sai.MFDouble Interface Reference . . . . .	382
4.582.1 Detailed Description . . . . .	383
4.583 org.web3d.x3d.sai.MFFloat Interface Reference . . . . .	383
4.583.1 Detailed Description . . . . .	383
4.584 vrml.field.MFFloat Class Reference . . . . .	384
4.584.1 Detailed Description . . . . .	384
4.585 org.web3d.x3d.sai.MField Interface Reference . . . . .	385
4.585.1 Detailed Description . . . . .	385
4.586 vrml.MField Class Reference . . . . .	386
4.586.1 Detailed Description . . . . .	387
4.587 org.web3d.x3d.sai.MFImage Interface Reference . . . . .	387
4.587.1 Detailed Description . . . . .	387
4.588 org.web3d.x3d.sai.MFInt32 Interface Reference . . . . .	388
4.588.1 Detailed Description . . . . .	388
4.589 vrml.field.MFInt32 Class Reference . . . . .	388
4.589.1 Detailed Description . . . . .	389
4.590 org.web3d.x3d.sai.MFNode Interface Reference . . . . .	389
4.590.1 Detailed Description . . . . .	390



4.591 vrml.field.MFNode Class Reference . . . . .	390
4.591.1 Detailed Description . . . . .	391
4.592 org.web3d.x3d.sai.MFRotation Interface Reference . . . . .	391
4.592.1 Detailed Description . . . . .	391
4.593 vrml.field.MFRotation Class Reference . . . . .	392
4.593.1 Detailed Description . . . . .	392
4.594 org.web3d.x3d.sai.MFString Interface Reference . . . . .	393
4.594.1 Detailed Description . . . . .	393
4.595 vrml.field.MFString Class Reference . . . . .	393
4.595.1 Detailed Description . . . . .	394
4.596 org.web3d.x3d.sai.MFTime Interface Reference . . . . .	394
4.596.1 Detailed Description . . . . .	395
4.597 vrml.field.MFTime Class Reference . . . . .	395
4.597.1 Detailed Description . . . . .	396
4.598 org.web3d.x3d.sai.MFVec2d Interface Reference . . . . .	396
4.598.1 Detailed Description . . . . .	396
4.599 org.web3d.x3d.sai.MFVec2f Interface Reference . . . . .	397
4.599.1 Detailed Description . . . . .	397
4.600 vrml.field.MFVec2f Class Reference . . . . .	397
4.600.1 Detailed Description . . . . .	398
4.601 org.web3d.x3d.sai.MFVec3d Interface Reference . . . . .	398
4.601.1 Detailed Description . . . . .	399
4.602 org.web3d.x3d.sai.MFVec3f Interface Reference . . . . .	399
4.602.1 Detailed Description . . . . .	399
4.603 vrml.field.MFVec3f Class Reference . . . . .	400
4.603.1 Detailed Description . . . . .	400
4.604 MinefieldDataPdu Struct Reference . . . . .	401
4.604.1 Detailed Description . . . . .	401
4.604.2 Field Documentation . . . . .	401
4.604.2.1 pad3 . . . . .	402
4.605 MinefieldFamilyPdu Struct Reference . . . . .	402
4.605.1 Detailed Description . . . . .	402
4.606 MinefieldQueryPdu Struct Reference . . . . .	402
4.606.1 Detailed Description . . . . .	403
4.607 MinefieldResponseNackPdu Struct Reference . . . . .	403
4.607.1 Detailed Description . . . . .	403
4.608 MinefieldStatePdu Struct Reference . . . . .	403
4.608.1 Detailed Description . . . . .	404
4.609 mode_name Struct Reference . . . . .	404
4.609.1 Detailed Description . . . . .	404
4.610 ModulationType Struct Reference . . . . .	404
4.610.1 Detailed Description . . . . .	405

4.611 monoChain Class Reference . . . . .	405
4.611.1 Detailed Description . . . . .	405
4.612 Monotonizer Class Reference . . . . .	406
4.612.1 Detailed Description . . . . .	406
4.613 motion_vectors_entry Struct Reference . . . . .	406
4.613.1 Detailed Description . . . . .	406
4.614 Multi_Any Struct Reference . . . . .	406
4.614.1 Detailed Description . . . . .	406
4.615 Multi_Bool Struct Reference . . . . .	407
4.615.1 Detailed Description . . . . .	407
4.616 Multi_Color Struct Reference . . . . .	407
4.616.1 Detailed Description . . . . .	407
4.617 Multi_ColorRGBA Struct Reference . . . . .	407
4.617.1 Detailed Description . . . . .	408
4.618 Multi_Double Struct Reference . . . . .	408
4.618.1 Detailed Description . . . . .	408
4.619 Multi_Float Struct Reference . . . . .	408
4.619.1 Detailed Description . . . . .	408
4.620 Multi_Int32 Struct Reference . . . . .	409
4.620.1 Detailed Description . . . . .	409
4.621 Multi_Matrix3d Struct Reference . . . . .	409
4.621.1 Detailed Description . . . . .	409
4.622 Multi_Matrix3f Struct Reference . . . . .	409
4.622.1 Detailed Description . . . . .	410
4.623 Multi_Matrix4d Struct Reference . . . . .	410
4.623.1 Detailed Description . . . . .	410
4.624 Multi_Matrix4f Struct Reference . . . . .	410
4.624.1 Detailed Description . . . . .	410
4.625 Multi_Node Struct Reference . . . . .	411
4.625.1 Detailed Description . . . . .	411
4.626 Multi_Rotation Struct Reference . . . . .	411
4.626.1 Detailed Description . . . . .	411
4.627 Multi_String Struct Reference . . . . .	411
4.627.1 Detailed Description . . . . .	412
4.628 Multi_Time Struct Reference . . . . .	412
4.628.1 Detailed Description . . . . .	412
4.629 Multi_Vec2d Struct Reference . . . . .	412
4.629.1 Detailed Description . . . . .	412
4.630 Multi_Vec2f Struct Reference . . . . .	413
4.630.1 Detailed Description . . . . .	413
4.631 Multi_Vec3d Struct Reference . . . . .	413
4.631.1 Detailed Description . . . . .	413

4.632 Multi_Vec3f Struct Reference . . . . .	413
4.632.1 Detailed Description . . . . .	414
4.633 Multi_Vec4d Struct Reference . . . . .	414
4.633.1 Detailed Description . . . . .	414
4.634 Multi_Vec4f Struct Reference . . . . .	414
4.634.1 Detailed Description . . . . .	414
4.635 multiTexParams Struct Reference . . . . .	415
4.635.1 Detailed Description . . . . .	415
4.636 myArgs Struct Reference . . . . .	415
4.636.1 Detailed Description . . . . .	415
4.637 MyVertex Struct Reference . . . . .	415
4.637.1 Detailed Description . . . . .	416
4.638 name_num Struct Reference . . . . .	416
4.638.1 Detailed Description . . . . .	416
4.639 NamedLocation Struct Reference . . . . .	416
4.639.1 Detailed Description . . . . .	416
4.640 navmode Struct Reference . . . . .	417
4.640.1 Detailed Description . . . . .	417
4.641 vrml.external.Node Class Reference . . . . .	417
4.641.1 Detailed Description . . . . .	417
4.642 vrml.node.Node Class Reference . . . . .	418
4.642.1 Detailed Description . . . . .	418
4.643 nodedistance Struct Reference . . . . .	418
4.643.1 Detailed Description . . . . .	418
4.644 freeWRLSAI_cpp::nodeInUseException Class Reference . . . . .	419
4.644.1 Detailed Description . . . . .	419
4.645 org.web3d.x3d.sai.NodeInUseException Class Reference . . . . .	419
4.645.1 Detailed Description . . . . .	420
4.646 freeWRLSAI_cpp::nodeUnavailableException Class Reference . . . . .	420
4.646.1 Detailed Description . . . . .	420
4.647 org.web3d.x3d.sai.NodeUnavailableException Class Reference . . . . .	420
4.647.1 Detailed Description . . . . .	421
4.648 freeWRLSAI_cpp::noSuchBrowserException Class Reference . . . . .	421
4.648.1 Detailed Description . . . . .	421
4.649 org.web3d.x3d.sai.NoSuchBrowserException Class Reference . . . . .	421
4.649.1 Detailed Description . . . . .	422
4.650 freeWRLSAI_cpp::notSupportedException Class Reference . . . . .	422
4.650.1 Detailed Description . . . . .	422
4.651 org.web3d.x3d.sai.NotSupportedException Class Reference . . . . .	422
4.651.1 Detailed Description . . . . .	423
4.652 NPClass Struct Reference . . . . .	423
4.652.1 Detailed Description . . . . .	423

4.653 NPObject Struct Reference . . . . .	423
4.653.1 Detailed Description . . . . .	424
4.654 nsByteRange Struct Reference . . . . .	424
4.654.1 Detailed Description . . . . .	424
4.655 nsIAuthenticationInfo Interface Reference . . . . .	424
4.655.1 Detailed Description . . . . .	425
4.656 nsICookieStorage Interface Reference . . . . .	425
4.656.1 Detailed Description . . . . .	425
4.656.2 Member Function Documentation . . . . .	425
4.656.2.1 getCookie() . . . . .	425
4.656.2.2 setCookie() . . . . .	426
4.657 nsIFileUtilities Interface Reference . . . . .	426
4.657.1 Detailed Description . . . . .	426
4.657.2 Member Function Documentation . . . . .	427
4.657.2.1 getProgramPath() . . . . .	427
4.657.2.2 getTempDirPath() . . . . .	427
4.657.2.3 newTempFileName() . . . . .	427
4.658 nsIHTTPHeaderListener Interface Reference . . . . .	428
4.658.1 Detailed Description . . . . .	428
4.658.2 Member Function Documentation . . . . .	429
4.658.2.1 newResponseHeader() . . . . .	429
4.658.2.2 statusLine() . . . . .	429
4.659 nsIJVMAuthTools Interface Reference . . . . .	429
4.659.1 Detailed Description . . . . .	430
4.659.2 Member Function Documentation . . . . .	430
4.659.2.1 GetAuthenticationInfo() . . . . .	430
4.659.2.2 SetAuthenticationInfo() . . . . .	430
4.660 nsIPlugin Interface Reference . . . . .	431
4.660.1 Detailed Description . . . . .	431
4.660.2 Member Function Documentation . . . . .	432
4.660.2.1 createPluginInstance() . . . . .	432
4.660.2.2 getMIMEDescription() . . . . .	432
4.660.2.3 getValue() . . . . .	432
4.660.2.4 initialize() . . . . .	433
4.660.2.5 shutdown() . . . . .	433
4.661 nsIPluginDocument Interface Reference . . . . .	433
4.661.1 Detailed Description . . . . .	434
4.661.2 Field Documentation . . . . .	434
4.661.2.1 willHandleInstantiation . . . . .	434
4.662 nsIPluginHost Interface Reference . . . . .	434
4.662.1 Detailed Description . . . . .	436
4.662.2 Member Function Documentation . . . . .	436

4.662.2.1 findProxyForURL()	436
4.662.2.2 getPluginName()	436
4.662.2.3 getPluginTagForInstance()	436
4.662.2.4 GetURL()	437
4.662.2.5 instantiateDummyJavaPlugin()	437
4.662.2.6 instantiatePluginForChannel()	438
4.662.2.7 parsePostBufferToFixHeaders()	438
4.662.2.8 PostURL()	438
4.662.2.9 reloadPlugins()	439
4.663 nsIPluginHostOld Interface Reference	440
4.663.1 Detailed Description	440
4.663.2 Member Function Documentation	441
4.663.2.1 instantiatePluginForChannel()	441
4.664 nsIPluginInputStream Interface Reference	441
4.664.1 Detailed Description	441
4.665 nsIPluginInstance Interface Reference	442
4.665.1 Detailed Description	443
4.665.2 Member Function Documentation	443
4.665.2.1 getMimeType()	443
4.665.2.2 getValue()	443
4.665.2.3 handleEvent()	444
4.665.2.4 initialize()	444
4.665.2.5 newStreamFromPlugin()	445
4.665.2.6 newStreamToPlugin()	445
4.665.2.7 print()	445
4.665.2.8 setWindow()	446
4.665.2.9 showStatus()	446
4.665.2.10 start()	447
4.665.2.11 stop()	447
4.665.3 Field Documentation	447
4.665.3.1 JSContext	447
4.666 nsIPluginInstanceInternal Class Reference	448
4.666.1 Detailed Description	448
4.667 nsIPluginInstanceOld Interface Reference	448
4.667.1 Detailed Description	449
4.667.2 Member Function Documentation	449
4.667.2.1 destroy()	450
4.667.2.2 getValue()	450
4.667.2.3 handleEvent()	450
4.667.2.4 initialize()	451
4.667.2.5 newStream()	451
4.667.2.6 print()	452

4.667.2.7 setWindow()	452
4.667.2.8 start()	452
4.667.2.9 stop()	453
4.667.3 Field Documentation	453
4.667.3.1 peer	453
4.668 nsIPluginInstanceOwner Interface Reference	453
4.668.1 Detailed Description	454
4.668.2 Member Function Documentation	454
4.668.2.1 createWidget()	454
4.668.2.2 GetURL()	455
4.668.2.3 getWindow()	455
4.669 nsIPluginInstancePeer Interface Reference	455
4.669.1 Detailed Description	456
4.669.2 Member Function Documentation	456
4.669.2.1 getValue()	456
4.669.2.2 newStream()	457
4.669.2.3 setWindowSize()	457
4.669.2.4 showStatus()	458
4.669.3 Field Documentation	458
4.669.3.1 MIMEType	458
4.669.3.2 mode	458
4.670 nsIPluginInstancePeer2 Interface Reference	459
4.670.1 Detailed Description	459
4.670.2 Field Documentation	460
4.670.2.1 JSContext	460
4.670.2.2 JSThread	460
4.670.2.3 JSWindow	460
4.671 nsIPluginInstancePeer2_1_9_1_BRANCH Interface Reference	461
4.671.1 Detailed Description	461
4.672 nsIPluginManager Interface Reference	462
4.672.1 Detailed Description	462
4.672.2 Member Function Documentation	462
4.672.2.1 GetURL()	463
4.672.2.2 GetURLWithHeaders()	463
4.672.2.3 GetValue()	464
4.672.2.4 PostURL()	464
4.672.2.5 RegisterPlugin()	465
4.672.2.6 reloadPlugins()	466
4.672.2.7 UnregisterPlugin()	466
4.672.2.8 UserAgent()	466
4.673 nsIPluginManager2 Interface Reference	467
4.673.1 Detailed Description	468

4.673.2 Member Function Documentation . . . . .	468
4.673.2.1 allocateMenuID() . . . . .	468
4.673.2.2 beginWaitCursor() . . . . .	468
4.673.2.3 deallocateMenuID() . . . . .	468
4.673.2.4 endWaitCursor() . . . . .	469
4.673.2.5 findProxyForURL() . . . . .	469
4.673.2.6 hasAllocatedMenuID() . . . . .	469
4.673.2.7 notifyStatusChange() . . . . .	470
4.673.2.8 registerWindow() . . . . .	470
4.673.2.9 supportsURLProtocol() . . . . .	471
4.673.2.10 unregisterWindow() . . . . .	471
4.674 nsIPluginOld Interface Reference . . . . .	472
4.674.1 Detailed Description . . . . .	472
4.674.2 Member Function Documentation . . . . .	472
4.674.2.1 createPluginInstance() . . . . .	473
4.674.2.2 getMIMEDescription() . . . . .	473
4.674.2.3 getValue() . . . . .	473
4.674.2.4 initialize() . . . . .	474
4.674.2.5 shutdown() . . . . .	474
4.675 nsIPluginStreamInfo Interface Reference . . . . .	474
4.675.1 Detailed Description . . . . .	475
4.676 nsIPluginStreamListener Interface Reference . . . . .	475
4.676.1 Detailed Description . . . . .	476
4.676.2 Member Function Documentation . . . . .	476
4.676.2.1 onDataAvailable() . . . . .	476
4.676.2.2 onFileAvailable() . . . . .	477
4.676.2.3 onStartBinding() . . . . .	477
4.676.2.4 onStopBinding() . . . . .	477
4.676.3 Field Documentation . . . . .	478
4.676.3.1 streamType . . . . .	478
4.677 nsIPluginTag Interface Reference . . . . .	478
4.677.1 Detailed Description . . . . .	479
4.678 nsIPluginTagInfo Interface Reference . . . . .	479
4.678.1 Detailed Description . . . . .	480
4.678.2 Member Function Documentation . . . . .	480
4.678.2.1 getAttribute() . . . . .	480
4.678.2.2 getAttributes() . . . . .	481
4.678.2.3 getParameter() . . . . .	481
4.678.2.4 getParameters() . . . . .	481
4.678.3 Field Documentation . . . . .	481
4.678.3.1 DOMELEMENT . . . . .	481
4.678.3.2 tagType . . . . .	482

4.679 nsIPluginTagInfo2 Interface Reference . . . . .	482
4.679.1 Detailed Description . . . . .	483
4.679.2 Member Function Documentation . . . . .	483
4.679.2.1 getParameter() . . . . .	484
4.679.2.2 getParameters() . . . . .	485
4.679.3 Field Documentation . . . . .	485
4.679.3.1 DOMElement . . . . .	485
4.679.3.2 tagType . . . . .	485
4.680 nsIPluginTagInfoOld Interface Reference . . . . .	486
4.680.1 Detailed Description . . . . .	486
4.680.2 Member Function Documentation . . . . .	486
4.680.2.1 getAttribute() . . . . .	486
4.680.2.2 getAttributes() . . . . .	487
4.681 nsIScriptablePlugin Interface Reference . . . . .	487
4.681.1 Detailed Description . . . . .	488
4.681.2 Field Documentation . . . . .	488
4.681.2.1 scriptableInterface . . . . .	488
4.681.2.2 scriptablePeer . . . . .	488
4.682 nsIWindowlessPluginInstancePeer Interface Reference . . . . .	488
4.682.1 Detailed Description . . . . .	489
4.683 nsPIPluginInstancePeer Interface Reference . . . . .	489
4.683.1 Detailed Description . . . . .	489
4.684 nsPluginEmbedPrint Struct Reference . . . . .	489
4.684.1 Detailed Description . . . . .	490
4.685 nsPluginEvent Struct Reference . . . . .	490
4.685.1 Detailed Description . . . . .	490
4.686 nsPluginFullPrint Struct Reference . . . . .	490
4.686.1 Detailed Description . . . . .	490
4.687 nsPluginLogging Class Reference . . . . .	490
4.687.1 Detailed Description . . . . .	491
4.688 nsPluginNativeWindow Class Reference . . . . .	491
4.688.1 Detailed Description . . . . .	491
4.688.2 Member Function Documentation . . . . .	491
4.688.2.1 GetPluginInstance() . . . . .	492
4.689 nsPluginPrint Struct Reference . . . . .	492
4.689.1 Detailed Description . . . . .	492
4.690 nsPluginRect Struct Reference . . . . .	492
4.690.1 Detailed Description . . . . .	493
4.691 nsPluginWindow Struct Reference . . . . .	493
4.691.1 Detailed Description . . . . .	493
4.692 NurbsTessellator Class Reference . . . . .	493
4.692.1 Detailed Description . . . . .	494



---

4.693 O_curve Struct Reference . . . . .	495
4.693.1 Detailed Description . . . . .	495
4.694 O_nurbscurve Struct Reference . . . . .	495
4.694.1 Detailed Description . . . . .	496
4.695 O_nurbssurface Struct Reference . . . . .	496
4.695.1 Detailed Description . . . . .	496
4.696 O_pwlcurve Class Reference . . . . .	497
4.696.1 Detailed Description . . . . .	497
4.697 O_surface Struct Reference . . . . .	497
4.697.1 Detailed Description . . . . .	498
4.698 O_trim Struct Reference . . . . .	498
4.698.1 Detailed Description . . . . .	498
4.699 ObjectType Struct Reference . . . . .	498
4.699.1 Detailed Description . . . . .	499
4.700 OneByteChunk Struct Reference . . . . .	499
4.700.1 Detailed Description . . . . .	499
4.701 OpenGLCurveEvaluator Class Reference . . . . .	499
4.701.1 Detailed Description . . . . .	501
4.702 OpenGLSurfaceEvaluator Class Reference . . . . .	501
4.702.1 Detailed Description . . . . .	502
4.703 opened_file Struct Reference . . . . .	502
4.703.1 Detailed Description . . . . .	502
4.704 orient_XYZA Struct Reference . . . . .	503
4.704.1 Detailed Description . . . . .	503
4.705 Orientation Struct Reference . . . . .	503
4.705.1 Detailed Description . . . . .	503
4.706 particle Struct Reference . . . . .	503
4.706.1 Detailed Description . . . . .	504
4.707 Patch Class Reference . . . . .	504
4.707.1 Detailed Description . . . . .	504
4.708 Patchlist Class Reference . . . . .	504
4.708.1 Detailed Description . . . . .	505
4.709 Patchspec Struct Reference . . . . .	505
4.709.1 Detailed Description . . . . .	505
4.710 pBindable Struct Reference . . . . .	506
4.710.1 Detailed Description . . . . .	506
4.711 pcollision Struct Reference . . . . .	506
4.711.1 Detailed Description . . . . .	506
4.712 pcommon Struct Reference . . . . .	507
4.712.1 Detailed Description . . . . .	507
4.713 pComponent_CubeMapTexturing Struct Reference . . . . .	507
4.713.1 Detailed Description . . . . .	508

4.714 pComponent_EnvironSensor Struct Reference . . . . .	508
4.714.1 Detailed Description . . . . .	508
4.715 pComponent_Followers Struct Reference . . . . .	508
4.715.1 Detailed Description . . . . .	508
4.716 pComponent_Geometry3D Struct Reference . . . . .	508
4.716.1 Detailed Description . . . . .	509
4.717 pComponent_Geospatial Struct Reference . . . . .	509
4.717.1 Detailed Description . . . . .	509
4.718 pComponent_HAnim Struct Reference . . . . .	509
4.718.1 Detailed Description . . . . .	509
4.719 pComponent_KeyDevice Struct Reference . . . . .	509
4.719.1 Detailed Description . . . . .	510
4.720 pComponent_Layering Struct Reference . . . . .	510
4.720.1 Detailed Description . . . . .	510
4.721 pComponent_Layout Struct Reference . . . . .	510
4.721.1 Detailed Description . . . . .	510
4.722 pComponent_NURBS Struct Reference . . . . .	510
4.722.1 Detailed Description . . . . .	511
4.723 pComponent_ParticleSystems Struct Reference . . . . .	511
4.723.1 Detailed Description . . . . .	511
4.724 pComponent_Picking Struct Reference . . . . .	511
4.724.1 Detailed Description . . . . .	511
4.725 pComponent_ProgrammableShaders Struct Reference . . . . .	511
4.725.1 Detailed Description . . . . .	512
4.726 pComponent_PTM Struct Reference . . . . .	512
4.726.1 Detailed Description . . . . .	512
4.727 pComponent_Rendering Struct Reference . . . . .	512
4.727.1 Detailed Description . . . . .	512
4.728 pComponent_RigidBodyPhysics Struct Reference . . . . .	512
4.728.1 Detailed Description . . . . .	513
4.729 pComponent_Shape Struct Reference . . . . .	513
4.729.1 Detailed Description . . . . .	513
4.730 pComponent_Sound Struct Reference . . . . .	513
4.730.1 Detailed Description . . . . .	513
4.731 pComponent_Text Struct Reference . . . . .	514
4.731.1 Detailed Description . . . . .	515
4.732 pComponent_VolumeRendering Struct Reference . . . . .	515
4.732.1 Detailed Description . . . . .	515
4.733 pConsoleMessage Struct Reference . . . . .	515
4.733.1 Detailed Description . . . . .	516
4.734 pCParse Struct Reference . . . . .	516
4.734.1 Detailed Description . . . . .	516

4.735 pCParserParser Struct Reference . . . . .	516
4.735.1 Detailed Description . . . . .	516
4.736 pCRoutes Struct Reference . . . . .	517
4.736.1 Detailed Description . . . . .	517
4.737 pCScripts Struct Reference . . . . .	517
4.737.1 Detailed Description . . . . .	517
4.738 pCursorDraw Struct Reference . . . . .	518
4.738.1 Detailed Description . . . . .	518
4.739 pdisplay Struct Reference . . . . .	518
4.739.1 Detailed Description . . . . .	518
4.740 Pdu Struct Reference . . . . .	518
4.740.1 Detailed Description . . . . .	519
4.740.2 Field Documentation . . . . .	519
4.740.2.1 protocolVersion . . . . .	519
4.741 PduContainer Struct Reference . . . . .	519
4.741.1 Detailed Description . . . . .	519
4.742 pEAI_C_CommonFunctions Struct Reference . . . . .	519
4.742.1 Detailed Description . . . . .	520
4.743 pEAICore Struct Reference . . . . .	520
4.743.1 Detailed Description . . . . .	520
4.744 pEAIEventsIn Struct Reference . . . . .	520
4.744.1 Detailed Description . . . . .	520
4.745 pEAHelpers Struct Reference . . . . .	520
4.745.1 Detailed Description . . . . .	521
4.746 pedal_state Struct Reference . . . . .	521
4.746.1 Detailed Description . . . . .	521
4.747 pFrustum Struct Reference . . . . .	521
4.747.1 Detailed Description . . . . .	521
4.748 pict Struct Reference . . . . .	522
4.748.1 Detailed Description . . . . .	522
4.749 pict_image Struct Reference . . . . .	522
4.749.1 Detailed Description . . . . .	522
4.750 Planet Struct Reference . . . . .	523
4.750.1 Detailed Description . . . . .	523
4.751 pLoadTextures Struct Reference . . . . .	523
4.751.1 Detailed Description . . . . .	523
4.752 pMainloop Struct Reference . . . . .	524
4.752.1 Detailed Description . . . . .	525
4.753 Point Struct Reference . . . . .	525
4.753.1 Detailed Description . . . . .	525
4.754 point_XYZ Struct Reference . . . . .	525
4.754.1 Detailed Description . . . . .	525

4.755 point_XYZ3 Struct Reference . . . . .	526
4.755.1 Detailed Description . . . . .	526
4.756 pointer2pointer Struct Reference . . . . .	526
4.756.1 Detailed Description . . . . .	526
4.757 PointObjectStatePdu Struct Reference . . . . .	526
4.757.1 Detailed Description . . . . .	527
4.758 polygon Struct Reference . . . . .	527
4.758.1 Detailed Description . . . . .	527
4.759 polyrep_combiner_data Struct Reference . . . . .	527
4.759.1 Detailed Description . . . . .	528
4.760 Pool Class Reference . . . . .	528
4.760.1 Detailed Description . . . . .	528
4.761 PooledObj Class Reference . . . . .	529
4.761.1 Detailed Description . . . . .	529
4.762 pOpenGL_Utils Struct Reference . . . . .	530
4.762.1 Detailed Description . . . . .	530
4.763 pPluginSocket Struct Reference . . . . .	530
4.763.1 Detailed Description . . . . .	530
4.764 ppluginUtils Struct Reference . . . . .	531
4.764.1 Detailed Description . . . . .	531
4.765 pProdCon Struct Reference . . . . .	531
4.765.1 Detailed Description . . . . .	531
4.766 PQhandleElem Struct Reference . . . . .	531
4.766.1 Detailed Description . . . . .	532
4.767 PQnode Struct Reference . . . . .	532
4.767.1 Detailed Description . . . . .	532
4.768 pRasterFont Struct Reference . . . . .	532
4.768.1 Detailed Description . . . . .	532
4.769 pRenderFuncs Struct Reference . . . . .	533
4.769.1 Detailed Description . . . . .	534
4.770 pRenderTextures Struct Reference . . . . .	534
4.770.1 Detailed Description . . . . .	534
4.771 presources Struct Reference . . . . .	534
4.771.1 Detailed Description . . . . .	534
4.772 primStream Class Reference . . . . .	535
4.772.1 Detailed Description . . . . .	535
4.773 PriorityQ Struct Reference . . . . .	535
4.773.1 Detailed Description . . . . .	536
4.774 profile_entry Struct Reference . . . . .	536
4.774.1 Detailed Description . . . . .	536
4.775 org.web3d.x3d.sai.ProfileInfo Interface Reference . . . . .	536
4.775.1 Detailed Description . . . . .	537

4.776	proftablestruct Struct Reference	537
4.776.1	Detailed Description	537
4.777	projective_Texdata Struct Reference	537
4.777.1	Detailed Description	537
4.778	projector_tuple Struct Reference	538
4.778.1	Detailed Description	538
4.779	Property Struct Reference	538
4.779.1	Detailed Description	538
4.780	PropulsionSystemData Struct Reference	539
4.780.1	Detailed Description	539
4.781	ProtoDefinition Struct Reference	539
4.781.1	Detailed Description	539
4.782	ProtoFieldDecl Struct Reference	539
4.782.1	Detailed Description	540
4.783	pSensInterps Struct Reference	540
4.783.1	Detailed Description	540
4.784	pSnapshot Struct Reference	540
4.784.1	Detailed Description	540
4.785	Pspec Struct Reference	541
4.785.1	Detailed Description	541
4.786	PSStruct Struct Reference	541
4.786.1	Detailed Description	541
4.787	pstatusbar Struct Reference	542
4.787.1	Detailed Description	542
4.788	pStreamPoly Struct Reference	542
4.788.1	Detailed Description	542
4.789	pTess Struct Reference	542
4.789.1	Detailed Description	542
4.790	pTextures Struct Reference	543
4.790.1	Detailed Description	543
4.791	pViewer Struct Reference	543
4.791.1	Detailed Description	543
4.792	PwlArc Class Reference	544
4.792.1	Detailed Description	544
4.793	pX3DParser Struct Reference	544
4.793.1	Detailed Description	545
4.794	quaternion Struct Reference	545
4.794.1	Detailed Description	545
4.795	Quilt Class Reference	545
4.795.1	Detailed Description	546
4.796	Quiltspec Struct Reference	546
4.796.1	Detailed Description	546

4.797 RadioCommunicationsFamilyPdu Struct Reference . . . . .	546
4.797.1 Detailed Description . . . . .	547
4.798 RadioEntityType Struct Reference . . . . .	547
4.798.1 Detailed Description . . . . .	547
4.799 rb1 Struct Reference . . . . .	547
4.799.1 Detailed Description . . . . .	547
4.800 ReceiverPdu Struct Reference . . . . .	548
4.800.1 Detailed Description . . . . .	548
4.801 RecordQueryReliablePdu Struct Reference . . . . .	548
4.801.1 Detailed Description . . . . .	549
4.801.2 Field Documentation . . . . .	549
4.801.2.1 pad1 . . . . .	549
4.802 RecordSet Struct Reference . . . . .	549
4.802.1 Detailed Description . . . . .	549
4.803 rectBlock Class Reference . . . . .	550
4.803.1 Detailed Description . . . . .	550
4.804 rectBlockArray Class Reference . . . . .	550
4.804.1 Detailed Description . . . . .	550
4.805 reflexChain Class Reference . . . . .	551
4.805.1 Detailed Description . . . . .	551
4.806 Relationship Struct Reference . . . . .	551
4.806.1 Detailed Description . . . . .	551
4.807 RemoveEntityPdu Struct Reference . . . . .	551
4.807.1 Detailed Description . . . . .	552
4.808 RemoveEntityReliablePdu Struct Reference . . . . .	552
4.808.1 Detailed Description . . . . .	552
4.809 Renderhints Class Reference . . . . .	552
4.809.1 Detailed Description . . . . .	553
4.810 RepairCompletePdu Struct Reference . . . . .	553
4.810.1 Detailed Description . . . . .	553
4.811 RepairResponsePdu Struct Reference . . . . .	553
4.811.1 Detailed Description . . . . .	554
4.812 resource_item Struct Reference . . . . .	554
4.812.1 Detailed Description . . . . .	554
4.813 ResupplyCancelPdu Struct Reference . . . . .	555
4.813.1 Detailed Description . . . . .	555
4.814 ResupplyOfferPdu Struct Reference . . . . .	555
4.814.1 Detailed Description . . . . .	555
4.815 ResupplyReceivedPdu Struct Reference . . . . .	556
4.815.1 Detailed Description . . . . .	556
4.816 row32 Struct Reference . . . . .	556
4.816.1 Detailed Description . . . . .	556

4.817 s_renderer_capabilities_t Struct Reference . . . . .	557
4.817.1 Detailed Description . . . . .	557
4.818 s_shader_capabilities Struct Reference . . . . .	557
4.818.1 Detailed Description . . . . .	559
4.819 freeWRLSAI_cpp::saiBrowser Class Reference . . . . .	559
4.819.1 Detailed Description . . . . .	559
4.820 freeWRLSAI_cpp::saiComponent Class Reference . . . . .	560
4.820.1 Detailed Description . . . . .	560
4.821 freeWRLSAI_cpp::saiCustomException Class Reference . . . . .	560
4.821.1 Detailed Description . . . . .	560
4.822 freeWRLSAI_cpp::saiException Class Reference . . . . .	561
4.822.1 Detailed Description . . . . .	561
4.823 freeWRLSAI_cpp::saiExecutionContext Class Reference . . . . .	562
4.823.1 Detailed Description . . . . .	562
4.824 freeWRLSAI_cpp::saiField Class Reference . . . . .	562
4.824.1 Detailed Description . . . . .	563
4.825 freeWRLSAI_cpp::saiNode Class Reference . . . . .	563
4.825.1 Detailed Description . . . . .	563
4.826 freeWRLSAI_cpp::saiProfileDeclaration Class Reference . . . . .	563
4.826.1 Detailed Description . . . . .	563
4.827 freeWRLSAI_cpp::saiProto Class Reference . . . . .	563
4.827.1 Detailed Description . . . . .	564
4.828 freeWRLSAI_cpp::saiRoute Class Reference . . . . .	564
4.828.1 Detailed Description . . . . .	564
4.829 freeWRLSAI_cpp::saiScene Class Reference . . . . .	564
4.829.1 Detailed Description . . . . .	565
4.830 sampledLine Class Reference . . . . .	565
4.830.1 Detailed Description . . . . .	565
4.831 sCollisionGeometry Struct Reference . . . . .	565
4.831.1 Detailed Description . . . . .	566
4.832 sCollisionInfo Struct Reference . . . . .	566
4.832.1 Detailed Description . . . . .	566
4.833 screentextdata Struct Reference . . . . .	566
4.833.1 Detailed Description . . . . .	566
4.834 vrml.node.Script Class Reference . . . . .	567
4.834.1 Detailed Description . . . . .	567
4.835 ScriptablePluginObjectBase Class Reference . . . . .	567
4.835.1 Detailed Description . . . . .	568
4.836 ScriptFieldDecl Struct Reference . . . . .	569
4.836.1 Detailed Description . . . . .	569
4.837 ScriptFieldInstanceInfo Struct Reference . . . . .	569
4.837.1 Detailed Description . . . . .	569

4.838 ScriptParamList Struct Reference . . . . .	569
4.838.1 Detailed Description . . . . .	570
4.839 SeesPdu Struct Reference . . . . .	570
4.839.1 Detailed Description . . . . .	570
4.840 SensStruct Struct Reference . . . . .	570
4.840.1 Detailed Description . . . . .	571
4.841 ServiceRequestPdu Struct Reference . . . . .	571
4.841.1 Detailed Description . . . . .	571
4.842 SetDataPdu Struct Reference . . . . .	571
4.842.1 Detailed Description . . . . .	572
4.843 SetDataReliablePdu Struct Reference . . . . .	572
4.843.1 Detailed Description . . . . .	572
4.844 SetRecordReliablePdu Struct Reference . . . . .	573
4.844.1 Detailed Description . . . . .	573
4.844.2 Field Documentation . . . . .	573
4.844.2.1 pad1 . . . . .	573
4.845 sFallInfo Struct Reference . . . . .	574
4.845.1 Detailed Description . . . . .	574
4.846 org.web3d.x3d.sai.SFBool Interface Reference . . . . .	574
4.846.1 Detailed Description . . . . .	575
4.847 vrml.field.SFBool Class Reference . . . . .	575
4.847.1 Detailed Description . . . . .	575
4.848 org.web3d.x3d.sai.SFColor Interface Reference . . . . .	576
4.848.1 Detailed Description . . . . .	576
4.849 SFColor Struct Reference . . . . .	576
4.849.1 Detailed Description . . . . .	576
4.850 vrml.field.SFColor Class Reference . . . . .	577
4.850.1 Detailed Description . . . . .	577
4.851 org.web3d.x3d.sai.SFColorRGBA Interface Reference . . . . .	577
4.851.1 Detailed Description . . . . .	578
4.852 SFColorRGBA Struct Reference . . . . .	578
4.852.1 Detailed Description . . . . .	578
4.853 org.web3d.x3d.sai.SFDouble Interface Reference . . . . .	578
4.853.1 Detailed Description . . . . .	579
4.854 org.web3d.x3d.sai.SFFloat Interface Reference . . . . .	579
4.854.1 Detailed Description . . . . .	579
4.855 vrml.field.SFFloat Class Reference . . . . .	579
4.855.1 Detailed Description . . . . .	580
4.856 org.web3d.x3d.sai.SFImage Interface Reference . . . . .	580
4.856.1 Detailed Description . . . . .	581
4.857 vrml.field.SFImage Class Reference . . . . .	581
4.857.1 Detailed Description . . . . .	581



4.858 org.web3d.x3d.sai.SFInt32 Interface Reference . . . . .	582
4.858.1 Detailed Description . . . . .	582
4.859 vrml.field.SFInt32 Class Reference . . . . .	582
4.859.1 Detailed Description . . . . .	583
4.860 SFMatrix3d Struct Reference . . . . .	583
4.860.1 Detailed Description . . . . .	583
4.861 SFMatrix3f Struct Reference . . . . .	583
4.861.1 Detailed Description . . . . .	583
4.862 SFMatrix4d Struct Reference . . . . .	583
4.862.1 Detailed Description . . . . .	584
4.863 SFMatrix4f Struct Reference . . . . .	584
4.863.1 Detailed Description . . . . .	584
4.864 org.web3d.x3d.sai.SFNode Interface Reference . . . . .	584
4.864.1 Detailed Description . . . . .	584
4.865 vrml.field.SFNode Class Reference . . . . .	585
4.865.1 Detailed Description . . . . .	585
4.866 org.web3d.x3d.sai.SFRotation Interface Reference . . . . .	585
4.866.1 Detailed Description . . . . .	586
4.867 SFRotation Struct Reference . . . . .	586
4.867.1 Detailed Description . . . . .	586
4.868 vrml.field.SFRotation Class Reference . . . . .	586
4.868.1 Detailed Description . . . . .	587
4.869 org.web3d.x3d.sai.SFString Interface Reference . . . . .	587
4.869.1 Detailed Description . . . . .	587
4.870 vrml.field.SFString Class Reference . . . . .	588
4.870.1 Detailed Description . . . . .	588
4.871 org.web3d.x3d.sai.SFTime Interface Reference . . . . .	588
4.871.1 Detailed Description . . . . .	589
4.872 vrml.field.SFTime Class Reference . . . . .	589
4.872.1 Detailed Description . . . . .	589
4.873 org.web3d.x3d.sai.SFVec2d Interface Reference . . . . .	590
4.873.1 Detailed Description . . . . .	590
4.874 SFVec2d Struct Reference . . . . .	590
4.874.1 Detailed Description . . . . .	590
4.875 org.web3d.x3d.sai.SFVec2f Interface Reference . . . . .	591
4.875.1 Detailed Description . . . . .	591
4.876 SFVec2f Struct Reference . . . . .	591
4.876.1 Detailed Description . . . . .	591
4.877 vrml.field.SFVec2f Class Reference . . . . .	592
4.877.1 Detailed Description . . . . .	592
4.878 org.web3d.x3d.sai.SFVec3d Interface Reference . . . . .	592
4.878.1 Detailed Description . . . . .	593

4.879 SFVec3d Struct Reference . . . . .	593
4.879.1 Detailed Description . . . . .	593
4.880 org.web3d.x3d.sai.SFVec3f Interface Reference . . . . .	593
4.880.1 Detailed Description . . . . .	594
4.881 SFVec3f Struct Reference . . . . .	594
4.881.1 Detailed Description . . . . .	594
4.882 vrml.field.SFVec3f Class Reference . . . . .	594
4.882.1 Detailed Description . . . . .	595
4.883 SFVec4d Struct Reference . . . . .	595
4.883.1 Detailed Description . . . . .	595
4.884 SFVec4f Struct Reference . . . . .	595
4.884.1 Detailed Description . . . . .	595
4.885 Shader_Script Struct Reference . . . . .	596
4.885.1 Detailed Description . . . . .	596
4.886 shaderflagsstruct Struct Reference . . . . .	596
4.886.1 Detailed Description . . . . .	596
4.887 shaderTableEntry Struct Reference . . . . .	596
4.887.1 Detailed Description . . . . .	597
4.888 ShaftRPMs Struct Reference . . . . .	597
4.888.1 Detailed Description . . . . .	597
4.889 SignalPdu Struct Reference . . . . .	597
4.889.1 Detailed Description . . . . .	598
4.890 SimulationAddress Struct Reference . . . . .	598
4.890.1 Detailed Description . . . . .	598
4.891 SimulationManagementFamilyPdu Struct Reference . . . . .	598
4.891.1 Detailed Description . . . . .	598
4.892 SimulationManagementWithReliabilityFamilyPdu Struct Reference . . . . .	599
4.892.1 Detailed Description . . . . .	599
4.893 SixByteChunk Struct Reference . . . . .	599
4.893.1 Detailed Description . . . . .	599
4.894 slice Struct Reference . . . . .	599
4.894.1 Detailed Description . . . . .	600
4.895 Slicer Class Reference . . . . .	600
4.895.1 Detailed Description . . . . .	600
4.896 sNavInfo Struct Reference . . . . .	601
4.896.1 Detailed Description . . . . .	601
4.897 SNDFILE Struct Reference . . . . .	601
4.897.1 Detailed Description . . . . .	601
4.898 Sorter Class Reference . . . . .	601
4.898.1 Detailed Description . . . . .	602
4.899 SphericalHarmonicAntennaPattern Struct Reference . . . . .	602
4.899.1 Detailed Description . . . . .	602

4.900 Splinespec Struct Reference . . . . .	602
4.900.1 Detailed Description . . . . .	603
4.901 ssr Struct Reference . . . . .	603
4.901.1 Detailed Description . . . . .	603
4.902 SSR_request Struct Reference . . . . .	603
4.902.1 Detailed Description . . . . .	604
4.903 stage Struct Reference . . . . .	604
4.903.1 Detailed Description . . . . .	604
4.904 StartResumePdu Struct Reference . . . . .	604
4.904.1 Detailed Description . . . . .	604
4.905 StartResumeReliablePdu Struct Reference . . . . .	605
4.905.1 Detailed Description . . . . .	605
4.906 StopFreezePdu Struct Reference . . . . .	605
4.906.1 Detailed Description . . . . .	605
4.907 StopFreezeReliablePdu Struct Reference . . . . .	606
4.907.1 Detailed Description . . . . .	606
4.908 StoredVertex Class Reference . . . . .	606
4.908.1 Detailed Description . . . . .	606
4.909 stringint Struct Reference . . . . .	607
4.909.1 Detailed Description . . . . .	607
4.910 Subdivider Class Reference . . . . .	607
4.910.1 Detailed Description . . . . .	607
4.911 SupplyQuantity Struct Reference . . . . .	608
4.911.1 Detailed Description . . . . .	608
4.912 surfEvalMachine Struct Reference . . . . .	608
4.912.1 Detailed Description . . . . .	608
4.913 sweepRange Struct Reference . . . . .	609
4.913.1 Detailed Description . . . . .	609
4.914 SyntheticEnvironmentFamilyPdu Struct Reference . . . . .	609
4.914.1 Detailed Description . . . . .	609
4.915 SystemID Struct Reference . . . . .	609
4.915.1 Detailed Description . . . . .	610
4.916 targetwindow Struct Reference . . . . .	610
4.916.1 Detailed Description . . . . .	610
4.917 iiglobal::tBindable Struct Reference . . . . .	610
4.917.1 Detailed Description . . . . .	610
4.918 iiglobal::tcollision Struct Reference . . . . .	611
4.918.1 Detailed Description . . . . .	611
4.919 iiglobal::tcommon Struct Reference . . . . .	611
4.919.1 Detailed Description . . . . .	611
4.920 iiglobal::tComponent_CubeMapTexturing Struct Reference . . . . .	611
4.920.1 Detailed Description . . . . .	611

4.921	iiglobal::tComponent_EnvironSensor Struct Reference	612
4.921.1	Detailed Description	612
4.922	iiglobal::tComponent_Followers Struct Reference	612
4.922.1	Detailed Description	612
4.923	iiglobal::tComponent_Geometry3D Struct Reference	612
4.923.1	Detailed Description	612
4.924	iiglobal::tComponent_Geospatial Struct Reference	613
4.924.1	Detailed Description	613
4.925	iiglobal::tComponent_HAnim Struct Reference	613
4.925.1	Detailed Description	613
4.926	iiglobal::tComponent_KeyDevice Struct Reference	613
4.926.1	Detailed Description	613
4.927	iiglobal::tComponent_Layering Struct Reference	614
4.927.1	Detailed Description	614
4.928	iiglobal::tComponent_Layout Struct Reference	614
4.928.1	Detailed Description	614
4.929	iiglobal::tComponent_NURBS Struct Reference	614
4.929.1	Detailed Description	614
4.930	iiglobal::tComponent_ParticleSystems Struct Reference	615
4.930.1	Detailed Description	615
4.931	iiglobal::tComponent_Picking Struct Reference	615
4.931.1	Detailed Description	615
4.932	iiglobal::tComponent_ProgrammableShaders Struct Reference	615
4.932.1	Detailed Description	615
4.933	iiglobal::tComponent_PTM Struct Reference	616
4.933.1	Detailed Description	616
4.934	iiglobal::tComponent_Rendering Struct Reference	616
4.934.1	Detailed Description	616
4.935	iiglobal::tComponent_RigidBodyPhysics Struct Reference	616
4.935.1	Detailed Description	616
4.936	iiglobal::tComponent_Shape Struct Reference	617
4.936.1	Detailed Description	617
4.937	iiglobal::tComponent_Sound Struct Reference	617
4.937.1	Detailed Description	617
4.938	iiglobal::tComponent_Text Struct Reference	617
4.938.1	Detailed Description	617
4.939	iiglobal::tComponent_VolumeRendering Struct Reference	618
4.939.1	Detailed Description	618
4.940	iiglobal::tComponent_VRML1 Struct Reference	618
4.940.1	Detailed Description	618
4.941	iiglobal::tConsoleMessage Struct Reference	618
4.941.1	Detailed Description	618

4.942 tcontenttype Struct Reference . . . . .	619
4.942.1 Detailed Description . . . . .	619
4.943 iiglobal::tCParse Struct Reference . . . . .	619
4.943.1 Detailed Description . . . . .	619
4.944 iiglobal::tCParseParser Struct Reference . . . . .	619
4.944.1 Detailed Description . . . . .	620
4.945 iiglobal::tCRoutes Struct Reference . . . . .	620
4.945.1 Detailed Description . . . . .	620
4.946 iiglobal::tCScripts Struct Reference . . . . .	620
4.946.1 Detailed Description . . . . .	620
4.947 iiglobal::tCursorDraw Struct Reference . . . . .	621
4.947.1 Detailed Description . . . . .	621
4.948 iiglobal::tdisplay Struct Reference . . . . .	621
4.948.1 Detailed Description . . . . .	621
4.949 iiglobal::tEAI_C_CommonFunctions Struct Reference . . . . .	621
4.949.1 Detailed Description . . . . .	622
4.950 iiglobal::tEAICore Struct Reference . . . . .	622
4.950.1 Detailed Description . . . . .	622
4.951 iiglobal::tEAIEventsIn Struct Reference . . . . .	622
4.951.1 Detailed Description . . . . .	622
4.952 iiglobal::tEAIHelpers Struct Reference . . . . .	622
4.952.1 Detailed Description . . . . .	623
4.953 text_combiner_data Struct Reference . . . . .	623
4.953.1 Detailed Description . . . . .	623
4.954 textureTableIndexStruct Struct Reference . . . . .	623
4.954.1 Detailed Description . . . . .	624
4.955 textureVertexInfo Struct Reference . . . . .	624
4.955.1 Detailed Description . . . . .	624
4.956 iiglobal::tFrustum Struct Reference . . . . .	624
4.956.1 Detailed Description . . . . .	624
4.957 iiglobal::tinternalc Struct Reference . . . . .	625
4.957.1 Detailed Description . . . . .	625
4.958 iiglobal::tLoadTextures Struct Reference . . . . .	625
4.958.1 Detailed Description . . . . .	625
4.959 tm_unz_s Struct Reference . . . . .	625
4.959.1 Detailed Description . . . . .	626
4.960 tm_zip_s Struct Reference . . . . .	626
4.960.1 Detailed Description . . . . .	626
4.961 iiglobal::tMainloop Struct Reference . . . . .	626
4.961.1 Detailed Description . . . . .	627
4.962 iiglobal::tOpenGL_Utils Struct Reference . . . . .	627
4.962.1 Detailed Description . . . . .	627

4.963 Touch Struct Reference . . . . .	628
4.963.1 Detailed Description . . . . .	628
4.964 iiglobal::tPluginSocket Struct Reference . . . . .	628
4.964.1 Detailed Description . . . . .	629
4.965 iiglobal::tpluginUtils Struct Reference . . . . .	629
4.965.1 Detailed Description . . . . .	629
4.966 iiglobal::tProdCon Struct Reference . . . . .	629
4.966.1 Detailed Description . . . . .	629
4.967 TrackJamTarget Struct Reference . . . . .	630
4.967.1 Detailed Description . . . . .	630
4.968 TransferControlRequestPdu Struct Reference . . . . .	630
4.968.1 Detailed Description . . . . .	630
4.969 TransmitterPdu Struct Reference . . . . .	631
4.969.1 Detailed Description . . . . .	631
4.970 treeNode Struct Reference . . . . .	632
4.970.1 Detailed Description . . . . .	632
4.971 iiglobal::tRenderFuncs Struct Reference . . . . .	632
4.971.1 Detailed Description . . . . .	632
4.972 trenderstate Struct Reference . . . . .	633
4.972.1 Detailed Description . . . . .	633
4.973 iiglobal::tRenderTextures Struct Reference . . . . .	633
4.973.1 Detailed Description . . . . .	633
4.974 iiglobal::tresources Struct Reference . . . . .	633
4.974.1 Detailed Description . . . . .	634
4.975 Trimline Class Reference . . . . .	634
4.975.1 Detailed Description . . . . .	634
4.976 TrimRegion Class Reference . . . . .	634
4.976.1 Detailed Description . . . . .	635
4.977 TrimVertex Class Reference . . . . .	635
4.977.1 Detailed Description . . . . .	635
4.978 TrimVertexPool Class Reference . . . . .	636
4.978.1 Detailed Description . . . . .	636
4.979 iiglobal::tSensInterps Struct Reference . . . . .	636
4.979.1 Detailed Description . . . . .	636
4.980 iiglobal::tSnapshot Struct Reference . . . . .	636
4.980.1 Detailed Description . . . . .	636
4.981 iiglobal::tstatusbar Struct Reference . . . . .	637
4.981.1 Detailed Description . . . . .	637
4.982 iiglobal::tStreamPoly Struct Reference . . . . .	637
4.982.1 Detailed Description . . . . .	637
4.983 iiglobal::tTess Struct Reference . . . . .	637
4.983.1 Detailed Description . . . . .	637

4.984 iiglobal::tTextures Struct Reference . . . . .	638
4.984.1 Detailed Description . . . . .	638
4.985 iiglobal::tthreads Struct Reference . . . . .	638
4.985.1 Detailed Description . . . . .	638
4.986 iiglobal::tViewer Struct Reference . . . . .	639
4.986.1 Detailed Description . . . . .	639
4.987 TwoByteChunk Struct Reference . . . . .	639
4.987.1 Detailed Description . . . . .	639
4.988 iiglobal::tX3DParser Struct Reference . . . . .	639
4.988.1 Detailed Description . . . . .	639
4.989 UaPdu Struct Reference . . . . .	640
4.989.1 Detailed Description . . . . .	640
4.989.2 Field Documentation . . . . .	640
4.989.2.1 passiveParameterIndex . . . . .	640
4.989.2.2 propulsionPlantConfiguration . . . . .	641
4.990 Uarray Class Reference . . . . .	641
4.990.1 Detailed Description . . . . .	641
4.991 un1 Union Reference . . . . .	641
4.991.1 Detailed Description . . . . .	641
4.992 unca Struct Reference . . . . .	642
4.992.1 Detailed Description . . . . .	642
4.993 Uni_String Struct Reference . . . . .	642
4.993.1 Detailed Description . . . . .	642
4.994 unitsB Struct Reference . . . . .	642
4.994.1 Detailed Description . . . . .	643
4.995 sai.eai.UnsupportedFieldTypeException Class Reference . . . . .	643
4.995.1 Detailed Description . . . . .	643
4.996 vrml.external.FreeWRLEAI.UnsupportedFieldTypeException Class Reference . . . . .	643
4.996.1 Detailed Description . . . . .	644
4.997 unz64_file_pos_s Struct Reference . . . . .	644
4.997.1 Detailed Description . . . . .	644
4.998 unz64_s Struct Reference . . . . .	644
4.998.1 Detailed Description . . . . .	645
4.999 unz_file_info64_internal_s Struct Reference . . . . .	645
4.999.1 Detailed Description . . . . .	645
4.1000 unz_file_info64_s Struct Reference . . . . .	645
4.1000.1 Detailed Description . . . . .	645
4.1001 unz_file_info_s Struct Reference . . . . .	646
4.1001.1 Detailed Description . . . . .	646
4.1002 unz_file_pos_s Struct Reference . . . . .	646
4.1002.1 Detailed Description . . . . .	646
4.1003 unz_global_info64_s Struct Reference . . . . .	646

---

4.1003.1 Detailed Description . . . . .	647
4.1004 unz_global_info_s Struct Reference . . . . .	647
4.1004.1 Detailed Description . . . . .	647
4.1005 freeWRLSAI_cpp::urlUnavailableException Class Reference . . . . .	647
4.1005.1 Detailed Description . . . . .	647
4.1006 org.web3d.x3d.sai.URLUnavailableException Class Reference . . . . .	648
4.1006.1 Detailed Description . . . . .	648
4.1007 usehit Struct Reference . . . . .	648
4.1007.1 Detailed Description . . . . .	648
4.1008 VariableDatum Struct Reference . . . . .	649
4.1008.1 Detailed Description . . . . .	649
4.1009 Varray Class Reference . . . . .	649
4.1009.1 Detailed Description . . . . .	649
4.1010 vec2 Struct Reference . . . . .	649
4.1010.1 Detailed Description . . . . .	650
4.1011 vec4 Struct Reference . . . . .	650
4.1011.1 Detailed Description . . . . .	650
4.1012 Vector Struct Reference . . . . .	650
4.1012.1 Detailed Description . . . . .	650
4.1013 Vector3Double Struct Reference . . . . .	651
4.1013.1 Detailed Description . . . . .	651
4.1014 Vector3Float Struct Reference . . . . .	651
4.1014.1 Detailed Description . . . . .	651
4.1015 VectoringNozzleSystemData Struct Reference . . . . .	651
4.1015.1 Detailed Description . . . . .	652
4.1016 vertexArray Class Reference . . . . .	652
4.1016.1 Detailed Description . . . . .	652
4.1017 sai.eai.VField Class Reference . . . . .	653
4.1017.1 Detailed Description . . . . .	654
4.1018 vrml.external.FreeWRLEAI.VField Class Reference . . . . .	654
4.1018.1 Detailed Description . . . . .	655
4.1019 vid_stream Struct Reference . . . . .	655
4.1019.1 Detailed Description . . . . .	656
4.1020 viewer Struct Reference . . . . .	657
4.1020.1 Detailed Description . . . . .	658
4.1021 viewer_examine Struct Reference . . . . .	658
4.1021.1 Detailed Description . . . . .	658
4.1022 viewer_fly Struct Reference . . . . .	659
4.1022.1 Detailed Description . . . . .	659
4.1023 viewer_inplane Struct Reference . . . . .	659
4.1023.1 Detailed Description . . . . .	659
4.1024 viewer_walk Struct Reference . . . . .	659



4.1024.1 Detailed Description . . . . .	660
4.1025 viewer_ypz Struct Reference . . . . .	660
4.1025.1 Detailed Description . . . . .	660
4.1026 sai.eai.VIP Class Reference . . . . .	660
4.1026.1 Detailed Description . . . . .	661
4.1027 vrml.external.FreeWRLEAI.VIP Class Reference . . . . .	661
4.1027.1 Detailed Description . . . . .	662
4.1028 sai.eai.VMFCOLOR Class Reference . . . . .	662
4.1028.1 Detailed Description . . . . .	662
4.1029 vrml.external.FreeWRLEAI.VMFCOLOR Class Reference . . . . .	662
4.1029.1 Detailed Description . . . . .	663
4.1030 sai.eai.VMFFloat Class Reference . . . . .	663
4.1030.1 Detailed Description . . . . .	663
4.1031 vrml.external.FreeWRLEAI.VMFFloat Class Reference . . . . .	664
4.1031.1 Detailed Description . . . . .	664
4.1032 sai.eai.VMFInt32 Class Reference . . . . .	664
4.1032.1 Detailed Description . . . . .	665
4.1033 vrml.external.FreeWRLEAI.VMFInt32 Class Reference . . . . .	665
4.1033.1 Detailed Description . . . . .	665
4.1034 sai.eai.VMFRotation Class Reference . . . . .	665
4.1034.1 Detailed Description . . . . .	666
4.1035 vrml.external.FreeWRLEAI.VMFRotation Class Reference . . . . .	666
4.1035.1 Detailed Description . . . . .	666
4.1036 sai.eai.VMFString Class Reference . . . . .	667
4.1036.1 Detailed Description . . . . .	667
4.1037 vrml.external.FreeWRLEAI.VMFString Class Reference . . . . .	667
4.1037.1 Detailed Description . . . . .	668
4.1038 sai.eai.VMFVec2f Class Reference . . . . .	668
4.1038.1 Detailed Description . . . . .	668
4.1039 vrml.external.FreeWRLEAI.VMFVec2f Class Reference . . . . .	668
4.1039.1 Detailed Description . . . . .	669
4.1040 sai.eai.VMFVec3f Class Reference . . . . .	669
4.1040.1 Detailed Description . . . . .	669
4.1041 vrml.external.FreeWRLEAI.VMFVec3f Class Reference . . . . .	670
4.1041.1 Detailed Description . . . . .	670
4.1042 void3 Struct Reference . . . . .	670
4.1042.1 Detailed Description . . . . .	670
4.1043 VRMLLexer Struct Reference . . . . .	671
4.1043.1 Detailed Description . . . . .	671
4.1044 sai.eai.VRMLObject Class Reference . . . . .	671
4.1044.1 Detailed Description . . . . .	672
4.1045 vrml.external.FreeWRLEAI.VRMLObject Class Reference . . . . .	672

4.1045.1 Detailed Description . . . . .	673
4.1046 sai.eai.VRMLObjectObserver Interface Reference . . . . .	673
4.1046.1 Detailed Description . . . . .	673
4.1047 vrml.external.FreeWRLEAI.VRMLObjectObserver Interface Reference . . . . .	673
4.1047.1 Detailed Description . . . . .	673
4.1048 VRMLParser Struct Reference . . . . .	674
4.1048.1 Detailed Description . . . . .	674
4.1049 sai.eai.VSFBool Class Reference . . . . .	674
4.1049.1 Detailed Description . . . . .	674
4.1050 vrml.external.FreeWRLEAI.VSFBool Class Reference . . . . .	675
4.1050.1 Detailed Description . . . . .	675
4.1051 sai.eai.VSFColor Class Reference . . . . .	675
4.1051.1 Detailed Description . . . . .	676
4.1052 vrml.external.FreeWRLEAI.VSFColor Class Reference . . . . .	676
4.1052.1 Detailed Description . . . . .	676
4.1053 sai.eai.VSFFloat Class Reference . . . . .	676
4.1053.1 Detailed Description . . . . .	677
4.1054 vrml.external.FreeWRLEAI.VSFFloat Class Reference . . . . .	677
4.1054.1 Detailed Description . . . . .	677
4.1055 sai.eai.VSFImage Class Reference . . . . .	678
4.1055.1 Detailed Description . . . . .	678
4.1056 vrml.external.FreeWRLEAI.VSFImage Class Reference . . . . .	678
4.1056.1 Detailed Description . . . . .	679
4.1057 sai.eai.VSFInt32 Class Reference . . . . .	679
4.1057.1 Detailed Description . . . . .	679
4.1058 vrml.external.FreeWRLEAI.VSFInt32 Class Reference . . . . .	679
4.1058.1 Detailed Description . . . . .	680
4.1059 sai.eai.VSFRotation Class Reference . . . . .	680
4.1059.1 Detailed Description . . . . .	680
4.1060 vrml.external.FreeWRLEAI.VSFRotation Class Reference . . . . .	681
4.1060.1 Detailed Description . . . . .	681
4.1061 sai.eai.VSFString Class Reference . . . . .	681
4.1061.1 Detailed Description . . . . .	682
4.1062 vrml.external.FreeWRLEAI.VSFString Class Reference . . . . .	682
4.1062.1 Detailed Description . . . . .	682
4.1063 sai.eai.VSFTime Class Reference . . . . .	682
4.1063.1 Detailed Description . . . . .	683
4.1064 vrml.external.FreeWRLEAI.VSFTime Class Reference . . . . .	683
4.1064.1 Detailed Description . . . . .	683
4.1065 sai.eai.VSFVec2f Class Reference . . . . .	684
4.1065.1 Detailed Description . . . . .	684
4.1066 vrml.external.FreeWRLEAI.VSFVec2f Class Reference . . . . .	684

4.1066.1 Detailed Description . . . . .	685
4.1067 sai.eai.VSFVec3f Class Reference . . . . .	685
4.1067.1 Detailed Description . . . . .	685
4.1068 vrml.external.FreeWRLEAI.VSFVec3f Class Reference . . . . .	686
4.1068.1 Detailed Description . . . . .	686
4.1069 walk_cbdata Struct Reference . . . . .	686
4.1069.1 Detailed Description . . . . .	687
4.1070 WarfareFamilyPdu Struct Reference . . . . .	687
4.1070.1 Detailed Description . . . . .	687
4.1071 WEB3DNATIVE Struct Reference . . . . .	687
4.1071.1 Detailed Description . . . . .	687
4.1072 X3D_Ancor Struct Reference . . . . .	688
4.1072.1 Detailed Description . . . . .	688
4.1073 X3D_Appearance Struct Reference . . . . .	688
4.1073.1 Detailed Description . . . . .	689
4.1074 X3D_Arc2D Struct Reference . . . . .	689
4.1074.1 Detailed Description . . . . .	689
4.1075 X3D_ArcClose2D Struct Reference . . . . .	690
4.1075.1 Detailed Description . . . . .	690
4.1076 X3D_AudioClip Struct Reference . . . . .	690
4.1076.1 Detailed Description . . . . .	691
4.1077 X3D_BackdropBackground Struct Reference . . . . .	691
4.1077.1 Detailed Description . . . . .	692
4.1078 X3D_Background Struct Reference . . . . .	692
4.1078.1 Detailed Description . . . . .	693
4.1079 X3D_BallJoint Struct Reference . . . . .	693
4.1079.1 Detailed Description . . . . .	693
4.1080 X3D_Billboard Struct Reference . . . . .	694
4.1080.1 Detailed Description . . . . .	694
4.1081 X3D_BlendedVolumeStyle Struct Reference . . . . .	694
4.1081.1 Detailed Description . . . . .	695
4.1082 X3D_BooleanFilter Struct Reference . . . . .	695
4.1082.1 Detailed Description . . . . .	696
4.1083 X3D_BooleanSequencer Struct Reference . . . . .	696
4.1083.1 Detailed Description . . . . .	696
4.1084 X3D_BooleanToggle Struct Reference . . . . .	697
4.1084.1 Detailed Description . . . . .	697
4.1085 X3D_BooleanTrigger Struct Reference . . . . .	697
4.1085.1 Detailed Description . . . . .	698
4.1086 X3D_BoundaryEnhancementVolumeStyle Struct Reference . . . . .	698
4.1086.1 Detailed Description . . . . .	698
4.1087 X3D_BoundedPhysicsModel Struct Reference . . . . .	699

4.1087.1 Detailed Description . . . . .	699
4.1088 X3D_Box Struct Reference . . . . .	699
4.1088.1 Detailed Description . . . . .	700
4.1089 X3D_CADAssembly Struct Reference . . . . .	700
4.1089.1 Detailed Description . . . . .	700
4.1090 X3D_CADFace Struct Reference . . . . .	701
4.1090.1 Detailed Description . . . . .	701
4.1091 X3D_CADLayer Struct Reference . . . . .	701
4.1091.1 Detailed Description . . . . .	702
4.1092 X3D_CADPart Struct Reference . . . . .	702
4.1092.1 Detailed Description . . . . .	702
4.1093 X3D_CalibratedCameraSensor Struct Reference . . . . .	703
4.1093.1 Detailed Description . . . . .	703
4.1094 X3D_CartoonVolumeStyle Struct Reference . . . . .	703
4.1094.1 Detailed Description . . . . .	704
4.1095 X3D_Circle2D Struct Reference . . . . .	704
4.1095.1 Detailed Description . . . . .	704
4.1096 X3D_ClipPlane Struct Reference . . . . .	704
4.1096.1 Detailed Description . . . . .	705
4.1097 X3D_CollidableOffset Struct Reference . . . . .	705
4.1097.1 Detailed Description . . . . .	705
4.1098 X3D_CollidableShape Struct Reference . . . . .	706
4.1098.1 Detailed Description . . . . .	706
4.1099 X3D_Collision Struct Reference . . . . .	706
4.1099.1 Detailed Description . . . . .	707
4.1100 X3D_CollisionCollection Struct Reference . . . . .	707
4.1100.1 Detailed Description . . . . .	708
4.1101 X3D_CollisionSensor Struct Reference . . . . .	708
4.1101.1 Detailed Description . . . . .	708
4.1102 X3D_CollisionSpace Struct Reference . . . . .	709
4.1102.1 Detailed Description . . . . .	709
4.1103 X3D_Color Struct Reference . . . . .	709
4.1103.1 Detailed Description . . . . .	710
4.1104 X3D_ColorChaser Struct Reference . . . . .	710
4.1104.1 Detailed Description . . . . .	710
4.1105 X3D_ColorDamper Struct Reference . . . . .	711
4.1105.1 Detailed Description . . . . .	711
4.1106 X3D_ColorInterpolator Struct Reference . . . . .	712
4.1106.1 Detailed Description . . . . .	712
4.1107 X3D_ColorRGBA Struct Reference . . . . .	712
4.1107.1 Detailed Description . . . . .	713
4.1108 X3D_ComposedCubeMapTexture Struct Reference . . . . .	713

4.1108.1 Detailed Description . . . . .	713
4.1109 X3D_ComposedShader Struct Reference . . . . .	714
4.1109.1 Detailed Description . . . . .	714
4.1110 X3D_ComposedTexture3D Struct Reference . . . . .	714
4.1110.1 Detailed Description . . . . .	715
4.1111 X3D_ComposedVolumeStyle Struct Reference . . . . .	715
4.1111.1 Detailed Description . . . . .	715
4.1112 X3D_CompositeVolumeStyle Struct Reference . . . . .	716
4.1112.1 Detailed Description . . . . .	716
4.1113 X3D_Cone Struct Reference . . . . .	716
4.1113.1 Detailed Description . . . . .	717
4.1114 X3D_ConeEmitter Struct Reference . . . . .	717
4.1114.1 Detailed Description . . . . .	717
4.1115 X3D_Contact Struct Reference . . . . .	718
4.1115.1 Detailed Description . . . . .	718
4.1116 X3D_Contour2D Struct Reference . . . . .	719
4.1116.1 Detailed Description . . . . .	719
4.1117 X3D_ContourPolyline2D Struct Reference . . . . .	719
4.1117.1 Detailed Description . . . . .	720
4.1118 X3D_Coordinate Struct Reference . . . . .	720
4.1118.1 Detailed Description . . . . .	720
4.1119 X3D_CoordinateChaser Struct Reference . . . . .	720
4.1119.1 Detailed Description . . . . .	721
4.1120 X3D_CoordinateDamper Struct Reference . . . . .	721
4.1120.1 Detailed Description . . . . .	722
4.1121 X3D_CoordinateDouble Struct Reference . . . . .	722
4.1121.1 Detailed Description . . . . .	722
4.1122 X3D_CoordinateInterpolator Struct Reference . . . . .	723
4.1122.1 Detailed Description . . . . .	723
4.1123 X3D_CoordinateInterpolator2D Struct Reference . . . . .	723
4.1123.1 Detailed Description . . . . .	724
4.1124 X3D_Cylinder Struct Reference . . . . .	724
4.1124.1 Detailed Description . . . . .	724
4.1125 X3D_CylinderSensor Struct Reference . . . . .	725
4.1125.1 Detailed Description . . . . .	725
4.1126 X3D_DirectionalLight Struct Reference . . . . .	726
4.1126.1 Detailed Description . . . . .	726
4.1127 X3D_DISEntityManager Struct Reference . . . . .	726
4.1127.1 Detailed Description . . . . .	727
4.1128 X3D_DISEntityTypeMapping Struct Reference . . . . .	728
4.1128.1 Detailed Description . . . . .	728
4.1129 X3D_Disk2D Struct Reference . . . . .	728

4.1129.1 Detailed Description . . . . .	729
4.1130 X3D_DoubleAxisHingeJoint Struct Reference . . . . .	729
4.1130.1 Detailed Description . . . . .	730
4.1131 X3D_EaseInEaseOut Struct Reference . . . . .	730
4.1131.1 Detailed Description . . . . .	731
4.1132 X3D_EdgeEnhancementVolumeStyle Struct Reference . . . . .	731
4.1132.1 Detailed Description . . . . .	731
4.1133 X3D_Effect Struct Reference . . . . .	732
4.1133.1 Detailed Description . . . . .	732
4.1134 X3D_EffectPart Struct Reference . . . . .	732
4.1134.1 Detailed Description . . . . .	733
4.1135 X3D_ElevationGrid Struct Reference . . . . .	733
4.1135.1 Detailed Description . . . . .	734
4.1136 X3D_EspduTransform Struct Reference . . . . .	734
4.1136.1 Detailed Description . . . . .	736
4.1137 X3D_ExplosionEmitter Struct Reference . . . . .	737
4.1137.1 Detailed Description . . . . .	737
4.1138 X3D_Extrusion Struct Reference . . . . .	737
4.1138.1 Detailed Description . . . . .	738
4.1139 X3D_FillProperties Struct Reference . . . . .	738
4.1139.1 Detailed Description . . . . .	739
4.1140 X3D_FloatVertexAttribute Struct Reference . . . . .	739
4.1140.1 Detailed Description . . . . .	739
4.1141 X3D_Fog Struct Reference . . . . .	740
4.1141.1 Detailed Description . . . . .	740
4.1142 X3D_FogCoordinate Struct Reference . . . . .	740
4.1142.1 Detailed Description . . . . .	741
4.1143 X3D_FontStyle Struct Reference . . . . .	741
4.1143.1 Detailed Description . . . . .	741
4.1144 X3D_ForcePhysicsModel Struct Reference . . . . .	742
4.1144.1 Detailed Description . . . . .	742
4.1145 X3D_GeneratedCubeMapTexture Struct Reference . . . . .	742
4.1145.1 Detailed Description . . . . .	743
4.1146 X3D_GeoConvert Struct Reference . . . . .	743
4.1146.1 Detailed Description . . . . .	743
4.1147 X3D_GeoCoordinate Struct Reference . . . . .	744
4.1147.1 Detailed Description . . . . .	744
4.1148 X3D_GeoElevationGrid Struct Reference . . . . .	744
4.1148.1 Detailed Description . . . . .	745
4.1149 X3D_GeoLocation Struct Reference . . . . .	745
4.1149.1 Detailed Description . . . . .	746
4.1150 X3D_GeoLOD Struct Reference . . . . .	746

4.1150.1 Detailed Description . . . . .	747
4.1151 X3D_GeoMetadata Struct Reference . . . . .	747
4.1151.1 Detailed Description . . . . .	748
4.1152 X3D_GeoOrigin Struct Reference . . . . .	748
4.1152.1 Detailed Description . . . . .	748
4.1153 X3D_GeoPlanet Struct Reference . . . . .	749
4.1153.1 Detailed Description . . . . .	749
4.1154 X3D_GeoPositionInterpolator Struct Reference . . . . .	749
4.1154.1 Detailed Description . . . . .	750
4.1155 X3D_GeoProximitySensor Struct Reference . . . . .	750
4.1155.1 Detailed Description . . . . .	751
4.1156 X3D_GeoTouchSensor Struct Reference . . . . .	751
4.1156.1 Detailed Description . . . . .	752
4.1157 X3D_GeoTransform Struct Reference . . . . .	752
4.1157.1 Detailed Description . . . . .	753
4.1158 X3D_GeoViewpoint Struct Reference . . . . .	753
4.1158.1 Detailed Description . . . . .	754
4.1159 X3D_Group Struct Reference . . . . .	754
4.1159.1 Detailed Description . . . . .	754
4.1160 X3D_HAnimDisplacer Struct Reference . . . . .	755
4.1160.1 Detailed Description . . . . .	755
4.1161 X3D_HAnimHumanoid Struct Reference . . . . .	755
4.1161.1 Detailed Description . . . . .	756
4.1162 X3D_HAnimJoint Struct Reference . . . . .	756
4.1162.1 Detailed Description . . . . .	757
4.1163 X3D_HAnimSegment Struct Reference . . . . .	757
4.1163.1 Detailed Description . . . . .	758
4.1164 X3D_HAnimSite Struct Reference . . . . .	758
4.1164.1 Detailed Description . . . . .	759
4.1165 X3D_ImageBackdropBackground Struct Reference . . . . .	759
4.1165.1 Detailed Description . . . . .	759
4.1166 X3D_ImageCubeMapTexture Struct Reference . . . . .	760
4.1166.1 Detailed Description . . . . .	760
4.1167 X3D_ImageTexture Struct Reference . . . . .	760
4.1167.1 Detailed Description . . . . .	761
4.1168 X3D_ImageTexture3D Struct Reference . . . . .	761
4.1168.1 Detailed Description . . . . .	761
4.1169 X3D_IndexedFaceSet Struct Reference . . . . .	762
4.1169.1 Detailed Description . . . . .	762
4.1170 X3D_IndexedLineSet Struct Reference . . . . .	763
4.1170.1 Detailed Description . . . . .	763
4.1171 X3D_IndexedQuadSet Struct Reference . . . . .	764

4.1171.1 Detailed Description . . . . .	764
4.1172 X3D_IndexedTriangleFanSet Struct Reference . . . . .	764
4.1172.1 Detailed Description . . . . .	765
4.1173 X3D_IndexedTriangleSet Struct Reference . . . . .	765
4.1173.1 Detailed Description . . . . .	766
4.1174 X3D_IndexedTriangleStripSet Struct Reference . . . . .	766
4.1174.1 Detailed Description . . . . .	767
4.1175 X3D_Inline Struct Reference . . . . .	767
4.1175.1 Detailed Description . . . . .	768
4.1176 X3D_IntegerSequencer Struct Reference . . . . .	768
4.1176.1 Detailed Description . . . . .	768
4.1177 X3D_IntegerTrigger Struct Reference . . . . .	769
4.1177.1 Detailed Description . . . . .	769
4.1178 X3D_IsoSurfaceVolumeData Struct Reference . . . . .	769
4.1178.1 Detailed Description . . . . .	770
4.1179 X3D_KeySensor Struct Reference . . . . .	770
4.1179.1 Detailed Description . . . . .	770
4.1180 X3D_Layer Struct Reference . . . . .	771
4.1180.1 Detailed Description . . . . .	771
4.1181 X3D_LayerSet Struct Reference . . . . .	771
4.1181.1 Detailed Description . . . . .	772
4.1182 X3D_Layout Struct Reference . . . . .	772
4.1182.1 Detailed Description . . . . .	772
4.1183 X3D_LayoutGroup Struct Reference . . . . .	773
4.1183.1 Detailed Description . . . . .	773
4.1184 X3D_LayoutLayer Struct Reference . . . . .	773
4.1184.1 Detailed Description . . . . .	774
4.1185 X3D_LinePickSensor Struct Reference . . . . .	774
4.1185.1 Detailed Description . . . . .	775
4.1186 X3D_LineProperties Struct Reference . . . . .	775
4.1186.1 Detailed Description . . . . .	775
4.1187 X3D_LineSensor Struct Reference . . . . .	776
4.1187.1 Detailed Description . . . . .	776
4.1188 X3D_LineSet Struct Reference . . . . .	777
4.1188.1 Detailed Description . . . . .	777
4.1189 X3D_LoadSensor Struct Reference . . . . .	777
4.1189.1 Detailed Description . . . . .	778
4.1190 X3D_LocalFog Struct Reference . . . . .	778
4.1190.1 Detailed Description . . . . .	779
4.1191 X3D_LOD Struct Reference . . . . .	779
4.1191.1 Detailed Description . . . . .	779
4.1192 X3D_Material Struct Reference . . . . .	780



4.1192.1 Detailed Description . . . . .	780
4.1193 X3D_Matrix3VertexAttribute Struct Reference . . . . .	780
4.1193.1 Detailed Description . . . . .	781
4.1194 X3D_Matrix4VertexAttribute Struct Reference . . . . .	781
4.1194.1 Detailed Description . . . . .	781
4.1195 X3D_MetadataBoolean Struct Reference . . . . .	781
4.1195.1 Detailed Description . . . . .	782
4.1196 X3D_MetadataDouble Struct Reference . . . . .	782
4.1196.1 Detailed Description . . . . .	782
4.1197 X3D_MetadataFloat Struct Reference . . . . .	783
4.1197.1 Detailed Description . . . . .	783
4.1198 X3D_MetadataInteger Struct Reference . . . . .	783
4.1198.1 Detailed Description . . . . .	784
4.1199 X3D_MetadataMFBool Struct Reference . . . . .	784
4.1199.1 Detailed Description . . . . .	784
4.1200 X3D_MetadataMFColor Struct Reference . . . . .	785
4.1200.1 Detailed Description . . . . .	785
4.1201 X3D_MetadataMFColorRGBA Struct Reference . . . . .	785
4.1201.1 Detailed Description . . . . .	786
4.1202 X3D_MetadataMFDouble Struct Reference . . . . .	786
4.1202.1 Detailed Description . . . . .	786
4.1203 X3D_MetadataMFFloat Struct Reference . . . . .	787
4.1203.1 Detailed Description . . . . .	787
4.1204 X3D_MetadataMFInt32 Struct Reference . . . . .	787
4.1204.1 Detailed Description . . . . .	788
4.1205 X3D_MetadataMFMatrix3d Struct Reference . . . . .	788
4.1205.1 Detailed Description . . . . .	788
4.1206 X3D_MetadataMFMatrix3f Struct Reference . . . . .	789
4.1206.1 Detailed Description . . . . .	789
4.1207 X3D_MetadataMFMatrix4d Struct Reference . . . . .	789
4.1207.1 Detailed Description . . . . .	790
4.1208 X3D_MetadataMFMatrix4f Struct Reference . . . . .	790
4.1208.1 Detailed Description . . . . .	790
4.1209 X3D_MetadataMFNode Struct Reference . . . . .	791
4.1209.1 Detailed Description . . . . .	791
4.1210 X3D_MetadataMFRotation Struct Reference . . . . .	791
4.1210.1 Detailed Description . . . . .	792
4.1211 X3D_MetadataMFString Struct Reference . . . . .	792
4.1211.1 Detailed Description . . . . .	792
4.1212 X3D_MetadataMFTime Struct Reference . . . . .	793
4.1212.1 Detailed Description . . . . .	793
4.1213 X3D_MetadataMFVec2d Struct Reference . . . . .	793

4.1213.1 Detailed Description . . . . .	794
4.1214 X3D_MetadataMFVec2f Struct Reference . . . . .	794
4.1214.1 Detailed Description . . . . .	794
4.1215 X3D_MetadataMFVec3d Struct Reference . . . . .	795
4.1215.1 Detailed Description . . . . .	795
4.1216 X3D_MetadataMFVec3f Struct Reference . . . . .	795
4.1216.1 Detailed Description . . . . .	796
4.1217 X3D_MetadataMFVec4d Struct Reference . . . . .	796
4.1217.1 Detailed Description . . . . .	796
4.1218 X3D_MetadataMFVec4f Struct Reference . . . . .	797
4.1218.1 Detailed Description . . . . .	797
4.1219 X3D_MetadataSet Struct Reference . . . . .	797
4.1219.1 Detailed Description . . . . .	798
4.1220 X3D_MetadataSFBool Struct Reference . . . . .	798
4.1220.1 Detailed Description . . . . .	798
4.1221 X3D_MetadataSFColor Struct Reference . . . . .	799
4.1221.1 Detailed Description . . . . .	799
4.1222 X3D_MetadataSFColorRGBA Struct Reference . . . . .	799
4.1222.1 Detailed Description . . . . .	800
4.1223 X3D_MetadataSFDouble Struct Reference . . . . .	800
4.1223.1 Detailed Description . . . . .	800
4.1224 X3D_MetadataSFFloat Struct Reference . . . . .	801
4.1224.1 Detailed Description . . . . .	801
4.1225 X3D_MetadataSFImage Struct Reference . . . . .	801
4.1225.1 Detailed Description . . . . .	802
4.1226 X3D_MetadataSFInt32 Struct Reference . . . . .	802
4.1226.1 Detailed Description . . . . .	802
4.1227 X3D_MetadataSFMatrix3d Struct Reference . . . . .	803
4.1227.1 Detailed Description . . . . .	803
4.1228 X3D_MetadataSFMatrix3f Struct Reference . . . . .	803
4.1228.1 Detailed Description . . . . .	804
4.1229 X3D_MetadataSFMatrix4d Struct Reference . . . . .	804
4.1229.1 Detailed Description . . . . .	804
4.1230 X3D_MetadataSFMatrix4f Struct Reference . . . . .	805
4.1230.1 Detailed Description . . . . .	805
4.1231 X3D_MetadataSFNode Struct Reference . . . . .	805
4.1231.1 Detailed Description . . . . .	806
4.1232 X3D_MetadataSFRotation Struct Reference . . . . .	806
4.1232.1 Detailed Description . . . . .	806
4.1233 X3D_MetadataSFString Struct Reference . . . . .	807
4.1233.1 Detailed Description . . . . .	807
4.1234 X3D_MetadataSFTime Struct Reference . . . . .	807

4.1234.1 Detailed Description . . . . .	808
4.1235 X3D_MetadataSFVec2d Struct Reference . . . . .	808
4.1235.1 Detailed Description . . . . .	808
4.1236 X3D_MetadataSFVec2f Struct Reference . . . . .	809
4.1236.1 Detailed Description . . . . .	809
4.1237 X3D_MetadataSFVec3d Struct Reference . . . . .	809
4.1237.1 Detailed Description . . . . .	810
4.1238 X3D_MetadataSFVec3f Struct Reference . . . . .	810
4.1238.1 Detailed Description . . . . .	810
4.1239 X3D_MetadataSFVec4d Struct Reference . . . . .	811
4.1239.1 Detailed Description . . . . .	811
4.1240 X3D_MetadataSFVec4f Struct Reference . . . . .	811
4.1240.1 Detailed Description . . . . .	812
4.1241 X3D_MetadataString Struct Reference . . . . .	812
4.1241.1 Detailed Description . . . . .	812
4.1242 X3D_MotorJoint Struct Reference . . . . .	813
4.1242.1 Detailed Description . . . . .	814
4.1243 X3D_MovieTexture Struct Reference . . . . .	814
4.1243.1 Detailed Description . . . . .	815
4.1244 X3D_MultiTexture Struct Reference . . . . .	815
4.1244.1 Detailed Description . . . . .	815
4.1245 X3D_MultiTextureCoordinate Struct Reference . . . . .	816
4.1245.1 Detailed Description . . . . .	816
4.1246 X3D_MultiTextureTransform Struct Reference . . . . .	816
4.1246.1 Detailed Description . . . . .	817
4.1247 X3D_NavigationInfo Struct Reference . . . . .	817
4.1247.1 Detailed Description . . . . .	817
4.1248 X3D_Node Struct Reference . . . . .	818
4.1248.1 Detailed Description . . . . .	818
4.1249 X3D_Normal Struct Reference . . . . .	818
4.1249.1 Detailed Description . . . . .	819
4.1250 X3D_NormalInterpolator Struct Reference . . . . .	819
4.1250.1 Detailed Description . . . . .	819
4.1251 X3D_NurbsCurve Struct Reference . . . . .	820
4.1251.1 Detailed Description . . . . .	820
4.1252 X3D_NurbsCurve2D Struct Reference . . . . .	820
4.1252.1 Detailed Description . . . . .	821
4.1253 X3D_NurbsOrientationInterpolator Struct Reference . . . . .	821
4.1253.1 Detailed Description . . . . .	822
4.1254 X3D_NurbsPatchSurface Struct Reference . . . . .	822
4.1254.1 Detailed Description . . . . .	822
4.1255 X3D_NurbsPositionInterpolator Struct Reference . . . . .	823

4.1255.1 Detailed Description . . . . .	823
4.1256 X3D_NurbsSet Struct Reference . . . . .	823
4.1256.1 Detailed Description . . . . .	824
4.1257 X3D_NurbsSurfaceInterpolator Struct Reference . . . . .	824
4.1257.1 Detailed Description . . . . .	825
4.1258 X3D_NurbsSweptSurface Struct Reference . . . . .	825
4.1258.1 Detailed Description . . . . .	825
4.1259 X3D_NurbsSwungSurface Struct Reference . . . . .	826
4.1259.1 Detailed Description . . . . .	826
4.1260 X3D_NurbsTextureCoordinate Struct Reference . . . . .	826
4.1260.1 Detailed Description . . . . .	827
4.1261 X3D_NurbsTrimmedSurface Struct Reference . . . . .	827
4.1261.1 Detailed Description . . . . .	828
4.1262 X3D_OpacityMapVolumeStyle Struct Reference . . . . .	828
4.1262.1 Detailed Description . . . . .	828
4.1263 X3D_OrientationChaser Struct Reference . . . . .	829
4.1263.1 Detailed Description . . . . .	829
4.1264 X3D_OrientationDamper Struct Reference . . . . .	830
4.1264.1 Detailed Description . . . . .	830
4.1265 X3D_OrientationInterpolator Struct Reference . . . . .	831
4.1265.1 Detailed Description . . . . .	831
4.1266 X3D_OrthoViewpoint Struct Reference . . . . .	831
4.1266.1 Detailed Description . . . . .	832
4.1267 X3D_OSC_Sensor Struct Reference . . . . .	832
4.1267.1 Detailed Description . . . . .	833
4.1268 X3D_PackagedShader Struct Reference . . . . .	833
4.1268.1 Detailed Description . . . . .	834
4.1269 X3D_ParticleSystem Struct Reference . . . . .	834
4.1269.1 Detailed Description . . . . .	835
4.1270 X3D_PickableGroup Struct Reference . . . . .	835
4.1270.1 Detailed Description . . . . .	835
4.1271 X3D_PixelTexture Struct Reference . . . . .	836
4.1271.1 Detailed Description . . . . .	836
4.1272 X3D_PixelTexture3D Struct Reference . . . . .	836
4.1272.1 Detailed Description . . . . .	837
4.1273 X3D_PlaneSensor Struct Reference . . . . .	837
4.1273.1 Detailed Description . . . . .	838
4.1274 X3D_PointEmitter Struct Reference . . . . .	838
4.1274.1 Detailed Description . . . . .	838
4.1275 X3D_PointLight Struct Reference . . . . .	839
4.1275.1 Detailed Description . . . . .	839
4.1276 X3D_PointPickSensor Struct Reference . . . . .	839

---

4.1276.1 Detailed Description . . . . .	840
4.1277 X3D_PointSensor Struct Reference . . . . .	840
4.1277.1 Detailed Description . . . . .	841
4.1278 X3D_PointSet Struct Reference . . . . .	841
4.1278.1 Detailed Description . . . . .	842
4.1279 X3D_Polyline2D Struct Reference . . . . .	842
4.1279.1 Detailed Description . . . . .	842
4.1280 X3D_PolylineEmitter Struct Reference . . . . .	842
4.1280.1 Detailed Description . . . . .	843
4.1281 X3D_Polypoint2D Struct Reference . . . . .	843
4.1281.1 Detailed Description . . . . .	844
4.1282 X3D_PolyRep Struct Reference . . . . .	844
4.1282.1 Detailed Description . . . . .	844
4.1283 X3D_PositionChaser Struct Reference . . . . .	845
4.1283.1 Detailed Description . . . . .	845
4.1284 X3D_PositionChaser2D Struct Reference . . . . .	846
4.1284.1 Detailed Description . . . . .	846
4.1285 X3D_PositionDamper Struct Reference . . . . .	847
4.1285.1 Detailed Description . . . . .	847
4.1286 X3D_PositionDamper2D Struct Reference . . . . .	848
4.1286.1 Detailed Description . . . . .	848
4.1287 X3D_PositionInterpolator Struct Reference . . . . .	849
4.1287.1 Detailed Description . . . . .	849
4.1288 X3D_PositionInterpolator2D Struct Reference . . . . .	849
4.1288.1 Detailed Description . . . . .	850
4.1289 X3D_PrimitivePickSensor Struct Reference . . . . .	850
4.1289.1 Detailed Description . . . . .	850
4.1290 X3D_ProgramShader Struct Reference . . . . .	851
4.1290.1 Detailed Description . . . . .	851
4.1291 X3D_ProjectionVolumeStyle Struct Reference . . . . .	851
4.1291.1 Detailed Description . . . . .	852
4.1292 X3D_Proto Struct Reference . . . . .	852
4.1292.1 Detailed Description . . . . .	853
4.1293 X3D_ProximitySensor Struct Reference . . . . .	853
4.1293.1 Detailed Description . . . . .	854
4.1294 X3D_QuadSet Struct Reference . . . . .	854
4.1294.1 Detailed Description . . . . .	854
4.1295 X3D_ReceiverPdu Struct Reference . . . . .	855
4.1295.1 Detailed Description . . . . .	856
4.1296 X3D_Rectangle2D Struct Reference . . . . .	856
4.1296.1 Detailed Description . . . . .	856
4.1297 X3D_RigidBody Struct Reference . . . . .	857

4.1297.1 Detailed Description . . . . .	858
4.1298 X3D_RigidBodyCollection Struct Reference . . . . .	858
4.1298.1 Detailed Description . . . . .	858
4.1299 X3D_ScalarChaser Struct Reference . . . . .	859
4.1299.1 Detailed Description . . . . .	859
4.1300 X3D_ScalarDamper Struct Reference . . . . .	860
4.1300.1 Detailed Description . . . . .	860
4.1301 X3D_ScalarInterpolator Struct Reference . . . . .	861
4.1301.1 Detailed Description . . . . .	861
4.1302 X3D_ScreenFontStyle Struct Reference . . . . .	861
4.1302.1 Detailed Description . . . . .	862
4.1303 X3D_ScreenGroup Struct Reference . . . . .	862
4.1303.1 Detailed Description . . . . .	862
4.1304 X3D_Script Struct Reference . . . . .	863
4.1304.1 Detailed Description . . . . .	863
4.1305 X3D_SegmentedVolumeData Struct Reference . . . . .	863
4.1305.1 Detailed Description . . . . .	864
4.1306 X3D_ShadedVolumeStyle Struct Reference . . . . .	864
4.1306.1 Detailed Description . . . . .	864
4.1307 X3D_ShaderPart Struct Reference . . . . .	865
4.1307.1 Detailed Description . . . . .	865
4.1308 X3D_ShaderProgram Struct Reference . . . . .	865
4.1308.1 Detailed Description . . . . .	866
4.1309 X3D_Shape Struct Reference . . . . .	866
4.1309.1 Detailed Description . . . . .	866
4.1310 X3D_SignalPdu Struct Reference . . . . .	867
4.1310.1 Detailed Description . . . . .	868
4.1311 X3D_SilhouetteEnhancementVolumeStyle Struct Reference . . . . .	868
4.1311.1 Detailed Description . . . . .	868
4.1312 X3D_SingleAxisHingeJoint Struct Reference . . . . .	869
4.1312.1 Detailed Description . . . . .	869
4.1313 X3D_SliderJoint Struct Reference . . . . .	870
4.1313.1 Detailed Description . . . . .	870
4.1314 X3D_Sound Struct Reference . . . . .	871
4.1314.1 Detailed Description . . . . .	871
4.1315 X3D_Sphere Struct Reference . . . . .	871
4.1315.1 Detailed Description . . . . .	872
4.1316 X3D_SphereSensor Struct Reference . . . . .	872
4.1316.1 Detailed Description . . . . .	873
4.1317 X3D_SplinePositionInterpolator Struct Reference . . . . .	873
4.1317.1 Detailed Description . . . . .	873
4.1318 X3D_SplinePositionInterpolator2D Struct Reference . . . . .	874

---

4.1318.1 Detailed Description . . . . .	874
4.1319 X3D_SplineScalarInterpolator Struct Reference . . . . .	874
4.1319.1 Detailed Description . . . . .	875
4.1320 X3D_SpotLight Struct Reference . . . . .	875
4.1320.1 Detailed Description . . . . .	876
4.1321 X3D_SquadOrientationInterpolator Struct Reference . . . . .	876
4.1321.1 Detailed Description . . . . .	876
4.1322 X3D_StaticGroup Struct Reference . . . . .	877
4.1322.1 Detailed Description . . . . .	877
4.1323 X3D_StringSensor Struct Reference . . . . .	877
4.1323.1 Detailed Description . . . . .	878
4.1324 X3D_SurfaceEmitter Struct Reference . . . . .	878
4.1324.1 Detailed Description . . . . .	879
4.1325 X3D_Switch Struct Reference . . . . .	879
4.1325.1 Detailed Description . . . . .	879
4.1326 X3D_Teapot Struct Reference . . . . .	880
4.1326.1 Detailed Description . . . . .	880
4.1327 X3D_TexCoordChaser2D Struct Reference . . . . .	880
4.1327.1 Detailed Description . . . . .	881
4.1328 X3D_TexCoordDamper2D Struct Reference . . . . .	881
4.1328.1 Detailed Description . . . . .	882
4.1329 X3D_Text Struct Reference . . . . .	882
4.1329.1 Detailed Description . . . . .	882
4.1330 X3D_TextureBackground Struct Reference . . . . .	883
4.1330.1 Detailed Description . . . . .	883
4.1331 X3D_TextureCoordinate Struct Reference . . . . .	884
4.1331.1 Detailed Description . . . . .	884
4.1332 X3D_TextureCoordinate3D Struct Reference . . . . .	884
4.1332.1 Detailed Description . . . . .	885
4.1333 X3D_TextureCoordinate4D Struct Reference . . . . .	885
4.1333.1 Detailed Description . . . . .	885
4.1334 X3D_TextureCoordinateGenerator Struct Reference . . . . .	885
4.1334.1 Detailed Description . . . . .	886
4.1335 X3D_TextureProjectorParallel Struct Reference . . . . .	886
4.1335.1 Detailed Description . . . . .	886
4.1336 X3D_TextureProjectorPerspective Struct Reference . . . . .	887
4.1336.1 Detailed Description . . . . .	887
4.1337 X3D_TextureProperties Struct Reference . . . . .	888
4.1337.1 Detailed Description . . . . .	888
4.1338 X3D_TextureTransform Struct Reference . . . . .	888
4.1338.1 Detailed Description . . . . .	889
4.1339 X3D_TextureTransform3D Struct Reference . . . . .	889

---

4.1339.1 Detailed Description . . . . .	889
4.1340 X3D_TextureTransformMatrix3D Struct Reference . . . . .	890
4.1340.1 Detailed Description . . . . .	890
4.1341 X3D_TimeSensor Struct Reference . . . . .	890
4.1341.1 Detailed Description . . . . .	891
4.1342 X3D_TimeTrigger Struct Reference . . . . .	891
4.1342.1 Detailed Description . . . . .	891
4.1343 X3D_ToneMappedVolumeStyle Struct Reference . . . . .	892
4.1343.1 Detailed Description . . . . .	892
4.1344 X3D_TouchSensor Struct Reference . . . . .	892
4.1344.1 Detailed Description . . . . .	893
4.1345 X3D_TrackingSensor Struct Reference . . . . .	893
4.1345.1 Detailed Description . . . . .	894
4.1346 X3D_Transform Struct Reference . . . . .	894
4.1346.1 Detailed Description . . . . .	894
4.1347 X3D_TransformSensor Struct Reference . . . . .	895
4.1347.1 Detailed Description . . . . .	895
4.1348 X3D_TransmitterPdu Struct Reference . . . . .	895
4.1348.1 Detailed Description . . . . .	897
4.1349 X3D_TriangleFanSet Struct Reference . . . . .	897
4.1349.1 Detailed Description . . . . .	897
4.1350 X3D_TriangleSet Struct Reference . . . . .	898
4.1350.1 Detailed Description . . . . .	898
4.1351 X3D_TriangleSet2D Struct Reference . . . . .	898
4.1351.1 Detailed Description . . . . .	899
4.1352 X3D_TriangleStripSet Struct Reference . . . . .	899
4.1352.1 Detailed Description . . . . .	900
4.1353 X3D_TwoSidedMaterial Struct Reference . . . . .	900
4.1353.1 Detailed Description . . . . .	900
4.1354 X3D_UniversalJoint Struct Reference . . . . .	901
4.1354.1 Detailed Description . . . . .	901
4.1355 X3D_Viewpoint Struct Reference . . . . .	902
4.1355.1 Detailed Description . . . . .	902
4.1356 X3D_ViewpointGroup Struct Reference . . . . .	903
4.1356.1 Detailed Description . . . . .	903
4.1357 X3D_Viewport Struct Reference . . . . .	903
4.1357.1 Detailed Description . . . . .	904
4.1358 X3D_Virt Struct Reference . . . . .	904
4.1358.1 Detailed Description . . . . .	904
4.1359 X3D_VisibilitySensor Struct Reference . . . . .	905
4.1359.1 Detailed Description . . . . .	905
4.1360 X3D_VolumeData Struct Reference . . . . .	905



---

4.1360.1 Detailed Description . . . . .	906
4.1361 X3D_VolumeEmitter Struct Reference . . . . .	906
4.1361.1 Detailed Description . . . . .	907
4.1362 X3D_VolumePickSensor Struct Reference . . . . .	907
4.1362.1 Detailed Description . . . . .	907
4.1363 X3D_WindPhysicsModel Struct Reference . . . . .	908
4.1363.1 Detailed Description . . . . .	908
4.1364 X3D_WorldInfo Struct Reference . . . . .	908
4.1364.1 Detailed Description . . . . .	909
4.1365 org.web3d.x3d.sai.X3DAppearanceChildNode Interface Reference . . . . .	909
4.1365.1 Detailed Description . . . . .	909
4.1366 org.web3d.x3d.sai.X3DAppearanceNode Interface Reference . . . . .	909
4.1366.1 Detailed Description . . . . .	909
4.1367 org.web3d.x3d.sai.X3DAudioClipNode Interface Reference . . . . .	910
4.1367.1 Detailed Description . . . . .	910
4.1368 org.web3d.x3d.sai.X3DBackgroundNode Interface Reference . . . . .	910
4.1368.1 Detailed Description . . . . .	911
4.1369 org.web3d.x3d.sai.X3DBindableNode Interface Reference . . . . .	911
4.1369.1 Detailed Description . . . . .	911
4.1370 org.web3d.x3d.sai.X3DBoundedObject Interface Reference . . . . .	912
4.1370.1 Detailed Description . . . . .	912
4.1371 org.web3d.x3d.sai.X3DChildNode Interface Reference . . . . .	912
4.1371.1 Detailed Description . . . . .	913
4.1372 org.web3d.x3d.sai.X3DColorNode Interface Reference . . . . .	913
4.1372.1 Detailed Description . . . . .	913
4.1373 org.web3d.x3d.sai.X3DComponent Interface Reference . . . . .	913
4.1373.1 Detailed Description . . . . .	914
4.1374 org.web3d.x3d.sai.X3DComposedGeometryNode Interface Reference . . . . .	914
4.1374.1 Detailed Description . . . . .	915
4.1375 org.web3d.x3d.sai.X3DCoordinateNode Interface Reference . . . . .	915
4.1375.1 Detailed Description . . . . .	915
4.1376 org.web3d.x3d.sai.X3DDragSensorNode Interface Reference . . . . .	915
4.1376.1 Detailed Description . . . . .	916
4.1377 org.web3d.x3d.sai.X3DEnvironmentalSensorNode Interface Reference . . . . .	916
4.1377.1 Detailed Description . . . . .	916
4.1378 org.web3d.x3d.sai.X3DException Class Reference . . . . .	917
4.1378.1 Detailed Description . . . . .	917
4.1379 org.web3d.x3d.sai.X3DExecutionContext Interface Reference . . . . .	918
4.1379.1 Detailed Description . . . . .	919
4.1380 org.web3d.x3d.sai.X3DEExternProtoDeclaration Interface Reference . . . . .	919
4.1380.1 Detailed Description . . . . .	919
4.1381 org.web3d.x3d.sai.X3DField Interface Reference . . . . .	919

4.1381.1 Detailed Description . . . . .	920
4.1382 org.web3d.x3d.sai.X3DFieldDefinition Interface Reference . . . . .	921
4.1382.1 Detailed Description . . . . .	921
4.1383 org.web3d.x3d.sai.X3DFieldEvent Class Reference . . . . .	921
4.1383.1 Detailed Description . . . . .	921
4.1384 org.web3d.x3d.sai.X3DFieldEventListener Interface Reference . . . . .	922
4.1384.1 Detailed Description . . . . .	922
4.1385 org.web3d.x3d.sai.X3DFieldTypes Interface Reference . . . . .	922
4.1385.1 Detailed Description . . . . .	923
4.1386 org.web3d.x3d.sai.X3DFontStyleNode Interface Reference . . . . .	923
4.1386.1 Detailed Description . . . . .	924
4.1387 org.web3d.x3d.sai.X3DGeometricPropertyNode Interface Reference . . . . .	924
4.1387.1 Detailed Description . . . . .	924
4.1388 org.web3d.x3d.sai.X3DGeometryNode Interface Reference . . . . .	924
4.1388.1 Detailed Description . . . . .	925
4.1389 org.web3d.x3d.sai.X3DGroupingNode Interface Reference . . . . .	925
4.1389.1 Detailed Description . . . . .	925
4.1390 org.web3d.x3d.sai.X3DInfoNode Interface Reference . . . . .	925
4.1390.1 Detailed Description . . . . .	926
4.1391 org.web3d.x3d.sai.X3DInterpolatorNode Interface Reference . . . . .	926
4.1391.1 Detailed Description . . . . .	926
4.1392 org.web3d.x3d.sai.X3DKeyDeviceSensorNode Interface Reference . . . . .	926
4.1392.1 Detailed Description . . . . .	927
4.1393 org.web3d.x3d.sai.X3DLightNode Interface Reference . . . . .	927
4.1393.1 Detailed Description . . . . .	927
4.1394 org.web3d.x3d.sai.X3DMaterialNode Interface Reference . . . . .	928
4.1394.1 Detailed Description . . . . .	928
4.1395 org.web3d.x3d.sai.X3DMetadataObject Interface Reference . . . . .	928
4.1395.1 Detailed Description . . . . .	928
4.1396 org.web3d.x3d.sai.X3DNetworkSensorNode Interface Reference . . . . .	929
4.1396.1 Detailed Description . . . . .	929
4.1397 org.web3d.x3d.sai.X3DNode Interface Reference . . . . .	929
4.1397.1 Detailed Description . . . . .	930
4.1398 org.web3d.x3d.sai.X3DNodeTypes Interface Reference . . . . .	930
4.1398.1 Detailed Description . . . . .	931
4.1399 org.web3d.x3d.sai.X3DNormalNode Interface Reference . . . . .	931
4.1399.1 Detailed Description . . . . .	932
4.1400 org.web3d.x3d.sai.X3DParametricGeometryNode Interface Reference . . . . .	932
4.1400.1 Detailed Description . . . . .	932
4.1401 org.web3d.x3d.sai.X3DPerFrameObserverScript Interface Reference . . . . .	932
4.1401.1 Detailed Description . . . . .	933
4.1402 org.web3d.x3d.sai.X3DPointingDeviceSensorNode Interface Reference . . . . .	933

4.1402.1 Detailed Description . . . . .	933
4.1403 org.web3d.x3d.sai.X3DProtoDeclaration Interface Reference . . . . .	933
4.1403.1 Detailed Description . . . . .	934
4.1404 org.web3d.x3d.sai.X3DProtoInstance Interface Reference . . . . .	934
4.1404.1 Detailed Description . . . . .	934
4.1405 org.web3d.x3d.sai.X3DRoute Interface Reference . . . . .	934
4.1405.1 Detailed Description . . . . .	935
4.1406 org.web3d.x3d.sai.X3DScene Interface Reference . . . . .	935
4.1406.1 Detailed Description . . . . .	935
4.1407 org.web3d.x3d.sai.X3DScriptImplementation Interface Reference . . . . .	936
4.1407.1 Detailed Description . . . . .	936
4.1408 org.web3d.x3d.sai.X3DScriptNode Interface Reference . . . . .	936
4.1408.1 Detailed Description . . . . .	936
4.1409 org.web3d.x3d.sai.X3DSensorNode Interface Reference . . . . .	937
4.1409.1 Detailed Description . . . . .	937
4.1410 org.web3d.x3d.sai.X3DSequencerNode Interface Reference . . . . .	937
4.1410.1 Detailed Description . . . . .	938
4.1411 org.web3d.x3d.sai.X3DShapeNode Interface Reference . . . . .	938
4.1411.1 Detailed Description . . . . .	938
4.1412 org.web3d.x3d.sai.X3DSoundNode Interface Reference . . . . .	938
4.1412.1 Detailed Description . . . . .	939
4.1413 org.web3d.x3d.sai.X3DSoundSourceNode Interface Reference . . . . .	939
4.1413.1 Detailed Description . . . . .	939
4.1414 org.web3d.x3d.sai.X3DTextNode Interface Reference . . . . .	939
4.1414.1 Detailed Description . . . . .	940
4.1415 org.web3d.x3d.sai.X3DTexture2DNode Interface Reference . . . . .	940
4.1415.1 Detailed Description . . . . .	940
4.1416 org.web3d.x3d.sai.X3DTextureCoordinateNode Interface Reference . . . . .	940
4.1416.1 Detailed Description . . . . .	941
4.1417 org.web3d.x3d.sai.X3DTextureNode Interface Reference . . . . .	941
4.1417.1 Detailed Description . . . . .	941
4.1418 org.web3d.x3d.sai.X3DTextureTransform2DNode Interface Reference . . . . .	942
4.1418.1 Detailed Description . . . . .	942
4.1419 org.web3d.x3d.sai.X3DTextureTransformNode Interface Reference . . . . .	942
4.1419.1 Detailed Description . . . . .	943
4.1420 org.web3d.x3d.sai.X3DTimeDependentNode Interface Reference . . . . .	943
4.1420.1 Detailed Description . . . . .	943
4.1421 org.web3d.x3d.sai.X3DTouchSensorNode Interface Reference . . . . .	944
4.1421.1 Detailed Description . . . . .	944
4.1422 org.web3d.x3d.sai.X3DTriggerNode Interface Reference . . . . .	944
4.1422.1 Detailed Description . . . . .	945
4.1423 org.web3d.x3d.sai.X3DUrlObject Interface Reference . . . . .	945

4.1423.1 Detailed Description . . . . .	945
4.1424 xml_user_data Struct Reference . . . . .	945
4.1424.1 Detailed Description . . . . .	946
4.1425 XY Struct Reference . . . . .	946
4.1425.1 Detailed Description . . . . .	946
4.1426 zip64_internal Struct Reference . . . . .	946
4.1426.1 Detailed Description . . . . .	946
4.1427 zip_fileinfo Struct Reference . . . . .	947
4.1427.1 Detailed Description . . . . .	947
4.1428 zlib_filefunc64_32_def_s Struct Reference . . . . .	947
4.1428.1 Detailed Description . . . . .	947
4.1429 zlib_filefunc64_def_s Struct Reference . . . . .	947
4.1429.1 Detailed Description . . . . .	948
4.1430 zlib_filefunc_def_s Struct Reference . . . . .	948
4.1430.1 Detailed Description . . . . .	948
4.1431 zone Struct Reference . . . . .	948
4.1431.1 Detailed Description . . . . .	948

<b>Index</b>	<b>949</b>
--------------	------------

# Chapter 1

## cson JSON API

cson (pronounced "season") is an object-oriented C API for generating and consuming JSON ( <http://www.json.org>) data.

Its main claim to fame is that it can parse JSON from, and output it to, damned near anywhere. The i/o routines use a callback function to fetch/emit JSON data, allowing clients to easily plug in their own implementations. Implementations are provided for string- and FILE-based i/o.

Project home page: <http://fossil.wanderinghorse.net/repos/cson>

Author: Stephan Beal ( <http://www.wanderinghorse.net/home/stephan/>)

License: Dual Public Domain/MIT

The full license text is at the bottom of the main header file (cson.h).

Examples of how to use the library are scattered throughout the API documentation, in the test.c file in the source repo, and in the wiki on the project's home page.



## Chapter 2

# Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

_AnyNative	57
_Atlas	57
_AtlasEntry	58
_AtlasFont	58
_BrowserNative	59
_BUTitem	59
_cd_list_t	59
_contenttype	60
_CRnodeStruct	60
_FW_PluginInstance	60
_geosys	61
_GLwDrawingAreaClassPart	61
_GLwDrawingAreaClassRec	62
_GLwDrawingAreaRec	62
_GUIElement	62
_intX3D_MFBool	63
_intX3D_MFColor	63
_intX3D_MFColorRGBA	63
_intX3D_MFFloat	64
_intX3D_MFImage	64
_intX3D_MFInt32	64
_intX3D_MFNode	65
_intX3D_MFRotation	65
_intX3D_MFString	65
_intX3D_MFTime	66
_intX3D_MFVec2d	66
_intX3D_MFVec2f	66
_intX3D_MFVec3d	67
_intX3D_MFVec3f	67
_intX3D_SFBool	67
_intX3D_SFColor	68
_intX3D_SFColorRGBA	68
_intX3D_SFFloat	68
_intX3D_SFImage	69
_intX3D_SFInt32	69

_intX3D_SFNode . . . . .	69
_intX3D_SFRotation . . . . .	70
_intX3D_SFString . . . . .	70
_intX3D_SFTime . . . . .	70
_intX3D_SFVec2d . . . . .	71
_intX3D_SFVec2f . . . . .	71
_intX3D_SFVec3d . . . . .	71
_intX3D_SFVec3f . . . . .	72
_intX3DEventIn . . . . .	72
_NPByteRange . . . . .	72
_NPEmbedPrint . . . . .	73
_NPFullPrint . . . . .	73
_NPImageExpose . . . . .	74
_NPNetscapeFuncs . . . . .	74
_NPP . . . . .	75
_NPPluginFuncs . . . . .	76
_NPPrint . . . . .	76
_NPRect . . . . .	77
_NPSavedData . . . . .	77
_NPSize . . . . .	77
_NPStream . . . . .	78
_NPString . . . . .	78
_NPVariant . . . . .	78
_NPWindow . . . . .	79
_s_list_t . . . . .	79
freeWRLSAI_cpp::_SAIParameter . . . . .	80
_SFColorNative . . . . .	80
_SFColorRGBANative . . . . .	80
_SFImageNative . . . . .	81
_SFNodeNative . . . . .	81
_SFRotationNative . . . . .	81
_SFVec2fNative . . . . .	82
_SFVec3dNative . . . . .	82
_SFVec3fNative . . . . .	82
_SFVec4dNative . . . . .	83
_SFVec4fNative . . . . .	83
_urlRequest . . . . .	83
_X3DNode . . . . .	84
AcknowledgePdu . . . . .	84
AcknowledgeReliablePdu . . . . .	85
AcousticBeamData . . . . .	85
AcousticBeamFundamentalParameter . . . . .	86
AcousticEmitter . . . . .	86
AcousticEmitterSystem . . . . .	87
AcousticEmitterSystemData . . . . .	88
ActionRequestPdu . . . . .	89
ActionRequestReliablePdu . . . . .	90
ActionResponsePdu . . . . .	90
ActionResponseReliablePdu . . . . .	91
ActiveRegion . . . . .	91
AggregateID . . . . .	92
AggregateMarking . . . . .	92
AggregateStatePdu . . . . .	93
AggregateType . . . . .	94
AngularVelocityVector . . . . .	95
AntennaLocation . . . . .	95
anyVrml . . . . .	95
ApaData . . . . .	96



ArcTessellator	100
ArealObjectStatePdu	100
ArgListType	101
ArticulationParameter	101
AtlasEntrySet	102
Backend	102
vrml.BaseNode	103
vrml.node.Node	418
vrml.node.Script	567
BeamAntennaPattern	107
BeamData	108
bezierPatch	109
bezierPatchMesh	110
Bin	110
bindablestack	111
block	111
Breakpt	112
brotoDefpair	112
brotoIS	113
brotoRoute	113
brouteEnd	114
org.web3d.x3d.sai.Browser	114
org.web3d.x3d.sai.ExternalBrowser	262
sai.FreeWRLBrowser	273
vrml.Browser	115
sai.BrowserFactory	118
org.web3d.x3d.sai.BrowserFactoryImpl	118
sai.BrowserGlobals	119
vrml.external.BrowserGlobals	119
org.web3d.x3d.sai.BrowserInterface	120
sai.FreeWRLBrowser	273
vrml.external.BrowserInterface	120
vrml.external.Browser	116
Buffer	122
BurstDescriptor	123
CachedVertex	123
CachingEvaluator	123
BasicCurveEvaluator	105
OpenGLCurveEvaluator	499
BasicSurfaceEvaluator	105
OpenGLSurfaceEvaluator	501
cbDataExactName	124
cbDataRootNameAndRouteDir	125
CdIIFreeWRL	125
chardata	126
chaser_ptrs	127
cline	127
ClockTime	127
Cloneable	
vrml.Event	236
vrml.Field	265
vrml.ConstField	134
vrml.ConstMField	136
vrml.field.ConstMFColor	135
vrml.field.ConstMFFloat	136
vrml.field.ConstMFInt32	138

vrml.field.ConstMFNode . . . . .	138
vrml.field.ConstMFRotation . . . . .	139
vrml.field.ConstMFString . . . . .	140
vrml.field.ConstMFTime . . . . .	141
vrml.field.ConstMFVec2f . . . . .	141
vrml.field.ConstMFVec3f . . . . .	142
vrml.field.ConstSFBool . . . . .	143
vrml.field.ConstSFCOLOR . . . . .	144
vrml.field.ConstSFFloat . . . . .	144
vrml.field.ConstSFImage . . . . .	145
vrml.field.ConstSFInt32 . . . . .	146
vrml.field.ConstSFNode . . . . .	147
vrml.field.ConstSFRotation . . . . .	147
vrml.field.ConstSFString . . . . .	148
vrml.field.ConstSFTime . . . . .	149
vrml.field.ConstSFVec2f . . . . .	149
vrml.field.ConstSFVec3f . . . . .	150
vrml.MField . . . . .	386
vrml.field.MFCOLOR . . . . .	381
vrml.field.MFFloat . . . . .	384
vrml.field.MFInt32 . . . . .	388
vrml.field.MFNode . . . . .	390
vrml.field.MFRotation . . . . .	392
vrml.field.MFString . . . . .	393
vrml.field.MFTime . . . . .	395
vrml.field.MFVec2f . . . . .	397
vrml.field.MFVec3f . . . . .	400
vrml.field.SFBool . . . . .	575
vrml.field.SFCOLOR . . . . .	577
vrml.field.SFFloat . . . . .	579
vrml.field.SFImage . . . . .	581
vrml.field.SFInt32 . . . . .	582
vrml.field.SFNode . . . . .	585
vrml.field.SFRotation . . . . .	586
vrml.field.SFString . . . . .	588
vrml.field.SFTime . . . . .	589
vrml.field.SFVec2f . . . . .	592
vrml.field.SFVec3f . . . . .	594
coded_block_pattern_entry . . . . .	128
CollisionElasticPdu . . . . .	128
CollisionPdu . . . . .	129
colorScheme . . . . .	130
command . . . . .	130
CommentPdu . . . . .	131
CommentReliablePdu . . . . .	131
org.web3d.x3d.sai.ComponentInfo . . . . .	132
sai.FWComponentInfo . . . . .	287
connection_info_struct . . . . .	132
consoleLine . . . . .	134
contenttype_captiontext . . . . .	151
contenttype_e3dmouse . . . . .	151
contenttype_layer . . . . .	152
contenttype_multitouch . . . . .	152
contenttype_orientation . . . . .	153
contenttype_quadrant . . . . .	153
contenttype_scene . . . . .	153
contenttype_splitter . . . . .	154
contenttype_statusbar . . . . .	154

contenttype_stereo_anaglyph . . . . .	154
contenttype_stereo_shutter . . . . .	155
contenttype_stereo_sidebyside . . . . .	155
contenttype_stereo_updown . . . . .	155
contenttype_switch . . . . .	156
contenttype_textpanel . . . . .	156
contenttype_texturegrid . . . . .	157
CPlugin . . . . .	158
CR_RegStruct . . . . .	159
CreateEntityPdu . . . . .	159
CreateEntityReliablePdu . . . . .	160
CRjsnameStruct . . . . .	160
CRscriptStruct . . . . .	161
CRStruct . . . . .	161
cson_array . . . . .	162
cson_buffer . . . . .	162
cson_data_source_StringSource_ . . . . .	164
cson_kvp . . . . .	165
cson_kvp_list . . . . .	166
cson_object . . . . .	166
cson_object_iterator . . . . .	167
cson_output_opt . . . . .	167
cson_parse_info . . . . .	169
cson_parse_opt . . . . .	170
cson_parser . . . . .	170
cson_string . . . . .	171
cson_value . . . . .	172
cson_value_api . . . . .	174
cson_value_list . . . . .	175
curfile64_info . . . . .	176
currayhit . . . . .	176
Curve . . . . .	177
curveEvalMachine . . . . .	177
Curvelist . . . . .	178
damper_ptr . . . . .	178
DataPdu . . . . .	179
DataQueryPdu . . . . .	179
DataQueryReliablePdu . . . . .	180
DataReliablePdu . . . . .	181
datChnk . . . . .	181
dct_dc_size_entry . . . . .	182
DDS_header . . . . .	182
DdsLoadInfo . . . . .	183
DeadReckoningParameter . . . . .	183
depth_slice . . . . .	184
DesignatorPdu . . . . .	184
DetonationPdu . . . . .	185
Dict . . . . .	186
DictNode . . . . .	186
directedLine . . . . .	187
dis_class . . . . .	188
dis_socket . . . . .	188
disfieldattr . . . . .	189
DisplayList . . . . .	189
DistributedEmissionsFamilyPdu . . . . .	190
draw_call_params . . . . .	191
duk__bigint . . . . .	192
duk__compile_raw_args . . . . .	192

duk_compiler_stkstate . . . . .	192
duk_decode_context . . . . .	193
duk_encode_context . . . . .	193
duk_exp_limits . . . . .	193
duk_id_lookup_result . . . . .	194
duk_numconv_stringify_ctx . . . . .	194
duk_objlit_state . . . . .	195
duk_pcall_prop_args . . . . .	195
duk_re_disjunction_info . . . . .	195
duk_transform_context . . . . .	196
duk_activation . . . . .	196
duk_bitdecoder_ctx . . . . .	197
duk_bitencoder_ctx . . . . .	197
duk_breakpoint . . . . .	197
duk_bufwriter_ctx . . . . .	198
duk_catcher . . . . .	198
duk_compiler_ctx . . . . .	199
duk_compiler_func . . . . .	199
duk_compiler_instr . . . . .	200
duk_double_union . . . . .	201
duk_function_list_entry . . . . .	201
duk_harray . . . . .	202
duk_hbuffer . . . . .	202
duk_hbuffer_dynamic . . . . .	202
duk_hbuffer_external . . . . .	203
duk_hbuffer_fixed . . . . .	203
duk_hbufobj . . . . .	203
duk_hcompfunc . . . . .	204
duk_heap . . . . .	204
duk_heaphdr . . . . .	205
duk_heaphdr_string . . . . .	205
duk_hnatfunc . . . . .	206
duk_hobject . . . . .	206
duk_hstring . . . . .	207
duk_hstring_external . . . . .	207
duk_hthread . . . . .	208
duk_internal_thread_state . . . . .	208
duk_ispec . . . . .	209
duk_ivalue . . . . .	209
duk_jmpbuf . . . . .	209
duk_json_dec_ctx . . . . .	210
duk_json_enc_ctx . . . . .	210
duk_labelinfo . . . . .	211
duk_lexer_codepoint . . . . .	211
duk_lexer_ctx . . . . .	212
duk_lexer_point . . . . .	212
duk_ljstate . . . . .	213
duk_memory_functions . . . . .	213
duk_number_list_entry . . . . .	213
duk_propaccessor . . . . .	214
duk_propdesc . . . . .	214
duk_propvalue . . . . .	215
duk_re_compiler_ctx . . . . .	215
duk_re_matcher_ctx . . . . .	215
duk_re_token . . . . .	216
duk_strcache . . . . .	216
duk_strtab_entry . . . . .	217
duk_thread_state . . . . .	217

duk_time_components	217
duk_token	218
duk_tval_struct	218
duk_tval_unused	219
EAI_Extra_Data	219
EAI_ListenerStruct	220
sai.eai.EAIAsyncMessage	220
vrml.external.FreeWRLEAI.EAIAsyncMessage	220
sai.eai.EAIAsyncQueue	221
vrml.external.FreeWRLEAI.EAIAsyncQueue	221
sai.eai.EAIMessage	224
vrml.external.FreeWRLEAI.EAIMessage	224
EAINodeIndexStruct	224
EAINodeParams	225
sai.eai.EAIoutQueue	225
vrml.external.FreeWRLEAI.EAIoutQueue	226
EdgePair	227
EightByteChunk	227
ElectronicEmissionBeamData	228
ElectronicEmissionsPdu	229
ElectronicEmissionSystemData	230
ellipsoid	231
EmitterSystem	231
EntityID	231
EntityInformationFamilyPdu	232
EntityManagementFamilyPdu	232
EntityStatePdu	233
EntityStateUpdatePdu	234
EntityType	234
Environment	235
EnvironmentalProcessPdu	235
EventID	236
vrml.external.field.EventIn	237
vrml.external.field.EventInMFColor	238
vrml.external.field.EventInMFFloat	238
vrml.external.field.EventInMFInt32	239
vrml.external.field.EventInMFNode	240
vrml.external.field.EventInMFRotation	240
vrml.external.field.EventInMFString	241
vrml.external.field.EventInMFVec2f	241
vrml.external.field.EventInMFVec3f	242
vrml.external.field.EventInSFBool	242
vrml.external.field.EventInSFColor	243
vrml.external.field.EventInSFFloat	243
vrml.external.field.EventInSFImage	244
vrml.external.field.EventInSFInt32	244
vrml.external.field.EventInSFNode	245
vrml.external.field.EventInSFRotation	245
vrml.external.field.EventInSFString	246
vrml.external.field.EventInSFTime	246
vrml.external.field.EventInSFVec2f	247
vrml.external.field.EventInSFVec3f	247
EventListener	
org.web3d.x3d.sai.BrowserListener	121
java.util.EventListener	
org.web3d.x3d.sai.X3DFieldEventListener	922
EventObject	
org.web3d.x3d.sai.BrowserEvent	117

org.web3d.x3d.sai.X3DFieldEvent . . . . .	921
vrml.external.field.EventOut . . . . .	248
vrml.external.field.EventOutMField . . . . .	250
vrml.external.field.EventOutMFColor . . . . .	249
vrml.external.field.EventOutMFFloat . . . . .	249
vrml.external.field.EventOutMFInt32 . . . . .	251
vrml.external.field.EventOutMFNode . . . . .	251
vrml.external.field.EventOutMFRotation . . . . .	252
vrml.external.field.EventOutMFString . . . . .	253
vrml.external.field.EventOutMFVec2f . . . . .	253
vrml.external.field.EventOutMFVec3f . . . . .	254
vrml.external.field.EventOutSFBool . . . . .	255
vrml.external.field.EventOutSFColor . . . . .	255
vrml.external.field.EventOutSFFloat . . . . .	256
vrml.external.field.EventOutSFImage . . . . .	256
vrml.external.field.EventOutSFInt32 . . . . .	257
vrml.external.field.EventOutSFNode . . . . .	258
vrml.external.field.EventOutSFRotation . . . . .	258
vrml.external.field.EventOutSFString . . . . .	259
vrml.external.field.EventOutSFTime . . . . .	259
vrml.external.field.EventOutSFVec2f . . . . .	260
vrml.external.field.EventOutSFVec3f . . . . .	260
vrml.external.field.EventOutObserver . . . . .	254
EventReportPdu . . . . .	261
EventReportReliablePdu . . . . .	261
Exception	
vrml.InvalidVRMLSyntaxException . . . . .	357
vrml.InvalidX3DSyntaxException . . . . .	359
std::exception	
freeWRLSAI_cpp::saiException . . . . .	561
freeWRLSAI_cpp::browserNotSharedException . . . . .	121
freeWRLSAI_cpp::connectionException . . . . .	133
freeWRLSAI_cpp::disposedException . . . . .	190
freeWRLSAI_cpp::invalidBrowserException . . . . .	339
freeWRLSAI_cpp::invalidExecutionContextException . . . . .	344
freeWRLSAI_cpp::invalidFieldException . . . . .	346
freeWRLSAI_cpp::InvalidReadableFieldException . . . . .	353
freeWRLSAI_cpp::InvalidWritableFieldException . . . . .	357
freeWRLSAI_cpp::invalidNodeException . . . . .	349
freeWRLSAI_cpp::insufficientCapabilitiesException . . . . .	335
freeWRLSAI_cpp::invalidAccessTypeException . . . . .	339
freeWRLSAI_cpp::InvalidReadableFieldException . . . . .	353
freeWRLSAI_cpp::InvalidWritableFieldException . . . . .	357
freeWRLSAI_cpp::invalidDocumentException . . . . .	340
freeWRLSAI_cpp::invalidImportException . . . . .	348
freeWRLSAI_cpp::invalidOperationTimingException . . . . .	351
freeWRLSAI_cpp::invalidUrlException . . . . .	355
freeWRLSAI_cpp::invalidX3DException . . . . .	358
freeWRLSAI_cpp::noSuchBrowserException . . . . .	421
freeWRLSAI_cpp::nodeInUseException . . . . .	419
freeWRLSAI_cpp::nodeUnavailableException . . . . .	420
freeWRLSAI_cpp::notSupportedException . . . . .	422
freeWRLSAI_cpp::saiCustomException . . . . .	560
freeWRLSAI_cpp::urlUnavailableException . . . . .	647
extrusion . . . . .	262
FaceCount . . . . .	263
FastEntityStatePdu . . . . .	263
field_info . . . . .	266

FieldDecl . . . . .	266
vrml.external.field.FieldTypes . . . . .	267
file_in_zip64_read_info_s . . . . .	268
FirePdu . . . . .	268
FirstStruct . . . . .	269
FixedDatum . . . . .	269
Flist . . . . .	270
flychord . . . . .	271
fmtChnk . . . . .	271
FourByteChunk . . . . .	272
freewrl_params . . . . .	272
sai.FreeWRLBrowserInfo . . . . .	275
sai.FreeWRLRendererInfo . . . . .	281
ftype . . . . .	283
FundamentalParameterData . . . . .	284
FundamentalParameterDataIff . . . . .	285
fw_MaterialParameters . . . . .	286
FWBITMAPFILEHEADER . . . . .	286
FWBITMAPINFO . . . . .	286
FWBITMAPINFOHEADER . . . . .	287
vrml.FWCreateField . . . . .	288
FWFunctionSpec . . . . .	289
vrml.FWHelper . . . . .	289
vrml.FWJavaScript . . . . .	290
vrml.FWJavaScriptBinding . . . . .	290
sai.FWProfInfo . . . . .	301
FWPropertySpec . . . . .	302
FWRGBQUAD . . . . .	303
FWSNDMSG . . . . .	313
FWTYPE . . . . .	314
FWVAL . . . . .	314
FX . . . . .	315
gcgd . . . . .	315
GLUface . . . . .	316
GLUhalfEdge . . . . .	316
GLUmesh . . . . .	317
GLUtesselator . . . . .	318
GLUvertex . . . . .	319
GLwDrawingAreaCallbackStruct . . . . .	319
GLwDrawingAreaPart . . . . .	320
GoP . . . . .	321
GridAxisRecord . . . . .	321
GridAxisRecordRepresentation0 . . . . .	321
GridAxisRecordRepresentation1 . . . . .	322
GridAxisRecordRepresentation2 . . . . .	322
gridBoundaryChain . . . . .	323
GriddedDataPdu . . . . .	323
Gridline . . . . .	324
GridVertex . . . . .	325
gridWrap . . . . .	326
GUINamedType . . . . .	326
GUIScreen . . . . .	327
vrml.external.IBrowser . . . . .	328
vrml.external.Browser . . . . .	116
IffAtcNavAidsLayer1Pdu . . . . .	329
IffAtcNavAidsLayer2Pdu . . . . .	330
IffFundamentalData . . . . .	331
iiglobal . . . . .	331

IllegalArgumentException	
vrml.InvalidEventInException	342
vrml.InvalidEventOutException	343
vrml.InvalidExposedFieldException	345
vrml.InvalidFieldChangeException	345
vrml.InvalidFieldException	347
vrml.InvalidRouteException	354
IMEXPORT	334
initialRouteStruct	334
IntercomCommunicationsParameters	336
IntercomControlPdu	337
IntercomSignalPdu	338
intersection_info	338
IsGroupOfPdu	360
IsPartOfPdu	361
ivec2	361
ivec4	362
Jarcloc	362
JMATRIX	363
JSON_config	363
JSON_parser_struct	365
JSON_value_struct	366
key	366
keyHit	366
keyval	367
Knotspec	367
Knotvector	368
LayerHeader	369
layout_scale_item	369
layoutmode	370
LinearObjectStatePdu	370
LinearSegmentParameter	371
linkedlist_data_s	371
linkedlist_datablock_internal_s	372
LogisticsFamilyPdu	372
macroblock	372
Maplist	374
Marking	375
matpropstruct	375
org.web3d.x3d.sai.Matrix	376
org.web3d.x3d.sai.Matrix3	376
org.web3d.x3d.sai.Matrix4	377
mb_addr_inc_entry	378
mb_type_entry	378
MinefieldDataPdu	401
MinefieldFamilyPdu	402
MinefieldQueryPdu	402
MinefieldResponseNackPdu	403
MinefieldStatePdu	403
mode_name	404
ModulationType	404
monoChain	405
Monotonizer	406
motion_vectors_entry	406
Multi_Any	406
Multi_Bool	407
Multi_Color	407
Multi_ColorRGBA	407



Multi_Double . . . . .	408
Multi_Float . . . . .	408
Multi_Int32 . . . . .	409
Multi_Matrix3d . . . . .	409
Multi_Matrix3f . . . . .	409
Multi_Matrix4d . . . . .	410
Multi_Matrix4f . . . . .	410
Multi_Node . . . . .	411
Multi_Rotation . . . . .	411
Multi_String . . . . .	411
Multi_Time . . . . .	412
Multi_Vec2d . . . . .	412
Multi_Vec2f . . . . .	413
Multi_Vec3d . . . . .	413
Multi_Vec3f . . . . .	413
Multi_Vec4d . . . . .	414
Multi_Vec4f . . . . .	414
multiTexParams . . . . .	415
myArgs . . . . .	415
MyVertex . . . . .	415
name_num . . . . .	416
NamedLocation . . . . .	416
navmode . . . . .	417
vrml.external.Node . . . . .	417
nodedistance . . . . .	418
NPCClass . . . . .	423
NPObject . . . . .	423
ScriptablePluginObjectBase . . . . .	567
BasePlugin . . . . .	104
nsByteRange . . . . .	424
nsIFactory . . . . .	
nsIPluginHostOld . . . . .	440
nsIPluginOld . . . . .	472
nsIInputStream . . . . .	
nsIPluginInputStream . . . . .	441
nsISupports . . . . .	
nsIAuthenticationInfo . . . . .	424
nsICookieStorage . . . . .	425
nsIFileUtilities . . . . .	426
nsIHTTPHeaderListener . . . . .	428
nsIJVMAuthTools . . . . .	429
nsIPlugin . . . . .	431
nsIPluginDocument . . . . .	433
nsIPluginHost . . . . .	434
nsIPluginInstance . . . . .	442
nsIPluginInstanceInternal . . . . .	448
nsIPluginInstanceOld . . . . .	448
nsIPluginInstanceOwner . . . . .	453
nsIPluginInstancePeer . . . . .	455
nsIPluginInstancePeer2 . . . . .	459
nsIPluginInstancePeer2_1_9_1_BRANCH . . . . .	461
nsIPluginManager . . . . .	462
nsIPluginManager2 . . . . .	467
nsIPluginStreamInfo . . . . .	474
nsIPluginStreamListener . . . . .	475
nsIPluginTag . . . . .	478
nsIPluginTagInfo . . . . .	479
nsIPluginTagInfoOld . . . . .	486

nsIPluginTagInfo2 . . . . .	482
nsIScriptablePlugin . . . . .	487
nsIWindowlessPluginInstancePeer . . . . .	488
nsPIPluginInstancePeer . . . . .	489
nsPluginEmbedPrint . . . . .	489
nsPluginEvent . . . . .	490
nsPluginFullPrint . . . . .	490
nsPluginLogging . . . . .	490
nsPluginPrint . . . . .	492
nsPluginRect . . . . .	492
nsPluginWindow . . . . .	493
nsPluginNativeWindow . . . . .	491
NurbsTessellator . . . . .	493
GLUnurbs . . . . .	317
ObjectType . . . . .	498
OneByteChunk . . . . .	499
opened_file . . . . .	502
orient_XYZA . . . . .	503
Orientation . . . . .	503
particle . . . . .	503
Patch . . . . .	504
Patchlist . . . . .	504
pBindable . . . . .	506
pcollision . . . . .	506
pcommon . . . . .	507
pComponent_CubeMapTexturing . . . . .	507
pComponent_EnviroSensor . . . . .	508
pComponent_Followers . . . . .	508
pComponent_Geometry3D . . . . .	508
pComponent_Geospatial . . . . .	509
pComponent_HAnim . . . . .	509
pComponent_KeyDevice . . . . .	509
pComponent_Layering . . . . .	510
pComponent_Layout . . . . .	510
pComponent_NURBS . . . . .	510
pComponent_ParticleSystems . . . . .	511
pComponent_Picking . . . . .	511
pComponent_ProgrammableShaders . . . . .	511
pComponent_PTM . . . . .	512
pComponent_Rendering . . . . .	512
pComponent_RigidBodyPhysics . . . . .	512
pComponent_Shape . . . . .	513
pComponent_Sound . . . . .	513
pComponent_Text . . . . .	514
pComponent_VolumeRendering . . . . .	515
pConsoleMessage . . . . .	515
pCParse . . . . .	516
pCParseParser . . . . .	516
pCRoutes . . . . .	517
pCScripts . . . . .	517
pCursorDraw . . . . .	518
pdisplay . . . . .	518
Pdu . . . . .	518
PduContainer . . . . .	519
pEAI_C_CommonFunctions . . . . .	519
pEAICore . . . . .	520
pEAIEventsIn . . . . .	520
pEAISHelpers . . . . .	520

pedal_state . . . . .	521
pFrustum . . . . .	521
pict . . . . .	522
pict_image . . . . .	522
Planet . . . . .	523
pLoadTextures . . . . .	523
pMainloop . . . . .	524
Point . . . . .	525
point_XYZ . . . . .	525
point_XYZ3 . . . . .	526
pointer2pointer . . . . .	526
PointObjectStatePdu . . . . .	526
polygon . . . . .	527
polyrep_combiner_data . . . . .	527
Pool . . . . .	528
PooledObj . . . . .	529
Arc . . . . .	96
BezierArc . . . . .	108
Dlnode . . . . .	190
GridTrimVertex . . . . .	325
Mapdesc . . . . .	373
O_curve . . . . .	495
O_nurbscurve . . . . .	495
O_nurbssurface . . . . .	496
O_pwlcurve . . . . .	497
O_surface . . . . .	497
O_trim . . . . .	498
Property . . . . .	538
PwlArc . . . . .	544
Quilt . . . . .	545
pOpenGL_Utils . . . . .	530
pPluginSocket . . . . .	530
ppluginUtils . . . . .	531
pProdCon . . . . .	531
PQhandleElem . . . . .	531
PQnode . . . . .	532
pRasterFont . . . . .	532
pRenderFuncs . . . . .	533
pRenderTextures . . . . .	534
presources . . . . .	534
primStream . . . . .	535
PriorityQ . . . . .	535
profile_entry . . . . .	536
org.web3d.x3d.sai.ProfileInfo . . . . .	536
sai.FWPProfileInfo . . . . .	301
proftablestruct . . . . .	537
projective_Texdata . . . . .	537
projector_tuple . . . . .	538
PropulsionSystemData . . . . .	539
ProtoDefinition . . . . .	539
ProtoFieldDecl . . . . .	539
pSensInterps . . . . .	540
pSnapshot . . . . .	540
Pspec . . . . .	541
Patchspec . . . . .	505
PSStruct . . . . .	541
pstatusbar . . . . .	542

pStreamPoly . . . . .	542
pTess . . . . .	542
pTextures . . . . .	543
pViewer . . . . .	543
pX3DParser . . . . .	544
quaternion . . . . .	545
QuiltSpec . . . . .	546
RadioCommunicationsFamilyPdu . . . . .	546
RadioEntityType . . . . .	547
rb1 . . . . .	547
ReceiverPdu . . . . .	548
RecordQueryReliablePdu . . . . .	548
RecordSet . . . . .	549
rectBlock . . . . .	550
rectBlockArray . . . . .	550
reflexChain . . . . .	551
Relationship . . . . .	551
RemoveEntityPdu . . . . .	551
RemoveEntityReliablePdu . . . . .	552
RenderHints . . . . .	552
RepairCompletePdu . . . . .	553
RepairResponsePdu . . . . .	553
resource_item . . . . .	554
ResupplyCancelPdu . . . . .	555
ResupplyOfferPdu . . . . .	555
ResupplyReceivedPdu . . . . .	556
row32 . . . . .	556
Runnable	
sai.eai.EAInThread . . . . .	223
vrml.external.FreeWRLEAI.EAInThread . . . . .	223
RuntimeException	
org.web3d.x3d.sai.X3DException . . . . .	917
org.web3d.x3d.sai.BrowserNotSharedException . . . . .	122
org.web3d.x3d.sai.ConnectionException . . . . .	133
org.web3d.x3d.sai.ImportedNodeException . . . . .	334
org.web3d.x3d.sai.InsufficientCapabilitiesException . . . . .	335
org.web3d.x3d.sai.InvalidBrowserException . . . . .	340
org.web3d.x3d.sai.InvalidDocumentException . . . . .	341
org.web3d.x3d.sai.InvalidExecutionContextException . . . . .	344
org.web3d.x3d.sai.InvalidFieldException . . . . .	347
org.web3d.x3d.sai.InvalidFieldValueException . . . . .	348
org.web3d.x3d.sai.InvalidNameException . . . . .	349
org.web3d.x3d.sai.InvalidNodeException . . . . .	350
org.web3d.x3d.sai.InvalidOperationTimingException . . . . .	352
org.web3d.x3d.sai.InvalidProtoException . . . . .	353
org.web3d.x3d.sai.InvalidRouteException . . . . .	354
org.web3d.x3d.sai.InvalidURLErrorException . . . . .	355
org.web3d.x3d.sai.InvalidX3DException . . . . .	359
org.web3d.x3d.sai.NoSuchBrowserException . . . . .	421
org.web3d.x3d.sai.NodeInUseException . . . . .	419
org.web3d.x3d.sai.NodeUnavailableException . . . . .	420
org.web3d.x3d.sai.NotSupportedException . . . . .	422
org.web3d.x3d.sai.URLUnavailableException . . . . .	648
sai.eai.UnsupportedFieldTypeException . . . . .	643
vrml.external.FreeWRLEAI.UnsupportedFieldTypeException . . . . .	643
vrml.external.exception.InvalidEventInException . . . . .	341
vrml.external.exception.InvalidEventOutException . . . . .	343
vrml.external.exception.InvalidNodeException . . . . .	350

vrmI.external.exception.InvalidVrmIException . . . . .	356
s_renderer_capabilities_t . . . . .	557
s_shader_capabilities . . . . .	557
freeWRLSAI_cpp::saiBrowser . . . . .	559
freeWRLSAI_cpp::saiComponent . . . . .	560
freeWRLSAI_cpp::saiExecutionContext . . . . .	562
freeWRLSAI_cpp::saiField . . . . .	562
freeWRLSAI_cpp::saiNode . . . . .	563
freeWRLSAI_cpp::saiProfileDeclaration . . . . .	563
freeWRLSAI_cpp::saiProto . . . . .	563
freeWRLSAI_cpp::saiRoute . . . . .	564
freeWRLSAI_cpp::saiScene . . . . .	564
sampledLine . . . . .	565
sCollisionGeometry . . . . .	565
sCollisionInfo . . . . .	566
screenextdata . . . . .	566
ScriptFieldDecl . . . . .	569
ScriptFieldInstanceInfo . . . . .	569
ScriptParamList . . . . .	569
SecureClassLoader	
vrmI.FWJavaScriptClassLoader . . . . .	291
SeesPdu . . . . .	570
SensStruct . . . . .	570
ServiceRequestPdu . . . . .	571
SetDataPdu . . . . .	571
SetDataReliablePdu . . . . .	572
SetRecordReliablePdu . . . . .	573
sFallInfo . . . . .	574
SFColor . . . . .	576
SFColorRGBA . . . . .	578
SFMatrix3d . . . . .	583
SFMatrix3f . . . . .	583
SFMatrix4d . . . . .	583
SFMatrix4f . . . . .	584
SFRotation . . . . .	586
SFVec2d . . . . .	590
SFVec2f . . . . .	591
SFVec3d . . . . .	593
SFVec3f . . . . .	594
SFVec4d . . . . .	595
SFVec4f . . . . .	595
Shader_Script . . . . .	596
shaderflagsstruct . . . . .	596
shaderTableEntry . . . . .	596
ShaftRPMs . . . . .	597
SignalPdu . . . . .	597
SimulationAddress . . . . .	598
SimulationManagementFamilyPdu . . . . .	598
SimulationManagementWithReliabilityFamilyPdu . . . . .	599
SixByteChunk . . . . .	599
slice . . . . .	599
sNavInfo . . . . .	601
SNDFILE . . . . .	601
Sorter . . . . .	601
ArcSorter . . . . .	98
ArcSdirSorter . . . . .	98
ArcTdirSorter . . . . .	99
FlistSorter . . . . .	270

SphericalHarmonicAntennaPattern . . . . .	602
Splinespec . . . . .	602
ssr . . . . .	603
SSR_request . . . . .	603
stage . . . . .	604
StartResumePdu . . . . .	604
StartResumeReliablePdu . . . . .	605
StopFreezePdu . . . . .	605
StopFreezeReliablePdu . . . . .	606
StoredVertex . . . . .	606
stringint . . . . .	607
Subdivider . . . . .	607
SupplyQuantity . . . . .	608
surfEvalMachine . . . . .	608
sweepRange . . . . .	609
SyntheticEnvironmentFamilyPdu . . . . .	609
SystemID . . . . .	609
targetwindow . . . . .	610
iiglobal::tBindable . . . . .	610
iiglobal::tcollision . . . . .	611
iiglobal::tcommon . . . . .	611
iiglobal::tComponent_CubeMapTexturing . . . . .	611
iiglobal::tComponent_EnvironSensor . . . . .	612
iiglobal::tComponent_Followers . . . . .	612
iiglobal::tComponent_Geometry3D . . . . .	612
iiglobal::tComponent_Geospatial . . . . .	613
iiglobal::tComponent_HAnim . . . . .	613
iiglobal::tComponent_KeyDevice . . . . .	613
iiglobal::tComponent_Layering . . . . .	614
iiglobal::tComponent_Layout . . . . .	614
iiglobal::tComponent_NURBS . . . . .	614
iiglobal::tComponent_ParticleSystems . . . . .	615
iiglobal::tComponent_Picking . . . . .	615
iiglobal::tComponent_ProgrammableShaders . . . . .	615
iiglobal::tComponent_PTM . . . . .	616
iiglobal::tComponent_Rendering . . . . .	616
iiglobal::tComponent_RigidBodyPhysics . . . . .	616
iiglobal::tComponent_Shape . . . . .	617
iiglobal::tComponent_Sound . . . . .	617
iiglobal::tComponent_Text . . . . .	617
iiglobal::tComponent_VolumeRendering . . . . .	618
iiglobal::tComponent_VRML1 . . . . .	618
iiglobal::tConsoleMessage . . . . .	618
tcontenttype . . . . .	619
iiglobal::tCParse . . . . .	619
iiglobal::tCParseParser . . . . .	619
iiglobal::tCRoutes . . . . .	620
iiglobal::tCScripts . . . . .	620
iiglobal::tCursorDraw . . . . .	621
iiglobal::tdisplay . . . . .	621
iiglobal::tEAI_C_CommonFunctions . . . . .	621
iiglobal::tEAICore . . . . .	622
iiglobal::tEAIEventsIn . . . . .	622
iiglobal::tEAHelpers . . . . .	622
text_combiner_data . . . . .	623
textureTableIndexStruct . . . . .	623
textureVertexInfo . . . . .	624
iiglobal::tFrustum . . . . .	624

Thread	
sai.eai.EAIAsyncThread	222
sai.eai.EAIoutThread	226
vrml.external.FreeWRLEAI.EAIAsyncThread	222
vrml.external.FreeWRLEAI.EAIoutThread	227
iiglobal::tinternalc	625
iiglobal::tLoadTextures	625
tm_unz_s	625
tm_zip_s	626
iiglobal::tMainloop	626
iiglobal::tOpenGL_Utils	627
Touch	628
iiglobal::tPluginSocket	628
iiglobal::tpluginUtils	629
iiglobal::tProdCon	629
TrackJamTarget	630
TransferControlRequestPdu	630
TransmitterPdu	631
treeNode	632
iiglobal::tRenderFuncs	632
trenderstate	633
iiglobal::tRenderTextures	633
iiglobal::tresources	633
Trimline	634
TrimRegion	634
CoveAndTiler	157
Slicer	600
Hull	327
Mesher	379
Slicer	600
Mesher	379
TrimVertex	635
TrimVertexPool	636
iiglobal::tSensInterps	636
iiglobal::tSnapshot	636
iiglobal::tstatusbar	637
iiglobal::tStreamPoly	637
iiglobal::tTess	637
iiglobal::tTextures	638
iiglobal::tthreads	638
iiglobal::tViewer	639
TwoByteChunk	639
iiglobal::tX3DParser	639
UaPdu	640
Uarray	641
un1	641
unca	642
Uni_String	642
unitsB	642
unz64_file_pos_s	644
unz64_s	644
unz_file_info64_internal_s	645
unz_file_info64_s	645
unz_file_info_s	646
unz_file_pos_s	646
unz_global_info64_s	646
unz_global_info_s	647
usehit	648

VariableDatum . . . . .	649
Varray . . . . .	649
vec2 . . . . .	649
vec4 . . . . .	650
Vector . . . . .	650
Vector3Double . . . . .	651
Vector3Float . . . . .	651
VectoringNozzleSystemData . . . . .	651
vertexArray . . . . .	652
sai.eai.VField . . . . .	653
sai.eai.VMFCOLOR . . . . .	662
sai.eai.VMFFloat . . . . .	663
sai.eai.VMFInt32 . . . . .	664
sai.eai.VMFRotation . . . . .	665
sai.eai.VMFString . . . . .	667
sai.eai.VMFVec2f . . . . .	668
sai.eai.VMFVec3f . . . . .	669
sai.eai.VSFBool . . . . .	674
sai.eai.VSFColor . . . . .	675
sai.eai.VSFFloat . . . . .	676
sai.eai.VSFImage . . . . .	678
sai.eai.VSFInt32 . . . . .	679
sai.eai.VSFRotation . . . . .	680
sai.eai.VSFString . . . . .	681
sai.eai.VSFTime . . . . .	682
sai.eai.VSFVec2f . . . . .	684
sai.eai.VSFVec3f . . . . .	685
vrml.external.FreeWRLEAI.VField . . . . .	654
vrml.external.FreeWRLEAI.VMFCOLOR . . . . .	662
vrml.external.FreeWRLEAI.VMFFloat . . . . .	664
vrml.external.FreeWRLEAI.VMFInt32 . . . . .	665
vrml.external.FreeWRLEAI.VMFRotation . . . . .	666
vrml.external.FreeWRLEAI.VMFString . . . . .	667
vrml.external.FreeWRLEAI.VMFVec2f . . . . .	668
vrml.external.FreeWRLEAI.VMFVec3f . . . . .	670
vrml.external.FreeWRLEAI.VSFBool . . . . .	675
vrml.external.FreeWRLEAI.VSFColor . . . . .	676
vrml.external.FreeWRLEAI.VSFFloat . . . . .	677
vrml.external.FreeWRLEAI.VSFImage . . . . .	678
vrml.external.FreeWRLEAI.VSFInt32 . . . . .	679
vrml.external.FreeWRLEAI.VSFRotation . . . . .	681
vrml.external.FreeWRLEAI.VSFString . . . . .	682
vrml.external.FreeWRLEAI.VSFTime . . . . .	683
vrml.external.FreeWRLEAI.VSFVec2f . . . . .	684
vrml.external.FreeWRLEAI.VSFVec3f . . . . .	686
vid_stream . . . . .	655
viewer . . . . .	657
viewer_examine . . . . .	658
viewer_fly . . . . .	659
viewer_inplane . . . . .	659
viewer_walk . . . . .	659
viewer_ypz . . . . .	660
sai.eai.VIP . . . . .	660
vrml.external.FreeWRLEAI.VIP . . . . .	661
void3 . . . . .	670
VRMLLexer . . . . .	671
sai.eai.VRMLObject . . . . .	671
vrml.external.FreeWRLEAI.VRMLObject . . . . .	672



sai.eai.VRMLObjectObserver . . . . .	673
vrml.external.FreeWRLEAI.VRMLObjectObserver . . . . .	673
VRMLParser . . . . .	674
walk_cbdata . . . . .	686
WarfareFamilyPdu . . . . .	687
WEB3DNATIVE . . . . .	687
X3D_Anchor . . . . .	688
X3D_Appearance . . . . .	688
X3D_Arc2D . . . . .	689
X3D_ArcClose2D . . . . .	690
X3D_AudioClip . . . . .	690
X3D_BackdropBackground . . . . .	691
X3D_Background . . . . .	692
X3D_BallJoint . . . . .	693
X3D_Billboard . . . . .	694
X3D_BlendedVolumeStyle . . . . .	694
X3D_BooleanFilter . . . . .	695
X3D_BooleanSequencer . . . . .	696
X3D_BooleanToggle . . . . .	697
X3D_BooleanTrigger . . . . .	697
X3D_BoundaryEnhancementVolumeStyle . . . . .	698
X3D_BoundedPhysicsModel . . . . .	699
X3D_Box . . . . .	699
X3D_CADAssembly . . . . .	700
X3D_CADFace . . . . .	701
X3D_CADLayer . . . . .	701
X3D_CADPart . . . . .	702
X3D_CalibratedCameraSensor . . . . .	703
X3D_CartoonVolumeStyle . . . . .	703
X3D_Circle2D . . . . .	704
X3D_ClipPlane . . . . .	704
X3D_CollidableOffset . . . . .	705
X3D_CollidableShape . . . . .	706
X3D_Collision . . . . .	706
X3D_CollisionCollection . . . . .	707
X3D_CollisionSensor . . . . .	708
X3D_CollisionSpace . . . . .	709
X3D_Color . . . . .	709
X3D_ColorChaser . . . . .	710
X3D_ColorDamper . . . . .	711
X3D_ColorInterpolator . . . . .	712
X3D_ColorRGBA . . . . .	712
X3D_ComposedCubeMapTexture . . . . .	713
X3D_ComposedShader . . . . .	714
X3D_ComposedTexture3D . . . . .	714
X3D_ComposedVolumeStyle . . . . .	715
X3D_CompositeVolumeStyle . . . . .	716
X3D_Cone . . . . .	716
X3D_ConeEmitter . . . . .	717
X3D_Contact . . . . .	718
X3D_Contour2D . . . . .	719
X3D_ContourPolyline2D . . . . .	719
X3D_Coordinate . . . . .	720
X3D_CoordinateChaser . . . . .	720
X3D_CoordinateDamper . . . . .	721
X3D_CoordinateDouble . . . . .	722
X3D_CoordinateInterpolator . . . . .	723
X3D_CoordinateInterpolator2D . . . . .	723

X3D_Cylinder . . . . .	724
X3D_CylinderSensor . . . . .	725
X3D_DirectionalLight . . . . .	726
X3D_DISEntityManager . . . . .	726
X3D_DISEntityTypeMapping . . . . .	728
X3D_Disk2D . . . . .	728
X3D_DoubleAxisHingeJoint . . . . .	729
X3D_EaseInEaseOut . . . . .	730
X3D_EdgeEnhancementVolumeStyle . . . . .	731
X3D_Effect . . . . .	732
X3D_EffectPart . . . . .	732
X3D_ElevationGrid . . . . .	733
X3D_EspduTransform . . . . .	734
X3D_ExplosionEmitter . . . . .	737
X3D_Extrusion . . . . .	737
X3D_FillProperties . . . . .	738
X3D_FloatVertexAttribute . . . . .	739
X3D_Fog . . . . .	740
X3D_FogCoordinate . . . . .	740
X3D_FontStyle . . . . .	741
X3D_ForcePhysicsModel . . . . .	742
X3D_GeneratedCubeMapTexture . . . . .	742
X3D_GeoConvert . . . . .	743
X3D_GeoCoordinate . . . . .	744
X3D_GeoElevationGrid . . . . .	744
X3D_GeoLocation . . . . .	745
X3D_GeoLOD . . . . .	746
X3D_GeoMetadata . . . . .	747
X3D_GeoOrigin . . . . .	748
X3D_GeoPlanet . . . . .	749
X3D_GeoPositionInterpolator . . . . .	749
X3D_GeoProximitySensor . . . . .	750
X3D_GeoTouchSensor . . . . .	751
X3D_GeoTransform . . . . .	752
X3D_GeoViewpoint . . . . .	753
X3D_Group . . . . .	754
X3D_HAnimDisplacer . . . . .	755
X3D_HAnimHumanoid . . . . .	755
X3D_HAnimJoint . . . . .	756
X3D_HAnimSegment . . . . .	757
X3D_HAnimSite . . . . .	758
X3D_ImageBackdropBackground . . . . .	759
X3D_ImageCubeMapTexture . . . . .	760
X3D_ImageTexture . . . . .	760
X3D_ImageTexture3D . . . . .	761
X3D_IndexedFaceSet . . . . .	762
X3D_IndexedLineSet . . . . .	763
X3D_IndexedQuadSet . . . . .	764
X3D_IndexedTriangleFanSet . . . . .	764
X3D_IndexedTriangleSet . . . . .	765
X3D_IndexedTriangleStripSet . . . . .	766
X3D_Inline . . . . .	767
X3D_IntegerSequencer . . . . .	768
X3D_IntegerTrigger . . . . .	769
X3D_IsoSurfaceVolumeData . . . . .	769
X3D_KeySensor . . . . .	770
X3D_Layer . . . . .	771
X3D_LayerSet . . . . .	771

X3D_Layout	772
X3D_LayoutGroup	773
X3D_LayoutLayer	773
X3D_LinePickSensor	774
X3D_LineProperties	775
X3D_LineSensor	776
X3D_LineSet	777
X3D_LoadSensor	777
X3D_LocalFog	778
X3D_LOD	779
X3D_Material	780
X3D_Matrix3VertexAttribute	780
X3D_Matrix4VertexAttribute	781
X3D_MetadataBoolean	781
X3D_MetadataDouble	782
X3D_MetadataFloat	783
X3D_MetadataInteger	783
X3D_MetadataMFBool	784
X3D_MetadataMFColor	785
X3D_MetadataMFColorRGBA	785
X3D_MetadataMFDouble	786
X3D_MetadataMFFloat	787
X3D_MetadataMFInt32	787
X3D_MetadataMFMatrix3d	788
X3D_MetadataMFMatrix3f	789
X3D_MetadataMFMatrix4d	789
X3D_MetadataMFMatrix4f	790
X3D_MetadataMFNode	791
X3D_MetadataMFRotation	791
X3D_MetadataMFString	792
X3D_MetadataMFTime	793
X3D_MetadataMFVec2d	793
X3D_MetadataMFVec2f	794
X3D_MetadataMFVec3d	795
X3D_MetadataMFVec3f	795
X3D_MetadataMFVec4d	796
X3D_MetadataMFVec4f	797
X3D_MetadataSet	797
X3D_MetadataSFBool	798
X3D_MetadataSFColor	799
X3D_MetadataSFColorRGBA	799
X3D_MetadataSFDouble	800
X3D_MetadataSFFloat	801
X3D_MetadataSFImage	801
X3D_MetadataSFInt32	802
X3D_MetadataSFMatrix3d	803
X3D_MetadataSFMatrix3f	803
X3D_MetadataSFMatrix4d	804
X3D_MetadataSFMatrix4f	805
X3D_MetadataSFNode	805
X3D_MetadataSFRotation	806
X3D_MetadataSFString	807
X3D_MetadataSFTime	807
X3D_MetadataSFVec2d	808
X3D_MetadataSFVec2f	809
X3D_MetadataSFVec3d	809
X3D_MetadataSFVec3f	810
X3D_MetadataSFVec4d	811

X3D_MetadataSFVec4f . . . . .	811
X3D_MetadataString . . . . .	812
X3D_MotorJoint . . . . .	813
X3D_MovieTexture . . . . .	814
X3D_MultiTexture . . . . .	815
X3D_MultiTextureCoordinate . . . . .	816
X3D_MultiTextureTransform . . . . .	816
X3D_NavigationInfo . . . . .	817
X3D_Node . . . . .	818
X3D_Normal . . . . .	818
X3D_NormalInterpolator . . . . .	819
X3D_NurbsCurve . . . . .	820
X3D_NurbsCurve2D . . . . .	820
X3D_NurbsOrientationInterpolator . . . . .	821
X3D_NurbsPatchSurface . . . . .	822
X3D_NurbsPositionInterpolator . . . . .	823
X3D_NurbsSet . . . . .	823
X3D_NurbsSurfaceInterpolator . . . . .	824
X3D_NurbsSweptSurface . . . . .	825
X3D_NurbsSwungSurface . . . . .	826
X3D_NurbsTextureCoordinate . . . . .	826
X3D_NurbsTrimmedSurface . . . . .	827
X3D_OpacityMapVolumeStyle . . . . .	828
X3D_OrientationChaser . . . . .	829
X3D_OrientationDamper . . . . .	830
X3D_OrientationInterpolator . . . . .	831
X3D_OrthoViewpoint . . . . .	831
X3D_OSC_Sensor . . . . .	832
X3D_PackagedShader . . . . .	833
X3D_ParticleSystem . . . . .	834
X3D_PickableGroup . . . . .	835
X3D_PixelTexture . . . . .	836
X3D_PixelTexture3D . . . . .	836
X3D_PlaneSensor . . . . .	837
X3D_PointEmitter . . . . .	838
X3D_PointLight . . . . .	839
X3D_PointPickSensor . . . . .	839
X3D_PointSensor . . . . .	840
X3D_PointSet . . . . .	841
X3D_Polyline2D . . . . .	842
X3D_PolylineEmitter . . . . .	842
X3D_Polypoint2D . . . . .	843
X3D_PolyRep . . . . .	844
X3D_PositionChaser . . . . .	845
X3D_PositionChaser2D . . . . .	846
X3D_PositionDamper . . . . .	847
X3D_PositionDamper2D . . . . .	848
X3D_PositionInterpolator . . . . .	849
X3D_PositionInterpolator2D . . . . .	849
X3D_PrimitivePickSensor . . . . .	850
X3D_ProgramShader . . . . .	851
X3D_ProjectionVolumeStyle . . . . .	851
X3D_Proto . . . . .	852
X3D_ProximitySensor . . . . .	853
X3D_QuadSet . . . . .	854
X3D_ReceiverPdu . . . . .	855
X3D_Rectangle2D . . . . .	856
X3D_RigidBody . . . . .	857

X3D_RigidBodyCollection . . . . .	858
X3D_ScalarChaser . . . . .	859
X3D_ScalarDamper . . . . .	860
X3D_ScalarInterpolator . . . . .	861
X3D_ScreenFontStyle . . . . .	861
X3D_ScreenGroup . . . . .	862
X3D_Script . . . . .	863
X3D_SegmentedVolumeData . . . . .	863
X3D_ShadedVolumeStyle . . . . .	864
X3D_ShaderPart . . . . .	865
X3D_ShaderProgram . . . . .	865
X3D_Shape . . . . .	866
X3D_SignalPdu . . . . .	867
X3D_SilhouetteEnhancementVolumeStyle . . . . .	868
X3D_SingleAxisHingeJoint . . . . .	869
X3D_SliderJoint . . . . .	870
X3D_Sound . . . . .	871
X3D_Sphere . . . . .	871
X3D_SphereSensor . . . . .	872
X3D_SplinePositionInterpolator . . . . .	873
X3D_SplinePositionInterpolator2D . . . . .	874
X3D_SplineScalarInterpolator . . . . .	874
X3D_SpotLight . . . . .	875
X3D_SquadOrientationInterpolator . . . . .	876
X3D_StaticGroup . . . . .	877
X3D_StringSensor . . . . .	877
X3D_SurfaceEmitter . . . . .	878
X3D_Switch . . . . .	879
X3D_Teapot . . . . .	880
X3D_TexCoordChaser2D . . . . .	880
X3D_TexCoordDamper2D . . . . .	881
X3D_Text . . . . .	882
X3D_TextureBackground . . . . .	883
X3D_TextureCoordinate . . . . .	884
X3D_TextureCoordinate3D . . . . .	884
X3D_TextureCoordinate4D . . . . .	885
X3D_TextureCoordinateGenerator . . . . .	885
X3D_TextureProjectorParallel . . . . .	886
X3D_TextureProjectorPerspective . . . . .	887
X3D_TextureProperties . . . . .	888
X3D_TextureTransform . . . . .	888
X3D_TextureTransform3D . . . . .	889
X3D_TextureTransformMatrix3D . . . . .	890
X3D_TimeSensor . . . . .	890
X3D_TimeTrigger . . . . .	891
X3D_ToneMappedVolumeStyle . . . . .	892
X3D_TouchSensor . . . . .	892
X3D_TrackingSensor . . . . .	893
X3D_Transform . . . . .	894
X3D_TransformSensor . . . . .	895
X3D_TransmitterPdu . . . . .	895
X3D_TriangleFanSet . . . . .	897
X3D_TriangleSet . . . . .	898
X3D_TriangleSet2D . . . . .	898
X3D_TriangleStripSet . . . . .	899
X3D_TwoSidedMaterial . . . . .	900
X3D_UniversalJoint . . . . .	901
X3D_Viewpoint . . . . .	902

X3D_ViewpointGroup . . . . .	903
X3D_Viewport . . . . .	903
X3D_Virt . . . . .	904
X3D_VisibilitySensor . . . . .	905
X3D_VolumeData . . . . .	905
X3D_VolumeEmitter . . . . .	906
X3D_VolumePickSensor . . . . .	907
X3D_WindPhysicsModel . . . . .	908
X3D_WorldInfo . . . . .	908
org.web3d.x3d.sai.X3DBoundedObject . . . . .	912
org.web3d.x3d.sai.X3DGroupingNode . . . . .	925
org.web3d.x3d.sai.X3DComponent . . . . .	913
sai.FreeWRLComponent . . . . .	275
org.web3d.x3d.sai.X3DExecutionContext . . . . .	918
org.web3d.x3d.sai.X3DScene . . . . .	935
sai.FreeWRLScene . . . . .	282
org.web3d.x3d.sai.X3DField . . . . .	919
org.web3d.x3d.sai.MField . . . . .	385
org.web3d.x3d.sai.MFBool . . . . .	379
org.web3d.x3d.sai.MFColor . . . . .	380
sai.FWMFColor . . . . .	292
org.web3d.x3d.sai.MFColorRGBA . . . . .	382
sai.FWMFColorRGBA . . . . .	292
org.web3d.x3d.sai.MFDouble . . . . .	382
sai.FWMFDouble . . . . .	293
org.web3d.x3d.sai.MFFloat . . . . .	383
sai.FWMFFloat . . . . .	294
org.web3d.x3d.sai.MFImage . . . . .	387
org.web3d.x3d.sai.MFInt32 . . . . .	388
sai.FWMFInt32 . . . . .	295
org.web3d.x3d.sai.MFNode . . . . .	389
sai.FWMFNode . . . . .	295
org.web3d.x3d.sai.MFRotation . . . . .	391
sai.FWMFRotation . . . . .	296
org.web3d.x3d.sai.MFString . . . . .	393
sai.FWMFString . . . . .	297
org.web3d.x3d.sai.MFTime . . . . .	394
org.web3d.x3d.sai.MFVec2d . . . . .	396
sai.FWMFVec2d . . . . .	298
org.web3d.x3d.sai.MFVec2f . . . . .	397
sai.FWMFVec2f . . . . .	298
org.web3d.x3d.sai.MFVec3d . . . . .	398
sai.FWMFVec3d . . . . .	299
org.web3d.x3d.sai.MFVec3f . . . . .	399
sai.FWMFVec3f . . . . .	300
sai.FreeWRLMField . . . . .	279
sai.FWMFColor . . . . .	292
sai.FWMFColorRGBA . . . . .	292
sai.FWMFDouble . . . . .	293
sai.FWMFFloat . . . . .	294
sai.FWMFInt32 . . . . .	295
sai.FWMFNode . . . . .	295
sai.FWMFRotation . . . . .	296
sai.FWMFString . . . . .	297
sai.FWMFVec2d . . . . .	298
sai.FWMFVec2f . . . . .	298

sai.FWMFVec3d . . . . .	299
sai.FWMFVec3f . . . . .	300
org.web3d.x3d.sai.SFBool . . . . .	574
sai.FWSFBool . . . . .	304
org.web3d.x3d.sai.SFColor . . . . .	576
sai.FWSFColor . . . . .	305
org.web3d.x3d.sai.SFColorRGBA . . . . .	577
sai.FWSFColorRGBA . . . . .	306
org.web3d.x3d.sai.SFDouble . . . . .	578
sai.FWSFDouble . . . . .	306
org.web3d.x3d.sai.SFFloat . . . . .	579
sai.FWSFFloat . . . . .	307
org.web3d.x3d.sai.SFImage . . . . .	580
sai.FWSFImage . . . . .	307
org.web3d.x3d.sai.SFInt32 . . . . .	582
sai.FWSFInt32 . . . . .	308
org.web3d.x3d.sai.SFNode . . . . .	584
sai.FWSFNode . . . . .	309
org.web3d.x3d.sai.SFRotation . . . . .	585
sai.FWSFRotation . . . . .	309
org.web3d.x3d.sai.SFString . . . . .	587
sai.FWSFString . . . . .	310
org.web3d.x3d.sai.SFTime . . . . .	588
sai.FWSFTime . . . . .	310
org.web3d.x3d.sai.SFVec2d . . . . .	590
sai.FWSFVec2d . . . . .	311
org.web3d.x3d.sai.SFVec2f . . . . .	591
sai.FWSFVec2f . . . . .	312
org.web3d.x3d.sai.SFVec3d . . . . .	592
sai.FWSFVec3d . . . . .	312
org.web3d.x3d.sai.SFVec3f . . . . .	593
sai.FWSFVec3f . . . . .	313
sai.FreeWRLField . . . . .	276
sai.FWSFBool . . . . .	304
sai.FWSFColor . . . . .	305
sai.FWSFColorRGBA . . . . .	306
sai.FWSFDouble . . . . .	306
sai.FWSFFloat . . . . .	307
sai.FWSFImage . . . . .	307
sai.FWSFInt32 . . . . .	308
sai.FWSFNode . . . . .	309
sai.FWSFRotation . . . . .	309
sai.FWSFString . . . . .	310
sai.FWSFTime . . . . .	310
sai.FWSFVec2d . . . . .	311
sai.FWSFVec2f . . . . .	312
sai.FWSFVec3d . . . . .	312
sai.FWSFVec3f . . . . .	313
sai.FreeWRLMField . . . . .	279
org.web3d.x3d.sai.X3DFieldDefinition . . . . .	921
sai.FreeWRLFieldDefinition . . . . .	277
org.web3d.x3d.sai.X3DFieldTypes . . . . .	922
sai.FreeWRLFieldTypes . . . . .	278
org.web3d.x3d.sai.X3DMetadataObject . . . . .	928
org.web3d.x3d.sai.X3DNode . . . . .	929

org.web3d.x3d.sai.X3DAppearanceChildNode . . . . .	909
org.web3d.x3d.sai.X3DMaterialNode . . . . .	928
org.web3d.x3d.sai.X3DTextureNode . . . . .	941
org.web3d.x3d.sai.X3DTexture2DNode . . . . .	940
org.web3d.x3d.sai.X3DTextureTransformNode . . . . .	942
org.web3d.x3d.sai.X3DTextureTransform2DNode . . . . .	942
org.web3d.x3d.sai.X3DAppearanceNode . . . . .	909
org.web3d.x3d.sai.X3DChildNode . . . . .	912
org.web3d.x3d.sai.X3DBindableNode . . . . .	911
org.web3d.x3d.sai.X3DBackgroundNode . . . . .	910
org.web3d.x3d.sai.X3DGroupingNode . . . . .	925
org.web3d.x3d.sai.X3DInfoNode . . . . .	925
org.web3d.x3d.sai.X3DInterpolatorNode . . . . .	926
org.web3d.x3d.sai.X3DLightNode . . . . .	927
org.web3d.x3d.sai.X3DScriptNode . . . . .	936
org.web3d.x3d.sai.X3DSensorNode . . . . .	937
org.web3d.x3d.sai.X3DEnvironmentalSensorNode . . . . .	916
org.web3d.x3d.sai.X3DKeyDeviceSensorNode . . . . .	926
org.web3d.x3d.sai.X3DNetworkSensorNode . . . . .	929
org.web3d.x3d.sai.X3DPointingDeviceSensorNode . . . . .	933
org.web3d.x3d.sai.X3DDragSensorNode . . . . .	915
org.web3d.x3d.sai.X3DTouchSensorNode . . . . .	944
org.web3d.x3d.sai.X3DSequencerNode . . . . .	937
org.web3d.x3d.sai.X3DShapeNode . . . . .	938
org.web3d.x3d.sai.X3DSoundNode . . . . .	938
org.web3d.x3d.sai.X3DTimeDependentNode . . . . .	943
org.web3d.x3d.sai.X3DAudioClipNode . . . . .	910
org.web3d.x3d.sai.X3DTriggerNode . . . . .	944
org.web3d.x3d.sai.X3DFontStyleNode . . . . .	923
org.web3d.x3d.sai.X3DGeometricPropertyNode . . . . .	924
org.web3d.x3d.sai.X3DColorNode . . . . .	913
org.web3d.x3d.sai.X3DCoordinateNode . . . . .	915
org.web3d.x3d.sai.X3DNormalNode . . . . .	931
org.web3d.x3d.sai.X3DTextureCoordinateNode . . . . .	940
org.web3d.x3d.sai.X3DGeometryNode . . . . .	924
org.web3d.x3d.sai.X3DComposedGeometryNode . . . . .	914
org.web3d.x3d.sai.X3DParametricGeometryNode . . . . .	932
org.web3d.x3d.sai.X3DTextNode . . . . .	939
org.web3d.x3d.sai.X3DProtoInstance . . . . .	934
sai.FWProtoInstance . . . . .	303
sai.FreeWRLNode . . . . .	280
sai.FWProtoInstance . . . . .	303
org.web3d.x3d.sai.X3DNodeTypes . . . . .	930
sai.FreeWRLNodeTypes . . . . .	280
org.web3d.x3d.sai.X3DProtoDeclaration . . . . .	933
org.web3d.x3d.sai.X3DExternProtoDeclaration . . . . .	919
sai.FWExternProtoDeclaration . . . . .	288
sai.FWProtoDeclaration . . . . .	302
sai.FWProtoDeclaration . . . . .	302
org.web3d.x3d.sai.X3DRoute . . . . .	934
sai.FWRoute . . . . .	304
org.web3d.x3d.sai.X3DScriptImplementation . . . . .	936
org.web3d.x3d.sai.X3DPerFrameObserverScript . . . . .	932
org.web3d.x3d.sai.X3DSoundSourceNode . . . . .	939
org.web3d.x3d.sai.X3DUrlObject . . . . .	945



org.web3d.x3d.sai.X3DAudioClipNode . . . . .	910
org.web3d.x3d.sai.X3DScriptNode . . . . .	936
xml_user_data . . . . .	945
XY . . . . .	946
zip64_internal . . . . .	946
zip_fileinfo . . . . .	947
zlib_filefunc64_32_def_s . . . . .	947
zlib_filefunc64_def_s . . . . .	947
zlib_filefunc_def_s . . . . .	948
zone . . . . .	948



## Chapter 3

# Data Structure Index

### 3.1 Data Structures

Here are the data structures with brief descriptions:

<code>_AnyNative</code>	57
<code>_Atlas</code>	57
<code>_AtlasEntry</code>	58
<code>_AtlasFont</code>	58
<code>_BrowserNative</code>	59
<code>_BUTitem</code>	59
<code>_cd_list_t</code>	59
<code>_contenttype</code>	60
<code>_CRnodeStruct</code>	60
<code>_FW_PluginInstance</code>	60
<code>_geosys</code>	61
<code>_GLwDrawingAreaClassPart</code>	61
<code>_GLwDrawingAreaClassRec</code>	62
<code>_GLwDrawingAreaRec</code>	62
<code>_GUIElement</code>	62
<code>_intX3D_MFBool</code>	63
<code>_intX3D_MFColor</code>	63
<code>_intX3D_MFColorRGBA</code>	63
<code>_intX3D_MFFloat</code>	64
<code>_intX3D_MFImage</code>	64
<code>_intX3D_MFInt32</code>	64
<code>_intX3D_MFNode</code>	65
<code>_intX3D_MFRotation</code>	65
<code>_intX3D_MFString</code>	65
<code>_intX3D_MFTime</code>	66
<code>_intX3D_MFVec2d</code>	66
<code>_intX3D_MFVec2f</code>	66
<code>_intX3D_MFVec3d</code>	67
<code>_intX3D_MFVec3f</code>	67
<code>_intX3D_SFBool</code>	67
<code>_intX3D_SFColor</code>	68
<code>_intX3D_SFColorRGBA</code>	68
<code>_intX3D_SFFloat</code>	68
<code>_intX3D_SFImage</code>	69
<code>_intX3D_SFInt32</code>	69

<code>_intX3D_SFNode</code>	69
<code>_intX3D_SFRotation</code>	70
<code>_intX3D_SFString</code>	70
<code>_intX3D_SFTime</code>	70
<code>_intX3D_SFVec2d</code>	71
<code>_intX3D_SFVec2f</code>	71
<code>_intX3D_SFVec3d</code>	71
<code>_intX3D_SFVec3f</code>	72
<code>_intX3DEventIn</code>	72
<code>_NPByteRange</code>	72
<code>_NPEmbedPrint</code>	73
<code>_NPFULLPrint</code>	73
<code>_NPImageExpose</code>	74
<code>_NPNetscapeFuncs</code>	74
<code>_NPP</code>	75
<code>_NPPluginFuncs</code>	76
<code>_NPPrint</code>	76
<code>_NPRect</code>	77
<code>_NPSavedData</code>	77
<code>_NPSize</code>	77
<code>_NPStream</code>	78
<code>_NPString</code>	78
<code>_NPVariant</code>	78
<code>_NPWindow</code>	79
<code>_s_list_t</code>	79
<code>freeWRLSAI_cpp::_SAIParameter</code>	80
<code>_SFColorNative</code>	80
<code>_SFColorRGBANative</code>	80
<code>_SFImageNative</code>	81
<code>_SFNodeNative</code>	81
<code>_SFRotationNative</code>	81
<code>_SFVec2fNative</code>	82
<code>_SFVec3dNative</code>	82
<code>_SFVec3fNative</code>	82
<code>_SFVec4dNative</code>	83
<code>_SFVec4fNative</code>	83
<code>_urlRequest</code>	83
<code>_X3DNode</code>	84
<code>AcknowledgePdu</code>	84
<code>AcknowledgeReliablePdu</code>	85
<code>AcousticBeamData</code>	85
<code>AcousticBeamFundamentalParameter</code>	86
<code>AcousticEmitter</code>	86
<code>AcousticEmitterSystem</code>	87
<code>AcousticEmitterSystemData</code>	88
<code>ActionRequestPdu</code>	89
<code>ActionRequestReliablePdu</code>	90
<code>ActionResponsePdu</code>	90
<code>ActionResponseReliablePdu</code>	91
<code>ActiveRegion</code>	91
<code>AggregateID</code>	92
<code>AggregateMarking</code>	92
<code>AggregateStatePdu</code>	93
<code>AggregateType</code>	94
<code>AngularVelocityVector</code>	95
<code>AntennaLocation</code>	95
<code>anyVrml</code>	95
<code>ApaData</code>	96

Arc	96
ArcSdirSorter	98
ArcSorter	98
ArcTdirSorter	99
ArcTessellator	100
ArealObjectStatePdu	100
ArgListType	101
ArticulationParameter	101
AtlasEntrySet	102
Backend	102
vrml.BaseNode	103
BasePlugin	104
BasicCurveEvaluator	105
BasicSurfaceEvaluator	105
BeamAntennaPattern	107
BeamData	108
BezierArc	108
bezierPatch	109
bezierPatchMesh	110
Bin	110
bindablestack	111
block	111
Breakpt	112
brotoDefpair	112
brotoIS	113
brotoRoute	113
brouteEnd	114
org.web3d.x3d.sai.Browser	114
vrml.Browser	115
vrml.external.Browser	116
org.web3d.x3d.sai.BrowserEvent	117
sai.BrowserFactory	118
org.web3d.x3d.sai.BrowserFactoryImpl	118
sai.BrowserGlobals	119
vrml.external.BrowserGlobals	119
org.web3d.x3d.sai.BrowserInterface	120
vrml.external.BrowserInterface	120
org.web3d.x3d.sai.BrowserListener	121
freeWRLSAI_cpp::browserNotSharedException	121
org.web3d.x3d.sai.BrowserNotSharedException	122
Buffer	122
BurstDescriptor	123
CachedVertex	123
CachingEvaluator	123
cbDataExactName	124
cbDataRootNameAndRouteDir	125
CdIIFreeWRL	125
chardata	126
chaser_ptrs	127
cline	127
ClockTime	127
coded_block_pattern_entry	128
CollisionElasticPdu	128
CollisionPdu	129
colorScheme	130
command	130
CommentPdu	131
CommentReliablePdu	131

<code>org.web3d.x3d.sai.ComponentInfo</code>	132
<code>connection_info_struct</code>	132
<code>freeWRLSAI_cpp::connectionException</code>	133
<code>org.web3d.x3d.sai.ConnectionException</code>	133
<code>consoleLine</code>	134
<code>vrml.ConstField</code>	134
<code>vrml.field.ConstMFColor</code>	135
<code>vrml.field.ConstMFFloat</code>	136
<code>vrml.ConstMField</code>	136
<code>vrml.field.ConstMFInt32</code>	138
<code>vrml.field.ConstMFNode</code>	138
<code>vrml.field.ConstMFRotation</code>	139
<code>vrml.field.ConstMFString</code>	140
<code>vrml.field.ConstMFTime</code>	141
<code>vrml.field.ConstMFVec2f</code>	141
<code>vrml.field.ConstMFVec3f</code>	142
<code>vrml.field.ConstSFBool</code>	143
<code>vrml.field.ConstSFColor</code>	144
<code>vrml.field.ConstSFFloat</code>	144
<code>vrml.field.ConstSFImage</code>	145
<code>vrml.field.ConstSFInt32</code>	146
<code>vrml.field.ConstSFNode</code>	147
<code>vrml.field.ConstSFRotation</code>	147
<code>vrml.field.ConstSFString</code>	148
<code>vrml.field.ConstSFTime</code>	149
<code>vrml.field.ConstSFVec2f</code>	149
<code>vrml.field.ConstSFVec3f</code>	150
<code>contenttype_captiontext</code>	151
<code>contenttype_e3dmouse</code>	151
<code>contenttype_layer</code>	152
<code>contenttype_multitouch</code>	152
<code>contenttype_orientation</code>	153
<code>contenttype_quadrant</code>	153
<code>contenttype_scene</code>	153
<code>contenttype_splitter</code>	154
<code>contenttype_statusbar</code>	154
<code>contenttype_stereo_anaglyph</code>	154
<code>contenttype_stereo_shutter</code>	155
<code>contenttype_stereo_sidebyside</code>	155
<code>contenttype_stereo_updown</code>	155
<code>contenttype_switch</code>	156
<code>contenttype_textpanel</code>	156
<code>contenttype_texturegrid</code>	157
<code>CoveAndTiler</code>	157
<code>CPlugin</code>	158
<code>CR_RegStruct</code>	159
<code>CreateEntityPdu</code>	159
<code>CreateEntityReliablePdu</code>	160
<code>CRjsnameStruct</code>	160
<code>CRscriptStruct</code>	161
<code>CRStruct</code>	161
<code>cson_array</code>	
Cson_array is an opaque handle to an Array value	162
<code>cson_buffer</code>	
A generic buffer class	162
<code>cson_data_source_StringSource_</code>	
Internal type to hold state for a JSON input string	164

<b>cson_kvp</b>	
A key/value pair collection . . . . .	165
<b>cson_kvp_list</b> . . . . .	166
<b>cson_object</b>	
Cson_object is an opaque handle to an Object value . . . . .	166
<b>cson_object_iterator</b>	
An iterator type for traversing object properties . . . . .	167
<b>cson_output_opt</b>	
Client-configurable options for the cson_output() family of functions . . . . .	167
<b>cson_parse_info</b>	
A class for holding JSON parser information . . . . .	169
<b>cson_parse_opt</b>	
Client-configurable options for the cson_parse() family of functions . . . . .	170
<b>cson_parser</b> . . . . .	170
<b>cson_string</b>	
Strings are allocated as an instances of this class with N+1 trailing bytes, where N is the length of the string being allocated . . . . .	171
<b>cson_value</b>	
The core value type of this API . . . . .	172
<b>cson_value_api</b>	
This type holds the "vtbl" for type-specific operations when working with <b>cson_value</b> (p. 172) objects . . . . .	174
<b>cson_value_list</b> . . . . .	175
<b>curfile64_info</b> . . . . .	176
<b>curarrayhit</b> . . . . .	176
<b>Curve</b> . . . . .	177
<b>curveEvalMachine</b> . . . . .	177
<b>Curvelist</b> . . . . .	178
<b>damper_ptr</b> . . . . .	178
<b>DataPdu</b> . . . . .	179
<b>DataQueryPdu</b> . . . . .	179
<b>DataQueryReliablePdu</b> . . . . .	180
<b>DataReliablePdu</b> . . . . .	181
<b>datChnk</b> . . . . .	181
<b>dct_dc_size_entry</b> . . . . .	182
<b>DDS_header</b> . . . . .	182
<b>DdsLoadInfo</b> . . . . .	183
<b>DeadReckoningParameter</b> . . . . .	183
<b>depth_slice</b> . . . . .	184
<b>DesignatorPdu</b> . . . . .	184
<b>DetonationPdu</b> . . . . .	185
<b>Dict</b> . . . . .	186
<b>DictNode</b> . . . . .	186
<b>directedLine</b> . . . . .	187
<b>dis_class</b> . . . . .	188
<b>dis_socket</b> . . . . .	188
<b>disfieldattr</b> . . . . .	189
<b>DisplayList</b> . . . . .	189
<b>freeWRLSAI_cpp::disposedException</b> . . . . .	190
<b>DistributedEmissionsFamilyPdu</b> . . . . .	190
<b>Dlnode</b> . . . . .	190
<b>draw_call_params</b> . . . . .	191
<b>duk_bigint</b> . . . . .	192
<b>duk_compile_raw_args</b> . . . . .	192
<b>duk_compiler_stkstate</b> . . . . .	192
<b>duk_decode_context</b> . . . . .	193
<b>duk_encode_context</b> . . . . .	193
<b>duk_exp_limits</b> . . . . .	193

duk_id_lookup_result	194
duk_numconv_stringify_ctx	194
duk_objlit_state	195
duk_pcall_prop_args	195
duk_re_disjunction_info	195
duk_transform_context	196
duk_activation	196
duk_bitdecoder_ctx	197
duk_bitencoder_ctx	197
duk_breakpoint	197
duk_bufwriter_ctx	198
duk_catcher	198
duk_compiler_ctx	199
duk_compiler_func	199
duk_compiler_instr	200
duk_double_union	201
duk_function_list_entry	201
duk_harray	202
duk_hbuffer	202
duk_hbuffer_dynamic	202
duk_hbuffer_external	203
duk_hbuffer_fixed	203
duk_hbufobj	203
duk_hcompfunc	204
duk_heap	204
duk_heaphdr	205
duk_heaphdr_string	205
duk_hnatfunc	206
duk_hobject	206
duk_hstring	207
duk_hstring_external	207
duk_hthread	208
duk_internal_thread_state	208
duk_ispec	209
duk_ivalue	209
duk_jmpbuf	209
duk_json_dec_ctx	210
duk_json_enc_ctx	210
duk_labelinfo	211
duk_lexer_codepoint	211
duk_lexer_ctx	212
duk_lexer_point	212
duk_ljstate	213
duk_memory_functions	213
duk_number_list_entry	213
duk_propaccessor	214
duk_propdesc	214
duk_propvalue	215
duk_re_compiler_ctx	215
duk_re_matcher_ctx	215
duk_re_token	216
duk_strcache	216
duk_strtab_entry	217
duk_thread_state	217
duk_time_components	217
duk_token	218
duk_tval_struct	218
duk_tval_unused	219



EAI_Extra_Data	219
EAI_ListenerStruct	220
sai.eai.EAIAsyncMessage	220
vrml.external.FreeWRLEAI.EAIAsyncMessage	220
sai.eai.EAIAsyncQueue	221
vrml.external.FreeWRLEAI.EAIAsyncQueue	221
sai.eai.EAIAsyncThread	222
vrml.external.FreeWRLEAI.EAIAsyncThread	222
sai.eai.EAInThread	223
vrml.external.FreeWRLEAI.EAInThread	223
sai.eai.EAIMessage	224
vrml.external.FreeWRLEAI.EAIMessage	224
EAINodeIndexStruct	224
EAINodeParams	225
sai.eai.EAOutQueue	225
vrml.external.FreeWRLEAI.EAOutQueue	226
sai.eai.EAOutThread	226
vrml.external.FreeWRLEAI.EAOutThread	227
EdgePair	227
EightByteChunk	227
ElectronicEmissionBeamData	228
ElectronicEmissionsPdu	229
ElectronicEmissionSystemData	230
ellipsoid	231
EmitterSystem	231
EntityID	231
EntityInformationFamilyPdu	232
EntityManagementFamilyPdu	232
EntityStatePdu	233
EntityStateUpdatePdu	234
EntityType	234
Environment	235
EnvironmentalProcessPdu	235
vrml.Event	236
EventID	236
vrml.external.field.EventIn	237
vrml.external.field.EventInMFColor	238
vrml.external.field.EventInMFFloat	238
vrml.external.field.EventInMFInt32	239
vrml.external.field.EventInMFNode	240
vrml.external.field.EventInMFRotation	240
vrml.external.field.EventInMFString	241
vrml.external.field.EventInMFVec2f	241
vrml.external.field.EventInMFVec3f	242
vrml.external.field.EventInSFBool	242
vrml.external.field.EventInSFColor	243
vrml.external.field.EventInSFFloat	243
vrml.external.field.EventInSFImage	244
vrml.external.field.EventInSFInt32	244
vrml.external.field.EventInSFNode	245
vrml.external.field.EventInSFRotation	245
vrml.external.field.EventInSFString	246
vrml.external.field.EventInSFTime	246
vrml.external.field.EventInSFVec2f	247
vrml.external.field.EventInSFVec3f	247
vrml.external.field.EventOut	248
vrml.external.field.EventOutMFColor	249
vrml.external.field.EventOutMFFloat	249

vrml.external.field.EventOutMField	250
vrml.external.field.EventOutMInt32	251
vrml.external.field.EventOutMFNode	251
vrml.external.field.EventOutMFRotation	252
vrml.external.field.EventOutMFString	253
vrml.external.field.EventOutMFVec2f	253
vrml.external.field.EventOutMFVec3f	254
vrml.external.field.EventOutObserver	254
vrml.external.field.EventOutSFBool	255
vrml.external.field.EventOutSFColor	255
vrml.external.field.EventOutSFFloat	256
vrml.external.field.EventOutSFImage	256
vrml.external.field.EventOutSFInt32	257
vrml.external.field.EventOutSFNode	258
vrml.external.field.EventOutSFRotation	258
vrml.external.field.EventOutSFString	259
vrml.external.field.EventOutSFTime	259
vrml.external.field.EventOutSFVec2f	260
vrml.external.field.EventOutSFVec3f	260
EventReportPdu	261
EventReportReliablePdu	261
org.web3d.x3d.sai.ExternalBrowser	262
extrusion	262
FaceCount	263
FastEntityStatePdu	263
vrml.Field	265
field_info	266
FieldDecl	266
vrml.external.field.FieldTypes	267
file_in_zip64_read_info_s	268
FirePdu	268
FirstStruct	269
FixedDatum	269
Flist	270
FlistSorter	270
flychord	271
fmtChnk	271
FourByteChunk	272
freewrl_params	
Initialization	272
sai.FreeWRLBrowser	273
sai.FreeWRLBrowserInfo	275
sai.FreeWRLComponent	275
sai.FreeWRLField	276
sai.FreeWRLFieldDefinition	277
sai.FreeWRLFieldTypes	278
sai.FreeWRLMField	279
sai.FreeWRLNode	280
sai.FreeWRLNodeTypes	280
sai.FreeWRLRendererInfo	281
sai.FreeWRLScene	282
ftype	283
FundamentalParameterData	284
FundamentalParameterDataIff	285
fw_MaterialParameters	286
FWBITMAPFILEHEADER	286
FWBITMAPINFO	286
FWBITMAPINFOHEADER	287

sai.FWComponentInfo	287
vrml.FWCreateField	288
sai.FWExternProtoDeclaration	288
FWFunctionSpec	289
vrml.FWHelper	289
vrml.FWJavaScript	290
vrml.FWJavaScriptBinding	290
vrml.FWJavaScriptClassLoader	291
sai.FWMFColor	292
sai.FWMFColorRGBA	292
sai.FWMFDouble	293
sai.FWMFFloat	294
sai.FWMFInt32	295
sai.FWMFNode	295
sai.FWMFRotation	296
sai.FWMFString	297
sai.FWMFVec2d	298
sai.FWMFVec2f	298
sai.FWMFVec3d	299
sai.FWMFVec3f	300
sai.FWProfileInfo	301
sai.FWProfInfo	301
FWPropertySpec	302
sai.FWProtoDeclaration	302
sai.FWProtoInstance	303
FWRGBQUAD	303
sai.FWRoute	304
sai.FWSFBool	304
sai.FWSFColor	305
sai.FWSFColorRGBA	306
sai.FWSFDouble	306
sai.FWSFFloat	307
sai.FWSFImage	307
sai.FWSFInt32	308
sai.FWSFNode	309
sai.FWSFRotation	309
sai.FWSFString	310
sai.FWSFTime	310
sai.FWSFVec2d	311
sai.FWSFVec2f	312
sai.FWSFVec3d	312
sai.FWSFVec3f	313
FWSNDMSG	313
FWTYPE	314
FWVAL	314
FXV	315
gcgd	315
GLUface	316
GLUhalfEdge	316
GLUmesh	317
GLUnurbs	317
GLUtesselator	318
GLUvertex	319
GLwDrawingAreaCallbackStruct	319
GLwDrawingAreaPart	320
GoP	321
GridAxisRecord	321
GridAxisRecordRepresentation0	321

GridAxisRecordRepresentation1	322
GridAxisRecordRepresentation2	322
gridBoundaryChain	323
GriddedDataPdu	323
Gridline	324
GridTrimVertex	325
GridVertex	325
gridWrap	326
GUINamedType	326
GUIScreen	327
Hull	327
vrml.external.IBrowser	328
IffAtcNavAidsLayer1Pdu	329
IffAtcNavAidsLayer2Pdu	330
IffFundamentalData	331
iiglobal	331
IMEXPORT	334
org.web3d.x3d.sai.ImportedException	334
initialRouteStruct	334
freeWRLSAI_cpp::insufficientCapabilitiesException	335
org.web3d.x3d.sai.InsufficientCapabilitiesException	335
IntercomCommunicationsParameters	336
IntercomControlPdu	337
IntercomSignalPdu	338
intersection_info	338
freeWRLSAI_cpp::invalidAccessTypeException	339
freeWRLSAI_cpp::invalidBrowserException	339
org.web3d.x3d.sai.InvalidBrowserException	340
freeWRLSAI_cpp::invalidDocumentException	340
org.web3d.x3d.sai.InvalidDocumentException	341
vrml.external.exception.InvalidEventInException	341
vrml.InvalidEventInException	342
vrml.external.exception.InvalidEventOutException	343
vrml.InvalidEventOutException	343
freeWRLSAI_cpp::invalidExecutionContextException	344
org.web3d.x3d.sai.InvalidExecutionContextException	344
vrml.InvalidExposedFieldException	345
vrml.InvalidFieldChangeException	345
freeWRLSAI_cpp::invalidFieldException	346
org.web3d.x3d.sai.InvalidFieldException	347
vrml.InvalidFieldException	347
org.web3d.x3d.sai.InvalidFieldValueException	348
freeWRLSAI_cpp::invalidImportException	348
org.web3d.x3d.sai.InvalidNameException	349
freeWRLSAI_cpp::invalidNodeException	349
org.web3d.x3d.sai.InvalidNodeException	350
vrml.external.exception.InvalidNodeException	350
freeWRLSAI_cpp::invalidOperationTimingException	351
org.web3d.x3d.sai.InvalidOperationTimingException	352
org.web3d.x3d.sai.InvalidProtoException	353
freeWRLSAI_cpp::InvalidReadableFieldException	353
org.web3d.x3d.sai.InvalidRouteException	354
vrml.InvalidRouteException	354
freeWRLSAI_cpp::invalidUriException	355
org.web3d.x3d.sai.InvalidURLErrorException	355
vrml.external.exception.InvalidVrmlException	356
vrml.InvalidVRMLSyntaxException	357
freeWRLSAI_cpp::InvalidWritableFieldException	357

<code>freeWRLSAI_cpp::invalidX3DException</code>	358
<code>org.web3d.x3d.sai.InvalidX3DException</code>	359
<code>vrml.InvalidX3DSyntaxException</code>	359
<code>IsGroupOfPdu</code>	360
<code>IsPartOfPdu</code>	361
<code>ivec2</code>	361
<code>ivec4</code>	362
<code>Jarcloc</code>	362
<code>JMATRIX</code>	363
<code>JSON_config</code>	
The structure used to configure a JSON parser object	363
<code>JSON_parser_struct</code>	365
<code>JSON_value_struct</code>	366
<code>key</code>	366
<code>keyHit</code>	366
<code>keyval</code>	367
<code>Knotspec</code>	367
<code>Knotvector</code>	368
<code>LayerHeader</code>	369
<code>layout_scale_item</code>	369
<code>layoutmode</code>	370
<code>LinearObjectStatePdu</code>	370
<code>LinearSegmentParameter</code>	371
<code>linkedlist_data_s</code>	371
<code>linkedlist_datablock_internal_s</code>	372
<code>LogisticsFamilyPdu</code>	372
<code>macroblock</code>	372
<code>Mapdesc</code>	373
<code>Maplist</code>	374
<code>Marking</code>	375
<code>matpropstruct</code>	375
<code>org.web3d.x3d.sai.Matrix</code>	376
<code>org.web3d.x3d.sai.Matrix3</code>	376
<code>org.web3d.x3d.sai.Matrix4</code>	377
<code>mb_addr_inc_entry</code>	378
<code>mb_type_entry</code>	378
<code>Meshes</code>	379
<code>org.web3d.x3d.sai.MFBool</code>	379
<code>org.web3d.x3d.sai.MFColor</code>	380
<code>vrml.field.MFColor</code>	381
<code>org.web3d.x3d.sai.MFColorRGBA</code>	382
<code>org.web3d.x3d.sai.MFDouble</code>	382
<code>org.web3d.x3d.sai.MFFloat</code>	383
<code>vrml.field.MFFloat</code>	384
<code>org.web3d.x3d.sai.MField</code>	385
<code>vrml.MField</code>	386
<code>org.web3d.x3d.sai.MFImage</code>	387
<code>org.web3d.x3d.sai.MFInt32</code>	388
<code>vrml.field.MFInt32</code>	388
<code>org.web3d.x3d.sai.MFNode</code>	389
<code>vrml.field.MFNode</code>	390
<code>org.web3d.x3d.sai.MFRotation</code>	391
<code>vrml.field.MFRotation</code>	392
<code>org.web3d.x3d.sai.MFString</code>	393
<code>vrml.field.MFString</code>	393
<code>org.web3d.x3d.sai.MFTime</code>	394
<code>vrml.field.MFTime</code>	395
<code>org.web3d.x3d.sai.MFVec2d</code>	396

org.web3d.x3d.sai.MFVec2f	397
vrml.field.MFVec2f	397
org.web3d.x3d.sai.MFVec3d	398
org.web3d.x3d.sai.MFVec3f	399
vrml.field.MFVec3f	400
MinefieldDataPdu	401
MinefieldFamilyPdu	402
MinefieldQueryPdu	402
MinefieldResponseNackPdu	403
MinefieldStatePdu	403
mode_name	404
ModulationType	404
monoChain	405
Monotonizer	406
motion_vectors_entry	406
Multi_Any	406
Multi_Bool	407
Multi_Color	407
Multi_ColorRGBA	407
Multi_Double	408
Multi_Float	408
Multi_Int32	409
Multi_Matrix3d	409
Multi_Matrix3f	409
Multi_Matrix4d	410
Multi_Matrix4f	410
Multi_Node	411
Multi_Rotation	411
Multi_String	411
Multi_Time	412
Multi_Vec2d	412
Multi_Vec2f	413
Multi_Vec3d	413
Multi_Vec3f	413
Multi_Vec4d	414
Multi_Vec4f	414
multiTexParams	415
myArgs	415
MyVertex	415
name_num	416
NamedLocation	416
navmode	417
vrml.external.Node	417
vrml.node.Node	418
nodedistance	418
freeWRLSAI_cpp::nodeInUseException	419
org.web3d.x3d.sai.NodeInUseException	419
freeWRLSAI_cpp::nodeUnavailableException	420
org.web3d.x3d.sai.NodeUnavailableException	420
freeWRLSAI_cpp::noSuchBrowserException	421
org.web3d.x3d.sai.NoSuchBrowserException	421
freeWRLSAI_cpp::notSupportedException	422
org.web3d.x3d.sai.NotSupportedException	422
NPCClass	423
NPObject	423
nsByteRange	424
nsIAuthenticationInfo	424
nsICookieStorage	425

<b>nsIFileUtilities</b>	
The <b>nsIFileUtilities</b> (p. 426) interface provides access to random file operations	426
<b>nsIHTTPHeaderListener</b>	
The <b>nsIHTTPHeaderListener</b> (p. 428) interface allows plugin authors to access HTTP Response headers after issuing an <b>nsIPluginHost</b> (p. 434)::{GetURL,PostURL}() call	428
<b>nsIJVMAuthTools</b>	429
<b>nsIPlugin</b>	431
<b>nsIPluginDocument</b>	433
<b>nsIPluginHost</b>	434
<b>nsIPluginHostOld</b>	440
<b>nsIPluginInputStream</b>	
The <b>nsIPluginInputStream</b> (p. 441) interface ..	441
<b>nsIPluginInstance</b>	442
<b>nsIPluginInstanceInternal</b>	448
<b>nsIPluginInstanceOld</b>	
The <b>nsIPluginInstance</b> (p. 442) interface is the minimum interface plugin developers need to support in order to implement a plugin instance	448
<b>nsIPluginInstanceOwner</b>	453
<b>nsIPluginInstancePeer</b>	
The <b>nsIPluginInstancePeer</b> (p. 455) interface is the set of operations implemented by the browser to support a plugin instance	455
<b>nsIPluginInstancePeer2</b>	
The <b>nsIPluginInstancePeer2</b> (p. 459) interface extends the <b>nsIPluginInstancePeer</b> (p. 455) interface, providing access to functionality provided by newer browsers	459
<b>nsIPluginInstancePeer2_1_9_1_BRANCH</b>	461
<b>nsIPluginManager</b>	462
<b>nsIPluginManager2</b>	
Plugin Manager 2 Interface These extensions to <b>nsIPluginManager</b> (p. 462) are only available in Communicator 5.0	467
<b>nsIPluginOld</b>	
The <b>nsIPlugin</b> (p. 431) interface is the minimum interface plugin developers need to support in order to implement a plugin	472
<b>nsIPluginStreamInfo</b>	
NsIPluginStreamInfo	474
<b>nsIPluginStreamListener</b>	
NsIPluginStreamListener	475
<b>nsIPluginTag</b>	478
<b>nsIPluginTagInfo</b>	
Plugin Tag Info Interface This interface provides information about the HTML tag on the page	479
<b>nsIPluginTagInfo2</b>	
NsIPluginTagInfo2	482
<b>nsIPluginTagInfoOld</b>	
Plugin Tag Info Interface This interface provides information about the HTML tag on the page	486
<b>nsIScriptablePlugin</b>	
Interface for exposing scriptable plugin methods to JavaScript via XPConnect	487
<b>nsIWindowlessPluginInstancePeer</b>	488
<b>nsIPluginInstancePeer</b>	489
<b>nsPluginEmbedPrint</b>	489
<b>nsPluginEvent</b>	490
<b>nsPluginFullPrint</b>	490
<b>nsPluginLogging</b>	490
<b>nsPluginNativeWindow</b>	
Base class for native plugin window implementations	491
<b>nsPluginPrint</b>	492
<b>nsPluginRect</b>	492
<b>nsPluginWindow</b>	493
<b>NurbsTessellator</b>	493
<b>O_curve</b>	495

O_nurbscurve	495
O_nurbssurface	496
O_pwlcurve	497
O_surface	497
O_trim	498
ObjectType	498
OneByteChunk	499
OpenGLCurveEvaluator	499
OpenGLSurfaceEvaluator	501
opened_file	502
orient_XYZA	503
Orientation	503
particle	503
Patch	504
Patchlist	504
Patchespec	505
pBindable	506
pcollision	506
pcommon	507
pComponent_CubeMapTexturing	507
pComponent_EnvironSensor	508
pComponent_Followers	508
pComponent_Geometry3D	508
pComponent_Geospatial	509
pComponent_HAnim	509
pComponent_KeyDevice	509
pComponent_Layering	510
pComponent_Layout	510
pComponent_NURBS	510
pComponent_ParticleSystems	511
pComponent_Picking	511
pComponent_ProgrammableShaders	511
pComponent_PTM	512
pComponent_Rendering	512
pComponent_RigidBodyPhysics	512
pComponent_Shape	513
pComponent_Sound	513
pComponent_Text	514
pComponent_VolumeRendering	515
pConsoleMessage	515
pCParse	516
pCParseParser	516
pCRoutes	517
pCScripts	517
pCursorDraw	518
pdisplay	518
Pdu	518
PduContainer	519
pEAI_C_CommonFunctions	519
pEAICore	520
pEAIEventsIn	520
pEAHelpers	520
pedal_state	521
pFrustum	521
pict	522
pict_image	522
Planet	523
pLoadTextures	523



<b>pMainloop</b>	524
<b>Point</b>	525
<b>point_XYZ</b>	525
<b>point_XYZ3</b>	526
<b>pointer2pointer</b>	526
<b>PointObjectStatePdu</b>	526
<b>polygon</b>	527
<b>polyrep_combiner_data</b>	527
<b>Pool</b>	528
<b>PooledObj</b>	529
<b>pOpenGL_Utils</b>	530
<b>pPluginSocket</b>	530
<b>ppluginUtils</b>	531
<b>pProdCon</b>	531
<b>PQhandleElem</b>	531
<b>PQnode</b>	532
<b>pRasterFont</b>	532
<b>pRenderFuncs</b>	533
<b>pRenderTextures</b>	534
<b>presources</b>	534
<b>primStream</b>	535
<b>PriorityQ</b>	535
<b>profile_entry</b>	536
<b>org.web3d.x3d.sai.ProfileInfo</b>	536
<b>proftablestruct</b>	537
<b>projective_Texdata</b>	537
<b>projector_tuple</b>	538
<b>Property</b>	538
<b>PropulsionSystemData</b>	539
<b>ProtoDefinition</b>	539
<b>ProtoFieldDecl</b>	539
<b>pSensInterps</b>	540
<b>pSnapshot</b>	540
<b>Pspec</b>	541
<b>PSStruct</b>	541
<b>pstatusbar</b>	542
<b>pStreamPoly</b>	542
<b>pTess</b>	542
<b>pTextures</b>	543
<b>pViewer</b>	543
<b>PwIArc</b>	544
<b>pX3DParser</b>	544
<b>quaternion</b>	545
<b>Quilt</b>	545
<b>Quiltspec</b>	546
<b>RadioCommunicationsFamilyPdu</b>	546
<b>RadioEntityType</b>	547
<b>rb1</b>	547
<b>ReceiverPdu</b>	548
<b>RecordQueryReliablePdu</b>	548
<b>RecordSet</b>	549
<b>rectBlock</b>	550
<b>rectBlockArray</b>	550
<b>reflexChain</b>	551
<b>Relationship</b>	551
<b>RemoveEntityPdu</b>	551
<b>RemoveEntityReliablePdu</b>	552
<b>Renderhints</b>	552

RepairCompletePdu	553
RepairResponsePdu	553
resource_item	554
ResupplyCancelPdu	555
ResupplyOfferPdu	555
ResupplyReceivedPdu	556
row32	556
s_renderer_capabilities_t	557
s_shader_capabilities	557
freeWRLSAI_cpp::saiBrowser	559
freeWRLSAI_cpp::saiComponent	560
freeWRLSAI_cpp::saiCustomException	560
freeWRLSAI_cpp::saiException	561
freeWRLSAI_cpp::saiExecutionContext	562
freeWRLSAI_cpp::saiField	562
freeWRLSAI_cpp::saiNode	563
freeWRLSAI_cpp::saiProfileDeclaration	563
freeWRLSAI_cpp::saiProto	563
freeWRLSAI_cpp::saiRoute	564
freeWRLSAI_cpp::saiScene	564
sampledLine	565
sCollisionGeometry	565
sCollisionInfo	566
screentextdata	566
vrml.node.Script	567
ScriptablePluginObjectBase	567
ScriptFieldDecl	569
ScriptFieldInstanceInfo	569
ScriptParamList	569
SeesPdu	570
SensStruct	570
ServiceRequestPdu	571
SetDataPdu	571
SetDataReliablePdu	572
SetRecordReliablePdu	573
sFallInfo	574
org.web3d.x3d.sai.SFBool	574
vrml.field.SFBool	575
org.web3d.x3d.sai.SFColor	576
SFColor	576
vrml.field.SFColor	577
org.web3d.x3d.sai.SFColorRGBA	577
SFColorRGBA	578
org.web3d.x3d.sai.SFDouble	578
org.web3d.x3d.sai.SFFloat	579
vrml.field.SFFloat	579
org.web3d.x3d.sai.SFImage	580
vrml.field.SFImage	581
org.web3d.x3d.sai.SFInt32	582
vrml.field.SFInt32	582
SFMatrix3d	583
SFMatrix3f	583
SFMatrix4d	583
SFMatrix4f	584
org.web3d.x3d.sai.SFNode	584
vrml.field.SFNode	585
org.web3d.x3d.sai.SFRotation	585
SFRotation	586

vrml.field.SFRotation	586
org.web3d.x3d.sai.SFString	587
vrml.field.SFString	588
org.web3d.x3d.sai.SFTime	588
vrml.field.SFTime	589
org.web3d.x3d.sai.SFVec2d	590
SFVec2d	590
org.web3d.x3d.sai.SFVec2f	591
SFVec2f	591
vrml.field.SFVec2f	592
org.web3d.x3d.sai.SFVec3d	592
SFVec3d	593
org.web3d.x3d.sai.SFVec3f	593
SFVec3f	594
vrml.field.SFVec3f	594
SFVec4d	595
SFVec4f	595
Shader_Script	596
shaderflagsstruct	596
shaderTableEntry	596
ShaftRPMs	597
SignalPdu	597
SimulationAddress	598
SimulationManagementFamilyPdu	598
SimulationManagementWithReliabilityFamilyPdu	599
SixByteChunk	599
slice	599
Slicer	600
sNavInfo	601
SNDFILE	601
Sorter	601
SphericalHarmonicAntennaPattern	602
Splinespec	602
ssr	603
SSR_request	603
stage	604
StartResumePdu	604
StartResumeReliablePdu	605
StopFreezePdu	605
StopFreezeReliablePdu	606
StoredVertex	606
stringint	607
Subdivider	607
SupplyQuantity	608
surfEvalMachine	608
sweepRange	609
SyntheticEnvironmentFamilyPdu	609
SystemID	609
targetwindow	610
iiglobal::tBindable	610
iiglobal::tcollision	611
iiglobal::tcommon	611
iiglobal::tComponent_CubeMapTexturing	611
iiglobal::tComponent_EnvironSensor	612
iiglobal::tComponent_Followers	612
iiglobal::tComponent_Geometry3D	612
iiglobal::tComponent_Geospatial	613
iiglobal::tComponent_HAnim	613

iiglobal::tComponent_KeyDevice	613
iiglobal::tComponent_Layering	614
iiglobal::tComponent_Layout	614
iiglobal::tComponent_NURBS	614
iiglobal::tComponent_ParticleSystems	615
iiglobal::tComponent_Picking	615
iiglobal::tComponent_ProgrammableShaders	615
iiglobal::tComponent_PTM	616
iiglobal::tComponent_Rendering	616
iiglobal::tComponent_RigidBodyPhysics	616
iiglobal::tComponent_Shape	617
iiglobal::tComponent_Sound	617
iiglobal::tComponent_Text	617
iiglobal::tComponent_VolumeRendering	618
iiglobal::tComponent_VRML1	618
iiglobal::tConsoleMessage	618
tcontenttype	619
iiglobal::tCParse	619
iiglobal::tCParseParser	619
iiglobal::tCRoutes	620
iiglobal::tCScripts	620
iiglobal::tCursorDraw	621
iiglobal::tdisplay	621
iiglobal::tEAI_C_CommonFunctions	621
iiglobal::tEAICore	622
iiglobal::tEAIEventsIn	622
iiglobal::tEAIHelpers	622
text_combiner_data	623
textureTableIndexStruct	623
textureVertexInfo	624
iiglobal::tFrustum	624
iiglobal::tinternalc	625
iiglobal::tLoadTextures	625
tm_unz_s	625
tm_zip_s	626
iiglobal::tMainloop	626
iiglobal::tOpenGL_Utils	627
Touch	628
iiglobal::tPluginSocket	628
iiglobal::tpluginUtils	629
iiglobal::tProdCon	629
TrackJamTarget	630
TransferControlRequestPdu	630
TransmitterPdu	631
treeNode	632
iiglobal::tRenderFuncs	632
trenderstate	633
iiglobal::tRenderTextures	633
iiglobal::tresources	633
Trimline	634
TrimRegion	634
TrimVertex	635
TrimVertexPool	636
iiglobal::tSensInterps	636
iiglobal::tSnapshot	636
iiglobal::tstatusbar	637
iiglobal::tStreamPoly	637
iiglobal::tTess	637

iiglobal::tTextures	638
iiglobal::tthreads	638
iiglobal::tViewer	639
TwoByteChunk	639
iiglobal::tX3DParser	639
UaPdu	640
Uarray	641
un1	641
unca	642
Uni_String	642
unitsB	642
sai.eai.UnsupportedFieldTypeException	643
vrml.external.FreeWRLEAI.UnsupportedFieldTypeException	643
unz64_file_pos_s	644
unz64_s	644
unz_file_info64_internal_s	645
unz_file_info64_s	645
unz_file_info_s	646
unz_file_pos_s	646
unz_global_info64_s	646
unz_global_info_s	647
freeWRLSAI_cpp::urlUnavailableException	647
org.web3d.x3d.sai.URLUnavailableException	648
usehit	648
VariableDatum	649
Varray	649
vec2	649
vec4	650
Vector	650
Vector3Double	651
Vector3Float	651
VectoringNozzleSystemData	651
vertexArray	652
sai.eai.VField	653
vrml.external.FreeWRLEAI.VField	654
vid_stream	655
viewer	657
viewer_examine	658
viewer_fly	659
viewer_inplane	659
viewer_walk	659
viewer_ypz	660
sai.eai.VIP	660
vrml.external.FreeWRLEAI.VIP	661
sai.eai.VMFCColor	662
vrml.external.FreeWRLEAI.VMFCColor	662
sai.eai.VMFFloat	663
vrml.external.FreeWRLEAI.VMFFloat	664
sai.eai.VMFInt32	664
vrml.external.FreeWRLEAI.VMFInt32	665
sai.eai.VMFRotation	665
vrml.external.FreeWRLEAI.VMFRotation	666
sai.eai.VMFString	667
vrml.external.FreeWRLEAI.VMFString	667
sai.eai.VMFVec2f	668
vrml.external.FreeWRLEAI.VMFVec2f	668
sai.eai.VMFVec3f	669
vrml.external.FreeWRLEAI.VMFVec3f	670

void3	670
VRMLLexer	671
sai.eai.VRMLObject	671
vrml.external.FreeWRLEAI.VRMLObject	672
sai.eai.VRMLObjectObserver	673
vrml.external.FreeWRLEAI.VRMLObjectObserver	673
VRMLParser	674
sai.eai.VSFBool	674
vrml.external.FreeWRLEAI.VSFBool	675
sai.eai.VSFColor	675
vrml.external.FreeWRLEAI.VSFColor	676
sai.eai.VSFFloat	676
vrml.external.FreeWRLEAI.VSFFloat	677
sai.eai.VSFImage	678
vrml.external.FreeWRLEAI.VSFImage	678
sai.eai.VSFInt32	679
vrml.external.FreeWRLEAI.VSFInt32	679
sai.eai.VSFRotation	680
vrml.external.FreeWRLEAI.VSFRotation	681
sai.eai.VSFString	681
vrml.external.FreeWRLEAI.VSFString	682
sai.eai.VSFTime	682
vrml.external.FreeWRLEAI.VSFTime	683
sai.eai.VSFVec2f	684
vrml.external.FreeWRLEAI.VSFVec2f	684
sai.eai.VSFVec3f	685
vrml.external.FreeWRLEAI.VSFVec3f	686
walk_cbdata	686
WarfareFamilyPdu	687
WEB3DNATIVE	687
X3D_Anchor	688
X3D_Appearance	688
X3D_Arc2D	689
X3D_ArcClose2D	690
X3D_AudioClip	690
X3D_BackdropBackground	691
X3D_Background	692
X3D_BallJoint	693
X3D_Billboard	694
X3D_BlendedVolumeStyle	694
X3D_BooleanFilter	695
X3D_BooleanSequencer	696
X3D_BooleanToggle	697
X3D_BooleanTrigger	697
X3D_BoundaryEnhancementVolumeStyle	698
X3D_BoundedPhysicsModel	699
X3D_Box	699
X3D_CADAssembly	700
X3D_CADFace	701
X3D_CADLayer	701
X3D_CADPart	702
X3D_CalibratedCameraSensor	703
X3D_CartoonVolumeStyle	703
X3D_Circle2D	704
X3D_ClipPlane	704
X3D_CollidableOffset	705
X3D_CollidableShape	706
X3D_Collision	706

X3D_CollisionCollection	707
X3D_CollisionSensor	708
X3D_CollisionSpace	709
X3D_Color	709
X3D_ColorChaser	710
X3D_ColorDamper	711
X3D_ColorInterpolator	712
X3D_ColorRGBA	712
X3D_ComposedCubeMapTexture	713
X3D_ComposedShader	714
X3D_ComposedTexture3D	714
X3D_ComposedVolumeStyle	715
X3D_CompositeVolumeStyle	716
X3D_Cone	716
X3D_ConeEmitter	717
X3D_Contact	718
X3D_Contour2D	719
X3D_ContourPolyline2D	719
X3D_Coordinate	720
X3D_CoordinateChaser	720
X3D_CoordinateDamper	721
X3D_CoordinateDouble	722
X3D_CoordinateInterpolator	723
X3D_CoordinateInterpolator2D	723
X3D_Cylinder	724
X3D_CylinderSensor	725
X3D_DirectionalLight	726
X3D_DISEntityManager	726
X3D_DISEntityTypeMapping	728
X3D_Disk2D	728
X3D_DoubleAxisHingeJoint	729
X3D_EaseInEaseOut	730
X3D_EdgeEnhancementVolumeStyle	731
X3D_Effect	732
X3D_EffectPart	732
X3D_ElevationGrid	733
X3D_EspduTransform	734
X3D_ExplosionEmitter	737
X3D_Extrusion	737
X3D_FillProperties	738
X3D_FloatVertexAttribute	739
X3D_Fog	740
X3D_FogCoordinate	740
X3D_FontStyle	741
X3D_ForcePhysicsModel	742
X3D_GeneratedCubeMapTexture	742
X3D_GeoConvert	743
X3D_GeoCoordinate	744
X3D_GeoElevationGrid	744
X3D_GeoLocation	745
X3D_GeoLOD	746
X3D_GeoMetadata	747
X3D_GeoOrigin	748
X3D_GeoPlanet	749
X3D_GeoPositionInterpolator	749
X3D_GeoProximitySensor	750
X3D_GeoTouchSensor	751
X3D_GeoTransform	752

X3D_GeoViewpoint	753
X3D_Group	754
X3D_HAnimDisplacer	755
X3D_HAnimHumanoid	755
X3D_HAnimJoint	756
X3D_HAnimSegment	757
X3D_HAnimSite	758
X3D_ImageBackdropBackground	759
X3D_ImageCubeMapTexture	760
X3D_ImageTexture	760
X3D_ImageTexture3D	761
X3D_IndexedFaceSet	762
X3D_IndexedLineSet	763
X3D_IndexedQuadSet	764
X3D_IndexedTriangleFanSet	764
X3D_IndexedTriangleSet	765
X3D_IndexedTriangleStripSet	766
X3D_Inline	767
X3D_IntegerSequencer	768
X3D_IntegerTrigger	769
X3D_IsoSurfaceVolumeData	769
X3D_KeySensor	770
X3D_Layer	771
X3D_LayerSet	771
X3D_Layout	772
X3D_LayoutGroup	773
X3D_LayoutLayer	773
X3D_LinePickSensor	774
X3D_LineProperties	775
X3D_LineSensor	776
X3D_LineSet	777
X3D_LoadSensor	777
X3D_LocalFog	778
X3D_LOD	779
X3D_Material	780
X3D_Matrix3VertexAttribute	780
X3D_Matrix4VertexAttribute	781
X3D_MetadataBoolean	781
X3D_MetadataDouble	782
X3D_MetadataFloat	783
X3D_MetadataInteger	783
X3D_MetadataMFBool	784
X3D_MetadataMFColor	785
X3D_MetadataMFColorRGBA	785
X3D_MetadataMFDouble	786
X3D_MetadataMFFloat	787
X3D_MetadataMFInt32	787
X3D_MetadataMFMatrix3d	788
X3D_MetadataMFMatrix3f	789
X3D_MetadataMFMatrix4d	789
X3D_MetadataMFMatrix4f	790
X3D_MetadataMFNode	791
X3D_MetadataMFRotation	791
X3D_MetadataMFString	792
X3D_MetadataMFTime	793
X3D_MetadataMFVec2d	793
X3D_MetadataMFVec2f	794
X3D_MetadataMFVec3d	795



X3D_MetadataMFVec3f	795
X3D_MetadataMFVec4d	796
X3D_MetadataMFVec4f	797
X3D_MetadataSet	797
X3D_MetadataSFBool	798
X3D_MetadataSFColor	799
X3D_MetadataSFColorRGBA	799
X3D_MetadataSFDouble	800
X3D_MetadataSFFloat	801
X3D_MetadataSFImage	801
X3D_MetadataSFInt32	802
X3D_MetadataSFMatrix3d	803
X3D_MetadataSFMatrix3f	803
X3D_MetadataSFMatrix4d	804
X3D_MetadataSFMatrix4f	805
X3D_MetadataSFNode	805
X3D_MetadataSFRotation	806
X3D_MetadataSFString	807
X3D_MetadataSFTime	807
X3D_MetadataSFVec2d	808
X3D_MetadataSFVec2f	809
X3D_MetadataSFVec3d	809
X3D_MetadataSFVec3f	810
X3D_MetadataSFVec4d	811
X3D_MetadataSFVec4f	811
X3D_MetadataString	812
X3D_MotorJoint	813
X3D_MovieTexture	814
X3D_MultiTexture	815
X3D_MultiTextureCoordinate	816
X3D_MultiTextureTransform	816
X3D_NavigationInfo	817
X3D_Node	818
X3D_Normal	818
X3D_NormalInterpolator	819
X3D_NurbsCurve	820
X3D_NurbsCurve2D	820
X3D_NurbsOrientationInterpolator	821
X3D_NurbsPatchSurface	822
X3D_NurbsPositionInterpolator	823
X3D_NurbsSet	823
X3D_NurbsSurfaceInterpolator	824
X3D_NurbsSweptSurface	825
X3D_NurbsSwungSurface	826
X3D_NurbsTextureCoordinate	826
X3D_NurbsTrimmedSurface	827
X3D_OpacityMapVolumeStyle	828
X3D_OrientationChaser	829
X3D_OrientationDamper	830
X3D_OrientationInterpolator	831
X3D_OrthoViewpoint	831
X3D_OSC_Sensor	832
X3D_PackagedShader	833
X3D_ParticleSystem	834
X3D_PickableGroup	835
X3D_PixelTexture	836
X3D_PixelTexture3D	836
X3D_PlaneSensor	837

X3D_PointEmitter	838
X3D_PointLight	839
X3D_PointPickSensor	839
X3D_PointSensor	840
X3D_PointSet	841
X3D_Polyline2D	842
X3D_PolylineEmitter	842
X3D_Polypoint2D	843
X3D_PolyRep	844
X3D_PositionChaser	845
X3D_PositionChaser2D	846
X3D_PositionDamper	847
X3D_PositionDamper2D	848
X3D_PositionInterpolator	849
X3D_PositionInterpolator2D	849
X3D_PrimitivePickSensor	850
X3D_ProgramShader	851
X3D_ProjectionVolumeStyle	851
X3D_Proto	852
X3D_ProximitySensor	853
X3D_QuadSet	854
X3D_ReceiverPdu	855
X3D_Rectangle2D	856
X3D_RigidBody	857
X3D_RigidBodyCollection	858
X3D_ScalarChaser	859
X3D_ScalarDamper	860
X3D_ScalarInterpolator	861
X3D_ScreenFontStyle	861
X3D_ScreenGroup	862
X3D_Script	863
X3D_SegmentedVolumeData	863
X3D_ShadedVolumeStyle	864
X3D_ShaderPart	865
X3D_ShaderProgram	865
X3D_Shape	866
X3D_SignalPdu	867
X3D_SilhouetteEnhancementVolumeStyle	868
X3D_SingleAxisHingeJoint	869
X3D_SliderJoint	870
X3D_Sound	871
X3D_Sphere	871
X3D_SphereSensor	872
X3D_SplinePositionInterpolator	873
X3D_SplinePositionInterpolator2D	874
X3D_SplineScalarInterpolator	874
X3D_SpotLight	875
X3D_SquadOrientationInterpolator	876
X3D_StaticGroup	877
X3D_StringSensor	877
X3D_SurfaceEmitter	878
X3D_Switch	879
X3D_Teapot	880
X3D_TexCoordChaser2D	880
X3D_TexCoordDamper2D	881
X3D_Text	882
X3D_TextureBackground	883
X3D_TextureCoordinate	884

X3D_TextureCoordinate3D	884
X3D_TextureCoordinate4D	885
X3D_TextureCoordinateGenerator	885
X3D_TextureProjectorParallel	886
X3D_TextureProjectorPerspective	887
X3D_TextureProperties	888
X3D_TextureTransform	888
X3D_TextureTransform3D	889
X3D_TextureTransformMatrix3D	890
X3D_TimeSensor	890
X3D_TimeTrigger	891
X3D_ToneMappedVolumeStyle	892
X3D_TouchSensor	892
X3D_TrackingSensor	893
X3D_Transform	894
X3D_TransformSensor	895
X3D_TransmitterPdu	895
X3D_TriangleFanSet	897
X3D_TriangleSet	898
X3D_TriangleSet2D	898
X3D_TriangleStripSet	899
X3D_TwoSidedMaterial	900
X3D_UniversalJoint	901
X3D_Viewpoint	902
X3D_ViewpointGroup	903
X3D_Viewport	903
X3D_Virt	904
X3D_VisibilitySensor	905
X3D_VolumeData	905
X3D_VolumeEmitter	906
X3D_VolumePickSensor	907
X3D_WindPhysicsModel	908
X3D_WorldInfo	908
org.web3d.x3d.sai.X3DAppearanceChildNode	909
org.web3d.x3d.sai.X3DAppearanceNode	909
org.web3d.x3d.sai.X3DAudioClipNode	910
org.web3d.x3d.sai.X3DBackgroundNode	910
org.web3d.x3d.sai.X3DBindableNode	911
org.web3d.x3d.sai.X3DBoundedObject	912
org.web3d.x3d.sai.X3DChildNode	912
org.web3d.x3d.sai.X3DColorNode	913
org.web3d.x3d.sai.X3DComponent	913
org.web3d.x3d.sai.X3DComposedGeometryNode	914
org.web3d.x3d.sai.X3DCoordinateNode	915
org.web3d.x3d.sai.X3DDragSensorNode	915
org.web3d.x3d.sai.X3DEnvironmentalSensorNode	916
org.web3d.x3d.sai.X3DException	917
org.web3d.x3d.sai.X3DExecutionContext	918
org.web3d.x3d.sai.X3DExternProtoDeclaration	919
org.web3d.x3d.sai.X3DField	919
org.web3d.x3d.sai.X3DFieldDefinition	921
org.web3d.x3d.sai.X3DFieldEvent	921
org.web3d.x3d.sai.X3DFieldEventListener	922
org.web3d.x3d.sai.X3DFieldTypes	922
org.web3d.x3d.sai.X3DFontStyleNode	923
org.web3d.x3d.sai.X3DGeometricPropertyNode	924
org.web3d.x3d.sai.X3DGeometryNode	924
org.web3d.x3d.sai.X3DGroupingNode	925

org.web3d.x3d.sai.X3DInfoNode . . . . .	925
org.web3d.x3d.sai.X3DInterpolatorNode . . . . .	926
org.web3d.x3d.sai.X3DKeyDeviceSensorNode . . . . .	926
org.web3d.x3d.sai.X3DLightNode . . . . .	927
org.web3d.x3d.sai.X3DMaterialNode . . . . .	928
org.web3d.x3d.sai.X3DMetadataObject . . . . .	928
org.web3d.x3d.sai.X3DNetworkSensorNode . . . . .	929
org.web3d.x3d.sai.X3DNode . . . . .	929
org.web3d.x3d.sai.X3DNodeTypes . . . . .	930
org.web3d.x3d.sai.X3DNormalNode . . . . .	931
org.web3d.x3d.sai.X3DParametricGeometryNode . . . . .	932
org.web3d.x3d.sai.X3DPerFrameObserverScript . . . . .	932
org.web3d.x3d.sai.X3DPointingDeviceSensorNode . . . . .	933
org.web3d.x3d.sai.X3DProtoDeclaration . . . . .	933
org.web3d.x3d.sai.X3DProtoInstance . . . . .	934
org.web3d.x3d.sai.X3DRoute . . . . .	934
org.web3d.x3d.sai.X3DScene . . . . .	935
org.web3d.x3d.sai.X3DScriptImplementation . . . . .	936
org.web3d.x3d.sai.X3DScriptNode . . . . .	936
org.web3d.x3d.sai.X3DSensorNode . . . . .	937
org.web3d.x3d.sai.X3DSequencerNode . . . . .	937
org.web3d.x3d.sai.X3DShapeNode . . . . .	938
org.web3d.x3d.sai.X3DSoundNode . . . . .	938
org.web3d.x3d.sai.X3DSoundSourceNode . . . . .	939
org.web3d.x3d.sai.X3DTextNode . . . . .	939
org.web3d.x3d.sai.X3DTexture2DNode . . . . .	940
org.web3d.x3d.sai.X3DTextureCoordinateNode . . . . .	940
org.web3d.x3d.sai.X3DTextureNode . . . . .	941
org.web3d.x3d.sai.X3DTextureTransform2DNode . . . . .	942
org.web3d.x3d.sai.X3DTextureTransformNode . . . . .	942
org.web3d.x3d.sai.X3DTimeDependentNode . . . . .	943
org.web3d.x3d.sai.X3DTouchSensorNode . . . . .	944
org.web3d.x3d.sai.X3DTriggerNode . . . . .	944
org.web3d.x3d.sai.X3DUrlObject . . . . .	945
xml_user_data . . . . .	945
XY . . . . .	946
zip64_internal . . . . .	946
zip_fileinfo . . . . .	947
zlib_filefunc64_32_def_s . . . . .	947
zlib_filefunc64_def_s . . . . .	947
zlib_filefunc_def_s . . . . .	948
zone . . . . .	948

## Chapter 4

# Data Structure Documentation

### 4.1 `_AnyNative` Struct Reference

#### Data Fields

- `int type`
- `int gc`
- `int * valueChanged`
- `union anyVrml * v`

#### 4.1.1 Detailed Description

Definition at line 45 of file `jsNative.h`.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/jsNative.h`

### 4.2 `_Atlas` Struct Reference

#### Data Fields

- `char * name`
- `int type`
- `unsigned char * texture`
- `int bytesperpixel`
- `ivec2 size`
- `int rowheight`
- `ivec2 pen`

### 4.2.1 Detailed Description

Definition at line 2264 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.3 \_AtlasEntry Struct Reference

### Data Fields

- char \* **name**
- int **type**
- ivec2 **apos**
- ivec2 **size**
- int **ichar**
- ivec2 **pos**
- ivec2 **advance**

### 4.3.1 Detailed Description

Definition at line 2243 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.4 \_AtlasFont Struct Reference

### Data Fields

- char \* **name**
- int **type**
- char \* **path**
- FT\_Face **fontFace**
- int **EMsize**
- **AtlasEntrySet** \* **set**

### 4.4.1 Detailed Description

Definition at line 2287 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.5 `_BrowserNative` Struct Reference

### Data Fields

- `int dummyEntry`

### 4.5.1 Detailed Description

Definition at line 39 of file `jsNative.h`.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/jsNative.h`

## 4.6 `_BUTitem` Struct Reference

### Data Fields

- `unsigned char * B`
- `BUTitem * prev`
- `BUTitem * next`

### 4.6.1 Detailed Description

Definition at line 816 of file `MainLoop.c`.

The documentation for this struct was generated from the following file:

- `src/lib/main/MainLoop.c`

## 4.7 `_cd_list_t` Struct Reference

### Data Fields

- `void * elem`
- `struct _cd_list_t * next`
- `struct _cd_list_t * prev`

### 4.7.1 Detailed Description

Definition at line 85 of file `list.h`.

The documentation for this struct was generated from the following file:

- `src/lib/list.h`

## 4.8 `_contenttype` Struct Reference

### Data Fields

- `tcontenttype t1`

### 4.8.1 Detailed Description

Definition at line 458 of file `MainLoop.c`.

The documentation for this struct was generated from the following file:

- `src/lib/main/MainLoop.c`

## 4.9 `_CRnodeStruct` Struct Reference

### Data Fields

- struct `X3D_Node` \* `routeToNode`
- int `foffset`

### 4.9.1 Detailed Description

Definition at line 38 of file `CRoutes.h`.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/CRoutes.h`

## 4.10 `_FW_PluginInstance` Struct Reference

### Data Fields

- int `interfaceFile` [2]
- Display \* `display`
- int32 `x`
- int32 `y`
- uint32 `width`
- uint32 `height`
- Window `mozwindow`
- Window `fwwindow`
- pid\_t `childPID`
- char \* `fName`
- int `freewrl_running`
- int `interfacePipe` [2]
- char \* `cacheFileName`
- int `cacheFileNameLen`
- FILE \* `logFile`
- char \* `logFileName`



### 4.10.1 Detailed Description

Definition at line 96 of file `plugin_main.c`.

The documentation for this struct was generated from the following file:

- `src/plugin/plugin_main.c`

## 4.11 `_geosys` Struct Reference

### Data Fields

- int `spatial_system`
- int `ellipsoid`
- int `xm_zone`
- int `xm_northing_first`
- int `utm_northern_hemisphere`
- int `gd_latitude_first`
- int `geoid_height`
- int `gd_degrees`
- int `relativeHeight`

### 4.11.1 Detailed Description

Definition at line 301 of file `Component_Geospatial.c`.

The documentation for this struct was generated from the following file:

- `src/lib/scenegraph/Component_Geospatial.c`

## 4.12 `_GLwDrawingAreaClassPart` Struct Reference

### Data Fields

- `caddr_t` `extension`

### 4.12.1 Detailed Description

Definition at line 49 of file `GLwDrawAP.h`.

The documentation for this struct was generated from the following file:

- `src/lib/ui/GLwDrawAP.h`

## 4.13 **\_GLwDrawingAreaClassRec** Struct Reference

### Data Fields

- CoreClassPart **core\_class**
- **GLwDrawingAreaClassPart** glwDrawingArea\_class

#### 4.13.1 Detailed Description

Definition at line 68 of file GLwDrawAP.h.

The documentation for this struct was generated from the following file:

- src/lib/ui/GLwDrawAP.h

## 4.14 **\_GLwDrawingAreaRec** Struct Reference

### Data Fields

- CorePart **core**
- **GLwDrawingAreaPart** glwDrawingArea

#### 4.14.1 Detailed Description

Definition at line 123 of file GLwDrawAP.h.

The documentation for this struct was generated from the following file:

- src/lib/ui/GLwDrawAP.h

## 4.15 **\_GUIElement** Struct Reference

### Data Fields

- char \* **name**
- GUIElementType **type**
- void \* **userData**

#### 4.15.1 Detailed Description

Definition at line 2301 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.16 `_intX3D_MFBool` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFBool * p`

#### 4.16.1 Detailed Description

Definition at line 81 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.17 `_intX3D_MFColor` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFColor * p`

#### 4.17.1 Detailed Description

Definition at line 72 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.18 `_intX3D_MFColorRGBA` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFColorRGBA * p`

#### 4.18.1 Detailed Description

Definition at line 73 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.19 `_intX3D_MFFloat` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFFloat * p`

### 4.19.1 Detailed Description

Definition at line 74 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.20 `_intX3D_MFImage` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFImage * p`

### 4.20.1 Detailed Description

Definition at line 85 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.21 `_intX3D_MFInt32` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFInt32 * p`

### 4.21.1 Detailed Description

Definition at line 82 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.22 `_intX3D_MFNode` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFNode * p`

#### 4.22.1 Detailed Description

Definition at line 83 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.23 `_intX3D_MFRotation` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFRotation * p`

#### 4.23.1 Detailed Description

Definition at line 76 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.24 `_intX3D_MFString` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFString * p`

#### 4.24.1 Detailed Description

Definition at line 84 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.25 `_intX3D_MFTime` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFTime * p`

### 4.25.1 Detailed Description

Definition at line 75 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.26 `_intX3D_MFVec2d` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFVec2d * p`

### 4.26.1 Detailed Description

Definition at line 78 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.27 `_intX3D_MFVec2f` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFVec2f * p`

### 4.27.1 Detailed Description

Definition at line 80 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.28 `_intX3D_MFVec3d` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFVec3d * p`

### 4.28.1 Detailed Description

Definition at line 77 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.29 `_intX3D_MFVec3f` Struct Reference

### Data Fields

- `int type`
- `int n`
- `_intX3D_SFVec3f * p`

### 4.29.1 Detailed Description

Definition at line 79 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.30 `_intX3D_SFBool` Struct Reference

### Data Fields

- `int type`
- `int value`

### 4.30.1 Detailed Description

Definition at line 57 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.31 `_intX3D_SFColor` Struct Reference

### Data Fields

- `int type`
- `float c [3]`

#### 4.31.1 Detailed Description

Definition at line 65 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.32 `_intX3D_SFColorRGBA` Struct Reference

### Data Fields

- `int type`
- `float r [4]`

#### 4.32.1 Detailed Description

Definition at line 68 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.33 `_intX3D_SFFloat` Struct Reference

### Data Fields

- `int type`
- `float value`

#### 4.33.1 Detailed Description

Definition at line 58 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`



## 4.34 \_intX3D\_SFImage Struct Reference

### Data Fields

- int **type**
- int **len**
- char \* **strptr**

#### 4.34.1 Detailed Description

Definition at line 70 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- src/libeai/X3DNode.h

## 4.35 \_intX3D\_SFInt32 Struct Reference

### Data Fields

- int **type**
- int **value**

#### 4.35.1 Detailed Description

Definition at line 60 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- src/libeai/X3DNode.h

## 4.36 \_intX3D\_SFNode Struct Reference

### Data Fields

- int **type**
- int **adr**

#### 4.36.1 Detailed Description

Definition at line 61 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- src/libeai/X3DNode.h

## 4.37 `_intX3D_SFRotation` Struct Reference

### Data Fields

- `int type`
- `float r [4]`

#### 4.37.1 Detailed Description

Definition at line 62 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.38 `_intX3D_SFString` Struct Reference

### Data Fields

- `int type`
- `int len`
- `char * strptr`

#### 4.38.1 Detailed Description

Definition at line 69 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.39 `_intX3D_SFTIME` Struct Reference

### Data Fields

- `int type`
- `double value`

#### 4.39.1 Detailed Description

Definition at line 59 of file X3DNode.h.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.40 `_intX3D_SFVec2d` Struct Reference

### Data Fields

- `int type`
- `double c` [2]

#### 4.40.1 Detailed Description

Definition at line 64 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.41 `_intX3D_SFVec2f` Struct Reference

### Data Fields

- `int type`
- `float c` [2]

#### 4.41.1 Detailed Description

Definition at line 63 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.42 `_intX3D_SFVec3d` Struct Reference

### Data Fields

- `int type`
- `double c` [3]

#### 4.42.1 Detailed Description

Definition at line 67 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.43 `_intX3D_SFVec3f` Struct Reference

### Data Fields

- `int type`
- `float c [3]`

### 4.43.1 Detailed Description

Definition at line 66 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.44 `_intX3DEventIn` Struct Reference

### Data Fields

- `int nodeptr`
- `int offset`
- `int datatype`
- `int datasize`
- `int scripttype`
- `char * field`

### 4.44.1 Detailed Description

Definition at line 133 of file `X3DNode.h`.

The documentation for this struct was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.45 `_NPByteRange` Struct Reference

### Data Fields

- `int32_t offset`
- `uint32_t length`
- `struct _NPByteRange * next`

### 4.45.1 Detailed Description

Definition at line 176 of file npapi.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npapi.h

## 4.46 **\_NPEmbedPrint Struct Reference**

### Data Fields

- **NPWindow window**
- void \* **platformPrint**

### 4.46.1 Detailed Description

Definition at line 441 of file npapi.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npapi.h

## 4.47 **\_NPFullPrint Struct Reference**

### Data Fields

- NPBool **pluginPrinted**
- NPBool **printOne**
- void \* **platformPrint**

### 4.47.1 Detailed Description

Definition at line 433 of file npapi.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npapi.h

## 4.48 \_NPImageExpose Struct Reference

### Data Fields

- char \* **data**
- int32\_t **stride**
- int32\_t **depth**
- int32\_t **x**
- int32\_t **y**
- uint32\_t **width**
- uint32\_t **height**
- **NPSize dataSize**
- float **translateX**
- float **translateY**
- float **scaleX**
- float **scaleY**

### 4.48.1 Detailed Description

Definition at line 417 of file npapi.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npapi.h

## 4.49 \_NPNetscapeFuncs Struct Reference

### Data Fields

- uint16\_t **size**
- uint16\_t **version**
- NPN\_GetURLProcPtr **geturl**
- NPN\_PostURLProcPtr **posturl**
- NPN\_RequestReadProcPtr **requestread**
- NPN\_NewStreamProcPtr **newstream**
- NPN\_WriteProcPtr **write**
- NPN\_DestroyStreamProcPtr **destroystream**
- NPN\_StatusProcPtr **status**
- NPN\_UserAgentProcPtr **uagent**
- NPN\_MemAllocProcPtr **memalloc**
- NPN\_MemFreeProcPtr **memfree**
- NPN\_MemFlushProcPtr **memflush**
- NPN\_ReloadPluginsProcPtr **reloadplugins**
- NPN\_GetJavaEnvProcPtr **getJavaEnv**
- NPN\_GetJavaPeerProcPtr **getJavaPeer**
- NPN\_GetURLNotifyProcPtr **geturlnotify**
- NPN\_PostURLNotifyProcPtr **posturlnotify**
- NPN\_GetValueProcPtr **getvalue**
- NPN\_SetValueProcPtr **setvalue**
- NPN\_InvalidateRectProcPtr **invalidaterect**

- NPN\_InvalidateRegionProcPtr **invalidateregion**
- NPN\_ForceRedrawProcPtr **forcedredraw**
- NPN\_GetStringIdentifierProcPtr **getstringidentifier**
- NPN\_GetStringIdentifiersProcPtr **getstringidentifiers**
- NPN\_GetIntIdentifierProcPtr **getintidentifier**
- NPN\_IdentifierIsStringProcPtr **identifierisstring**
- NPN\_UTF8FromIdentifierProcPtr **utf8fromidentifier**
- NPN\_IntFromIdentifierProcPtr **intfromidentifier**
- NPN\_CreateObjectProcPtr **createobject**
- NPN\_RetainObjectProcPtr **retainobject**
- NPN\_ReleaseObjectProcPtr **releaseobject**
- NPN\_InvokeProcPtr **invoke**
- NPN\_InvokeDefaultProcPtr **invokeDefault**
- NPN\_EvaluateProcPtr **evaluate**
- NPN\_GetPropertyProcPtr **getproperty**
- NPN\_SetPropertyProcPtr **setproperty**
- NPN\_RemovePropertyProcPtr **removeproperty**
- NPN\_HasPropertyProcPtr **hasproperty**
- NPN\_HasMethodProcPtr **hasmethod**
- NPN\_ReleaseVariantValueProcPtr **releasevariantvalue**
- NPN\_SetExceptionProcPtr **setexception**
- NPN\_PushPopupsEnabledStateProcPtr **pushpopupsenabledstate**
- NPN\_PopPopupsEnabledStateProcPtr **poppopupsenabledstate**
- NPN\_EnumerateProcPtr **enumerate**
- NPN\_PluginThreadAsyncCallProcPtr **pluginthreadasynccall**
- NPN\_ConstructProcPtr **construct**
- NPN\_GetValueForURLPtr **getvalueforurl**
- NPN\_SetValueForURLPtr **setvalueforurl**
- NPN\_GetAuthenticationInfoPtr **getauthenticationinfo**

#### 4.49.1 Detailed Description

Definition at line 139 of file npfunctions.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npfunctions.h

## 4.50 **\_NPP Struct Reference**

### Data Fields

- void \* **pdata**
- void \* **ndata**

#### 4.50.1 Detailed Description

Definition at line 148 of file npapi.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npapi.h

## 4.51 `_NPPluginFuncs` Struct Reference

### Data Fields

- `uint16_t` **size**
- `uint16_t` **version**
- `NPP_NewProcPtr` **newp**
- `NPP_DestroyProcPtr` **destroy**
- `NPP_SetWindowProcPtr` **setwindow**
- `NPP_NewStreamProcPtr` **newstream**
- `NPP_DestroyStreamProcPtr` **destroystream**
- `NPP_StreamAsFileProcPtr` **asfile**
- `NPP_WriteReadyProcPtr` **writeready**
- `NPP_WriteProcPtr` **write**
- `NPP_PrintProcPtr` **print**
- `NPP_HandleEventProcPtr` **event**
- `NPP_URLNotifyProcPtr` **urlnotify**
- `void *` **javaClass**
- `NPP_GetValueProcPtr` **getvalue**
- `NPP_SetValueProcPtr` **setvalue**

### 4.51.1 Detailed Description

Definition at line 120 of file `npfunctions.h`.

The documentation for this struct was generated from the following file:

- `src/plugin_win32/include/npfunctions.h`

## 4.52 `_NPPrint` Struct Reference

### Data Fields

- `uint16_t` **mode**
- - union {
    - `NPFullPrint` **fullPrint**
    - `NPEmbedPrint` **embedPrint**
  - } **print**

### 4.52.1 Detailed Description

Definition at line 447 of file `npapi.h`.

The documentation for this struct was generated from the following file:

- `src/plugin_win32/include/npapi.h`



## 4.53 **\_NRect Struct Reference**

### Data Fields

- `uint16_t top`
- `uint16_t left`
- `uint16_t bottom`
- `uint16_t right`

#### 4.53.1 Detailed Description

Definition at line 189 of file `npapi.h`.

The documentation for this struct was generated from the following file:

- `src/plugin_win32/include/npapi.h`

## 4.54 **\_NPSavedData Struct Reference**

### Data Fields

- `int32_t len`
- `void * buf`

#### 4.54.1 Detailed Description

Definition at line 183 of file `npapi.h`.

The documentation for this struct was generated from the following file:

- `src/plugin_win32/include/npapi.h`

## 4.55 **\_NPSize Struct Reference**

### Data Fields

- `int32_t width`
- `int32_t height`

#### 4.55.1 Detailed Description

Definition at line 197 of file `npapi.h`.

The documentation for this struct was generated from the following file:

- `src/plugin_win32/include/npapi.h`

## 4.56 `_NPStream` Struct Reference

### Data Fields

- void \* **pdata**
- void \* **ndata**
- const char \* **url**
- uint32\_t **end**
- uint32\_t **lastmodified**
- void \* **notifyData**
- const char \* **headers**

### 4.56.1 Detailed Description

Definition at line 156 of file npapi.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npapi.h

## 4.57 `_NPString` Struct Reference

### Data Fields

- const NPUTF8 \* **UTF8Characters**
- uint32\_t **UTF8Length**

### 4.57.1 Detailed Description

Definition at line 117 of file npruntime.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npruntime.h

## 4.58 `_NPVariant` Struct Reference

### Data Fields

- NPVariantType **type**
- union {  
    bool **boolValue**  
    int32\_t **intValue**  
    double **doubleValue**  
    NPString **stringValue**  
    NPObject \* **objectValue**  
} **value**

### 4.58.1 Detailed Description

Definition at line 132 of file npruntime.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npruntime.h

## 4.59 \_NPWindow Struct Reference

### Data Fields

- void \* **window**
- int32\_t **x**
- int32\_t **y**
- uint32\_t **width**
- uint32\_t **height**
- **NPRect clipRect**
- NPWindowType **type**

### 4.59.1 Detailed Description

Definition at line 400 of file npapi.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npapi.h

## 4.60 \_s\_list\_t Struct Reference

### Data Fields

- void \* **elem**
- struct \_s\_list\_t \* **next**

### 4.60.1 Detailed Description

Definition at line 37 of file list.h.

The documentation for this struct was generated from the following file:

- src/lib/list.h

## 4.61 freeWRLSAI\_cpp::\_SAIParameter Class Reference

### Data Fields

- void \* **interactor**

### 4.61.1 Detailed Description

Definition at line 31 of file SAIGlobals.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAIGlobals.h

## 4.62 \_SFColorNative Struct Reference

### Data Fields

- int **valueChanged**
- struct **SFColor v**

### 4.62.1 Detailed Description

Definition at line 83 of file jsNative.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/jsNative.h

## 4.63 \_SFColorRGBANative Struct Reference

### Data Fields

- int **valueChanged**
- struct **SFColorRGBA v**

### 4.63.1 Detailed Description

Definition at line 88 of file jsNative.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/jsNative.h

## 4.64 \_SfImageNative Struct Reference

### Data Fields

- int **valueChanged**

#### 4.64.1 Detailed Description

Definition at line 79 of file jsNative.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/jsNative.h

## 4.65 \_SfNodeNative Struct Reference

### Data Fields

- int **valueChanged**
- struct **X3D\_Node** \* **handle**
- char \* **X3DString**
- int **fieldsExpanded**

#### 4.65.1 Detailed Description

Definition at line 52 of file jsNative.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/jsNative.h

## 4.66 \_SfRotationNative Struct Reference

### Data Fields

- int **valueChanged**
- struct **SfRotation** v

#### 4.66.1 Detailed Description

Definition at line 59 of file jsNative.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/jsNative.h

## 4.67 **\_SFVec2fNative Struct Reference**

### Data Fields

- int **valueChanged**
- struct **SFVec2f v**

### 4.67.1 Detailed Description

Definition at line 64 of file jsNative.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/jsNative.h

## 4.68 **\_SFVec3dNative Struct Reference**

### Data Fields

- int **valueChanged**
- struct **SFVec3d v**

### 4.68.1 Detailed Description

Definition at line 74 of file jsNative.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/jsNative.h

## 4.69 **\_SFVec3fNative Struct Reference**

### Data Fields

- int **valueChanged**
- struct **SFColor v**

### 4.69.1 Detailed Description

Definition at line 69 of file jsNative.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/jsNative.h

## 4.70 `_SFVec4dNative` Struct Reference

### Data Fields

- int **valueChanged**
- struct **SFVec4d** **v**

#### 4.70.1 Detailed Description

Definition at line 98 of file `jsNative.h`.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/jsNative.h`

## 4.71 `_SFVec4fNative` Struct Reference

### Data Fields

- int **valueChanged**
- struct **SFVec4f** **v**

#### 4.71.1 Detailed Description

Definition at line 93 of file `jsNative.h`.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/jsNative.h`

## 4.72 `_urlRequest` Struct Reference

### Data Fields

- char **url** [FILENAME\_MAX]
- void \* **instance**
- unsigned int **notifyCode**

#### 4.72.1 Detailed Description

Definition at line 57 of file `pluginUtils.h`.

The documentation for this struct was generated from the following files:

- `src/lib/plugin/pluginUtils.h`
- `src/plugin/plugin_utils.h`

## 4.73 `_X3DNode` Union Reference

### Data Fields

- `int type`
- `_intX3D_MFBool X3D_MFBool`
- `_intX3D_SFBool X3D_SFBool`
- `_intX3D_SFFloat X3D_SFFloat`
- `_intX3D_SFTime X3D_SFTime`
- `_intX3D_SFInt32 X3D_SFInt32`
- `_intX3D_MFColor X3D_MFColor`
- `_intX3D_MFColorRGBA X3D_MFColorRGBA`
- `_intX3D_SFString X3D_SFString`
- `_intX3D_SFNode X3D_SFNode`
- `_intX3D_SFRotation X3D_SFRotation`
- `_intX3D_SFVec2f X3D_SFVec2f`
- `_intX3D_SFVec2d X3D_SFVec2d`
- `_intX3D_SFColor X3D_SFColor`
- `_intX3D_SFColor X3D_SFVec3f`
- `_intX3D_SFVec3d X3D_SFVec3d`
- `_intX3D_SFColorRGBA X3D_SFColorRGBA`
- `_intX3D_MFFloat X3D_MFFloat`
- `_intX3D_MFTime X3D_MFTime`
- `_intX3D_MFInt32 X3D_MFInt32`
- `_intX3D_MFString X3D_MFString`
- `_intX3D_MFNode X3D_MFNode`
- `_intX3D_MFRotation X3D_MFRotation`
- `_intX3D_MFVec2f X3D_MFVec2f`
- `_intX3D_MFVec3f X3D_MFVec3f`
- `_intX3D_MFImage X3D_MFImage`
- `_intX3D_MFVec3d X3D_MFVec3d`

### 4.73.1 Detailed Description

Definition at line 87 of file `X3DNode.h`.

The documentation for this union was generated from the following file:

- `src/libeai/X3DNode.h`

## 4.74 `AcknowledgePdu` Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** `mySimulationManagementFamilyPdu`
- unsigned short **acknowledgeFlag**  
*type of message being acknowledged*
- unsigned short **responseFlag**  
*Whether or not the receiving entity was able to comply with the request.*
- unsigned int **requestID**  
*Request ID that is unique.*



### 4.74.1 Detailed Description

Definition at line 1044 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.75 AcknowledgeReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** mySimulationManagementWithReliability↔  
**FamilyPdu**
- unsigned short **acknowledgeFlag**  
*ack flags*
- unsigned short **responseFlag**  
*response flags*
- unsigned int **requestID**  
*Request ID.*

### 4.75.1 Detailed Description

Definition at line 1502 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.76 AcousticBeamData Struct Reference

### Data Fields

- unsigned short **beamDataLength**  
*beam data length*
- unsigned char **beamIDNumber**  
*beamIDNumber*
- unsigned short **pad2**  
*padding*
- struct **AcousticBeamFundamentalParameter** fundamentalDataParameters  
*fundamental data parameters*

### 4.76.1 Detailed Description

Definition at line 885 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.77 AcousticBeamFundamentalParameter Struct Reference

### Data Fields

- unsigned short **activeEmissionParameterIndex**  
*parameter index*
- unsigned short **scanPattern**  
*scan pattern*
- float **beamCenterAzimuth**  
*beam center azimuth*
- float **azimuthalBeamwidth**  
*azimuthal beamwidth*
- float **beamCenterDE**  
*beam center*
- float **deBeamwidth**  
*DE beamwidth (vertical beamwidth)*

### 4.77.1 Detailed Description

Definition at line 462 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.78 AcousticEmitter Struct Reference

### Data Fields

- unsigned short **acousticName**  
*the system for a particular UA emitter, and an enumeration*
- unsigned char **function**  
*The function of the acoustic system.*
- unsigned char **acousticIdNumber**  
*The UA emitter identification number relative to a specific system.*

### 4.78.1 Detailed Description

Definition at line 543 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.79 AcousticEmitterSystem Struct Reference

### Data Fields

- unsigned short **acousticName**  
*This field shall specify the system for a particular UA emitter.*
- unsigned char **acousticFunction**  
*This field shall describe the function of the acoustic system.*
- unsigned char **acousticID**  
*This field shall specify the UA emitter identification number relative to a specific system.*

### 4.79.1 Detailed Description

Definition at line 193 of file DIS.h.

### 4.79.2 Field Documentation

#### 4.79.2.1 acousticFunction

```
unsigned char AcousticEmitterSystem::acousticFunction
```

This field shall describe the function of the acoustic system.

Definition at line 197 of file DIS.h.

#### 4.79.2.2 acousticID

```
unsigned char AcousticEmitterSystem::acousticID
```

This field shall specify the UA emitter identification number relative to a specific system.

This field shall be represented by an 8-bit unsigned integer. This field allows the differentiation of multiple systems on an entity, even if in some instances two or more of the systems may be identical UA emitter types. Numbering of systems shall begin with the value 1.

Definition at line 199 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.80 AcousticEmitterSystemData Struct Reference

### Data Fields

- unsigned char **emitterSystemDataLength**  
*Length of emitter system data.*
- unsigned char **numberOfBeams**  
*Number of beams.*
- unsigned short **pad2**  
*padding*
- struct **AcousticEmitterSystem** **acousticEmitterSystem**  
*This field shall specify the system for a particular UA emitter.*
- struct **Vector3Float** **emitterLocation**  
*Represents the location wrt the entity.*
- void \* **beamRecords**  
*For each beam in numberOfBeams, an emitter system.*

#### 4.80.1 Detailed Description

Definition at line 767 of file DIS.h.

#### 4.80.2 Field Documentation

#### 4.80.2.1 beamRecords

```
void* AcousticEmitterSystemData::beamRecords
```

For each beam in numberOfBeams, an emitter system.

This is not right—the beam records need to be at the end of the PDU, rather than attached to each system.

Definition at line 779 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.81 ActionRequestPdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** mySimulationManagementFamilyPdu
- unsigned int **requestID**  
*Request ID that is unique.*
- unsigned int **actionID**  
*identifies the action being requested*
- unsigned int **numberOfFixedDatumRecords**  
*Number of fixed datum records.*
- unsigned int **numberOfVariableDatumRecords**  
*Number of variable datum records.*
- void \* **fixedDatums**  
*variable length list of fixed datums*
- void \* **variableDatums**  
*variable length list of variable length datums*

#### 4.81.1 Detailed Description

Definition at line 1019 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.82 ActionRequestReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** **mySimulationManagementWithReliabilityFamilyPdu**
- unsigned char **requiredReliabilityService**  
*level of reliability service used for this transaction*
- unsigned short **pad1**  
*padding*
- unsigned char **pad2**  
*padding*
- unsigned int **requestID**  
*request ID*
- unsigned int **actionID**  
*request ID*
- unsigned int **numberOfFixedDatumRecords**  
*Fixed datum record count.*
- unsigned int **numberOfVariableDatumRecords**  
*variable datum record count*
- void \* **fixedDatumRecords**  
*Fixed datum records.*
- void \* **variableDatumRecords**  
*Variable datum records.*

### 4.82.1 Detailed Description

Definition at line 1086 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.83 ActionResponsePdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** **mySimulationManagementFamilyPdu**
- unsigned int **requestID**  
*Request ID that is unique.*
- unsigned int **requestStatus**  
*Status of response.*
- unsigned int **numberOfFixedDatumRecords**  
*Number of fixed datum records.*
- unsigned int **numberOfVariableDatumRecords**  
*Number of variable datum records.*
- void \* **fixedDatums**  
*variable length list of fixed datums*
- void \* **variableDatums**  
*variable length list of variable length datums*

### 4.83.1 Detailed Description

Definition at line 1819 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.84 ActionResponseReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** mySimulationManagementWithReliability↔  
**FamilyPdu**
- unsigned int **requestID**  
*request ID*
- unsigned int **responseStatus**  
*status of response*
- unsigned int **numberOfFixedDatumRecords**  
*Fixed datum record count.*
- unsigned int **numberOfVariableDatumRecords**  
*variable datum record count*
- void \* **fixedDatumRecords**  
*Fixed datum records.*
- void \* **variableDatumRecords**  
*Variable datum records.*

### 4.84.1 Detailed Description

Definition at line 2074 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.85 ActiveRegion Struct Reference

### Data Fields

- GLUhalfEdge \* **eUp**
- DictNode \* **nodeUp**
- int **windingNumber**
- GLboolean **inside**
- GLboolean **sentinel**
- GLboolean **dirty**
- GLboolean **fixUpperEdge**

### 4.85.1 Detailed Description

Definition at line 59 of file sweep.h.

The documentation for this struct was generated from the following file:

- src/libtess/sweep.h

## 4.86 AggregateID Struct Reference

### Data Fields

- unsigned short **site**  
*The site ID.*
- unsigned short **application**  
*The application ID.*
- unsigned short **aggregateID**  
*the aggregate ID*

### 4.86.1 Detailed Description

Definition at line 296 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.87 AggregateMarking Struct Reference

### Data Fields

- unsigned char **characterSet**  
*The character set.*
- char **characters** [31]  
*The characters.*

### 4.87.1 Detailed Description

Definition at line 563 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h



## 4.88 AggregateStatePdu Struct Reference

### Data Fields

- struct **EntityManagementFamilyPdu** **myEntityManagementFamilyPdu**
- struct **EntityID** **aggregateID**  
*ID of aggregated entities.*
- unsigned char **forceID**  
*force ID*
- unsigned char **aggregateState**  
*state of aggregate*
- struct **EntityType** **aggregateType**  
*entity type of the aggregated entities*
- unsigned int **formation**  
*formation of aggregated entities*
- struct **AggregateMarking** **aggregateMarking**  
*marking for aggregate; first char is charset type, rest is char data*
- struct **Vector3Float** **dimensions**  
*dimensions of bounding box for the aggregated entities, origin at the center of mass*
- struct **Orientation** **orientation**  
*orientation of the bounding box*
- struct **Vector3Double** **centerOfMass**  
*center of mass of the aggregation*
- struct **Vector3Float** **velocity**  
*velocity of aggregation*
- unsigned short **numberOfDisAggregates**  
*number of aggregates*
- unsigned short **numberOfDisEntities**  
*number of entities*
- unsigned short **numberOfSilentAggregateTypes**  
*number of silent aggregate types*
- unsigned short **numberOfSilentEntityTypes**  
*number of silent entity types*
- void \* **aggregateIDList**  
*aggregates list*
- void \* **entityIDList**  
*entity ID list*
- unsigned char **pad2**  
*^^^padding to put the start of the next list on a 32 bit boundary.*
- void \* **silentAggregateSystemList**  
*silent entity types*
- void \* **silentEntitySystemList**  
*silent entity types*
- unsigned int **numberOfVariableDatumRecords**  
*number of variable datum records*
- void \* **variableDatumList**  
*variableDatums*

### 4.88.1 Detailed Description

Definition at line 1593 of file DIS.h.

## 4.88.2 Field Documentation

### 4.88.2.1 pad2

```
unsigned char AggregateStatePdu::pad2
```

^^^padding to put the start of the next list on a 32 bit boundary.

This needs to be fixed

Definition at line 1628 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.89 AggregateType Struct Reference

### Data Fields

- unsigned char **aggregateKind**  
*Kind of entity.*
- unsigned char **domain**  
*Domain of entity (air, surface, subsurface, space, etc)*
- unsigned short **country**  
*country to which the design of the entity is attributed*
- unsigned char **category**  
*category of entity*
- unsigned char **subcategory**  
*subcategory of entity*
- unsigned char **specific**  
*specific info based on subcategory field*
- unsigned char **extra**

### 4.89.1 Detailed Description

Definition at line 382 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.90 AngularVelocityVector Struct Reference

### Data Fields

- float **x**  
*velocity about the x axis*
- float **y**  
*velocity about the y axis*
- float **z**  
*velocity about the z axis*

### 4.90.1 Detailed Description

Definition at line 553 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.91 AntennaLocation Struct Reference

### Data Fields

- struct **Vector3Double** **antennaLocation**  
*Location of the radiating portion of the antenna in world coordinates.*
- struct **Vector3Float** **relativeAntennaLocation**  
*Location of the radiating portion of the antenna in entity coordinates.*

### 4.91.1 Detailed Description

Definition at line 807 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.92 anyVrml Union Reference

### Data Fields

- int **nothing**

### 4.92.1 Detailed Description

Definition at line 55 of file CParseGeneral.h.

The documentation for this union was generated from the following files:

- src/lib/vrml\_parser/CParseGeneral.h
- src/lib/world\_script/JScript\_stub.c

## 4.93 ApaData Struct Reference

### Data Fields

- unsigned short **parameterIndex**  
*Index of APA parameter.*
- short **parameterValue**  
*Index of APA parameter.*

### 4.93.1 Detailed Description


Definition at line 519 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.94 Arc Class Reference

Inheritance diagram for Arc:



## Public Member Functions

- **Arc** ( **Arc** \*, **PwlArc** \*)
- **Arc** (arc\_side, long)
- Arc\_ptr **append** (Arc\_ptr)
- int **check** (void)
- int **isMonotone** (void)
- int **isDisconnected** (void)
- int **numpts** (void)
- void **markverts** (void)
- void **getextrema** (Arc\_ptr[4])
- void **print** (void)
- void **show** (void)
- void **makeSide** ( **PwlArc** \*, arc\_side)
- int **isTessellated** ()
- long **isbezier** ()
- void **setbezier** ()
- void **clearbezier** ()
- long **npts** ()
- **TrimVertex** \* **pts** ()
- REAL \* **tail** ()
- REAL \* **head** ()
- REAL \* **rhead** ()
- long **ismarked** ()
- void **setmark** ()
- void **clearmark** ()
- void **clearside** ()
- void **setside** (arc\_side s)
- arc\_side **getside** ()
- int **getitail** ()
- void **setitail** ()
- void **clearitail** ()

## Data Fields

- Arc\_ptr **prev**
- Arc\_ptr **next**
- Arc\_ptr **link**
- **BezierArc** \* **bezierArc**
- **PwlArc** \* **pwlArc**
- long **type**
- long **nuid**

## Static Public Attributes

- static const int **bezier\_tag** = (1<<13)
- static const int **arc\_tag** = (1<<3)
- static const int **tail\_tag** = (1<<6)

### 4.94.1 Detailed Description

Definition at line 55 of file arc.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/arc.h
- src/libnurbs/internals/arc.cc

## 4.95 ArcSdirSorter Class Reference

Inheritance diagram for ArcSdirSorter:



### Public Member Functions

- ArcSdirSorter ( Subdivider &)

### Additional Inherited Members

### 4.95.1 Detailed Description

Definition at line 58 of file arcsorter.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/arcsorter.h
- src/libnurbs/internals/arcsorter.cc

## 4.96 ArcSorter Class Reference

Inheritance diagram for ArcSorter:



## Public Member Functions

- **ArcSorter** ( **Subdivider** &)
- void **qsort** ( **Arc** \*\*a, int n)

## Protected Member Functions

- virtual int **qscmp** (char \*, char \*)

## Protected Attributes

- **Subdivider** & **subdivider**

### 4.96.1 Detailed Description

Definition at line 45 of file arcsorter.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/arcsorter.h
- src/libnurbs/internals/arcsorter.cc

## 4.97 ArcTdirSorter Class Reference

Inheritance diagram for ArcTdirSorter:



## Public Member Functions

- **ArcTdirSorter** ( **Subdivider** &)

## Additional Inherited Members

### 4.97.1 Detailed Description

Definition at line 66 of file arcsorter.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/arcsorter.h
- src/libnurbs/internals/arcsorter.cc

## 4.98 ArcTessellator Class Reference

### Public Member Functions

- **ArcTessellator** ( **TrimVertexPool** &, **Pool** &)
- void **bezier** (Arc\_ptr, REAL, REAL, REAL, REAL)
- void **pwl** (Arc\_ptr, REAL, REAL, REAL, REAL, REAL)
- void **pwl\_left** (Arc\_ptr, REAL, REAL, REAL, REAL)
- void **pwl\_right** (Arc\_ptr, REAL, REAL, REAL, REAL)
- void **pwl\_top** (Arc\_ptr, REAL, REAL, REAL, REAL)
- void **pwl\_bottom** (Arc\_ptr, REAL, REAL, REAL, REAL)
- void **tessellateLinear** (Arc\_ptr, REAL, REAL, int)
- void **tessellateNonlinear** (Arc\_ptr, REAL, REAL, int)

### 4.98.1 Detailed Description

Definition at line 47 of file arctess.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/arctess.h
- src/libnurbs/internals/arctess.cc

## 4.99 ArealObjectStatePdu Struct Reference

### Data Fields

- struct **SyntheticEnvironmentFamilyPdu** **mySyntheticEnvironmentFamilyPdu**
- struct **EntityID** **objectID**  
*Object in synthetic environment.*
- struct **EntityID** **referencedObjectID**  
*Object with which this point object is associated.*
- unsigned short **updateNumber**  
*unique update number of each state transition of an object*
- unsigned char **forceID**  
*force ID*
- unsigned char **modifications**  
*modifications enumeration*
- struct **EntityType** **objectType**  
*Object type.*
- struct **SixByteChunk** **objectAppearance**  
*Object appearance.*
- unsigned short **numberOfPoints**  
*Number of points.*
- struct **SimulationAddress** **requesterID**  
*requesterID*
- struct **SimulationAddress** **receivingID**  
*receiver ID*
- void \* **objectLocation**  
*location of object*



### 4.99.1 Detailed Description

Definition at line 1543 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.100 ArgListType Struct Reference

### Data Fields

- char **nfixedArg**
- char **iVarArgStartsAt**
- char **fillMissingFixedWithZero**
- char \* **argtypes**

### 4.100.1 Detailed Description

Definition at line 40 of file FWTYPE.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/FWTYPE.h

## 4.101 ArticulationParameter Struct Reference

### Data Fields

- unsigned char **parameterTypeDesignator**
- unsigned char **changeIndicator**
- unsigned short **partAttachedTo**
- int **parameterType**
- double **parameterValue**

### 4.101.1 Detailed Description

Definition at line 625 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.102 AtlasEntrySet Struct Reference

### Data Fields

- char \* **name**
- int **type**
- int **EMpixels**
- int **maxadvancepx**
- int **rowheight**
- int **lastascii**
- char \* **atlasName**
- **Atlas** \* **atlas**
- AtlasFont \* **font**
- **AtlasEntry** \* **ascii** [128]
- struct **Vector** \* **entries**

### 4.102.1 Detailed Description

Definition at line 2227 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.103 Backend Class Reference

### Public Member Functions

- **Backend** ( **BasicCurveEvaluator** &c, **BasicSurfaceEvaluator** &e)
- void **bgnsurf** (int, int, long)
- void **patch** (REAL, REAL, REAL, REAL)
- void **surfpnts** (long, REAL \*, long, long, int, int, REAL, REAL, REAL, REAL)
- void **surfbbox** (long, REAL \*, REAL \*)
- void **surfgrid** (REAL, REAL, long, REAL, REAL, long)
- void **surfmesh** (long, long, long, long)
- void **bgntmesh** (const char \*)
- void **endtmesh** (void)
- void **swaptmesh** (void)
- void **tmeshvert** ( **GridTrimVertex** \*)
- void **tmeshvert** ( **TrimVertex** \*)
- void **tmeshvert** ( **GridVertex** \*)
- void **tmeshvert** (REAL u, REAL v)
- void **linevert** ( **TrimVertex** \*)
- void **linevert** ( **GridVertex** \*)
- void **bgnoutline** (void)
- void **endoutline** (void)
- void **endsurf** (void)
- void **triangle** ( **TrimVertex** \*, **TrimVertex** \*, **TrimVertex** \*)
- void **bgntfan** ()
- void **endtfan** ()

- void **bgnqstrip** ()
- void **endqstrip** ()
- void **evalUStrip** (int n\_upper, REAL v\_upper, REAL \*upper\_val, int n\_lower, REAL v\_lower, REAL \*lower\_val)
- void **evalVStrip** (int n\_left, REAL u\_left, REAL \*left\_val, int n\_right, REAL v\_right, REAL \*right\_val)
- void **tmeshvertNOGE** ( TrimVertex \*t)
- void **tmeshvertNOGE\_BU** ( TrimVertex \*t)
- void **tmeshvertNOGE\_BV** ( TrimVertex \*t)
- void **preEvaluateBU** (REAL u)
- void **preEvaluateBV** (REAL v)
- void **bgncurv** (void)
- void **segment** (REAL, REAL)
- void **curvpts** (long, REAL \*, long, int, REAL, REAL)
- void **curvgrid** (REAL, REAL, long)
- void **curvmesh** (long, long)
- void **curvpt** (REAL)
- void **bgndline** (void)
- void **endline** (void)
- void **endcurv** (void)

### 4.103.1 Detailed Description


Definition at line 46 of file backend.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/backend.h
- src/libnurbs/internals/backend.cc

## 4.104 vrml.BaseNode Class Reference

Inheritance diagram for vrml.BaseNode:



### Public Member Functions

- **BaseNode** (String id)
- void **\_set\_nodeid** (String id)
- String **\_get\_nodeid** ()
- String **getType** ()
- **Browser** **getBrowser** ()

### 4.104.1 Detailed Description


Definition at line 5 of file BaseNode.java.

The documentation for this class was generated from the following file:

- src/java/vrml/BaseNode.java

## 4.105 BasePlugin Class Reference

Inheritance diagram for BasePlugin:



### Public Member Functions

- **BasePlugin** ( **NPP** npp)
- virtual bool **HasMethod** (NPIdentifier name)
- virtual bool **HasProperty** (NPIdentifier name)  
*Returns true if the NPIdentifier passed is managed as a scriptable property.*
- virtual bool **GetProperty** (NPIdentifier name, **NPVariant** \*result)  
*Returns true if the scriptable property is managed and fills the NPVariant pointer with the value.*
- virtual bool **Invoke** (NPIdentifier name, const **NPVariant** \*args, uint32\_t argCount, **NPVariant** \*result)  
*returns true if the invoked method is managed and executes the appropriate code filling the NPVariant pointer with data if needed*
- virtual bool **InvokeDefault** (const **NPVariant** \*args, uint32\_t argCount, **NPVariant** \*result)  
*Manages the invocation of the default '()' method.*

### Additional Inherited Members

### 4.105.1 Detailed Description


Definition at line 62 of file BasePlugin.h.

The documentation for this class was generated from the following files:

- src/plugin\_win32/BasePlugin.h
- src/plugin\_win32/BasePlugin.cpp

## 4.106 BasicCurveEvaluator Class Reference

Inheritance diagram for BasicCurveEvaluator:



### Public Member Functions

- virtual void **domain1f** (REAL, REAL)
- virtual void **range1f** (long, REAL \*, REAL \*)
- virtual void **enable** (long)
- virtual void **disable** (long)
- virtual void **bgnmap1f** (long)
- virtual void **map1f** (long, REAL, REAL, long, long, REAL \*)
- virtual void **mapgrid1f** (long, REAL, REAL)
- virtual void **mapmesh1f** (long, long, long)
- virtual void **evalcoord1f** (long, REAL)
- virtual void **endmap1f** (void)
- virtual void **bgnline** (void)
- virtual void **endline** (void)

### Additional Inherited Members

#### 4.106.1 Detailed Description

Definition at line 43 of file basiccrveval.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/basiccrveval.h
- src/libnurbs/internals/basiccrveval.cc

## 4.107 BasicSurfaceEvaluator Class Reference

Inheritance diagram for BasicSurfaceEvaluator:



## Public Member Functions

- virtual void **range2f** (long, REAL \*, REAL \*)
- virtual void **domain2f** (REAL, REAL, REAL, REAL)
- virtual void **enable** (long)
- virtual void **disable** (long)
- virtual void **bgnmap2f** (long)
- virtual void **map2f** (long, REAL, REAL, long, long, REAL, REAL, long, long, REAL \*)
- virtual void **mapgrid2f** (long, REAL, REAL, long, REAL, REAL)
- virtual void **mapmesh2f** (long, long, long, long, long)
- virtual void **evalcoord2f** (long, REAL, REAL)
- virtual void **evalpoint2f** (long, long)
- virtual void **endmap2f** (void)
- virtual void **polymode** (long)
- virtual void **bgnline** (void)
- virtual void **endline** (void)
- virtual void **bgnclosedline** (void)
- virtual void **endclosedline** (void)
- virtual void **bgntmesh** (void)
- virtual void **swaptmesh** (void)
- virtual void **endtmesh** (void)
- virtual void **bgnqstrip** (void)
- virtual void **endqstrip** (void)
- virtual void **bgntfan** (void)
- virtual void **endtfan** (void)
- virtual void **evalUStrip** (int n\_upper, REAL v\_upper, REAL \*upper\_val, int n\_lower, REAL v\_lower, REAL \*lower\_val)=0
- virtual void **evalVStrip** (int n\_left, REAL u\_left, REAL \*left\_val, int n\_right, REAL u\_right, REAL \*right\_val)=0
- virtual void **inDoEvalCoord2NOGE** (REAL u, REAL v, REAL \*ret\_point, REAL \*ret\_normal)=0
- virtual void **inDoEvalCoord2NOGE\_BU** (REAL u, REAL v, REAL \*ret\_point, REAL \*ret\_normal)=0
- virtual void **inDoEvalCoord2NOGE\_BV** (REAL u, REAL v, REAL \*ret\_point, REAL \*ret\_normal)=0
- virtual void **inPreEvaluateBV\_intfac** (REAL v)=0
- virtual void **inPreEvaluateBU\_intfac** (REAL u)=0

## Additional Inherited Members

### 4.107.1 Detailed Description

Definition at line 43 of file basicsurfeval.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/basicsurfeval.h
- src/libnurbs/internals/basicsurfeval.cc

## 4.108 BeamAntennaPattern Struct Reference

### Data Fields

- struct **Orientation** **beamDirection**

*The rotation that transformst he reference coordinate sytem into the beam coordinate system.*

- float **azimuthBeamwidth**
- float **referenceSystem**
- short **padding1**
- char **padding2**
- float **ez**

*Magnigute of the z-component in beam coordinates at some arbitrary single point in the mainbeam and in the far field of the antenna.*

- float **ex**

*Magnigute of the x-component in beam coordinates at some arbitrary single point in the mainbeam and in the far field of the antenna.*

- float **phase**

*The phase angle between Ez and Ex in radians.*

### 4.108.1 Detailed Description

Definition at line 746 of file DIS.h.

### 4.108.2 Field Documentation

#### 4.108.2.1 beamDirection

```
struct Orientation BeamAntennaPattern::beamDirection
```

The rotation that transformst he reference coordinate sytem into the beam coordinate system.

Either world coordinates or entity coordinates may be used as the reference coordinate system, as specified by teh reference system field of the antenna pattern record.

Definition at line 738 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.109 BeamData Struct Reference

### Data Fields

- float **beamAzimuthCenter**  
*Specifies the beam azimuth an elevation centers and corresponding half-angles to describe the scan volume.*
- float **beamAzimuthSweep**  
*Specifies the beam azimuth sweep to determine scan volume.*
- float **beamElevationCenter**  
*Specifies the beam elevation center to determine scan volume.*
- float **beamElevationSweep**  
*Specifies the beam elevation sweep to determine scan volume.*
- float **beamSweepSync**  
*allows receiver to synchronize its regenerated scan pattern to that of the emmitter.*

### 4.109.1 Detailed Description

Definition at line 399 of file DIS.h.

### 4.109.2 Field Documentation

#### 4.109.2.1 beamSweepSync

```
float BeamData::beamSweepSync
```

allows receiver to synchronize its regenerated scan pattern to that of the emmitter.

Specifies the percentage of time a scan is through its pattern from its origion.


Definition at line 409 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.110 BezierArc Struct Reference

Inheritance diagram for BezierArc:





## Data Fields

- REAL \* **cpts**
- int **order**
- int **stride**
- long **type**
- Mapdesc \* **mapdesc**

## Additional Inherited Members

### 4.110.1 Detailed Description

Definition at line 43 of file bezierarc.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/bezierarc.h

## 4.111 bezierPatch Struct Reference

## Data Fields

- float **umin**
- float **vmin**
- float **umax**
- float **vmax**
- int **uorder**
- int **vorder**
- int **dimension**
- float \* **ctlpoints**
- struct **bezierPatch** \* **next**

### 4.111.1 Detailed Description

Definition at line 36 of file bezierPatch.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/interface/bezierPatch.h

## 4.112 bezierPatchMesh Struct Reference

### Data Fields

- **bezierPatch** \* **bpatch**
- **bezierPatch** \* **bpatch\_normal**
- **bezierPatch** \* **bpatch\_texcoord**
- **bezierPatch** \* **bpatch\_color**
- float \* **UVarray**
- int \* **length\_array**
- GLenum \* **type\_array**
- int **size\_UVarray**
- int **index\_UVarray**
- int **size\_length\_array**
- int **index\_length\_array**
- int **counter**
- GLenum **type**
- float \* **vertex\_array**
- float \* **normal\_array**
- float \* **color\_array**
- float \* **texcoord\_array**
- struct **bezierPatchMesh** \* **next**

### 4.112.1 Detailed Description

Definition at line 38 of file bezierPatchMesh.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/interface/bezierPatchMesh.h

## 4.113 Bin Class Reference

### Public Member Functions

- Arc\_ptr **firstarc** (void)
- Arc\_ptr **nextarc** (void)
- Arc\_ptr **removearc** (void)
- int **isnonempty** (void)
- void **addarc** (Arc\_ptr)
- void **remove\_this\_arc** (Arc\_ptr)
- int **numarcs** (void)
- void **adopt** (void)
- void **markall** (void)
- void **show** (char \*)
- void **listBezier** (void)

### 4.113.1 Detailed Description

Definition at line 43 of file bin.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/bin.h
- src/libnurbs/internals/bin.cc

## 4.114 bindablestack Struct Reference

### Data Fields

- void \* **background**
- void \* **viewpoint**
- void \* **fog**
- void \* **navigation**
- int **layerId**
- double **screenorientationmatrix** [16]
- double **viewtransformmatrix** [16]
- double **viewmatrix** [16]
- double **posorimatrix** [16]
- double **stereooffsetmatrix** [2][16]
- double **backgroundmatrix** [16]
- int **isStereo**
- int **iside**
- int **nodetype**
- void \* **viewer**
- double **pickraymatrix** [2][16]

### 4.114.1 Detailed Description

Definition at line 64 of file Bindable.h.

The documentation for this struct was generated from the following file:

- src/lib/x3d\_parser/Bindable.h

## 4.115 block Struct Reference

### Data Fields

- short int **dct\_recon** [8][8]
- short int **dct\_dc\_y\_past**
- short int **dct\_dc\_cr\_past**
- short int **dct\_dc\_cb\_past**

#### 4.115.1 Detailed Description

Definition at line 182 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

### 4.116 Breakpt Struct Reference

#### Data Fields

- Knot **value**
- int **multi**
- int **def**

#### 4.116.1 Detailed Description

Definition at line 48 of file tobezier.cc.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/tobezier.cc

### 4.117 brotoDefpair Struct Reference

#### Data Fields

- struct **X3D\_Node** \* **node**
- char \* **name**

#### 4.117.1 Detailed Description

Definition at line 236 of file CParseParser.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.h

## 4.118 brotoIS Struct Reference

### Data Fields

- struct **X3D\_Proto** \* **proto**
- char \* **protofieldname**
- int **pmode**
- int **iprotofield**
- int **pBuiltin**
- int **type**
- struct **X3D\_Node** \* **node**
- char \* **nodefieldname**
- int **mode**
- int **ifield**
- int **builtin**
- int **source**

### 4.118.1 Detailed Description

Definition at line 4699 of file CParseParser.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.c

## 4.119 brotoRoute Struct Reference

### Data Fields

- struct **brouteEnd from**
- struct **brouteEnd to**
- int **lastCommand**
- int **ft**

### 4.119.1 Detailed Description

Definition at line 74 of file CRoutes.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CRoutes.h

## 4.120 brouteEnd Struct Reference

### Data Fields

- int **weak**
- char \* **cnode**
- char \* **cfield**
- struct **X3D\_Node** \* **node**
- int **ifield**
- int **builtin**
- int **ftype**

### 4.120.1 Detailed Description

Definition at line 62 of file CRoutes.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CRoutes.h

## 4.121 org.web3d.x3d.sai.Browser Interface Reference

Inheritance diagram for org.web3d.x3d.sai.Browser:



### Public Member Functions

- **X3DScene importDocument** (Node element) throws InvalidBrowserException, InvalidDocumentException, NotSupportedException, ConnectionException
- String **getName** () throws InvalidBrowserException, ConnectionException
- String **getVersion** () throws InvalidBrowserException, ConnectionException
- **ProfileInfo getProfile** (String name) throws InvalidBrowserException, NotSupportedException, ConnectionException
- **ProfileInfo[] getSupportedProfiles** () throws InvalidBrowserException, ConnectionException
- **ComponentInfo[] getSupportedComponents** () throws InvalidBrowserException, ConnectionException
- **ComponentInfo getComponent** (String name, int level) throws InvalidBrowserException, NotSupportedException, ConnectionException
- **X3DExecutionContext getExecutionContext** () throws InvalidBrowserException, ConnectionException
- **X3DScene createScene** ( **ProfileInfo** profile, **ComponentInfo[]** components) throws InvalidBrowserException, ConnectionException
- float **getCurrentSpeed** () throws InvalidBrowserException, ConnectionException
- float **getCurrentFrameRate** () throws InvalidBrowserException, ConnectionException

- void **replaceWorld** ( **X3DScene** scene) throws InvalidBrowserException, ConnectionException
- void **loadURL** (String[] url, Map parameters) throws InvalidBrowserException, InvalidURLException, ConnectionException
- String **getDescription** () throws InvalidBrowserException, ConnectionException
- void **setDescription** (String desc) throws InvalidBrowserException, ConnectionException
- **X3DScene createX3DFromString** (String scene) throws InvalidBrowserException, InvalidX3DException, NotSupportedException, ConnectionException
- **X3DScene createX3DFromStream** (java.io.InputStream is) throws InvalidBrowserException, InvalidX3DException, NotSupportedException, java.io.IOException, ConnectionException
- **X3DScene createX3DFromURL** (String[] url) throws InvalidBrowserException, InvalidX3DException, ConnectionException, java.io.IOException
- java.util.Map **getRenderingProperties** () throws InvalidBrowserException, ConnectionException
- java.util.Map **getBrowserProperties** () throws InvalidBrowserException, ConnectionException
- void **nextViewpoint** () throws InvalidBrowserException, ConnectionException
- void **previousViewpoint** () throws InvalidBrowserException, ConnectionException
- void **firstViewpoint** () throws InvalidBrowserException, ConnectionException
- void **lastViewpoint** () throws InvalidBrowserException, ConnectionException
- void **print** (Object obj) throws InvalidBrowserException, ConnectionException
- void **println** (Object obj) throws InvalidBrowserException, ConnectionException
- void **dispose** ()

#### 4.121.1 Detailed Description

Definition at line 5 of file Browser.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/Browser.java

## 4.122 vrml.Browser Class Reference

### Public Member Functions

- String **toString** ()
- String **getName** ()
- String **getVersion** ()
- float **getCurrentSpeed** ()
- float **getCurrentFrameRate** ()
- **BaseNode[] createX3DFromString** (String x3dSyntax) throws InvalidX3DSyntaxException
- **BaseNode[] createVrmlFromString** (String vrmlSyntax) throws InvalidVRMLSyntaxException

#### 4.122.1 Detailed Description


Definition at line 4 of file Browser.java.

The documentation for this class was generated from the following file:

- src/java/vrml/Browser.java

## 4.123 vrml.external.Browser Class Reference

Inheritance diagram for vrml.external.Browser:



### Public Member Functions

- int **get\_Browser\_EVtype** (int event)
- **EventOutObserver** **get\_Browser\_EVObserver** (int eventno)
- void **Browser\_RL\_Async\_send** (String EVentreply, int eventno)
- **Browser** (Applet pApplet, int portnum)
- **Browser** (Applet pApplet)
- **Browser** (Applet pApplet, String frameName, int index)
- String **getName** ()
- String **getVersion** ()
- int **getEncoding** ()
- float **getCurrentSpeed** ()
- float **getCurrentFrameRate** ()
- String **getWorldURL** ()
- String **getRenderingProperties** ()
- void **replaceWorld** ( **Node**[] nodes) throws IllegalArgumentException
- void **loadURL** (String[] url, String[] parameter)
- void **firstViewpoint** ()
- void **lastViewpoint** ()
- void **nextViewpoint** ()
- void **previousViewpoint** ()
- void **setDescription** (String description)
- String **getDescription** ()
- **Node**[] **createX3DFromString** (String vrmlSyntax) throws InvalidVrmlException
- **Node**[] **createVrmlFromString** (String vrmlSyntax) throws InvalidVrmlException
- String **createNode** (String name)
- String **createProto** (String name)
- String **updateNamedNode** (String name, **Node** node)
- String **removeNamedNode** (String name)
- String **getProtoDeclaration** (String name)
- String **updateProtoDeclaration** (String name, String newProtoDecl)
- String **removeProtoDeclaration** (String name)
- String **getNodeFieldDefs** ( **Node** myn)
- String **getNodeDEFName** ( **Node** myn)
- String **getRoutes** ()
- String **getNodeType** ( **Node** myn)
- void **createVrmlFromURL** (String[] url, **Node** node, String event)
- void **addRoute** ( **Node** fromNode, String fromEventOut, **Node** toNode, String toEventIn) throws IllegalArgument←
- void **deleteRoute** ( **Node** fromNode, String fromEventOut, **Node** toNode, String toEventIn) throws IllegalArgument←
- void **beginUpdate** ()
- void **endUpdate** ()
- void **initialize** ()
- void **shutdown** ()
- **Node** **getNode** (String getName) throws InvalidNodeException
- void **close** ()



## Static Public Member Functions

- static **Browser** **getBrowser** (Applet pApplet)
- static **Browser** **getBrowser** (Applet pApplet, int portnum)
- static **Browser** **getBrowser** (Applet pApplet, String frameName, int index)
- static void **SendChildEvent** (int parent, int offset, String FieldName, int Child)
- static void **newSendEvent** ( **EventIn** node, String Value)
- static String **SendEventOut** (int nodeptr, int offset, int datasize, String datatype, String **command**)
- static void **RegisterListener** ( **EventOutObserver** f, Object userData, int nodeptr, int offset, String datatype, int datasize, int EventType)
- static void **unRegisterListener** ( **EventOutObserver** f, int nodeptr, int offset, String datatype, int datasize, int EventType)

## Static Protected Member Functions

- static String **SendNodeEAType** (int nodeptr)
- static String **SendEventType** (int nodeptr, String FieldName, String direction)
- static synchronized String **getVRMLreply** (int queryno)

### 4.123.1 Detailed Description


Definition at line 27 of file Browser.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/Browser.java

## 4.124 org.web3d.x3d.sai.BrowserEvent Class Reference

Inheritance diagram for org.web3d.x3d.sai.BrowserEvent:



## Public Member Functions

- **BrowserEvent** (Object b, int a)
- int **getID** ()

## Static Public Attributes

- static final int **INITIALIZED** = 0
- static final int **SHUTDOWN** = 1
- static final int **URL\_ERROR** = 2
- static final int **CONNECTION\_ERROR** = 10
- static final int **LAST\_IDENTIFIER** = 100

#### 4.124.1 Detailed Description

Definition at line 5 of file BrowserEvent.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/BrowserEvent.java

### 4.125 sai.BrowserFactory Class Reference

#### Static Public Member Functions

- static void **setBrowserFactoryImpl** ( **BrowserFactoryImpl** fac) throws IllegalArgumentException, X3DException, SecurityException
- static **X3DComponent** **createX3DComponent** (Map params) throws NotSupportedException
- static **ExternalBrowser** **getBrowser** (Applet applet) throws NotSupportedException, NoSuchBrowserException
- static **ExternalBrowser** **getBrowser** (Applet applet, String frameName, int index) throws NotSupportedException, NoSuchBrowserException
- static **ExternalBrowser** **getBrowser** (InetAddress address, int port) throws NotSupportedException, NoSuchBrowserException, UnknownHostException, ConnectionException

#### 4.125.1 Detailed Description

Definition at line 8 of file BrowserFactory.java.

The documentation for this class was generated from the following file:

- src/java/sai/BrowserFactory.java

### 4.126 org.web3d.x3d.sai.BrowserFactoryImpl Interface Reference

Inherited by sai.FreeWRLFactory.

#### Public Member Functions

- **ExternalBrowser** **getBrowser** (Applet applet) throws NotSupportedException, NoSuchBrowserException, ConnectionException
- **ExternalBrowser** **getBrowser** (Applet applet, String frameName, int index) throws NotSupportedException, NoSuchBrowserException, ConnectionException
- **ExternalBrowser** **getBrowser** (InetAddress add, int port) throws NotSupportedException, NoSuchBrowserException, UnknownHostException, ConnectionException
- **X3DComponent** **createX3DComponent** (Map args) throws NotSupportedException

### 4.126.1 Detailed Description

Definition at line 8 of file BrowserFactoryImpl.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/BrowserFactoryImpl.java

## 4.127 sai.BrowserGlobals Class Reference

### Static Public Attributes

- static double **TickTime** = 0.0
- static int **EVno** = 0
- static int **EVarray** [] = new int[256]
- static int **EVtype** [] = new int[256]
- static Object **EVObject** [] = new Object[256]
- static **X3DFieldEventListener** **EObserver** [] = new **X3DFieldEventListener**[256]
- static **EAIAsyncThread** **RL\_Async**
- static int **queryno** = 1

### 4.127.1 Detailed Description

Definition at line 7 of file BrowserGlobals.java.

The documentation for this class was generated from the following file:

- src/java/sai/BrowserGlobals.java

## 4.128 vrml.external.BrowserGlobals Class Reference

### Static Public Attributes

- static double **TickTime** = 0.0
- static int **EVno** = 0
- static int **EVarray** [] = new int[256]
- static int **EVtype** [] = new int[256]
- static Object **EVObject** [] = new Object[256]
- static **EventOutObserver** **EObserver** [] = new **EventOutObserver**[256]
- static **EAIAsyncThread** **RL\_Async**
- static int **queryno** = 1

### 4.128.1 Detailed Description


Definition at line 4 of file BrowserGlobals.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/BrowserGlobals.java

## 4.129 org.web3d.x3d.sai.BrowserInterface Interface Reference

Inheritance diagram for org.web3d.x3d.sai.BrowserInterface:



### Public Member Functions

- int **get\_Browser\_EVtype** (int event)
- X3DFieldEventListener **get\_Browser\_EVObserver** (int eventno)
- void **Browser\_RL\_Async\_send** (String EVentreply, int eventno)

#### 4.129.1 Detailed Description


Definition at line 6 of file BrowserInterface.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/BrowserInterface.java

## 4.130 vrml.external.BrowserInterface Interface Reference

Inheritance diagram for vrml.external.BrowserInterface:



### Public Member Functions

- int **get\_Browser\_EVtype** (int event)
- EventOutObserver **get\_Browser\_EVObserver** (int eventno)
- void **Browser\_RL\_Async\_send** (String EVentreply, int eventno)

#### 4.130.1 Detailed Description

Definition at line 8 of file BrowserInterface.java.

The documentation for this interface was generated from the following file:

- src/java/vrml/external/BrowserInterface.java

## 4.131 org.web3d.x3d.sai.BrowserListener Interface Reference

Inheritance diagram for org.web3d.x3d.sai.BrowserListener:



### Public Member Functions

- void **browserChanged** ( **BrowserEvent** evt)

#### 4.131.1 Detailed Description


Definition at line 6 of file BrowserListener.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/BrowserListener.java

## 4.132 freeWRLSAI\_cpp::browserNotSharedException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::browserNotSharedException:



### Public Member Functions

- virtual const char \* **what** ()

### Additional Inherited Members

#### 4.132.1 Detailed Description


Definition at line 218 of file SAexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAexception.h

## 4.133 org.web3d.x3d.sai.BrowserNotSharedException Class Reference

Inheritance diagram for org.web3d.x3d.sai.BrowserNotSharedException:



### Public Member Functions

- **BrowserNotSharedException** (String msg)

#### 4.133.1 Detailed Description

Definition at line 3 of file BrowserNotSharedException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/BrowserNotSharedException.java

## 4.134 Buffer Class Reference

### Friends

- class **Pool**

#### 4.134.1 Detailed Description

Definition at line 45 of file bufpool.h.

The documentation for this class was generated from the following file:

- src/libnurbs/internals/bufpool.h

## 4.135 BurstDescriptor Struct Reference

### Data Fields

- struct **EntityType** **munition**  
*What munition was used in the burst.*
- unsigned short **warhead**  
*type of warhead*
- unsigned short **fuse**  
*type of fuse used*
- unsigned short **quantity**  
*how many of the munition were fired*
- unsigned short **rate**  
*rate at which the munition was fired*

### 4.135.1 Detailed Description

Definition at line 832 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.136 CachedVertex Struct Reference

### Data Fields

- GLdouble **coords** [3]
- void \* **data**

### 4.136.1 Detailed Description


Definition at line 54 of file tess.h.

The documentation for this struct was generated from the following file:

- src/libtess/tess.h

## 4.137 CachingEvaluator Class Reference

Inheritance diagram for CachingEvaluator:



## Public Types

- enum **ServiceMode** { **play** , **record** , **playAndRecord** }

## Public Member Functions

- virtual int **canRecord** (void)
- virtual int **canPlayAndRecord** (void)
- virtual int **createHandle** (int handle)
- virtual void **beginOutput** (ServiceMode, int handle)
- virtual void **endOutput** (void)
- virtual void **discardRecording** (int handle)
- virtual void **playRecording** (int handle)

### 4.137.1 Detailed Description

Definition at line 39 of file cachingeval.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/cachingeval.h
- src/libnurbs/internals/cachingeval.cc

## 4.138 cbDataExactName Struct Reference

### Data Fields

- char \* **fname**
- union **anyVrml** \* **fieldValue**
- int **mode**
- int **type**
- int **jfield**
- int **source**
- BOOL **publicfield**

### 4.138.1 Detailed Description

Definition at line 5828 of file CParseParser.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.c



## 4.139 cbDataRootNameAndRouteDir Struct Reference

### Data Fields

- char \* **fname**
- int **PKW\_eventType**
- union **anyVrml** \* **fieldValue**
- int **mode**
- int **type**
- int **jfield**
- int **builtin**
- int **source**
- BOOL **publicfield**

### 4.139.1 Detailed Description

Definition at line 5870 of file CParseParser.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.c

## 4.140 CdlIFreeWRL Class Reference

### Public Types

- enum **KeyAction** { **KEYDOWN** =2 , **KEYUP** =3 , **KEYPRESS** =1 }
- enum **MouseButton** { **MOUSEMOVE** =6 , **MOUSEDOWN** =4 , **MOUSEUP** =5 }
- enum **MouseButton** { **LEFT** =1 , **MIDDLE** =2 , **RIGHT** =3 , **NONE** =0 }
- enum **resource\_status** {  
**ress\_none** , **ress\_starts\_good** , **ress\_invalid** , **ress\_downloaded** ,  
**ress\_failed** , **ress\_loaded** , **ress\_not\_loaded** , **ress\_parsed** ,  
**ress\_not\_parsed** }
- enum **resource\_media\_type** {  
**resm\_unknown** , **resm\_vrml** , **resm\_x3d** , **resm\_image** ,  
**resm\_movie** , **resm\_script** , **resm\_pshader** , **resm\_fshader** ,  
**resm\_audio** , **resm\_x3z** , **resm\_external** }

### Public Member Functions

- **CdlIFreeWRL** (int width, int height, void \*windowhandle=0, bool bEai=false)
- **CdlIFreeWRL** (char \*scene\_url, int width, int height, void \*windowhandle=0, bool bEai=false)
- void **setDensityFactor** (float density\_factor)
- void **onInit** (int width, int height, void \*windowhandle=0, bool bEai=false, bool frontend\_handles\_display\_thread=false)
- void **onInitArgv** (int argc, char \*\*argv, bool frontend\_handles\_display\_thread)
- void **onLoad** (char \*scene\_url)
- void **onResize** (int width, int height)
- int **onMouse** (int mouseAction, int mouseButton, int x, int y)

- int **onTouch** (int touchAction, unsigned int ID, int x, int y)
- void **onGyro** (float rx, float ry, float rz)
- void **onAccelerometer** (float ax, float ay, float az)
- void **onMagnetic** (float azimuth, float pitch, float roll)
- void **onKey** (int keyAction, int keyValue)
- void **onDraw** ()
- void **onClose** ()
- void **print** (char \*str)
- void **setTempFolder** (char \*tmpFolder)
- void **setFontFolder** (char \*fontFolder)
- int **getUpdatedCursorStyle** ()
- void \* **frontenditem\_dequeue** ()
- char \* **resitem\_getURL** (void \*res)
- int **resitem\_getStatus** (void \*res)
- void **resitem\_setStatus** (void \*res, int status)
- int **resitem\_getType** (void \*res)
- int **resitem\_getMediaType** (void \*res)
- void **resitem\_enqueueNextMulti** (void \*res)
- void **resitem\_setLocalPath** (void \*res, char \*path)
- void **resitem\_enqueue** (void \*res)
- void **resitem\_load** (void \*res)
- void **commandline** (char \*cmdline)

#### 4.140.1 Detailed Description

Definition at line 18 of file dllFreeWRL.h.

The documentation for this class was generated from the following files:

- src/dllFreeWRL/dllFreeWRL.h
- src/dllFreeWRL/dllFreeWRL.cpp

### 4.141 chardata Struct Reference

#### Data Fields

- unsigned int **iglyph**
- double **advance**
- double **x**
- double **y**
- double **sx**
- double **sy**

#### 4.141.1 Detailed Description

Definition at line 203 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.142 chaser\_ptr Struct Reference

### Data Fields

- void \* **value\_changed**
- void \* **initialDestination**
- void \* **initialValue**
- void \* **set\_destination**
- void \* **set\_value**
- void \* **\_buffer**
- void \* **\_previousValue**
- void \* **\_destination**

### 4.142.1 Detailed Description

Definition at line 164 of file Component\_Followers.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Followers.c

## 4.143 cline Struct Reference

### Data Fields

- int **n**
- GLfloat **p** [6]

### 4.143.1 Detailed Description

Definition at line 235 of file CursorDraw.c.

The documentation for this struct was generated from the following file:

- src/lib/ui/CursorDraw.c

## 4.144 ClockTime Struct Reference

### Data Fields

- int **hour**  
*Hours in UTC.*
- unsigned int **timePastHour**  
*Time past the hour.*

#### 4.144.1 Detailed Description

Definition at line 312 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.145 coded\_block\_pattern\_entry Struct Reference

#### Data Fields

- unsigned int **cbp**
- int **num\_bits**

#### 4.145.1 Detailed Description

Definition at line 768 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

### 4.146 CollisionElasticPdu Struct Reference

#### Data Fields

- struct **EntityInformationFamilyPdu** **myEntityInformationFamilyPdu**
- struct **EntityID** **issuingEntityID**  
*ID of the entity that issued the collision PDU.*
- struct **EntityID** **collidingEntityID**  
*ID of entity that has collided with the issuing entity ID.*
- struct **EventID** **collisionEventID**  
*ID of event.*
- short **pad**  
*some padding*
- struct **Vector3Float** **contactVelocity**  
*velocity at collision*
- float **mass**  
*mass of issuing entity*
- struct **Vector3Float** **location**  
*Location with respect to entity the issuing entity collided with.*
- float **collisionResultXX**  
*tensor values*
- float **collisionResultXY**  
*tensor values*

- float **collisionResultXZ**  
*tensor values*
- float **collisionResultYY**  
*tensor values*
- float **collisionResultYZ**  
*tensor values*
- float **collisionResultZZ**  
*tensor values*
- struct **Vector3Float unitSurfaceNormal**  
*This record shall represent the normal vector to the surface at the point of collision detection.*
- float **coefficientOfRestitution**  
*This field shall represent the degree to which energy is conserved in a collision.*

### 4.146.1 Detailed Description

Definition at line 2039 of file DIS.h.

### 4.146.2 Field Documentation

#### 4.146.2.1 unitSurfaceNormal

```
struct Vector3Float CollisionElasticPdu::unitSurfaceNormal
```

This record shall represent the normal vector to the surface at the point of collision detection.

The surface normal shall be represented in world coordinates.

Definition at line 2066 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.147 CollisionPdu Struct Reference

### Data Fields

- struct **EntityInformationFamilyPdu myEntityInformationFamilyPdu**
- struct **EntityID issuingEntityID**  
*ID of the entity that issued the collision PDU.*
- struct **EntityID collidingEntityID**  
*ID of entity that has collided with the issuing entity ID.*
- struct **EventID eventID**  
*ID of event.*
- unsigned char **collisionType**  
*ID of event.*
- char **pad**  
*some padding*
- struct **Vector3Float velocity**  
*velocity at collision*
- float **mass**  
*mass of issuing entity*
- struct **Vector3Float location**  
*Location with respect to entity the issuing entity collided with.*

#### 4.147.1 Detailed Description

Definition at line 1798 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.148 colorScheme Struct Reference

#### Data Fields

- char \* **name**
- char \* **panel**
- char \* **menuIcon**
- char \* **statusText**
- char \* **messageText**

#### 4.148.1 Detailed Description

Definition at line 407 of file common.c.

The documentation for this struct was generated from the following file:

- src/lib/ui/common.c

### 4.149 command Struct Reference

#### Data Fields

- char \* **key**
- int(\* **cmdfunc** )()
- int(\* **valfunc** )(char \*val)
- char \* **helpstring**

#### 4.149.1 Detailed Description

Definition at line 764 of file common.c.

The documentation for this struct was generated from the following file:

- src/lib/ui/common.c

## 4.150 CommentPdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** **mySimulationManagementFamilyPdu**
- unsigned int **numberOfFixedDatumRecords**  
*Number of fixed datum records.*
- unsigned int **numberOfVariableDatumRecords**  
*Number of variable datum records.*
- void \* **fixedDatums**  
*variable length list of fixed datums*
- void \* **variableDatums**  
*variable length list of variable length datums*

### 4.150.1 Detailed Description

Definition at line 1710 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.151 CommentReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** **mySimulationManagementWithReliability**↔  
**FamilyPdu**
- unsigned int **numberOfFixedDatumRecords**  
*Fixed datum record count.*
- unsigned int **numberOfVariableDatumRecords**  
*variable datum record count*
- void \* **fixedDatumRecords**  
*Fixed datum records.*
- void \* **variableDatumRecords**  
*Variable datum records.*

### 4.151.1 Detailed Description


Definition at line 1723 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.152 org.web3d.x3d.sai.ComponentInfo Interface Reference

Inheritance diagram for org.web3d.x3d.sai.ComponentInfo:



### Public Member Functions

- String **getName** ()
- int **getLevel** ()
- String **getTitle** ()
- String **getProviderURL** ()
- String **toX3DString** ()

### 4.152.1 Detailed Description

Definition at line 3 of file ComponentInfo.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/ComponentInfo.java

## 4.153 connection\_info\_struct Struct Reference

### Data Fields

- int **connectiontype**
- char \* **answerstring**
- int **len**
- struct MHD\_PostProcessor \* **postprocessor**

### 4.153.1 Detailed Description

Definition at line 811 of file SSRServer.c.


The documentation for this struct was generated from the following file:

- src/SSR/SSRServer.c



## 4.154 freeWRLSAI\_cpp::connectionException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::connectionException:



### Public Member Functions

- virtual const char \* **what** ()

### Additional Inherited Members

#### 4.154.1 Detailed Description


Definition at line 85 of file SAexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAexception.h

## 4.155 org.web3d.x3d.sai.ConnectionException Class Reference

Inheritance diagram for org.web3d.x3d.sai.ConnectionException:



### Public Member Functions

- **ConnectionException** (String msg)

### 4.155.1 Detailed Description

Definition at line 3 of file ConnectionException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/ConnectionException.java

## 4.156 consoleLine Struct Reference

### Data Fields

- char \* **line**
- int **len**
- int **endline**

### 4.156.1 Detailed Description


Definition at line 808 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.157 vrml.ConstField Class Reference

Inheritance diagram for vrml.ConstField:



## Additional Inherited Members

### 4.157.1 Detailed Description


Definition at line 3 of file ConstField.java.

The documentation for this class was generated from the following file:

- src/java/vrml/ConstField.java

## 4.158 vrml.field.ConstMFCOLOR Class Reference

Inheritance diagram for vrml.field.ConstMFCOLOR:



## Public Member Functions

- **ConstMFCOLOR** (float[] colors)
- **ConstMFCOLOR** (int size, float[] colors)
- **ConstMFCOLOR** (float[][] colors)
- void **getValue** (float[] colors)
- void **getValue** (float[][] colors)
- void **get1Value** (int index, float[] colors)
- void **get1Value** (int index, **SFCOLOR** sfColor)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.158.1 Detailed Description


Definition at line 10 of file ConstMFCOLOR.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstMFCOLOR.java

## 4.159 vrml.field.ConstMFFloat Class Reference

Inheritance diagram for vrml.field.ConstMFFloat:



### Public Member Functions

- **ConstMFFloat** (float[] f)
- **ConstMFFloat** (int size, float[] f)
- void **getValue** (float[] f)
- float **get1Value** (int index)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.159.1 Detailed Description


Definition at line 10 of file `ConstMFFloat.java`.

The documentation for this class was generated from the following file:

- `src/java/vrml/field/ConstMFFloat.java`

## 4.160 vrml.ConstMField Class Reference

Inheritance diagram for `vrml.ConstMField`:



## Public Member Functions

- `int getSize ()`

## Data Fields

- `Vector __vect = new Vector()`

## Protected Member Functions

- `final void __update1Read (int index)`

### 4.160.1 Detailed Description

Definition at line 4 of file ConstMField.java.

The documentation for this class was generated from the following file:

- `src/java/vrml/ConstMField.java`

## 4.161 vrml.field.ConstMInt32 Class Reference

Inheritance diagram for vrml.field.ConstMInt32:



### Public Member Functions

- **ConstMInt32** (int[] value)
- **ConstMInt32** (int size, int[] value)
- void **getValue** (int[] value)
- int **get1Value** (int index)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.161.1 Detailed Description

Definition at line 10 of file ConstMInt32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstMInt32.java

## 4.162 vrml.field.ConstMFNode Class Reference

Inheritance diagram for vrml.field.ConstMFNode:



## Public Member Functions

- **ConstMFNode** ( **BaseNode**[] node)
- **ConstMFNode** (int size, **BaseNode**[] node)
- void **getValue** ( **BaseNode**[] node)
- **BaseNode** **get1Value** (int index)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.162.1 Detailed Description

Definition at line 10 of file ConstMFNode.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstMFNode.java

## 4.163 vrml.field.ConstMFRotation Class Reference

Inheritance diagram for vrml.field.ConstMFRotation:



## Public Member Functions

- **ConstMFRotation** (float[] rotations)
- **ConstMFRotation** (int size, float[] rotations)
- **ConstMFRotation** (float[][] rotations)
- void **getValue** (float[] rotations)
- void **getValue** (float[][] rotations)
- void **get1Value** (int index, float[] rotations)
- void **get1Value** (int index, **SFRotation** sfRotation)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.163.1 Detailed Description


Definition at line 10 of file ConstMFRotation.java.

The documentation for this class was generated from the following file:

- `src/java/vrml/field/ConstMFRotation.java`

## 4.164 vrml.field.ConstMFString Class Reference

Inheritance diagram for vrml.field.ConstMFString:



## Public Member Functions

- **ConstMFString** (String[] s)
- **ConstMFString** (int size, String[] s)
- void **getValue** (String[] s)
- String **get1Value** (int index)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.164.1 Detailed Description

Definition at line 10 of file ConstMFString.java.


The documentation for this class was generated from the following file:

- `src/java/vrml/field/ConstMFString.java`



## 4.165 vrml.field.ConstMFTIME Class Reference

Inheritance diagram for vrml.field.ConstMFTIME:



### Public Member Functions

- **ConstMFTIME** (double[] value)
- **ConstMFTIME** (int size, double[] value)
- void **getValue** (double[] value)
- double **get1Value** (int index)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.165.1 Detailed Description

Definition at line 10 of file ConstMFTIME.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstMFTIME.java

## 4.166 vrml.field.ConstMFVec2f Class Reference

Inheritance diagram for vrml.field.ConstMFVec2f:



## Public Member Functions

- **ConstMFVec2f** (float[] vec2fs)
- **ConstMFVec2f** (int size, float[] vec2fs)
- **ConstMFVec2f** (float[][] vec2fs)
- void **getValue** (float[] vec2fs)
- void **getValue** (float[][] vec2fs)
- void **get1Value** (int index, float[] vec2fs)
- void **get1Value** (int index, **SFVec2f** sfVec2f)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.166.1 Detailed Description


Definition at line 10 of file ConstMFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstMFVec2f.java

## 4.167 vrml.field.ConstMFVec3f Class Reference

Inheritance diagram for vrml.field.ConstMFVec3f:



## Public Member Functions

- **ConstMFVec3f** (float[] vec3fs)
- **ConstMFVec3f** (int size, float[] vec3fs)
- **ConstMFVec3f** (float[][] vec3fs)
- void **getValue** (float[] vec3fs)
- void **getValue** (float[][] vec3fs)
- void **get1Value** (int index, float[] vec3fs)
- void **get1Value** (int index, **SFVec3f** sfVec3f)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.167.1 Detailed Description


Definition at line 10 of file ConstMFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstMFVec3f.java

## 4.168 vrml.field.ConstSFBool Class Reference

Inheritance diagram for vrml.field.ConstSFBool:



## Public Member Functions

- **ConstSFBool** (boolean value)
- boolean **getValue** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.168.1 Detailed Description


Definition at line 10 of file ConstSFBool.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFBool.java

## 4.169 vrml.field.ConstSFCOLOR Class Reference

Inheritance diagram for vrml.field.ConstSFCOLOR:



### Public Member Functions

- **ConstSFCOLOR** (float red, float green, float blue)
- void **getValue** (float[] values)
- float **getRed** ()
- float **getGreen** ()
- float **getBlue** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.169.1 Detailed Description


Definition at line 10 of file ConstSFCOLOR.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFCOLOR.java

## 4.170 vrml.field.ConstSFFloat Class Reference

Inheritance diagram for vrml.field.ConstSFFloat:



## Public Member Functions

- **ConstSFFloat** (float f)
- float **getValue** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.170.1 Detailed Description


Definition at line 10 of file ConstSFFloat.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFFloat.java

## 4.171 vrml.field.ConstSFImage Class Reference

Inheritance diagram for vrml.field.ConstSFImage:



## Public Member Functions

- **ConstSFImage** (int width, int height, int components, byte[] pixels)
- int **getWidth** ()
- int **getHeight** ()
- int **getComponents** ()
- byte[] **getPixels** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.171.1 Detailed Description


Definition at line 10 of file ConstSFImage.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFImage.java

## 4.172 vrml.field.ConstSFInt32 Class Reference

Inheritance diagram for vrml.field.ConstSFInt32:



## Public Member Functions

- **ConstSFInt32** (int value)
- int **getValue** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.172.1 Detailed Description


Definition at line 10 of file ConstSFInt32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFInt32.java

## 4.173 vrml.field.ConstSFNode Class Reference

Inheritance diagram for vrml.field.ConstSFNode:



### Public Member Functions

- **ConstSFNode** ( **BaseNode** node)
- **BaseNode** **getValue** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.173.1 Detailed Description


Definition at line 10 of file ConstSFNode.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFNode.java

## 4.174 vrml.field.ConstSFRotation Class Reference

Inheritance diagram for vrml.field.ConstSFRotation:



## Public Member Functions

- **ConstSFRotation** (float axisX, float axisY, float axisZ, float angle)
- void **getValue** (float[] values)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.174.1 Detailed Description

Definition at line 10 of file ConstSFRotation.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFRotation.java

## 4.175 vrml.field.ConstSFString Class Reference

Inheritance diagram for vrml.field.ConstSFString:



## Public Member Functions

- **ConstSFString** (String s)
- String **getValue** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.175.1 Detailed Description

Definition at line 10 of file ConstSFString.java.


The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFString.java



## 4.176 vrml.field.ConstSFTTime Class Reference

Inheritance diagram for vrml.field.ConstSFTTime:



### Public Member Functions

- **ConstSFTTime** (double value)
- double **getValue** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.176.1 Detailed Description


Definition at line 10 of file ConstSFTTime.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFTTime.java

## 4.177 vrml.field.ConstSFVec2f Class Reference

Inheritance diagram for vrml.field.ConstSFVec2f:



## Public Member Functions

- **ConstSFVec2f** (float x, float y)
- void **getValue** (float[] values)
- float **getX** ()
- float **getY** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.177.1 Detailed Description


Definition at line 10 of file ConstSFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFVec2f.java

## 4.178 vrml.field.ConstSFVec3f Class Reference

Inheritance diagram for vrml.field.ConstSFVec3f:



## Public Member Functions

- **ConstSFVec3f** (float x, float y, float z)
- void **getValue** (float[] values)
- float **getX** ()
- float **getY** ()
- float **getZ** ()
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.178.1 Detailed Description

Definition at line 10 of file ConstSFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/ConstSFVec3f.java

## 4.179 contenttype\_captiontext Struct Reference

### Data Fields

- **tcontenttype t1**
- char \* **caption**
- int **len**
- int \* **utf32**
- int **len32**
- int **nalloc**
- AtlasFont \* **font**
- char \* **fontname**
- int **fontSize**
- **AtlasEntrySet** \* **set**
- float **percentSize**
- int **EMpixels**
- int **maxadvancepx**
- float **angle**
- **vec4** **color**

### 4.179.1 Detailed Description

Definition at line 731 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.180 contenttype\_e3dmouse Struct Reference

### Data Fields

- **tcontenttype t1**
- int **sphericalmode**
- int **navigationMode**
- int **dragMode**
- int **waste**

#### 4.180.1 Detailed Description

Definition at line 1411 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

### 4.181 contenttype\_layer Struct Reference

#### Data Fields

- tcontenttype t1

#### 4.181.1 Detailed Description

Definition at line 1276 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

### 4.182 contenttype\_multitouch Struct Reference

#### Data Fields

- tcontenttype t1
- struct Touch touchlist [20]
- int ntouch
- int IDD
- int lastbut

#### 4.182.1 Detailed Description

Definition at line 1336 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.183 contenttype\_orientation Struct Reference

### Data Fields

- **tcontenttype t1**
- int **nx**
- int **ny**
- int **nelements**
- int **nvert**
- GLushort \* **index**
- GLfloat \* **vert**
- GLfloat \* **vert2**
- GLfloat \* **tex**
- GLfloat \* **norm**
- GLfloat **dx**
- GLfloat **tx**
- GLuint **textureID**

### 4.183.1 Detailed Description

Definition at line 2706 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.184 contenttype\_quadrant Struct Reference

### Data Fields

- **tcontenttype t1**
- float **offset\_fraction** [2]

### 4.184.1 Detailed Description

Definition at line 1519 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.185 contenttype\_scene Struct Reference

### Data Fields

- **tcontenttype t1**

#### 4.185.1 Detailed Description

Definition at line 504 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

### 4.186 contenttype\_splitter Struct Reference

#### Data Fields

- **tcontenttype t1**
- float **offset\_fraction**
- int **offset\_pixels**
- int **orientation**

#### 4.186.1 Detailed Description

Definition at line 2112 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

### 4.187 contenttype\_statusbar Struct Reference

#### Data Fields

- **tcontenttype t1**
- int **clipplane**

#### 4.187.1 Detailed Description

Definition at line 549 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

### 4.188 contenttype\_stereo\_anaglyph Struct Reference

#### Data Fields

- **tcontenttype t1**

### 4.188.1 Detailed Description

Definition at line 1801 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.189 contenttype\_stereo\_shutter Struct Reference

### Data Fields

- tcontenttype t1

### 4.189.1 Detailed Description

Definition at line 2002 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.190 contenttype\_stereo\_sidebyside Struct Reference

### Data Fields

- tcontenttype t1

### 4.190.1 Detailed Description

Definition at line 1649 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.191 contenttype\_stereo\_updown Struct Reference

### Data Fields

- tcontenttype t1

### 4.191.1 Detailed Description

Definition at line 1894 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.192 contenttype\_switch Struct Reference

### Data Fields

- **tcontenttype t1**
- int **whichCase**
- int \* **whichPtr**

### 4.192.1 Detailed Description

Definition at line 647 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.193 contenttype\_textpanel Struct Reference

### Data Fields

- **tcontenttype t1**
- **AtlasEntrySet \* set**
- **AtlasFont \* font**
- char \* **fontname**
- int **fontSize**
- int **maxadvancepx**
- **vec4 color**
- int **maxlines**
- int **maxlen**
- int **wrap**
- unsigned char \* **Ablob**
- int **blobsize**
- unsigned char \* **S**
- unsigned char \* **E**
- unsigned char \* **Z**
- unsigned char \* **z**
- **BUTitem \* Blist**
- **BUTitem \* bhead**
- int **added**
- int **rowSize**
- unsigned char \* **row**
- int **initialized**



### 4.193.1 Detailed Description

Definition at line 821 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.194 contenttype\_texturegrid Struct Reference

### Data Fields

- **tcontenttype t1**
- int **nx**
- int **ny**
- int **nelements**
- int **nvert**
- GLushort \* **index**
- GLfloat \* **vert**
- GLfloat \* **vert2**
- GLfloat \* **tex**
- GLfloat \* **norm**
- GLfloat **dx**
- GLfloat **tx**
- float **k1**
- float **xc**
- int **usingDistortions**
- GLuint **textureID**

### 4.194.1 Detailed Description

Definition at line 2333 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.195 CoveAndTiler Class Reference

Inheritance diagram for CoveAndTiler:



## Public Member Functions

- **CoveAndTiler** ( **Backend** &)
- void **coveAndTile** (void)

## Additional Inherited Members

### 4.195.1 Detailed Description

Definition at line 46 of file coveandtiler.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/coveandtiler.h
- src/libnurbs/internals/coveandtiler.cc

## 4.196 CPlugin Class Reference

### Public Member Functions

- **CPlugin** ( **NPP** pNPInstance)  
*CPlugin* (p. 158) *class.constructor.*
- NPBool **init** ( **NPWindow** \*pNPWindow)
- void **shut** ()
- NPBool **isInitialized** ()
- int16\_t **handleEvent** (void \*event)
- void **showVersion** ()
- void **clear** ()
- void **getVersion** (char \*\*aVersion)
- void **setSceneUrl** (char \*sceneUrl)
- void **setEAIFlag** ()
- **NObject** \* **GetScriptableObject** ()

### Data Fields

- char **m\_String** [128]
- UINT\_PTR **m\_pTimerID**

### 4.196.1 Detailed Description

Definition at line 46 of file plugin.h.

### 4.196.2 Constructor & Destructor Documentation

#### 4.196.2.1 CPlugin()

```
CPlugin::CPlugin (
    NPP pNPInstance )
```

**CPlugin** (p. 158) class.constructor.

Base initialization goes here.

Definition at line 73 of file plugin.cpp.

The documentation for this class was generated from the following files:

- src/plugin\_win32/plugin.h
- src/plugin\_win32/plugin.cpp

## 4.197 CR\_RegStruct Struct Reference

### Data Fields

- int **adrem**
- struct **X3D\_Node** \* **from**
- int **fromoffset**
- struct **X3D\_Node** \* **to**
- int **toOfs**
- int **fieldType**
- void \* **intptr**
- int **sccdir**
- void \* **extra**

#### 4.197.1 Detailed Description

Definition at line 177 of file CRoutes.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CRoutes.c

## 4.198 CreateEntityPdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** mySimulationManagementFamilyPdu
- unsigned int **requestID**  
*Identifier for the request.*

### 4.198.1 Detailed Description

Definition at line 869 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.199 CreateEntityReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** mySimulationManagementWithReliability↔  
**FamilyPdu**
- unsigned char **requiredReliabilityService**  
*level of reliability service used for this transaction*
- unsigned short **pad1**  
*padding*
- unsigned char **pad2**  
*padding*
- unsigned int **requestID**  
*Request ID.*

### 4.199.1 Detailed Description

Definition at line 1977 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.200 CRjsnameStruct Struct Reference

### Data Fields

- int **type**
- int **kind**
- char **name** [MAXJSVARIABLELENGTH]
- void \* **eventInFunction**

### 4.200.1 Detailed Description

Definition at line 186 of file CScripts.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/CScripts.h

## 4.201 CRscriptStruct Struct Reference

### Data Fields

- int **thisScriptType**
- int **\_initialized**
- void \* **cx**
- void \* **glob**
- void \* **eventsProcessed**
- char \* **scriptText**
- struct **ScriptParamList** \* **paramList**
- int **scriptOK**
- struct **Shader\_Script** \* **script**
- int **scr\_act**

### 4.201.1 Detailed Description

Definition at line 154 of file CScripts.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/CScripts.h

## 4.202 CRStruct Struct Reference

### Data Fields

- struct **X3D\_Node** \* **routeFromNode**
- int **fnptr**
- int **tonode\_count**
- **CRnodeStruct** \* **tonodes**
- int **isActive**
- int **len**
- void(\* **interpptr** )(void \*)
- int **direction\_flag**
- void \* **extra**
- int **intTimeStamp**

### 4.202.1 Detailed Description

Definition at line 44 of file CRoutes.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CRoutes.h

## 4.203 cson\_array Struct Reference

**cson\_array** (p. 162) is an opaque handle to an Array value.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- **cson\_value\_list** list

### 4.203.1 Detailed Description

**cson\_array** (p. 162) is an opaque handle to an Array value.

They are used like:

```
cson_array * obj = cson_value_get_array(myValue);  
...
```

They can be created like:

```
cson_value * arV = cson_value_new_array();  
cson_array * ar = cson_value_get_array(arV);  
// ar is owned by arV and arV must eventually be freed  
// using cson_value_free() or added to a container  
// object/array (which transfers ownership to that container).
```

See also

```
cson_value_new_array()  
cson_value_get_array()  
cson_value_free()
```

Definition at line 2142 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.204 cson\_buffer Struct Reference

A generic buffer class.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- **cson\_size\_t** **capacity**  
*The number of bytes allocated for this object.*
- **cson\_size\_t** **used**  
*The number of bytes "used" by this object.*
- **cson\_size\_t** **timesExpanded**  
*This is a debugging/metric-counting value intended to help certain malloc()-conscious clients tweak their memory reservation sizes.*
- **unsigned char \*** **mem**  
*The memory allocated for and owned by this buffer.*

### 4.204.1 Detailed Description

A generic buffer class.

They can be used like this:

```
cson_buffer b = cson_buffer_empty;
int rc = cson_buffer_reserve( &buf, 100 );
if( 0 != rc ) { ... allocation error ... }
... use buf.mem ...
... then free it up ...
cson_buffer_reserve( &buf, 0 );
```

To take over ownership of a buffer's memory:

```
void * mem = b.mem;
// mem is b.capacity bytes long, but only b.used
// bytes of it has been "used" by the API.
b = cson_buffer_empty;
```

The memory now belongs to the caller and must eventually be free()d.

Definition at line 1826 of file cson\_amalgamation\_core.h.

### 4.204.2 Field Documentation

#### 4.204.2.1 capacity

```
cson_size_t cson_buffer::capacity
```

The number of bytes allocated for this object.

Use cson\_buffer\_reserve() to change its value.

Definition at line 1832 of file cson\_amalgamation\_core.h.

#### 4.204.2.2 mem

```
unsigned char* cson_buffer::mem
```

The memory allocated for and owned by this buffer.

Use cson\_buffer\_reserve() to change its size or free it. To take over ownership, do:

```
void * myptr = buf.mem;
buf = cson_buffer_empty;
```

(You might also need to store buf.used and buf.capacity, depending on what you want to do with the memory.)

When doing so, the memory must eventually be passed to free() to deallocate it.

Definition at line 1868 of file cson\_amalgamation\_core.h.

#### 4.204.2.3 timesExpanded

```
cson_size_t cson_buffer::timesExpanded
```

This is a debugging/metric-counting value intended to help certain malloc()-conscious clients tweak their memory reservation sizes.

Each time `cson_buffer_reserve()` expands the buffer, it increments this value by 1.

Definition at line 1850 of file `cson_amalgamation_core.h`.

#### 4.204.2.4 used

```
cson_size_t cson_buffer::used
```

The number of bytes "used" by this object.

It is not needed for all use cases, and management of this value (if needed) is up to the client. The **`cson_buffer`** (p. 162) public API does not use this member. The intention is that this can be used to track the length of strings which are allocated via **`cson_buffer`** (p. 162), since they need an explicit length and/or null terminator.

Definition at line 1841 of file `cson_amalgamation_core.h`.

The documentation for this struct was generated from the following file:

- `src/SSR/cson/cson_amalgamation_core.h`

### 4.205 cson\_data\_source\_StringSource\_ Struct Reference

Internal type to hold state for a JSON input string.

#### Data Fields

- `char const * str`  
*Start of input string.*
- `char const * pos`  
*Current iteration position.*
- `char const * end`  
*Logical EOF, one-past-the-end of str.*

#### 4.205.1 Detailed Description

Internal type to hold state for a JSON input string.

Definition at line 4325 of file `cson_amalgamation_core.c`.



## 4.205.2 Field Documentation

### 4.205.2.1 pos

```
char const* cson_data_source_StringSource_::pos
```

Current iteration position.

Must initially be == str.

Definition at line 4330 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.206 cson\_kvp Struct Reference

A key/value pair collection.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- **cson\_value \* key**
- **cson\_value \* value**

### 4.206.1 Detailed Description

A key/value pair collection.

This class represents a key/value pair and is used for storing object properties.

Each of these objects owns its key/value pointers, and they are cleaned up by cson\_kvp\_clean().

It is opaque to client code, and the public API only uses this type for purposes of iterating over **cson\_object** (p. 166) properties using the **cson\_object\_iterator** (p. 167) interfaces.

Definition at line 2022 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.207 cson\_kvp\_list Struct Reference

### Data Fields

- **cson\_kvp** \*\* list
- unsigned int **count**
- unsigned int **allocated**

### 4.207.1 Detailed Description

Definition at line 2114 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.208 cson\_object Struct Reference

**cson\_object** (p. 166) is an opaque handle to an Object value.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- **cson\_kvp\_list** kvp

### 4.208.1 Detailed Description

**cson\_object** (p. 166) is an opaque handle to an Object value.

They are used like:

```
cson_object * obj = cson_value_get_object(myValue);  
...
```

They can be created like:

```
cson_value * objV = cson_value_new_object();  
cson_object * obj = cson_value_get_object(objV);  
// obj is owned by objV and objV must eventually be freed  
// using cson_value_free() or added to a container  
// object/array (which transfers ownership to that container).
```

See also

```
cson_value_new_object()  
cson_value_get_object()  
cson_value_free()
```

Definition at line 2124 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.209 cson\_object\_iterator Struct Reference

An iterator type for traversing object properties.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- **cson\_object** const \* **obj**
- unsigned int **pos**

### 4.209.1 Detailed Description

An iterator type for traversing object properties.

Its values must be considered private, not to be touched by client code.

See also

```
cson_object_iter_init()
cson_object_iter_next()
```

Definition at line 1699 of file cson\_amalgamation\_core.h.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.h

## 4.210 cson\_output\_opt Struct Reference

Client-configurable options for the cson\_output() family of functions.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- unsigned char **indentation**  
*Specifies how to indent (or not) output.*
- unsigned short **maxDepth**  
*Maximum object/array depth to traverse.*
- char **addNewline**  
*If true, a newline will be added to generated output, else not.*
- char **addSpaceAfterColon**  
*If true, a space will be added after the colon operator in objects' key/value pairs.*
- char **indentSingleMemberValues**  
*If set to 1 then objects/arrays containing only a single value will not indent an extra level for that value (but will indent on subsequent levels if that value contains multiple values).*
- char **escapeForwardSlashes**  
*The JSON format allows, but does not require, JSON generators to backslash-escape forward slashes.*

### 4.210.1 Detailed Description

Client-configurable options for the `cson_output()` family of functions.

Definition at line 517 of file `cson_amalgamation_core.h`.

### 4.210.2 Field Documentation

#### 4.210.2.1 `escapeForwardSlashes`

```
char cson_output_opt::escapeForwardSlashes
```

The JSON format allows, but does not require, JSON generators to backslash-escape forward slashes.

This option enables/disables that feature. According to JSON's inventor, Douglas Crockford:

<quote> It is allowed, not required. It is allowed so that JSON can be safely embedded in HTML, which can freak out when seeing strings containing "</". JSON tolerates "<\\" for this reason. </quote>

(from an email on 2011-04-08)

The default value is 0 (because it's just damned ugly).

Definition at line 572 of file `cson_amalgamation_core.h`.

#### 4.210.2.2 `indentation`

```
unsigned char cson_output_opt::indentation
```

Specifies how to indent (or not) output.

The values are:

(0) == no extra indentation.

(1) == 1 TAB character for each level.

(>1) == that number of SPACES for each level.

Definition at line 529 of file `cson_amalgamation_core.h`.

### 4.210.2.3 maxDepth

```
unsigned short cson_output_opt::maxDepth
```

Maximum object/array depth to traverse.

Traversing deeply can be indicative of cycles in the object/array tree, and this value is used to figure out when to abort the traversal.

Definition at line 536 of file cson\_amalgamation\_core.h.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.h

## 4.211 cson\_parse\_info Struct Reference

A class for holding JSON parser information.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- unsigned int **line**  
*1-based line number.*
- unsigned int **col**  
*0-based column number.*
- unsigned int **length**  
*Length, in bytes.*
- int **errorCode**  
*Error code of the parse run (0 for no error).*
- unsigned int **totalKeyCount**  
*The total number of object keys successfully processed by the parser.*
- unsigned int **totalValueCount**  
*The total number of object/array values successfully processed by the parser, including the root node.*

### 4.211.1 Detailed Description

A class for holding JSON parser information.

It is primarily intended for finding the position of a parse error.

Definition at line 458 of file cson\_amalgamation\_core.h.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.h

## 4.212 cson\_parse\_opt Struct Reference

Client-configurable options for the cson\_parse() family of functions.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- unsigned short **maxDepth**  
*Maximum object/array depth to traverse.*
- char **allowComments**  
*Whether or not to allow C-style comments.*

### 4.212.1 Detailed Description

Client-configurable options for the cson\_parse() family of functions.

Definition at line 433 of file cson\_amalgamation\_core.h.

### 4.212.2 Field Documentation

#### 4.212.2.1 allowComments

```
char cson_parse_opt::allowComments
```

Whether or not to allow C-style comments.

Do not rely on this option being available. If the underlying parser is replaced, this option might no longer be supported.

Definition at line 444 of file cson\_amalgamation\_core.h.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.h

## 4.213 cson\_parser Struct Reference

### Data Fields

- **JSON\_parser** p
- **cson\_value** \* root
- **cson\_value** \* node
- **cson\_array** stack
- **cson\_string** \* ckey
- int **errNo**
- unsigned int **totalKeyCount**
- unsigned int **totalValueCount**

### 4.213.1 Detailed Description

Definition at line 2151 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.214 cson\_string Struct Reference

Strings are allocated as an instances of this class with N+1 trailing bytes, where N is the length of the string being allocated.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- unsigned int **length**

### 4.214.1 Detailed Description

Strings are allocated as an instances of this class with N+1 trailing bytes, where N is the length of the string being allocated.

cson-internal string type, opaque to client code.

To convert a **cson\_string** (p. 171) to c-string we simply increment the **cson\_string** (p. 171) pointer. To do the opposite we use (cstr - sizeof(cson\_string)). Zero-length strings are a special case handled by a couple of the **cson\_string** (p. 171) functions.

Strings in cson are immutable and allocated only by library internals, never directly by client code.

The actual string bytes are to be allocated together in the same memory chunk as the **cson\_string** (p. 171) object, which saves us 1 malloc() and 1 pointer member in this type (because we no longer have a direct pointer to the memory).

Potential TODOs:

See also

`cson_string_cstr()`

Definition at line 1578 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.215 cson\_value Struct Reference

The core value type of this API.

```
#include <cson_amalgamation_core.h>
```

### Data Fields

- **cson\_value\_api** const \* **api**  
*The "vtbl" of type-specific operations.*
- void \* **value**  
*The raw value.*
- cson\_counter\_t **refcount**  
*We use this to allow us to store **cson\_value** (p. 172) instances in multiple containers or multiple times within a single container (provided no cycles are introduced).*

### 4.215.1 Detailed Description

The core value type of this API.

It is opaque to clients, and only the cson public API should be used for setting or inspecting their values.

This class is opaque because stack-based usage can easily cause leaks if one does not intimately understand the underlying internal memory management (which sometimes changes).

It is (as of 20110323) legal to insert a given value instance into multiple containers (they will share ownership using reference counting) as long as those insertions do not cause cycles. However, be very aware that such value re-use uses a reference to the original copy, meaning that if its value is changed once, it is changed everywhere. Also beware that multi-threaded write operations on such references leads to undefined behaviour.

PLEASE read the ACHTUNGEN below...

ACHTUNG #1:

cson\_values MUST NOT form cycles (e.g. via object or array entries).

Not abiding th Holy Law Of No Cycles will lead to double-frees and the like (i.e. undefined behaviour, likely crashes due to infinite recursion or stepping on invalid (freed) pointers).

ACHTUNG #2:

ALL cson\_values returned as non-const **cson\_value** (p. 172) pointers from any public functions in the cson API are to be treated as if they are heap-allocated, and MUST be freed by client by doing ONE of:

- Passing it to cson\_value\_free().
- Adding it to an Object or Array, in which case the object/array takes over ownership. As of 20110323, a value may be inserted into a single container multiple times, or into multiple containers, in which case they all share ownership (via reference counting) of the original value (meaning any changes to it are visible in all references to it).



Each call to `cson_value_new_xxx()` MUST eventually be followed up by one of those options.

Some `cson_value_new_XXX()` implementations do not actually allocate memory, but this is an internal implementation detail. Client code MUST NOT rely on this behaviour and MUST treat each object returned by such a function as if it was a freshly-allocated copy (even if their pointer addresses are the same).

ACHTUNG #3:

Note that ACHTUNG #2 tells us that we must always free (or transfer ownership of) all pointers returned by `cson_value_new_xxx()`, but that two calls to (e.g.) `cson_value_new_bool(1)` will (or might) return the same address. The client must not rely on the "non-allocation" policy of such special cases, and must pass each returned value to `cson_value_free()`, even if two of them have the same address. Some special values (e.g. null, true, false, integer 0, double 0.0, and empty strings) use shared copies and in other places reference counting is used internally to figure out when it is safe to destroy an object.

See also

- `cson_value_new_array()`
- `cson_value_new_object()`
- `cson_value_new_string()`
- `cson_value_new_integer()`
- `cson_value_new_double()`
- `cson_value_new_bool()`
- `cson_value_true()`
- `cson_value_false()`
- `cson_value_null()`
- `cson_value_free()`
- `cson_value_type_id()`

Definition at line 1486 of file `cson_amalgamation_core.c`.

## 4.215.2 Field Documentation

### 4.215.2.1 api

```
cson_value_api const* cson_value::api
```

The "vtbl" of type-specific operations.

All instances of a given logical value type share a single `api` instance.

Results are undefined if this value is NULL.

Definition at line 1493 of file `cson_amalgamation_core.c`.

#### 4.215.2.2 refcount

```
cson_counter_t cson_value::refcount
```

We use this to allow us to store **cson\_value** (p. 172) instances in multiple containers or multiple times within a single container (provided no cycles are introduced).

Notes about the rc implementation:

- The refcount is for the **cson\_value** (p. 172) instance itself, not its value pointer.
- Instances start out with a refcount of 0 (not 1). Adding them to a container will increase the refcount. Cleaning up the container will decrement the count.
- `cson_value_free()` decrements the refcount (if it is not already 0) and cleans/frees the value only when the refcount is 0.
- Some places in the internals add an "extra" reference to objects to avoid a premature deletion. Don't try this at home.

Definition at line 1526 of file `cson_amalgamation_core.c`.

#### 4.215.2.3 value

```
void* cson_value::value
```

The raw value.

Its interpretation depends on the value of the `api` member. Some value types require dynamically-allocated memory, so one must always call `cson_value_free()` to destroy a value when it is no longer needed. For stack-allocated values (which client could **SHOULD NOT USE** unless they are intimately familiar with the memory management rules and don't mind an occasional leak or crash), use `cson_value_clean()` instead of `cson_value_free()`.

Definition at line 1504 of file `cson_amalgamation_core.c`.

The documentation for this struct was generated from the following file:

- `src/SSR/cson/cson_amalgamation_core.c`

## 4.216 cson\_value\_api Struct Reference

This type holds the "vtbl" for type-specific operations when working with **cson\_value** (p. 172) objects.

### Data Fields

- `const cson_type_id typeId`  
*The logical JavaScript/JSON type associated with this object.*
- `void(* cleanup)(cson_value *self)`  
*Must free any memory associated with self, but not free self.*

### 4.216.1 Detailed Description

This type holds the "vtbl" for type-specific operations when working with **cson\_value** (p. 172) objects.

All **cson\_value**s of a given logical type share a pointer to a single library-internal instance of this class.

Definition at line 1443 of file `cson_amalgamation_core.c`.

### 4.216.2 Field Documentation

#### 4.216.2.1 cleanup

```
void(* cson_value_api::cleanup) ( cson_value *self)
```

Must free any memory associated with `self`, but not free `self`.

If `self` is `NULL` then this function must do nothing.

Definition at line 1455 of file `cson_amalgamation_core.c`.

The documentation for this struct was generated from the following file:

- `src/SSR/cson/cson_amalgamation_core.c`

## 4.217 cson\_value\_list Struct Reference

### Data Fields

- **cson\_value \*\* list**
- unsigned int **count**
- unsigned int **allocated**

### 4.217.1 Detailed Description

Definition at line 2132 of file `cson_amalgamation_core.c`.

The documentation for this struct was generated from the following file:

- `src/SSR/cson/cson_amalgamation_core.c`

## 4.218 curfile64\_info Struct Reference

### Data Fields

- z\_stream **stream**
- int **stream\_initialised**
- ulInt **pos\_in\_buffered\_data**
- ZPOS64\_T **pos\_local\_header**
- char \* **central\_header**
- uLong **size\_centralExtra**
- uLong **size\_centralheader**
- uLong **size\_centralExtraFree**
- uLong **flag**
- int **method**
- int **raw**
- Byte **buffered\_data** [Z\_BUFSIZE]
- uLong **dosDate**
- uLong **crc32**
- int **encrypt**
- int **zip64**
- ZPOS64\_T **pos\_zip64extrainfo**
- ZPOS64\_T **totalCompressedData**
- ZPOS64\_T **totalUncompressedData**
- unsigned long **keys** [3]
- const unsigned long \* **pcrc\_32\_tab**
- int **crypt\_header\_size**

### 4.218.1 Detailed Description

Definition at line 130 of file zip.c.

The documentation for this struct was generated from the following file:

- src/libminizip/zip.c

## 4.219 currayhit Struct Reference

### Data Fields

- struct **X3D\_Node** \* **hitNode**
- GLDOUBLE **modelMatrix** [16]
- GLDOUBLE **projMatrix** [16]
- GLDOUBLE **justModel** [16]

### 4.219.1 Detailed Description

Definition at line 39 of file RenderFuncs.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/RenderFuncs.h

## 4.220 Curve Class Reference

### Public Member Functions

- **Curve** ( **Quilt** \*, **REAL**, **REAL**, **Curve** \*)
- **Curve** ( **Curve** &, **REAL**, **Curve** \*)

### Data Fields

- **Curve** \* **next**

### Friends

- class **Curvelist**

#### 4.220.1 Detailed Description

Definition at line 46 of file curve.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/curve.h
- src/libnurbs/internals/curve.cc

## 4.221 curveEvalMachine Struct Reference

### Data Fields

- **REAL** **uprime**
- **int** **k**
- **REAL** **u1**
- **REAL** **u2**
- **int** **ustride**
- **int** **uorder**
- **REAL** **ctlpoints** [**IN\_MAX\_BEZIER\_ORDER** \* **IN\_MAX\_DIMENSION**]
- **REAL** **ucoeff** [**IN\_MAX\_BEZIER\_ORDER**]

#### 4.221.1 Detailed Description

Definition at line 56 of file glcurveval.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/interface/glcurveval.h

## 4.222 Curvelist Class Reference

### Public Member Functions

- **Curvelist** ( **Quilt** \*, **REAL**, **REAL**)
- **Curvelist** ( **Curvelist** &, **REAL**)
- int **cullCheck** (void)
- void **getstepsize** (void)
- int **needsSamplingSubdivision** ()

### Friends

- class **Subdivider**

#### 4.222.1 Detailed Description

Definition at line 46 of file curvelist.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/curvelist.h
- src/libnurbs/internals/curvelist.cc

## 4.223 damper\_ptr Struct Reference

### Data Fields

- void \* **value\_changed**
- void \* **initialDestination**
- void \* **initialValue**
- void \* **set\_destination**
- void \* **set\_value**
- void \* **\_values**
- void \* **\_input**

#### 4.223.1 Detailed Description

Definition at line 176 of file Component\_Followers.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Followers.c

## 4.224 DataPdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** mySimulationManagementFamilyPdu
- unsigned int **requestID**  
*ID of request.*
- unsigned int **padding1**  
*padding*
- unsigned int **numberOfFixedDatumRecords**  
*Number of fixed datum records.*
- unsigned int **numberOfVariableDatumRecords**  
*Number of variable datum records.*
- void \* **fixedDatums**  
*variable length list of fixed datums*
- void \* **variableDatums**  
*variable length list of variable length datums*

### 4.224.1 Detailed Description

Definition at line 1407 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.225 DataQueryPdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** mySimulationManagementFamilyPdu
- unsigned int **requestID**  
*ID of request.*
- unsigned int **timeInterval**  
*time issues between issues of Data PDUs.*
- unsigned int **numberOfFixedDatumRecords**  
*Number of fixed datum records.*
- unsigned int **numberOfVariableDatumRecords**  
*Number of variable datum records.*
- void \* **fixedDatums**  
*variable length list of fixed datums*
- void \* **variableDatums**  
*variable length list of variable length datums*

### 4.225.1 Detailed Description

Definition at line 815 of file DIS.h.

## 4.225.2 Field Documentation

### 4.225.2.1 timeInterval

```
unsigned int DataQueryPdu::timeInterval
```

time issues between issues of Data PDUs.

Zero means send once only.

Definition at line 820 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.226 DataQueryReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** **mySimulationManagementWithReliability**↔  
**FamilyPdu**
- unsigned char **requiredReliabilityService**  
*level of reliability service used for this transaction*
- unsigned short **pad1**  
*padding*
- unsigned char **pad2**  
*padding*
- unsigned int **requestID**  
*request ID*
- unsigned int **timeInterval**  
*time interval between issuing data query PDUs*
- unsigned int **numberOfFixedDatumRecords**  
*Fixed datum record count.*
- unsigned int **numberOfVariableDatumRecords**  
*variable datum record count*
- void \* **fixedDatumRecords**  
*Fixed datum records.*
- void \* **variableDatumRecords**  
*Variable datum records.*

### 4.226.1 Detailed Description

Definition at line 1570 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h



## 4.227 DataReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** **mySimulationManagementWithReliabilityFamilyPdu**↔
- unsigned int **requestID**  
*Request ID.*
- unsigned char **requiredReliabilityService**  
*level of reliability service used for this transaction*
- unsigned short **pad1**  
*padding*
- unsigned char **pad2**  
*padding*
- unsigned int **numberOfFixedDatumRecords**  
*Fixed datum record count.*
- unsigned int **numberOfVariableDatumRecords**  
*variable datum record count*
- void \* **fixedDatumRecords**  
*Fixed datum records.*
- void \* **variableDatumRecords**  
*Variable datum records.*

### 4.227.1 Detailed Description

Definition at line 1689 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.228 datChnk Struct Reference

### Data Fields

- char **chunkID** [4]
- int32\_t **chunkSize**

### 4.228.1 Detailed Description

Definition at line 65 of file soundheader.h.

The documentation for this struct was generated from the following file:

- src/sound/soundheader.h

## 4.229 dct\_dc\_size\_entry Struct Reference

### Data Fields

- unsigned int **value**
- int **num\_bits**

### 4.229.1 Detailed Description

Definition at line 795 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

## 4.230 DDS\_header Union Reference

### Data Fields

- ```

struct {
    unsigned int dwMagic
    unsigned int dwSize
    unsigned int dwFlags
    unsigned int dwHeight
    unsigned int dwWidth
    unsigned int dwPitchOrLinearSize
    unsigned int dwDepth
    unsigned int dwMipMapCount
    unsigned int dwReserved1 [11]
    struct {
        unsigned int dwSize
        unsigned int dwFlags
        unsigned int dwFourCC
        unsigned int dwRGBBitCount
        unsigned int dwRBitMask
        unsigned int dwGBitMask
        unsigned int dwBBitMask
        unsigned int dwAlphaBitMask
    } sPixelFormat
    struct {
        unsigned int dwCaps1
        unsigned int dwCaps2
        unsigned int dwDD SX
        unsigned int dwReserved
    } sCaps
    unsigned int dwReserved2
};

• char data [128]
```

### 4.230.1 Detailed Description

Definition at line 460 of file Component\_CubeMapTexturing.c.

The documentation for this union was generated from the following file:

- src/lib/scenegraph/Component\_CubeMapTexturing.c

## 4.231 DdsLoadInfo Struct Reference

### Data Fields

- bool **compressed**
- bool **swap**
- bool **palette**
- unsigned int **divSize**
- unsigned int **blockBytes**
- GLenum **internalFormat**
- GLenum **externalFormat**
- GLenum **type**

### 4.231.1 Detailed Description

Definition at line 499 of file Component\_CubeMapTexturing.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_CubeMapTexturing.c

## 4.232 DeadReckoningParameter Struct Reference

### Data Fields

- unsigned char **deadReckoningAlgorithm**  
*enumeration of what dead reckoning algorithm to use*
- char **otherParameters** [15]  
*other parameters to use in the dead reckoning algorithm*
- struct **Vector3Float** **entityLinearAcceleration**  
*Linear acceleration of the entity.*
- struct **Vector3Float** **entityAngularVelocity**  
*angular velocity of the entity*

### 4.232.1 Detailed Description

Definition at line 734 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.233 depth\_slice Struct Reference

### Data Fields

- double **znear**
- double **zfar**

### 4.233.1 Detailed Description

Definition at line 3241 of file OpenGL\_Utils.c.

The documentation for this struct was generated from the following file:

- src/lib/opengl/OpenGL\_Utils.c

## 4.234 DesignatorPdu Struct Reference

### Data Fields

- struct **DistributedEmissionsFamilyPdu** **myDistributedEmissionsFamilyPdu**
- struct **EntityID** **designatingEntityID**  
*ID of the entity designating.*
- unsigned short **codeName**  
*This field shall specify a unique emitter database number assigned to differentiate between otherwise similar or identical emitter beams within an emitter system.*
- struct **EntityID** **designatedEntityID**  
*ID of the entity being designated.*
- unsigned short **designatorCode**  
*This field shall identify the designator code being used by the designating entity*
- float **designatorPower**  
*This field shall identify the designator output power in watts.*
- float **designatorWavelength**  
*This field shall identify the designator wavelength in units of microns.*
- struct **Vector3Float** **designatorSpotWrtDesignated**  
*designator spot wrt the designated entity*
- struct **Vector3Double** **designatorSpotLocation**  
*designator spot wrt the designated entity*
- char **deadReckoningAlgorithm**  
*Dead reckoning algorithm.*
- unsigned short **padding1**  
*padding*
- char **padding2**  
*padding*
- struct **Vector3Float** **entityLinearAcceleration**  
*linear acceleration of entity*

### 4.234.1 Detailed Description

Definition at line 1109 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.235 DetonationPdu Struct Reference

### Data Fields

- struct **WarfareFamilyPdu** **myWarfareFamilyPdu**
- struct **EntityID** **munitionID**  
*ID of munition that was fired.*
- struct **EventID** **eventID**  
*ID firing event.*
- struct **Vector3Float** **velocity**  
*ID firing event.*
- struct **Vector3Double** **locationInWorldCoordinates**  
*where the detonation is, in world coordinates*
- struct **BurstDescriptor** **burstDescriptor**  
*Describes munition used.*
- struct **Vector3Float** **locationInEntityCoordinates**  
*location of the detonation or impact in the target entity's coordinate system.*
- unsigned char **detonationResult**  
*result of the explosion*
- unsigned char **numberOfArticulationParameters**  
*How many articulation parameters we have.*
- short **pad**  
*padding*
- void \* **articulationParameters**

### 4.235.1 Detailed Description

Definition at line 1736 of file DIS.h.

### 4.235.2 Field Documentation

#### 4.235.2.1 locationInEntityCoordinates

```
struct Vector3Float DetonationPdu::locationInEntityCoordinates
```

location of the detonation or impact in the target entity's coordinate system.

This information should be used for damage assessment.

Definition at line 1732 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.236 Dict Struct Reference

### Data Fields

- **DictNode** head
- void \* **frame**
- int(\* **leq** )(void \*frame, DictKey key1, DictKey key2)

#### 4.236.1 Detailed Description

Definition at line 94 of file dict-list.h.

The documentation for this struct was generated from the following files:

- src/libtess/dict-list.h
- src/libtess/dict.h

## 4.237 DictNode Struct Reference

### Data Fields

- DictKey **key**
- **DictNode** \* **next**
- **DictNode** \* **prev**

#### 4.237.1 Detailed Description

Definition at line 88 of file dict-list.h.

The documentation for this struct was generated from the following files:

- src/libtess/dict-list.h
- src/libtess/dict.h

## 4.238 directedLine Class Reference

### Public Member Functions

- **directedLine** (short dir, **sampledLine** \*sl)
- void **init** (short dir, **sampledLine** \*sl)
- **Real** \* **head** ()
- **Real** \* **tail** ()
- **Real** \* **getVertex** (Int i)
- Int **get\_npoints** ()
- **directedLine** \* **getPrev** ()
- **directedLine** \* **getNext** ()
- **directedLine** \* **getNextPolygon** ()
- **sampledLine** \* **getSampledLine** ()
- short **getDirection** ()
- void **putDirection** (short dir)
- void **putPrev** ( **directedLine** \*p)
- void **putNext** ( **directedLine** \*p)
- void **insert** ( **directedLine** \*nl)
- void **deletePolygonList** ()
- void **deleteSinglePolygon** ()
- void **deleteSinglePolygonWithSline** ()
- void **deletePolygonListWithSline** ()
- void **deleteSingleLine** ( **directedLine** \*dline)
- **directedLine** \* **deleteDegenerateLines** ()
- **directedLine** \* **deleteDegenerateLinesAllPolygons** ()
- **directedLine** \* **cutIntersectionAllPoly** (int &cutOccur)
- short **isPolygon** ()
- Int **complnY** ( **directedLine** \*nl)
- Int **complnX** ( **directedLine** \*nl)
- **directedLine** \*\* **sortAllPolygons** ()
- Int **numEdges** ()
- Int **numEdgesAllPolygons** ()
- Int **numPolygons** ()
- short **isConnected** ()
- **Real** **polyArea** ()
- void **printSingle** ()
- void **printList** ()
- void **printAllPolygons** ()
- void **writeAllPolygons** (char \*filename)
- **directedLine** \* **insertPolygon** ( **directedLine** \*newpolygon)
- **directedLine** \* **cutoffPolygon** ( **directedLine** \*p)
- Int **toArraySinglePolygon** ( **directedLine** \*\*array, Int index)
- **directedLine** \*\* **toArrayAllPolygons** (Int &total\_num\_edges)
- void **connectDiagonal** ( **directedLine** \*v1, **directedLine** \*v2, **directedLine** \*\*ret\_p1, **directedLine** \*\*ret\_p2, **sampledLine** \*\*generatedLine, **directedLine** \*list)
- void **connectDiagonal\_2sline** ( **directedLine** \*v1, **directedLine** \*v2, **directedLine** \*\*ret\_p1, **directedLine** \*\*ret\_p2, **directedLine** \*list)
- Int **samePolygon** ( **directedLine** \*v1, **directedLine** \*v2)
- void **setRootBit** ()
- void **resetRootBit** ()
- **directedLine** \* **findRoot** ()
- void **rootLinkSet** ( **directedLine** \*r)
- **directedLine** \* **rootLinkFindRoot** ()
- **directedLine** \* **deleteChain** ( **directedLine** \*begin, **directedLine** \*end)

### 4.238.1 Detailed Description

Definition at line 41 of file directedLine.h.

The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/directedLine.h
- src/libnurbs/nurbtess/directedLine.cc

## 4.239 dis\_class Struct Reference

### Data Fields

- struct **disfieldattr** \* **fields**
- unsigned char **pduType**
- unsigned char **protocolFamily**

### 4.239.1 Detailed Description

Definition at line 1421 of file DIS.c.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.c

## 4.240 dis\_socket Struct Reference

### Data Fields

- int **port**
- char \* **address**
- SOCKET **socket**
- struct sockaddr\_in **saddr**
- int **multicastRelayPort**
- char \* **multicastRelayHost**
- int **idir**
- struct **Vector** \* **registered**
- double **lasttime**

### 4.240.1 Detailed Description

Definition at line 101 of file socketutils.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/socketutils.c



## 4.241 disfieldattr Struct Reference

### Data Fields

- int **kind**
- int **type**
- char \* **name**
- char \* **comment**
- int **listLength**
- char \* **countfieldname**
- int **countfieldindex**
- int **dynamicListClassAttribute**
- double **defaultvalue**
- int **listkind**
- int **couldBeString**
- int **isBitField**
- int **size**
- int **offset**

### 4.241.1 Detailed Description

Definition at line 166 of file DIS.c.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.c

## 4.242 DisplayList Class Reference

### Public Member Functions

- **DisplayList** ( **NurbsTessellator** \*)
- void **play** (void)
- void **append** (PFVS work, void \*arg, PFVS cleanup)
- void **endList** (void)

### 4.242.1 Detailed Description


Definition at line 64 of file displaylist.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/displaylist.h
- src/libnurbs/internals/displaylist.cc

## 4.243 freeWRLSAI\_cpp::disposedException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::disposedException:



### Public Member Functions

- virtual const char \* **what** ()

### Additional Inherited Members

#### 4.243.1 Detailed Description

Definition at line 96 of file SAlexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAlexception.h

## 4.244 DistributedEmissionsFamilyPdu Struct Reference

### Data Fields

- struct **Pdu** myPdu

#### 4.244.1 Detailed Description


Definition at line 1055 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.245 Dlnode Struct Reference

Inheritance diagram for Dlnode:



## Public Member Functions

- **Dlnode** (PFVS, void \*, PFVS)

## Data Fields

- PFVS **work**
- void \* **arg**
- PFVS **cleanup**
- **Dlnode** \* **next**

### 4.245.1 Detailed Description

Definition at line 48 of file displaylist.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/displaylist.h

## 4.246 draw\_call\_params Struct Reference

### Data Fields

- int **calltype**
- union {  
    struct **arrays** {  
        int **arrays\_mode**  
        int **arrays\_count**  
        int **arrays\_first**  
    } **arrays**  
    struct **elements** {  
        int **elements\_mode**  
        int **elements\_count**  
        ushort \* **elements\_indices**  
    } **elements**  
};

### 4.246.1 Detailed Description

Definition at line 71 of file RenderFuncs.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/RenderFuncs.c

## 4.247 duk\_\_bigint Struct Reference

### Data Fields

- duk\_small\_int\_t **n**
- duk\_uint32\_t **v** [DUK\_\_BI\_MAX\_PARTS]

### 4.247.1 Detailed Description

Definition at line 79158 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.248 duk\_\_compile\_raw\_args Struct Reference

### Data Fields

- duk\_size\_t **src\_length**
- const duk\_uint8\_t \* **src\_buffer**
- duk\_uint\_t **flags**

### 4.248.1 Detailed Description

Definition at line 14477 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.249 duk\_\_compiler\_stkstate Struct Reference

### Data Fields

- duk\_small\_uint\_t **flags**
- duk\_compiler\_ctx **comp\_ctx\_alloc**
- duk\_lexer\_point **lex\_pt\_alloc**

### 4.249.1 Detailed Description

Definition at line 60564 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.250 duk\_\_decode\_context Struct Reference

### Data Fields

- duk\_codepoint\_t **codepoint**
- duk\_uint8\_t **upper**
- duk\_uint8\_t **lower**
- duk\_uint8\_t **needed**
- duk\_uint8\_t **bom\_handled**
- duk\_uint8\_t **fatal**
- duk\_uint8\_t **ignore\_bom**

### 4.250.1 Detailed Description

Definition at line 28998 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.251 duk\_\_encode\_context Struct Reference

### Data Fields

- duk\_uint8\_t \* **out**
- duk\_codepoint\_t **lead**

### 4.251.1 Detailed Description

Definition at line 28993 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.252 duk\_\_exp\_limits Struct Reference

### Data Fields

- duk\_int16\_t **upper**
- duk\_int16\_t **lower**

### 4.252.1 Detailed Description

Definition at line 79117 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.253 duk\_\_id\_lookup\_result Struct Reference

### Data Fields

- **duk\_hobject** \* holder
- **duk\_tval** \* value
- **duk\_int\_t** attrs
- **duk\_tval** \* this\_binding
- **duk\_hobject** \* env

### 4.253.1 Detailed Description

Definition at line 74922 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.254 duk\_\_numconv\_stringify\_ctx Struct Reference

### Data Fields

- **duk\_\_bigint** f
- **duk\_\_bigint** r
- **duk\_\_bigint** s
- **duk\_\_bigint** mp
- **duk\_\_bigint** mm
- **duk\_\_bigint** t1
- **duk\_\_bigint** t2
- **duk\_small\_int\_t** is\_s2n
- **duk\_small\_int\_t** is\_fixed
- **duk\_small\_int\_t** req\_digits
- **duk\_small\_int\_t** abs\_pos
- **duk\_small\_int\_t** e
- **duk\_small\_int\_t** b
- **duk\_small\_int\_t** B
- **duk\_small\_int\_t** k
- **duk\_small\_int\_t** low\_ok
- **duk\_small\_int\_t** high\_ok
- **duk\_small\_int\_t** unequal\_gaps
- **duk\_uint8\_t** digits [DUK\_\_MAX\_OUTPUT\_DIGITS]
- **duk\_small\_int\_t** count

### 4.254.1 Detailed Description

Definition at line 79713 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.255 duk\_\_objlit\_state Struct Reference

### Data Fields

- duk\_reg\_t **reg\_obj**
- duk\_reg\_t **temp\_start**
- duk\_small\_uint\_t **num\_pairs**

### 4.255.1 Detailed Description

Definition at line 63400 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.256 duk\_\_pcall\_prop\_args Struct Reference

### Data Fields

- duk\_idx\_t **obj\_idx**
- duk\_idx\_t **nargs**

### 4.256.1 Detailed Description

Definition at line 13370 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.257 duk\_\_re\_disjunction\_info Struct Reference

### Data Fields

- duk\_int32\_t **charlen**

### 4.257.1 Detailed Description

Definition at line 81390 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.258 duk\_\_transform\_context Struct Reference

### Data Fields

- **duk\_hthread** \* **thr**
- **duk\_hstring** \* **h\_str**
- **duk\_bufwriter\_ctx** **bw**
- const duk\_uint8\_t \* **p**
- const duk\_uint8\_t \* **p\_start**
- const duk\_uint8\_t \* **p\_end**

### 4.258.1 Detailed Description

Definition at line 30416 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.259 duk\_activation Struct Reference

### Data Fields

- **duk\_tval** **tv\_func**
- **duk\_hobject** \* **func**
- **duk\_hobject** \* **var\_env**
- **duk\_hobject** \* **lex\_env**
- duk\_instr\_t \* **curr\_pc**
- duk\_small\_uint\_t **flags**
- duk\_size\_t **idx\_bottom**
- duk\_size\_t **idx\_retval**

### 4.259.1 Detailed Description

Definition at line 6846 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c



## 4.260 duk\_bitdecoder\_ctx Struct Reference

### Data Fields

- `const duk_uint8_t * data`
- `duk_size_t offset`
- `duk_size_t length`
- `duk_uint32_t currval`
- `duk_small_int_t currbits`

### 4.260.1 Detailed Description

Definition at line 1856 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.261 duk\_bitencoder\_ctx Struct Reference

### Data Fields

- `duk_uint8_t * data`
- `duk_size_t offset`
- `duk_size_t length`
- `duk_uint32_t currval`
- `duk_small_int_t currbits`
- `duk_small_int_t truncated`

### 4.261.1 Detailed Description

Definition at line 1870 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.262 duk\_breakpoint Struct Reference

### Data Fields

- `duk_hstring * filename`
- `duk_uint32_t line`

### 4.262.1 Detailed Description

Definition at line 7670 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.263 `duk_bufwriter_ctx` Struct Reference

### Data Fields

- `duk_uint8_t * p`
- `duk_uint8_t * p_base`
- `duk_uint8_t * p_limit`
- `duk_hbuffer_dynamic * buf`

### 4.263.1 Detailed Description

Definition at line 1941 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.264 `duk_catcher` Struct Reference

### Data Fields

- `duk_hstring * h_varname`
- `duk_instr_t * pc_base`
- `duk_size_t callstack_index`
- `duk_size_t idx_base`
- `duk_uint32_t flags`

### 4.264.1 Detailed Description

Definition at line 6898 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.265 duk\_compiler\_ctx Struct Reference

### Data Fields

- **duk\_hthread** \* thr
- **duk\_hstring** \* h\_filename
- **duk\_lexer\_ctx** lex
- **duk\_token** prev\_token
- **duk\_token** curr\_token
- **duk\_idx\_t** tok11\_idx
- **duk\_idx\_t** tok12\_idx
- **duk\_idx\_t** tok21\_idx
- **duk\_idx\_t** tok22\_idx
- **duk\_int\_t** recursion\_depth
- **duk\_int\_t** recursion\_limit
- **duk\_int\_t** emit\_jumpslot\_pc
- **duk\_compiler\_func** curr\_func

### 4.265.1 Detailed Description

Definition at line 3635 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.266 duk\_compiler\_func Struct Reference

### Data Fields

- **duk\_bufwriter\_ctx** bw\_code
- **duk\_hstring** \* h\_name
- **duk\_hobject** \* h\_consts
- **duk\_hobject** \* h\_funcs
- **duk\_hobject** \* h\_decls
- **duk\_hobject** \* h\_labelnames
- **duk\_hbuffer\_dynamic** \* h\_labelinfos
- **duk\_hobject** \* h\_argnames
- **duk\_hobject** \* h\_varmap
- **duk\_idx\_t** consts\_idx
- **duk\_idx\_t** funcs\_idx
- **duk\_idx\_t** decls\_idx
- **duk\_idx\_t** labelnames\_idx
- **duk\_idx\_t** labelinfos\_idx
- **duk\_idx\_t** argnames\_idx
- **duk\_idx\_t** varmap\_idx
- **duk\_reg\_t** temp\_first
- **duk\_reg\_t** temp\_next
- **duk\_reg\_t** temp\_max
- **duk\_reg\_t** shuffle1

- `duk_reg_t shuffle2`
- `duk_reg_t shuffle3`
- `duk_int_t nud_count`
- `duk_int_t led_count`
- `duk_int_t paren_level`
- `duk_bool_t expr_lhs`
- `duk_bool_t allow_in`
- `duk_int_t stmt_next`
- `duk_int_t label_next`
- `duk_int_t catch_depth`
- `duk_int_t with_depth`
- `duk_int_t fnum_next`
- `duk_int_t num_formals`
- `duk_reg_t reg_stmt_value`
- `duk_uint8_t is_function`
- `duk_uint8_t is_eval`
- `duk_uint8_t is_global`
- `duk_uint8_t is_namebinding`
- `duk_uint8_t is_constructable`
- `duk_uint8_t is_setget`
- `duk_uint8_t is_strict`
- `duk_uint8_t is_notail`
- `duk_uint8_t in_directive_prologue`
- `duk_uint8_t in_scanning`
- `duk_uint8_t may_direct_eval`
- `duk_uint8_t id_access_arguments`
- `duk_uint8_t id_access_slow`
- `duk_uint8_t id_access_slow_own`
- `duk_uint8_t is_arguments_shadowed`
- `duk_uint8_t needs_shuffle`
- `duk_uint8_t reject_regexp_in_adv`

#### 4.266.1 Detailed Description

Definition at line 3552 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

### 4.267 duk\_compiler\_instr Struct Reference

#### Data Fields

- `duk_instr_t ins`
- `duk_uint32_t line`

### 4.267.1 Detailed Description

Definition at line 3516 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.268 duk\_double\_union Union Reference

### Data Fields

- double **d**
- float **f** [2]
- duk\_uint32\_t **ui** [2]
- duk\_uint16\_t **us** [4]
- duk\_uint8\_t **uc** [8]

### 4.268.1 Detailed Description

Definition at line 1292 of file duktape.h.

The documentation for this union was generated from the following file:

- src/lib/world\_script/duktape/duktape.h

## 4.269 duk\_function\_list\_entry Struct Reference

### Data Fields

- const char \* **key**
- duk\_c\_function **value**
- duk\_idx\_t **nargs**

### 4.269.1 Detailed Description

Definition at line 224 of file duktape.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.h

## 4.270 duk\_harray Struct Reference

### Data Fields

- **duk\_hobject** obj
- **duk\_uint32\_t** length
- **duk\_bool\_t** length\_nonwritable

### 4.270.1 Detailed Description

Definition at line 7057 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.271 duk\_hbuffer Struct Reference

### Data Fields

- **duk\_heaphdr** hdr
- **duk\_size\_t** size

### 4.271.1 Detailed Description

Definition at line 7255 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.272 duk\_hbuffer\_dynamic Struct Reference

### Data Fields

- **duk\_heaphdr** hdr
- **duk\_size\_t** size
- **void \*** curr\_alloc

### 4.272.1 Detailed Description

Definition at line 7355 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.273 duk\_hbuffer\_external Struct Reference

### Data Fields

- **duk\_heaphdr** **hdr**
- **duk\_size\_t** **size**
- **void \*** **curr\_alloc**

### 4.273.1 Detailed Description

Definition at line 7384 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.274 duk\_hbuffer\_fixed Struct Reference

### Data Fields

- ```
union {  
    struct {  
        duk_heaphdr hdr  
        duk_size_t size  
    } s  
    duk_double_t dummy_for_align8  
} u
```

### 4.274.1 Detailed Description

Definition at line 7301 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.275 duk\_hbufobj Struct Reference

### Data Fields

- **duk\_hobject** **obj**
- **duk\_hbuffer \*** **buf**
- **duk\_hobject \*** **buf\_prop**
- **duk\_uint\_t** **offset**
- **duk\_uint\_t** **length**
- **duk\_uint8\_t** **shift**
- **duk\_uint8\_t** **elem\_type**
- **duk\_uint8\_t** **is\_typedarray**

### 4.275.1 Detailed Description

Definition at line 6593 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.276 duk\_hcompfunc Struct Reference

### Data Fields

- **duk\_hobject** obj
- **duk\_hbuffer** \* data
- **duk\_hobject** \*\* funcs
- **duk\_instr\_t** \* bytecode
- **duk\_hobject** \* lex\_env
- **duk\_hobject** \* var\_env
- **duk\_uint16\_t** nregs
- **duk\_uint16\_t** nargs

### 4.276.1 Detailed Description

Definition at line 6334 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.277 duk\_heap Struct Reference

### Data Fields

- **duk\_small\_uint\_t** flags
- **duk\_alloc\_function** alloc\_func
- **duk\_realloc\_function** realloc\_func
- **duk\_free\_function** free\_func
- void \* **heap\_udata**
- **duk\_fatal\_function** fatal\_func
- **duk\_heaphdr** \* heap\_allocated
- **duk\_heaphdr** \* refzero\_list
- **duk\_heaphdr** \* refzero\_list\_tail
- **duk\_int\_t** mark\_and\_sweep\_trigger\_counter
- **duk\_int\_t** mark\_and\_sweep\_recursion\_depth
- **duk\_small\_uint\_t** mark\_and\_sweep\_base\_flags
- **duk\_heaphdr** \* finalize\_list
- **duk\_ljstate** lj
- **duk\_bool\_t** handling\_error



- **duk\_hthread** \* heap\_thread
- **duk\_hthread** \* curr\_thread
- **duk\_hobject** \* heap\_object
- duk\_int\_t call\_recursion\_depth
- duk\_int\_t call\_recursion\_limit
- duk\_uint32\_t hash\_seed
- duk\_uint32\_t rnd\_state
- duk\_uint32\_t sym\_counter [2]
- **duk\_hstring** \*\* strtable
- duk\_uint32\_t st\_size
- duk\_uint32\_t st\_used
- **duk\_strcache** strcache [DUK\_HEAP\_STRCACHE\_SIZE]
- **duk\_hstring** \* strs [DUK\_HEAP\_NUM\_STRINGS]

#### 4.277.1 Detailed Description

Definition at line 7751 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.278 duk\_heaphdr Struct Reference

### Data Fields

- duk\_uint32\_t h\_flags
- duk\_size\_t h\_refcount
- **duk\_heaphdr** \* h\_next
- **duk\_heaphdr** \* h\_prev

#### 4.278.1 Detailed Description

Definition at line 3787 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.279 duk\_heaphdr\_string Struct Reference

### Data Fields

- duk\_uint32\_t h\_flags
- duk\_size\_t h\_refcount

### 4.279.1 Detailed Description

Definition at line 3826 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.280 duk\_hnatfunc Struct Reference

### Data Fields

- **duk\_hobject** **obj**
- **duk\_c\_function** **func**
- **duk\_int16\_t** **nargs**
- **duk\_int16\_t** **magic**

### 4.280.1 Detailed Description

Definition at line 6474 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.281 duk\_hobject Struct Reference

### Data Fields

- **duk\_heaphdr** **hdr**
- **duk\_uint8\_t** \* **props**
- **duk\_hobject** \* **prototype**
- **duk\_uint32\_t** **e\_size**
- **duk\_uint32\_t** **e\_next**
- **duk\_uint32\_t** **a\_size**
- **duk\_uint32\_t** **h\_size**

### 4.281.1 Detailed Description

Definition at line 5969 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.282 duk\_hstring Struct Reference

### Data Fields

- **duk\_heaphdr\_string** **hdr**
- duk\_uint32\_t **hash**
- duk\_uarridx\_t **arridx**
- duk\_uint32\_t **blen**
- duk\_uint32\_t **clen**

### 4.282.1 Detailed Description

Definition at line 5165 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.283 duk\_hstring\_external Struct Reference

### Data Fields

- **duk\_hstring** **str**
- const duk\_uint8\_t \* **extdata**

### 4.283.1 Detailed Description

Definition at line 5216 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.284 duk\_hthread Struct Reference

### Data Fields

- **duk\_hobject** obj
- duk\_instr\_t \*\* ptr\_curr\_pc
- **duk\_heap** \* heap
- duk\_uint8\_t strict
- duk\_uint8\_t state
- duk\_uint8\_t unused1
- duk\_uint8\_t unused2
- duk\_size\_t valstack\_max
- duk\_size\_t callstack\_max
- duk\_size\_t catchstack\_max
- **duk\_tval** \* valstack
- **duk\_tval** \* valstack\_end
- **duk\_tval** \* valstack\_bottom
- **duk\_tval** \* valstack\_top
- duk\_size\_t valstack\_size
- **duk\_activation** \* callstack
- duk\_size\_t callstack\_size
- duk\_size\_t callstack\_top
- duk\_size\_t callstack\_preventcount
- **duk\_catcher** \* catchstack
- duk\_size\_t catchstack\_size
- duk\_size\_t catchstack\_top
- **duk\_hthread** \* resumer
- **duk\_compiler\_ctx** \* compile\_ctx
- **duk\_hobject** \* builtins [DUK\_NUM\_BUILTINS]
- **duk\_hstring** \*\* strs

### 4.284.1 Detailed Description

Definition at line 6907 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.285 duk\_internal\_thread\_state Struct Reference

### Data Fields

- **duk\_ljstate** lj
- duk\_bool\_t handling\_error
- **duk\_hthread** \* curr\_thread
- duk\_int\_t call\_recursion\_depth

### 4.285.1 Detailed Description

Definition at line 14932 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.286 duk\_ispec Struct Reference

### Data Fields

- duk\_small\_uint\_t t
- duk\_regconst\_t regconst
- duk\_idx\_t valstack\_idx

### 4.286.1 Detailed Description

Definition at line 3489 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.287 duk\_ivalue Struct Reference

### Data Fields

- duk\_small\_uint\_t t
- duk\_small\_uint\_t op
- duk\_ispec x1
- duk\_ispec x2

### 4.287.1 Detailed Description

Definition at line 3495 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.288 duk\_jmpbuf Struct Reference

### Data Fields

- DUK\_JMPBUF\_TYPE jb

### 4.288.1 Detailed Description

Definition at line 229 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.289 duk\_json\_dec\_ctx Struct Reference

### Data Fields

- **duk\_hthread** \* **thr**
- const duk\_uint8\_t \* **p**
- const duk\_uint8\_t \* **p\_start**
- const duk\_uint8\_t \* **p\_end**
- duk\_idx\_t **idx\_reviver**
- duk\_small\_uint\_t **flags**
- duk\_small\_uint\_t **flag\_ext\_custom**
- duk\_small\_uint\_t **flag\_ext\_compatible**
- duk\_small\_uint\_t **flag\_ext\_custom\_or\_compatible**
- duk\_int\_t **recursion\_depth**
- duk\_int\_t **recursion\_limit**

### 4.289.1 Detailed Description

Definition at line 9158 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.290 duk\_json\_enc\_ctx Struct Reference

### Data Fields

- **duk\_hthread** \* **thr**
- **duk\_bufwriter\_ctx** **bw**
- **duk\_hobject** \* **h\_replacer**
- **duk\_hstring** \* **h\_gap**
- duk\_idx\_t **idx\_proplist**
- duk\_idx\_t **idx\_loop**
- duk\_small\_uint\_t **flags**
- duk\_small\_uint\_t **flag\_ascii\_only**
- duk\_small\_uint\_t **flag\_avoid\_key\_quotes**
- duk\_small\_uint\_t **flag\_ext\_custom**
- duk\_small\_uint\_t **flag\_ext\_compatible**
- duk\_small\_uint\_t **flag\_ext\_custom\_or\_compatible**
- duk\_int\_t **recursion\_depth**
- duk\_int\_t **recursion\_limit**
- duk\_uint\_t **mask\_for\_undefined**
- duk\_small\_uint\_t **stridx\_custom\_undefined**
- duk\_small\_uint\_t **stridx\_custom\_nan**
- duk\_small\_uint\_t **stridx\_custom\_neginf**
- duk\_small\_uint\_t **stridx\_custom\_posinf**
- duk\_small\_uint\_t **stridx\_custom\_function**
- **duk\_hobject** \* **visiting** [DUK\_JSON\_ENC\_LOOPARRAY]

### 4.290.1 Detailed Description

Definition at line 9130 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.291 duk\_labelinfo Struct Reference

### Data Fields

- duk\_small\_uint\_t **flags**
- duk\_int\_t **label\_id**
- duk\_hstring \* **h\_label**
- duk\_int\_t **catch\_depth**
- duk\_int\_t **pc\_label**

### 4.291.1 Detailed Description

Definition at line 3534 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.292 duk\_lexer\_codepoint Struct Reference

### Data Fields

- duk\_codepoint\_t **codepoint**
- duk\_size\_t **offset**
- duk\_int\_t **line**

### 4.292.1 Detailed Description

Definition at line 3390 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.293 duk\_lexer\_ctx Struct Reference

### Data Fields

- **duk\_lexer\_codepoint** \* **window**
- **duk\_lexer\_codepoint** **buffer** [DUK\_LEXER\_BUFFER\_SIZE]
- **duk\_hthread** \* **thr**
- const duk\_uint8\_t \* **input**
- duk\_size\_t **input\_length**
- duk\_size\_t **input\_offset**
- duk\_int\_t **input\_line**
- duk\_idx\_t **slot1\_idx**
- duk\_idx\_t **slot2\_idx**
- duk\_idx\_t **buf\_idx**
- **duk\_hbuffer\_dynamic** \* **buf**
- **duk\_bufwriter\_ctx** **bw**
- duk\_int\_t **token\_count**
- duk\_int\_t **token\_limit**

### 4.293.1 Detailed Description

Definition at line 3397 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.294 duk\_lexer\_point Struct Reference

### Data Fields

- duk\_size\_t **offset**
- duk\_int\_t **line**

### 4.294.1 Detailed Description

Definition at line 3384 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c



## 4.295 duk\_ljstate Struct Reference

### Data Fields

- **duk\_jmpbuf** \* **jmpbuf\_ptr**
- duk\_small\_uint\_t **type**
- duk\_bool\_t **iserror**
- **duk\_tval** **value1**
- **duk\_tval** **value2**

### 4.295.1 Detailed Description

Definition at line 7716 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.296 duk\_memory\_functions Struct Reference

### Data Fields

- duk\_alloc\_function **alloc\_func**
- duk\_realloc\_function **realloc\_func**
- duk\_free\_function **free\_func**
- void \* **udata**

### 4.296.1 Detailed Description

Definition at line 217 of file duktape.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.h

## 4.297 duk\_number\_list\_entry Struct Reference

### Data Fields

- const char \* **key**
- duk\_double\_t **value**

### 4.297.1 Detailed Description

Definition at line 230 of file duktape.h.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.h`

## 4.298 duk\_propaccessor Struct Reference

### Data Fields

- `duk_hobject * get`
- `duk_hobject * set`

### 4.298.1 Detailed Description

Definition at line 5943 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.299 duk\_propdesc Struct Reference

### Data Fields

- `duk_small_int_t flags`
- `duk_hobject * get`
- `duk_hobject * set`
- `duk_int_t e_idx`
- `duk_int_t h_idx`
- `duk_int_t a_idx`

### 4.299.1 Detailed Description

Definition at line 5957 of file duktape.c.

The documentation for this struct was generated from the following file:

- `src/lib/world_script/duktape/duktape.c`

## 4.300 duk\_propvalue Union Reference

### Data Fields

- **duk\_tval** v
- **duk\_propaccessor** a

### 4.300.1 Detailed Description

Definition at line 5948 of file duktape.c.

The documentation for this union was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.301 duk\_re\_compiler\_ctx Struct Reference

### Data Fields

- **duk\_hthread** \* thr
- duk\_uint32\_t **re\_flags**
- **duk\_lexer\_ctx** lex
- **duk\_re\_token** curr\_token
- **duk\_bufwriter\_ctx** bw
- duk\_uint32\_t **captures**
- duk\_uint32\_t **highest\_backref**
- duk\_uint32\_t **recursion\_depth**
- duk\_uint32\_t **recursion\_limit**
- duk\_uint32\_t **nranges**

### 4.301.1 Detailed Description

Definition at line 3733 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.302 duk\_re\_matcher\_ctx Struct Reference

### Data Fields

- **duk\_hthread** \* thr
- duk\_uint32\_t **re\_flags**
- const duk\_uint8\_t \* **input**
- const duk\_uint8\_t \* **input\_end**
- const duk\_uint8\_t \* **bytecode**
- const duk\_uint8\_t \* **bytecode\_end**
- const duk\_uint8\_t \*\* **saved**
- duk\_uint32\_t **nsaved**
- duk\_uint32\_t **recursion\_depth**
- duk\_uint32\_t **recursion\_limit**
- duk\_uint32\_t **steps\_count**
- duk\_uint32\_t **steps\_limit**

### 4.302.1 Detailed Description

Definition at line 3717 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.303 duk\_re\_token Struct Reference

### Data Fields

- duk\_small\_int\_t **t**
- duk\_small\_int\_t **greedy**
- duk\_uint\_fast32\_t **num**
- duk\_uint\_fast32\_t **qmin**
- duk\_uint\_fast32\_t **qmax**

### 4.303.1 Detailed Description

Definition at line 3375 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.304 duk\_strcache Struct Reference

### Data Fields

- duk\_hstring \* **h**
- duk\_uint32\_t **bidx**
- duk\_uint32\_t **cidx**

### 4.304.1 Detailed Description

Definition at line 7705 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.305 duk\_strtab\_entry Struct Reference

### Data Fields

- duk\_size\_t **listlen**
- union {  
    duk\_hstring \*\* **strlist**  
    duk\_hstring \* **str**  
} **u**

### 4.305.1 Detailed Description

Definition at line 7728 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.306 duk\_thread\_state Struct Reference

### Data Fields

- char **data** [128]

### 4.306.1 Detailed Description

Definition at line 209 of file duktape.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.h

## 4.307 duk\_time\_components Struct Reference

### Data Fields

- duk\_double\_t **year**
- duk\_double\_t **month**
- duk\_double\_t **day**
- duk\_double\_t **hours**
- duk\_double\_t **minutes**
- duk\_double\_t **seconds**
- duk\_double\_t **milliseconds**
- duk\_double\_t **weekday**

### 4.307.1 Detailed Description

Definition at line 235 of file duktape.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.h

## 4.308 duk\_token Struct Reference

### Data Fields

- duk\_small\_int\_t **t**
- duk\_small\_int\_t **t\_nores**
- duk\_double\_t **num**
- duk\_hstring \* **str1**
- duk\_hstring \* **str2**
- duk\_size\_t **start\_offset**
- duk\_int\_t **start\_line**
- duk\_int\_t **num\_escapes**
- duk\_bool\_t **lineterm**
- duk\_bool\_t **allow\_auto\_semi**

### 4.308.1 Detailed Description

Definition at line 3359 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.309 duk\_tval\_struct Struct Reference

### Data Fields

- duk\_small\_uint\_t **t**
  - duk\_small\_uint\_t **v\_extra**
  -
- ```

union {
    duk_double_t d
    duk_small_int_t i
    void * voidptr
    duk_hstring * hstring
    duk_hobject * hobject
    duk_hcompfunc * hcompfunc
    duk_hnatfunc * hnatfunc
    duk_hthread * hthread
    duk_hbuffer * hbuffer
    duk_heaphdr * heaphdr
    duk_c_function lightfunc
} v

```

### 4.309.1 Detailed Description

Definition at line 681 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.310 duk\_tval\_unused Struct Reference

### Data Fields

- duk\_small\_uint\_t t
- duk\_small\_uint\_t v\_extra
- duk\_double\_t d

### 4.310.1 Detailed Description

Definition at line 702 of file duktape.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/duktape/duktape.c

## 4.311 EAI\_Extra\_Data Struct Reference

### Data Fields

- int field\_id
- int node\_id
- int field\_type
- int listener\_id

### 4.311.1 Detailed Description

Definition at line 76 of file EAIHeaders.h.

The documentation for this struct was generated from the following file:

- src/lib/input/EAIHeaders.h

## 4.312 EAI\_ListenerStruct Struct Reference

### Data Fields

- int **FreeWRL\_RegisterNumber**
- int **type**
- int **datasize**
- void \* **dataArea**
- void \* **arg**
- void(\* **functionHandler**)( X3DNode \*, double, void \*arg)

### 4.312.1 Detailed Description

Definition at line 11 of file EAI\_C\_Advise.c.

The documentation for this struct was generated from the following file:

- src/libeai/EAI\_C\_Advise.c

## 4.313 sai.eai.EAIAsyncMessage Class Reference

### Data Fields

- String **value**
- int **EventNumber**
- **EAIAsyncMessage** prev
- **EAIAsyncMessage** next

### 4.313.1 Detailed Description

Definition at line 20 of file EAIAsyncMessage.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/EAIAsyncMessage.java

## 4.314 vrml.external.FreeWRL\_EAI.EAIAsyncMessage Class Reference

### Data Fields

- String **value**
- int **EventNumber**
- **EAIAsyncMessage** prev
- **EAIAsyncMessage** next



### 4.314.1 Detailed Description

Definition at line 20 of file EAIAsyncMessage.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/EAIAsyncMessage.java

## 4.315 sai.eai.EAIAsyncQueue Class Reference

### Public Member Functions

- synchronized void **enqueue** ( **EAIAsyncMessage** msg)
- synchronized **EAIAsyncMessage** **dequeue** ()
- boolean **isEmpty** ()

### 4.315.1 Detailed Description

Definition at line 20 of file EAIAsyncQueue.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/EAIAsyncQueue.java

## 4.316 vrml.external.FreeWRLEAI.EAIAsyncQueue Class Reference

### Public Member Functions

- synchronized void **enqueue** ( **EAIAsyncMessage** msg)
- synchronized **EAIAsyncMessage** **dequeue** ()
- boolean **isEmpty** ()

### 4.316.1 Detailed Description


Definition at line 20 of file EAIAsyncQueue.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/EAIAsyncQueue.java

## 4.317 sai.eai.EAIAsyncThread Class Reference

Inheritance diagram for sai.eai.EAIAsyncThread:



### Public Member Functions

- void **run** ()
- synchronized void **send** (String eaistring, int indx)
- synchronized void **stopThread** ()

#### 4.317.1 Detailed Description


Definition at line 36 of file EAIAsyncThread.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/EAIAsyncThread.java

## 4.318 vrml.external.FreeWRLEAI.EAIAsyncThread Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.EAIAsyncThread:



### Public Member Functions

- void **run** ()
- synchronized void **send** (String eaistring, int indx)
- synchronized void **stopThread** ()

#### 4.318.1 Detailed Description


Definition at line 34 of file EAIAsyncThread.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/EAIAsyncThread.java

## 4.319 sai.eai.EAInThread Class Reference

Inheritance diagram for sai.eai.EAInThread:



### Public Member Functions

- **EAInThread** (Socket s, Applet d, PrintWriter pwtoBrowserjava, **BrowserInterface** me)
- void **run** ()

#### 4.319.1 Detailed Description


Definition at line 12 of file `EAInThread.java`.

The documentation for this class was generated from the following file:

- `src/java/sai/eai/EAInThread.java`

## 4.320 vrml.external.FreeWRLEAI.EAInThread Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.EAInThread:



### Public Member Functions

- **EAInThread** (Socket s, Applet d, PrintWriter pwtoBrowserjava, **Browser** me)
- void **run** ()

#### 4.320.1 Detailed Description

Definition at line 13 of file `EAInThread.java`.

The documentation for this class was generated from the following file:

- `src/java/vrml/external/FreeWRLEAI/EAInThread.java`

## 4.321 sai.eai.EAIMessage Class Reference

### Public Member Functions

- **EAIMessage** (String thismsg)

### Data Fields

- String **mmm**
- **EAIMessage** prev
- **EAIMessage** next

#### 4.321.1 Detailed Description

Definition at line 20 of file EAIMessage.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/EAIMessage.java

## 4.322 vrml.external.FreeWRLEAI.EAIMessage Class Reference

### Public Member Functions

- **EAIMessage** (String thismsg)

### Data Fields

- String **mmm**
- **EAIMessage** prev
- **EAIMessage** next

#### 4.322.1 Detailed Description

Definition at line 20 of file EAIMessage.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/EAIMessage.java

## 4.323 EAINodeIndexStruct Struct Reference

### Data Fields

- struct **X3D\_Node** \* **actualNodePtr**
- int **nodeType**
- struct **Vector** \* **nodeParams**

### 4.323.1 Detailed Description

Definition at line 141 of file EAIHelpers.c.

The documentation for this struct was generated from the following file:

- src/lib/input/EAIHelpers.c

## 4.324 EAINodeParams Struct Reference

### Data Fields

- struct **X3D\_Node** \* **thisFieldNodePointer**
- int **fieldOffset**
- int **datalen**
- int **typeString**
- int **scripttype**
- char \* **invokedPROTOValue**

### 4.324.1 Detailed Description

Definition at line 132 of file EAIHelpers.c.

The documentation for this struct was generated from the following file:

- src/lib/input/EAIHelpers.c

## 4.325 sai.eai.EAloutQueue Class Reference

### Public Member Functions

- synchronized void **enqueue** ( **EAIMessage** msg)
- synchronized **EAIMessage dequeue** ()
- boolean **isEmpty** ()

### 4.325.1 Detailed Description

Definition at line 21 of file EAloutQueue.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/EAloutQueue.java

## 4.326 vrml.external.FreeWRLEAI.EAloutQueue Class Reference

### Public Member Functions

- synchronized void **enqueue** ( **EAI**Message msg)
- synchronized **EAI**Message **dequeue** ()
- boolean **isEmpty** ()

### 4.326.1 Detailed Description


Definition at line 21 of file EAloutQueue.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/EAloutQueue.java

## 4.327 sai.eai.EAloutThread Class Reference

Inheritance diagram for sai.eai.EAloutThread:



### Public Member Functions

- **EAloutThread** (PrintWriter output)
- void **run** ()
- synchronized void **send** (String eaistring)
- synchronized void **stopThread** ()

### 4.327.1 Detailed Description


Definition at line 33 of file EAloutThread.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/EAloutThread.java

## 4.328 vrml.external.FreeWRLEAI.EAloutThread Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.EAloutThread:



### Public Member Functions

- **EAloutThread** (PrintWriter output)
- void **run** ()
- synchronized void **send** (String eaistring)
- synchronized void **stopThread** ()

#### 4.328.1 Detailed Description

Definition at line 33 of file EAloutThread.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/EAloutThread.java

## 4.329 EdgePair Struct Reference

### Data Fields

- **GLUhalfEdge** e
- **GLUhalfEdge** eSym

#### 4.329.1 Detailed Description

Definition at line 59 of file mesh.c.

The documentation for this struct was generated from the following files:

- src/libtess/mesh.c
- src/libtess/tess.c

## 4.330 EightByteChunk Struct Reference

### Data Fields

- char **otherParameters** [8]  
*Eight bytes of arbitrary data.*

### 4.330.1 Detailed Description

Definition at line 274 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.331 ElectronicEmissionBeamData Struct Reference

### Data Fields

- unsigned char **beamDataLength**  
*This field shall specify the length of this beams data in 32 bit words.*
- unsigned char **beamIDNumber**  
*This field shall specify a unique emitter database number assigned to differentiate between otherwise similar or identical emitter beams within an emitter system.*
- unsigned short **beamParameterIndex**  
*This field shall specify a Beam Parameter Index number that shall be used by receiving entities in conjunction with the Emitter Name field to provide a pointer to the stored database parameters required to regenerate the beam.*
- struct **FundamentalParameterData** **fundamentalParameterData**  
*Fundamental parameter data such as frequency range, beam sweep, etc.*
- unsigned char **beamFunction**  
*beam function of a particular beam*
- unsigned char **numberOfTrackJamTargets**  
*Number of track/jam targets.*
- unsigned char **highDensityTrackJam**  
*whether or not the receiving simulation apps can assume all the targets in the scan pattern are being tracked/jammed*
- unsigned char **pad4**  
*padding*
- unsigned int **jammingModeSequence**  
*identify jamming techniques used*
- void \* **trackJamTargets**  
*variable length list of track/jam targets*

### 4.331.1 Detailed Description

Definition at line 676 of file DIS.h.

### 4.331.2 Field Documentation



#### 4.331.2.1 beamParameterIndex

```
unsigned short ElectronicEmissionBeamData::beamParameterIndex
```

This field shall specify a Beam Parameter Index number that shall be used by receiving entities in conjunction with the Emitter Name field to provide a pointer to the stored database parameters required to regenerate the beam.

Definition at line 682 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.332 ElectronicEmissionsPdu Struct Reference

### Data Fields

- struct **DistributedEmissionsFamilyPdu** myDistributedEmissionsFamilyPdu
- struct **EntityID** emittingEntityID  
*ID of the entity emitting.*
- struct **EventID** eventID  
*ID of event.*
- unsigned char **stateUpdateIndicator**  
*This field shall be used to indicate if the data in the PDU represents a state update or just data that has changed since issuance of the last Electromagnetic Emission PDU [relative to the identified entity and emission system(s)].*
- unsigned char **numberOfSystems**  
*This field shall specify the number of emission systems being described in the current PDU.*
- unsigned short **paddingForEmissionsPdu**  
*padding*
- void \* **systems**  
*Electronic emissions systems.*

#### 4.332.1 Detailed Description

Definition at line 1283 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.333 ElectronicEmissionSystemData Struct Reference

### Data Fields

- unsigned char **systemDataLength**  
*This field shall specify the length of this emitter system's data (including beam data and its track/jam information) in 32-bit words.*
- unsigned char **numberOfBeams**  
*This field shall specify the number of beams being described in the current PDU for the system being described.*
- unsigned short **emissionsPadding2**  
*padding.*
- struct **EmitterSystem emitterSystem**  
*This field shall specify information about a particular emitter system.*
- struct **Vector3Float location**  
*Location with respect to the entity.*
- void \* **beamDataRecords**  
*variable length list of beam data records*

### 4.333.1 Detailed Description

Definition at line 1003 of file DIS.h.

### 4.333.2 Field Documentation

#### 4.333.2.1 numberOfBeams

```
unsigned char ElectronicEmissionSystemData::numberOfBeams
```

This field shall specify the number of beams being described in the current PDU for the system being described.

Definition at line 1007 of file DIS.h.

#### 4.333.2.2 systemDataLength

```
unsigned char ElectronicEmissionSystemData::systemDataLength
```

This field shall specify the length of this emitter system's data (including beam data and its track/jam information) in 32-bit words.

The length shall include the System Data Length field.

Definition at line 1005 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.334 ellipsoid Struct Reference

### Data Fields

- double **a**
- double **b**
- double **f**

### 4.334.1 Detailed Description

Definition at line 409 of file Component\_Geospatial.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Geospatial.c

## 4.335 EmitterSystem Struct Reference

### Data Fields

- unsigned short **emitterName**  
*Name of the emitter, 16 bit enumeration.*
- unsigned char **function**  
*function of the emitter, 8 bit enumeration*
- unsigned char **emitterIdNumber**  
*emitter ID, 8 bit enumeration*

### 4.335.1 Detailed Description

Definition at line 658 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.336 EntityID Struct Reference

### Data Fields

- unsigned short **site**  
*The site ID.*
- unsigned short **application**  
*The application ID.*
- unsigned short **entity**  
*the entity ID*

#### 4.336.1 Detailed Description

Definition at line 571 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.337 EntityInformationFamilyPdu Struct Reference

#### Data Fields

- struct **Pdu** myPdu

#### 4.337.1 Detailed Description

Definition at line 1497 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.338 EntityManagementFamilyPdu Struct Reference

#### Data Fields

- struct **Pdu** myPdu

#### 4.338.1 Detailed Description

Definition at line 1214 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.339 EntityStatePdu Struct Reference

### Data Fields

- struct **EntityInformationFamilyPdu** **myEntityInformationFamilyPdu**
- struct **EntityID** **entityID**  
*Unique ID for an entity that is tied to this state information.*
- unsigned char **forceId**  
*What force this entity is affiliated with, eg red, blue, neutral, etc.*
- char **numberOfArticulationParameters**  
*How many articulation parameters are in the variable length list.*
- struct **EntityType** **entityType**  
*Describes the type of entity in the world.*
- struct **EntityType** **alternativeEntityType**
- struct **Vector3Float** **entityLinearVelocity**  
*Describes the speed of the entity in the world.*
- struct **Vector3Double** **entityLocation**  
*describes the location of the entity in the world*
- struct **Orientation** **entityOrientation**  
*describes the orientation of the entity, in euler angles*
- int **entityAppearance**  
*a series of bit flags that are used to help draw the entity, such as smoking, on fire, etc.*
- struct **DeadReckoningParameter** **deadReckoningParameters**  
*parameters used for dead reckoning*
- struct **Marking** **marking**  
*characters that can be used for debugging, or to draw unique strings on the side of entities in the world*
- int **capabilities**  
*a series of bit flags*
- void \* **articulationParameters**  
*variable length list of articulation parameters*

### 4.339.1 Detailed Description

Definition at line 2133 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.340 EntityStateUpdatePdu Struct Reference

### Data Fields

- struct **EntityInformationFamilyPdu** **myEntityInformationFamilyPdu**
- struct **EntityID** **entityID**  
*This field shall identify the entity issuing the PDU.*
- char **padding1**  
*Padding.*
- unsigned char **numberOfArticulationParameters**  
*How many articulation parameters are in the variable length list.*
- struct **Vector3Float** **entityLinearVelocity**  
*Describes the speed of the entity in the world.*
- struct **Vector3Double** **entityLocation**  
*describes the location of the entity in the world*
- struct **Orientation** **entityOrientation**  
*describes the orientation of the entity, in euler angles*
- int **entityAppearance**  
*a series of bit flags that are used to help draw the entity, such as smoking, on fire, etc.*
- void \* **articulationParameters**

### 4.340.1 Detailed Description

Definition at line 1640 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.341 EntityType Struct Reference

### Data Fields

- unsigned char **entityKind**  
*Kind of entity.*
- unsigned char **domain**  
*Domain of entity (air, surface, subsurface, space, etc)*
- unsigned short **country**  
*country to which the design of the entity is attributed*
- unsigned char **category**  
*category of entity*
- unsigned char **subcategory**  
*subcategory of entity*
- unsigned char **specific**  
*specific info based on subcategory field*
- unsigned char **extra**

### 4.341.1 Detailed Description

Definition at line 478 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.342 Environment Struct Reference

### Data Fields

- unsigned int **environmentType**  
*Record type.*
- unsigned char **length**  
*length, in bits*
- unsigned char **index**  
*Identify the sequentially numbered record index.*
- unsigned char **padding1**  
*padding*
- unsigned char **geometry**  
*Geometry or state record.*
- unsigned char **padding2**  
*padding to bring the total size up to a 64 bit boundry*

### 4.342.1 Detailed Description

Definition at line 527 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.343 EnvironmentalProcessPdu Struct Reference

### Data Fields

- struct **SyntheticEnvironmentFamilyPdu** mySyntheticEnvironmentFamilyPdu
- struct **EntityID** environmentalProcessID  
*Environmental process ID.*
- struct **EntityType** environmentType  
***Environment** (p. 235) type.*
- unsigned char **modelType**  
*model type*
- unsigned char **environmentStatus**  
***Environment** (p. 235) status.*
- unsigned char **numberOfEnvironmentRecords**  
*number of environment records*
- unsigned short **sequenceNumber**  
*PDU sequence number for the environmentla process if pdu sequencing required.*
- void \* **environmentRecords**  
*environemt records*

### 4.343.1 Detailed Description


Definition at line 1388 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.344 vrml.Event Class Reference

Inheritance diagram for vrml.Event:



### Public Member Functions

- **Event** (String name2, double timestamp2, **ConstField** value2)
- String **getName** ()
- double **getTimeStamp** ()
- **ConstField** **getValue** ()
- Object **clone** ()
- String **toString** ()

### 4.344.1 Detailed Description

Definition at line 4 of file Event.java.

The documentation for this class was generated from the following file:

- src/java/vrml/Event.java

## 4.345 EventID Struct Reference

### Data Fields

- unsigned short **site**  
*The site ID.*
- unsigned short **application**  
*The application ID.*
- unsigned short **eventNumber**  
*the number of the event*



### 4.345.1 Detailed Description


Definition at line 222 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.346 vrml.external.field.EventIn Class Reference

Inheritance diagram for vrml.external.field.EventIn:



### Public Member Functions

- int **getIntType** ()
- int **getType** ()

### Data Fields

- String **command**
- String **inNode**
- int **datasize** = 0
- int **nodeptr** = 0
- int **offset** = 0
- int **ScriptType** = 0
- String **datatype**

### 4.346.1 Detailed Description


Definition at line 5 of file EventIn.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventIn.java

## 4.347 vrml.external.field.EventInMFColor Class Reference

Inheritance diagram for vrml.external.field.EventInMFColor:



### Public Member Functions

- void **setValue** (float[ ][ ] value) throws IllegalArgumentException
- void **set1Value** (int index, float[ ] value) throws IllegalArgumentException

### Additional Inherited Members

### 4.347.1 Detailed Description


Definition at line 6 of file EventInMFColor.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInMFColor.java

## 4.348 vrml.external.field.EventInMFFloat Class Reference

Inheritance diagram for vrml.external.field.EventInMFFloat:



## Public Member Functions

- void **setValue** (float[] value) throws IllegalArgumentException
- void **set1Value** (int index, float value) throws IllegalArgumentException

## Additional Inherited Members

### 4.348.1 Detailed Description


Definition at line 6 of file EventInMFFloat.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInMFFloat.java

## 4.349 vrml.external.field.EventInMFInt32 Class Reference

Inheritance diagram for vrml.external.field.EventInMFInt32:



## Public Member Functions

- void **setValue** (int value[]) throws IllegalArgumentException
- void **set1Value** (int index, int value) throws IllegalArgumentException

## Additional Inherited Members

### 4.349.1 Detailed Description


Definition at line 6 of file EventInMFInt32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInMFInt32.java

## 4.350 `vrml.external.field.EventInMFNode` Class Reference

Inheritance diagram for `vrml.external.field.EventInMFNode`:



### Public Member Functions

- void **setValue** ( `Node[]` node) throws `IllegalArgumentException`
- void **set1Value** (int index, `Node` node) throws `IllegalArgumentException`

### Additional Inherited Members

#### 4.350.1 Detailed Description


Definition at line 6 of file `EventInMFNode.java`.

The documentation for this class was generated from the following file:

- `src/java/vrml/external/field/EventInMFNode.java`

## 4.351 `vrml.external.field.EventInMFRotation` Class Reference

Inheritance diagram for `vrml.external.field.EventInMFRotation`:



### Public Member Functions

- void **setValue** (float[] value) throws `IllegalArgumentException`
- void **set1Value** (int index, float[] value) throws `IllegalArgumentException`

### Additional Inherited Members

#### 4.351.1 Detailed Description


Definition at line 6 of file `EventInMFRotation.java`.

The documentation for this class was generated from the following file:

- `src/java/vrml/external/field/EventInMFRotation.java`

## 4.352 vrml.external.field.EventInMFString Class Reference

Inheritance diagram for vrml.external.field.EventInMFString:



### Public Member Functions

- void **setValue** (String[] value) throws IllegalArgumentException
- void **set1Value** (int index, String value) throws IllegalArgumentException

### Additional Inherited Members

#### 4.352.1 Detailed Description


Definition at line 5 of file `EventInMFString.java`.

The documentation for this class was generated from the following file:

- `src/java/vrml/external/field/EventInMFString.java`

## 4.353 vrml.external.field.EventInMFVec2f Class Reference

Inheritance diagram for vrml.external.field.EventInMFVec2f:



### Public Member Functions

- void **setValue** (float[][] value) throws IllegalArgumentException
- void **set1Value** (int index, float value[]) throws IllegalArgumentException

### Additional Inherited Members

#### 4.353.1 Detailed Description


Definition at line 6 of file `EventInMFVec2f.java`.

The documentation for this class was generated from the following file:

- `src/java/vrml/external/field/EventInMFVec2f.java`

## 4.354 vrml.external.field.EventInMFVec3f Class Reference

Inheritance diagram for vrml.external.field.EventInMFVec3f:



### Public Member Functions

- void **setValue** (float[ ][ ] value) throws IllegalArgumentException
- void **set1Value** (int index, float[ ] value) throws IllegalArgumentException

### Additional Inherited Members

#### 4.354.1 Detailed Description


Definition at line 6 of file EventInMFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInMFVec3f.java

## 4.355 vrml.external.field.EventInSFBool Class Reference

Inheritance diagram for vrml.external.field.EventInSFBool:



### Public Member Functions

- void **setValue** (boolean value)

### Additional Inherited Members

#### 4.355.1 Detailed Description

Definition at line 5 of file EventInSFBool.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFBool.java

## 4.356 vrml.external.field.EventInSFCOLOR Class Reference

Inheritance diagram for vrml.external.field.EventInSFCOLOR:



### Public Member Functions

- void **setValue** (float[] value) throws IllegalArgumentException

### Additional Inherited Members

#### 4.356.1 Detailed Description


Definition at line 5 of file EventInSFCOLOR.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFCOLOR.java

## 4.357 vrml.external.field.EventInSFFloat Class Reference

Inheritance diagram for vrml.external.field.EventInSFFloat:



### Public Member Functions

- void **setValue** (float value)

### Additional Inherited Members

#### 4.357.1 Detailed Description


Definition at line 5 of file EventInSFFloat.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFFloat.java

## 4.358 vrml.external.field.EventInSFImage Class Reference

Inheritance diagram for vrml.external.field.EventInSFImage:



### Public Member Functions

- void **setValue** (int width, int height, int components, byte[] pixels) throws IllegalArgumentException

### Additional Inherited Members

#### 4.358.1 Detailed Description


Definition at line 7 of file EventInSFImage.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFImage.java

## 4.359 vrml.external.field.EventInSFInt32 Class Reference

Inheritance diagram for vrml.external.field.EventInSFInt32:



### Public Member Functions

- void **setValue** (Integer value)
- void **setValue** (int value)

### Additional Inherited Members

#### 4.359.1 Detailed Description

Definition at line 6 of file EventInSFInt32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFInt32.java



## 4.360 vrml.external.field.EventInSFNode Class Reference

Inheritance diagram for vrml.external.field.EventInSFNode:



### Public Member Functions

- void **setValue** ( **Node** node)

### Additional Inherited Members

#### 4.360.1 Detailed Description

Definition at line 6 of file EventInSFNode.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFNode.java

## 4.361 vrml.external.field.EventInSFRotation Class Reference

Inheritance diagram for vrml.external.field.EventInSFRotation:



### Public Member Functions

- void **setValue** (float[] value) throws IllegalArgumentException

### Additional Inherited Members

#### 4.361.1 Detailed Description


Definition at line 5 of file EventInSFRotation.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFRotation.java

## 4.362 vrml.external.field.EventInSFString Class Reference

Inheritance diagram for vrml.external.field.EventInSFString:



### Public Member Functions

- void **setValue** (String value)

### Additional Inherited Members

#### 4.362.1 Detailed Description


Definition at line 6 of file EventInSFString.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFString.java

## 4.363 vrml.external.field.EventInSFTime Class Reference

Inheritance diagram for vrml.external.field.EventInSFTime:



### Public Member Functions

- void **setValue** (double value)

### Additional Inherited Members

#### 4.363.1 Detailed Description

Definition at line 6 of file EventInSFTime.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFTime.java

## 4.364 vrml.external.field.EventInSFVec2f Class Reference

Inheritance diagram for vrml.external.field.EventInSFVec2f:



### Public Member Functions

- void **setValue** (float[] value) throws IllegalArgumentException

### Additional Inherited Members

#### 4.364.1 Detailed Description

Definition at line 5 of file EventInSFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFVec2f.java

## 4.365 vrml.external.field.EventInSFVec3f Class Reference

Inheritance diagram for vrml.external.field.EventInSFVec3f:



### Public Member Functions

- void **setValue** (float[] value) throws IllegalArgumentException

### Additional Inherited Members

#### 4.365.1 Detailed Description


Definition at line 5 of file EventInSFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventInSFVec3f.java

## 4.366 vrml.external.field.EventOut Class Reference

Inheritance diagram for vrml.external.field.EventOut:



### Public Member Functions

- int **getType** ()
- int **getIntType** ()
- void **advise** ( **EventOutObserver** f, Object userData)
- void **unadvise** ( **EventOutObserver** f)

### Data Fields

- int **EventType** = FieldTypes.UnknownType
- String **inNode**
- String **RLreturn**
- String **command**
- int **nodeptr** = 0
- int **offset** = 0
- int **datasize** = 0
- String **datatype**
- int **ScriptType** = 0

### 4.366.1 Detailed Description


Definition at line 6 of file EventOut.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOut.java

## 4.367 vrml.external.field.EventOutMFCOLOR Class Reference

Inheritance diagram for vrml.external.field.EventOutMFCOLOR:



### Public Member Functions

- float[ ][ ] **getValue** ()
- float[ ] **get1Value** (int index)

### Additional Inherited Members

### 4.367.1 Detailed Description


Definition at line 8 of file EventOutMFCOLOR.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutMFCOLOR.java

## 4.368 vrml.external.field.EventOutMFFLOAT Class Reference

Inheritance diagram for vrml.external.field.EventOutMFFLOAT:



## Public Member Functions

- float[] **getValue** ()
- float **get1Value** (int index)

## Additional Inherited Members

### 4.368.1 Detailed Description


Definition at line 8 of file EventOutMFFloat.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutMFFloat.java

## 4.369 vrml.external.field.EventOutMField Class Reference

Inheritance diagram for vrml.external.field.EventOutMField:



## Public Member Functions

- int **getSize** ()

## Additional Inherited Members

### 4.369.1 Detailed Description


Definition at line 7 of file EventOutMField.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutMField.java

## 4.370 vrml.external.field.EventOutMField Class Reference

Inheritance diagram for vrml.external.field.EventOutMField:



## Public Member Functions

- int[] **getValue** ()
- int **get1Value** (int index)

## Additional Inherited Members

### 4.370.1 Detailed Description


Definition at line 8 of file EventOutMField32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutMField32.java

## 4.371 vrml.external.field.EventOutMFNode Class Reference

Inheritance diagram for vrml.external.field.EventOutMFNode:



## Public Member Functions

- **Node[]** **getValue** ()
- **Node** **get1Value** (int index)

## Additional Inherited Members

### 4.371.1 Detailed Description


Definition at line 8 of file EventOutMFNode.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutMFNode.java

## 4.372 vrml.external.field.EventOutMFRotation Class Reference

Inheritance diagram for vrml.external.field.EventOutMFRotation:



## Public Member Functions

- float[ ][ ] **getValue** ()
- float[ ] **get1Value** (int index)

## Additional Inherited Members

### 4.372.1 Detailed Description

Definition at line 8 of file EventOutMFRotation.java.


The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutMFRotation.java



## 4.373 vrml.external.field.EventOutMFString Class Reference

Inheritance diagram for vrml.external.field.EventOutMFString:



### Public Member Functions

- `String[] getValue ()`
- `String get1Value (int index)`

### Additional Inherited Members

#### 4.373.1 Detailed Description


Definition at line 7 of file EventOutMFString.java.

The documentation for this class was generated from the following file:

- `src/java/vrml/external/field/EventOutMFString.java`

## 4.374 vrml.external.field.EventOutMFVec2f Class Reference

Inheritance diagram for vrml.external.field.EventOutMFVec2f:



### Public Member Functions

- `float[ ][ ] getValue ()`
- `float[ ] get1Value (int index)`

## Additional Inherited Members

### 4.374.1 Detailed Description


Definition at line 8 of file EventOutMFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutMFVec2f.java

## 4.375 vrml.external.field.EventOutMFVec3f Class Reference

Inheritance diagram for vrml.external.field.EventOutMFVec3f:



## Public Member Functions

- float[ ][ ] **getValue** ()
- float[ ] **get1Value** (int index)

## Additional Inherited Members

### 4.375.1 Detailed Description

Definition at line 8 of file EventOutMFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutMFVec3f.java

## 4.376 vrml.external.field.EventOutObserver Interface Reference

## Public Member Functions

- void **callback** ( **EventOut** value, double timeStamp, Object userData)

### 4.376.1 Detailed Description


Definition at line 8 of file EventOutObserver.java.

The documentation for this interface was generated from the following file:

- src/java/vrml/external/field/EventOutObserver.java

## 4.377 vrml.external.field.EventOutSFBool Class Reference

Inheritance diagram for vrml.external.field.EventOutSFBool:



### Public Member Functions

- boolean **getValue** ()

### Additional Inherited Members

### 4.377.1 Detailed Description

Definition at line 7 of file EventOutSFBool.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutSFBool.java

## 4.378 vrml.external.field.EventOutSFColor Class Reference

Inheritance diagram for vrml.external.field.EventOutSFColor:



### Public Member Functions

- float[ ] **getValue** ()

## Additional Inherited Members

### 4.378.1 Detailed Description


Definition at line 7 of file EventOutSFColor.java.

The documentation for this class was generated from the following file:

- `src/java/vrml/external/field/EventOutSFColor.java`

## 4.379 vrml.external.field.EventOutSFFloat Class Reference

Inheritance diagram for vrml.external.field.EventOutSFFloat:



## Public Member Functions

- `float getValue ()`

## Additional Inherited Members

### 4.379.1 Detailed Description


Definition at line 7 of file EventOutSFFloat.java.

The documentation for this class was generated from the following file:

- `src/java/vrml/external/field/EventOutSFFloat.java`

## 4.380 vrml.external.field.EventOutSFImage Class Reference

Inheritance diagram for vrml.external.field.EventOutSFImage:



## Public Member Functions

- int **getWidth** ()
- int **getHeight** ()
- int **getNumComponents** ()
- byte[] **getPixels** ()

## Additional Inherited Members

### 4.380.1 Detailed Description


Definition at line 7 of file EventOutSFImage.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutSFImage.java

## 4.381 vrml.external.field.EventOutSFInt32 Class Reference

Inheritance diagram for vrml.external.field.EventOutSFInt32:



## Public Member Functions

- int **getValue** ()

## Additional Inherited Members

### 4.381.1 Detailed Description


Definition at line 7 of file EventOutSFInt32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutSFInt32.java

## 4.382 vrml.external.field.EventOutSFNode Class Reference

Inheritance diagram for vrml.external.field.EventOutSFNode:



### Public Member Functions

- Node `getValue ()`

### Additional Inherited Members

#### 4.382.1 Detailed Description


Definition at line 8 of file EventOutSFNode.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutSFNode.java

## 4.383 vrml.external.field.EventOutSFRotation Class Reference

Inheritance diagram for vrml.external.field.EventOutSFRotation:



### Public Member Functions

- float[] `getValue ()`

### Additional Inherited Members

#### 4.383.1 Detailed Description


Definition at line 6 of file EventOutSFRotation.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutSFRotation.java

## 4.384 vrml.external.field.EventOutSFString Class Reference

Inheritance diagram for vrml.external.field.EventOutSFString:



### Public Member Functions

- String **getValue** ()

### Additional Inherited Members

#### 4.384.1 Detailed Description


Definition at line 7 of file EventOutSFString.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutSFString.java

## 4.385 vrml.external.field.EventOutSFTIME Class Reference

Inheritance diagram for vrml.external.field.EventOutSFTIME:



### Public Member Functions

- double **getValue** ()

### Additional Inherited Members

#### 4.385.1 Detailed Description


Definition at line 7 of file EventOutSFTIME.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutSFTIME.java

## 4.386 vrml.external.field.EventOutSFVec2f Class Reference

Inheritance diagram for vrml.external.field.EventOutSFVec2f:



### Public Member Functions

- float[] **getValue** ()

### Additional Inherited Members

#### 4.386.1 Detailed Description


Definition at line 6 of file EventOutSFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutSFVec2f.java

## 4.387 vrml.external.field.EventOutSFVec3f Class Reference

Inheritance diagram for vrml.external.field.EventOutSFVec3f:



### Public Member Functions

- float[] **getValue** ()

### Additional Inherited Members

#### 4.387.1 Detailed Description

Definition at line 6 of file EventOutSFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/field/EventOutSFVec3f.java



## 4.388 EventReportPdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** mySimulationManagementFamilyPdu
- unsigned int **eventType**  
*Type of event.*
- unsigned int **padding1**  
*padding*
- unsigned int **numberOfFixedDatumRecords**  
*Number of fixed datum records.*
- unsigned int **numberOfVariableDatumRecords**  
*Number of variable datum records.*
- void \* **fixedDatums**  
*variable length list of fixed datums*
- void \* **variableDatums**  
*variable length list of variable length datums*

### 4.388.1 Detailed Description

Definition at line 1342 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.389 EventReportReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** mySimulationManagementWithReliability↵  
**FamilyPdu**
- unsigned short **eventType**  
*Event type.*
- unsigned int **pad1**  
*padding*
- unsigned int **numberOfFixedDatumRecords**  
*Fixed datum record count.*
- unsigned int **numberOfVariableDatumRecords**  
*variable datum record count*
- void \* **fixedDatumRecords**  
*Fixed datum records.*
- void \* **variableDatumRecords**  
*Variable datum records.*

### 4.389.1 Detailed Description


Definition at line 2007 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.390 org.web3d.x3d.sai.ExternalBrowser Interface Reference

Inheritance diagram for org.web3d.x3d.sai.ExternalBrowser:



### Public Member Functions

- void **addBrowserListener** ( **BrowserListener** listener) throws InvalidBrowserException
- void **removeBrowserListener** ( **BrowserListener** l) throws InvalidBrowserException
- void **beginUpdate** () throws InvalidBrowserException
- void **endUpdate** () throws InvalidBrowserException
- void **dispose** () throws InvalidOperationTimingException

### 4.390.1 Detailed Description

Definition at line 4 of file ExternalBrowser.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/ExternalBrowser.java

## 4.391 extrusion Struct Reference

### Data Fields

- **polygon poly**
- double **below**
- double **above**

### 4.391.1 Detailed Description

Definition at line 771 of file SSRServer.c.

The documentation for this struct was generated from the following file:

- src/SSR/SSRServer.c

## 4.392 FaceCount Struct Reference

### Data Fields

- long **size**
- **GLUhalfEdge** \* **eStart**
- void(\* **render** )( **GLUtesselator** \*, **GLUhalfEdge** \*, long)

### 4.392.1 Detailed Description

Definition at line 49 of file render.c.

The documentation for this struct was generated from the following file:

- src/libtess/render.c

## 4.393 FastEntityStatePdu Struct Reference

### Data Fields

- struct **EntityInformationFamilyPdu** **myEntityInformationFamilyPdu**
- unsigned short **site**  
*The site ID.*
- unsigned short **application**  
*The application ID.*
- unsigned short **entity**  
*the entity ID*
- unsigned char **forceld**  
*what force this entity is affiliated with, eg red, blue, neutral, etc*
- char **numberOfArticulationParameters**  
*How many articulation parameters are in the variable length list.*
- unsigned char **entityKind**  
*Kind of entity.*
- unsigned char **domain**  
*Domain of entity (air, surface, subsurface, space, etc)*
- unsigned short **country**  
*country to which the design of the entity is attributed*
- unsigned char **category**

- category of entity*
- unsigned char **subcategory**
  - subcategory of entity*
- unsigned char **specific**
  - specific info based on subcategory field*
- unsigned char **extra**
- unsigned char **altEntityKind**
  - Kind of entity.*
- unsigned char **altDomain**
  - Domain of entity (air, surface, subsurface, space, etc)*
- unsigned short **altCountry**
  - country to which the design of the entity is attributed*
- unsigned char **altCategory**
  - category of entity*
- unsigned char **altSubcategory**
  - subcategory of entity*
- unsigned char **altSpecific**
  - specific info based on subcategory field*
- unsigned char **altExtra**
- float **xVelocity**
  - X velo.*
- float **yVelocity**
  - y Value*
- float **zVelocity**
  - Z value.*
- double **xLocation**
  - X value.*
- double **yLocation**
  - y Value*
- double **zLocation**
  - Z value.*
- float **psi**
- float **theta**
- float **phi**
- int **entityAppearance**
  - a series of bit flags that are used to help draw the entity, such as smoking, on fire, etc.*
- unsigned char **deadReckoningAlgorithm**
  - enumeration of what dead reckoning algorithm to use*
- char **otherParameters** [15]
  - other parameters to use in the dead reckoning algorithm*
- float **xAcceleration**
  - X value.*
- float **yAcceleration**
  - y Value*
- float **zAcceleration**
  - Z value.*
- float **xAngularVelocity**
  - X value.*
- float **yAngularVelocity**
  - y Value*
- float **zAngularVelocity**

- Z value.*
- char **marking** [12]  
*characters that can be used for debugging, or to draw unique strings on the side of entities in the world*
- int **capabilities**  
*a series of bit flags*
- void \* **articulationParameters**  
*variable length list of articulation parameters*

### 4.393.1 Detailed Description


Definition at line 2163 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.394 vrml.Field Class Reference

Inheritance diagram for vrml.Field:



## Public Member Functions

- Object **clone** ()
- void **bind\_to** ( FWJavaScriptBinding b)
- final void **\_\_updateRead** ()
- abstract void **\_\_fromPerl** (BufferedReader in) throws IOException
- abstract void **\_\_toPerl** (PrintWriter out) throws IOException
- void **setOffset** (String offs)
- String **getOffset** ()

## Protected Member Functions

- final void **\_\_updateWrite** ()

### 4.394.1 Detailed Description

Definition at line 4 of file Field.java.

The documentation for this class was generated from the following file:

- src/java/vrml/Field.java

## 4.395 field\_info Struct Reference

### Data Fields

- int **nameIndex**
- int **offset**
- int **typeIndex**
- int **ioType**
- int **version**
- int **unca**

### 4.395.1 Detailed Description

Definition at line 71 of file headers.h.

The documentation for this struct was generated from the following file:

- src/lib/main/headers.h

## 4.396 FieldDecl Struct Reference

### Data Fields

- indexT **PKWmode**
- indexT **fieldType**
- indexT **lexerNameIndex**
- indexT **JSparamNameIndex**
- int **shaderVariableID**

### 4.396.1 Detailed Description

Definition at line 32 of file `CFieldDecls.h`.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/CFieldDecls.h`

## 4.397 `vrml.external.field.FieldTypes` Class Reference

### Static Public Attributes

- static final int **UnknownType** = 0
- static final int **SFBOOL** = 1
- static final int **SFIMAGE** = 2
- static final int **SFTIME** = 3
- static final int **SFCOLOR** = 4
- static final int **MFCOLOR** = 5
- static final int **SFFLOAT** = 6
- static final int **MFFLOAT** = 7
- static final int **SFINT32** = 8
- static final int **MFINT32** = 9
- static final int **SFNODE** = 10
- static final int **MFNODE** = 11
- static final int **SFROTATION** = 12
- static final int **MFROTATION** = 13
- static final int **SFSTRING** = 14
- static final int **MFSTRING** = 15
- static final int **SFVEC2F** = 16
- static final int **MFVEC2F** = 17
- static final int **SFVEC3F** = 18
- static final int **MFVEC3F** = 19

### 4.397.1 Detailed Description

Definition at line 5 of file `FieldTypes.java`.

The documentation for this class was generated from the following file:

- `src/java/vrml/external/field/FieldTypes.java`

## 4.398 file\_in\_zip64\_read\_info\_s Struct Reference

### Data Fields

- char \* **read\_buffer**
- z\_stream **stream**
- ZPOS64\_T **pos\_in\_zipfile**
- uLong **stream\_initialised**
- ZPOS64\_T **offset\_local\_extrafield**
- uInt **size\_local\_extrafield**
- ZPOS64\_T **pos\_local\_extrafield**
- ZPOS64\_T **total\_out\_64**
- uLong **crc32**
- uLong **crc32\_wait**
- ZPOS64\_T **rest\_read\_compressed**
- ZPOS64\_T **rest\_read\_uncompressed**
- **zlib\_filefunc64\_32\_def** z\_filefunc
- voidpf **filestream**
- uLong **compression\_method**
- ZPOS64\_T **byte\_before\_the\_zipfile**
- int **raw**

### 4.398.1 Detailed Description

Definition at line 134 of file unzip.c.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.c

## 4.399 FirePdu Struct Reference

### Data Fields

- struct **WarfareFamilyPdu** myWarfareFamilyPdu
- struct **EntityID** munitionID  
*ID of the munition that is being shot.*
- struct **EventID** eventID  
*ID of event.*
- int **fireMissionIndex**
- struct **Vector3Double** locationInWorldCoordinates  
*location of the firing event*
- struct **BurstDescriptor** burstDescriptor  
*Describes munitions used in the firing event.*
- struct **Vector3Float** velocity  
*Velocity of the ammunition.*
- float **range**  
*range to the target*



### 4.399.1 Detailed Description

Definition at line 1836 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.400 FirstStruct Struct Reference

### Data Fields

- void \* **tonode**
- void(\* **interpptr**)(void \*)

### 4.400.1 Detailed Description

- we count times through the scenegraph; helps to break routing loops */\*\* Routing table \*\* Structure table \*/*

Definition at line 166 of file CRoutes.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CRoutes.c

## 4.401 FixedDatum Struct Reference

### Data Fields

- unsigned int **fixedDatumID**  
*ID of the fixed datum.*
- unsigned int **fixedDatumValue**  
*Value for the fixed datum.*

### 4.401.1 Detailed Description

Definition at line 280 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.402 Flist Class Reference

### Public Member Functions

- void **add** (REAL x)
- void **filter** (void)
- void **grow** (int)
- void **taper** (REAL, REAL)

### Data Fields

- REAL \* **pts**
- int **npts**
- int **start**
- int **end**

### Protected Attributes

- **FlistSorter** sorter

### 4.402.1 Detailed Description


Definition at line 42 of file flist.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/flist.h
- src/libnurbs/internals/flist.cc

## 4.403 FlistSorter Class Reference

Inheritance diagram for FlistSorter:



### Public Member Functions

- void **qsort** (REAL \*a, int n)

## Protected Member Functions

- virtual int **qscmp** (char \*, char \*)
- virtual void **qsexc** (char \*i, char \*j)
- virtual void **qstexc** (char \*i, char \*j, char \*k)

### 4.403.1 Detailed Description

Definition at line 42 of file flistsorter.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/flistsorter.h
- src/libnurbs/internals/flistsorter.cc

## 4.404 flychord Struct Reference

### Data Fields

- int **chord**
- **Key arrows** [4]

### 4.404.1 Detailed Description

Definition at line 1644 of file Viewer.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.c

## 4.405 fmtChnk Struct Reference

### Data Fields

- char **chunkID** [4]
- int **chunkSize**
- short **wFormatTag**
- unsigned short **wChannels**
- unsigned int **dwSamplesPerSec**
- unsigned int **dwAvgBytesPerSec**
- unsigned short **wBlockAlign**
- unsigned short **wBitsPerSample**

### 4.405.1 Detailed Description

Definition at line 51 of file soundheader.h.

The documentation for this struct was generated from the following file:

- src/sound/soundheader.h

## 4.406 FourByteChunk Struct Reference

### Data Fields

- char **otherParameters** [4]  
*four bytes of arbitrary data*

### 4.406.1 Detailed Description

Definition at line 203 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.407 freewrl\_params Struct Reference

Initialization.

```
#include <libFreeWRL.h>
```

### Data Fields

- int **width**
- int **height**
- int **xpos**
- int **ypos**
- long int **winToEmbedInto**
- bool **fullscreen**
- bool **multithreading**
- bool **enableEAI**
- bool **verbose**
- bool **frontend\_handles\_display\_thread**
- void \* **display**
- void \* **context**
- void \* **surface**

### 4.407.1 Detailed Description

Initialization.


Definition at line 72 of file libFreeWRL.h.

The documentation for this struct was generated from the following file:

- src/lib/libFreeWRL.h

## 4.408 sai.FreeWRLBrowser Class Reference

Inheritance diagram for sai.FreeWRLBrowser:



### Public Member Functions

- int **get\_Browser\_EVtype** (int event)
- **X3DFieldEventListener** **get\_Browser\_EVObserver** (int eventno)
- void **Browser\_RL\_Async\_send** (String EVentreply, int eventno)
- **FreeWRLBrowser** (Applet pApplet, int portnum)
- **FreeWRLBrowser** (Applet pApplet)
- void **checkValid** ()
- String **getName** () throws InvalidBrowserException, ConnectionException
- String **getVersion** () throws InvalidBrowserException, ConnectionException
- float **getCurrentSpeed** () throws InvalidBrowserException, ConnectionException
- float **getCurrentFrameRate** () throws InvalidBrowserException, ConnectionException
- void **replaceWorld** ( X3DScene passedscene) throws InvalidBrowserException, ConnectionException
- void **setDescription** (String des) throws InvalidBrowserException, ConnectionException
- **X3DScene** **createX3DFromString** (String str) throws InvalidBrowserException, InvalidX3DException, ConnectionException, NotSupportedException
- **X3DNode** **createNodeFromString** (String str)
- **X3DScene** **createX3DFromStream** (InputStream is) throws InvalidBrowserException, InvalidX3DException, ConnectionException, NotSupportedException, IOException
- **X3DScene** **createX3DFromURL** (String[] url) throws InvalidBrowserException, InvalidX3DException, ConnectionException, IOException
- Map **getRenderingProperties** () throws InvalidBrowserException, ConnectionException
- Map **getBrowserProperties** () throws InvalidBrowserException, ConnectionException
- void **nextViewpoint** () throws InvalidBrowserException, ConnectionException
- void **previousViewpoint** () throws InvalidBrowserException, ConnectionException
- void **firstViewpoint** () throws InvalidBrowserException, ConnectionException
- void **lastViewpoint** () throws InvalidBrowserException, ConnectionException
- void **print** (Object obj) throws InvalidBrowserException, ConnectionException

- void **println** (Object obj) throws InvalidBrowserException, ConnectionException
- String **addRoute** ( **FreeWRLNode** fromNode, String fromEventOut, **FreeWRLNode** toNode, String toEventIn) throws IllegalArgumentException
- String **deleteRoute** ( **FreeWRLNode** fromNode, String fromEventOut, **FreeWRLNode** toNode, String toEventIn) throws IllegalArgumentException
- void **beginUpdate** ()
- void **endUpdate** ()
- void **initialize** ()
- void **shutdown** ()
- **X3DNode** **getNode** (String nodeName) throws NodeUnavailableException
- void **close** ()
- void **dispose** ()
- void **addBrowserListener** ( **BrowserListener** listener) throws InvalidBrowserException, ConnectionException
- void **removeBrowserListener** ( **BrowserListener** listener) throws InvalidBrowserException, ConnectionException
- void **browserEvent** (int type)
- **X3DScene** **currentScene** ()
- **ProfileInfo** **getProfile** (String name) throws ConnectionException, InvalidBrowserException, NotSupportedException
- **ProfileInfo[]** **getSupportedProfiles** () throws InvalidBrowserException, ConnectionException
- **ComponentInfo[]** **getSupportedComponents** () throws InvalidBrowserException, ConnectionException
- **ComponentInfo** **getComponent** (String name, int level) throws InvalidBrowserException, NotSupportedException, ConnectionException
- **X3DExecutionContext** **getExecutionContext** () throws InvalidBrowserException, ConnectionException
- **X3DScene** **createScene** ( **ProfileInfo** profile, **ComponentInfo[]** components) throws InvalidBrowserException, ConnectionException
- void **loadURL** (String[] url, Map parameters) throws InvalidBrowserException, InvalidURLException, ConnectionException
- String **getDescription** () throws InvalidBrowserException, ConnectionException
- void **stopRender** ()
- void **pauseRender** ()
- **X3DScene** **importDocument** (Node element) throws InvalidBrowserException, InvalidDocumentException, NotSupportedException, ConnectionException

## Static Public Member Functions

- static void **SendChildEvent** (String parent, String offset, String fieldName, String child)
- static void **newSendEvent** ( **FreeWRLField** field, String value)
- static String **sendGlobalCommand** (String command)
- static String **SendEventOut** (String nodeptr, String offset, String datasize, String datatype, String command)
- static void **RegisterListener** ( **X3DFieldEventListener** f, Object userData, String nodeptr, String offset, String datatype, String datasize, int EventType)
- static void **unRegisterListener** ( **X3DFieldEventListener** f, String nodeptr, String offset, String datatype, String datasize, int EventType)

## Static Protected Member Functions

- static String **SendEventType** (String nodeName, String ptr, String fieldName, String direction)
- static synchronized String **getVRMLreply** (int queryno)

### 4.408.1 Detailed Description

Definition at line 18 of file FreeWRLBrowser.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLBrowser.java

## 4.409 sai.FreeWRLBrowserInfo Class Reference

### Static Public Member Functions

- static void **setBrowserProperty** (int property, boolean value)
- static boolean **getBrowserProperty** (int property)
- static Map **getBrowserProperties** ()

### 4.409.1 Detailed Description


Definition at line 5 of file FreeWRLBrowserInfo.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLBrowserInfo.java

## 4.410 sai.FreeWRLComponent Class Reference

Inheritance diagram for sai.FreeWRLComponent:



### Public Member Functions

- ExternalBrowser **getBrowser** ()
- Object **getImplementation** ()
- void **shutdown** ()

### 4.410.1 Detailed Description


Definition at line 4 of file FreeWRLComponent.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLComponent.java

## 4.411 sai.FreeWRLField Class Reference

Inheritance diagram for sai.FreeWRLField:



### Public Member Functions

- **FreeWRLField** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- **String toString** ()
- **X3DFieldDefinition getDefinition** () throws **InvalidFieldException**, **ConnectionException**
- **boolean isReadable** () throws **InvalidFieldException**, **ConnectionException**
- **boolean isWritable** () throws **InvalidFieldException**, **ConnectionException**
- **void addX3DEventListener** ( **X3DFieldEventListener** l) throws **ConnectionException**, **InvalidFieldException**
- **void removeX3DEventListener** ( **X3DFieldEventListener** l) throws **ConnectionException**, **InvalidFieldException**
- **void setUserData** (Object data) throws **InvalidFieldException**, **ConnectionException**
- **Object getUserData** () throws **InvalidFieldException**, **ConnectionException**
- **void dispose** ()
- **void checkValid** ()
- **void setCommand** (String com)
- **void setNode** (String nod)
- **void setDataType** (String dt)
- **void setNodePtr** (String np)
- **void setOffset** (String off)
- **void setDataSize** (String ds)



- void **setScriptType** (String st)
- String **getDataSize** ()
- String **getScriptType** ()
- String **getCommand** ()
- String **getNode** ()
- String **getDataType** ()
- String **getNodePtr** ()
- String **getOffset** ()

### Protected Attributes

- **FreeWRLFieldDefinition** fieldDef
- Object **userData**
- **FreeWRLBrowser** browser

#### 4.411.1 Detailed Description


Definition at line 4 of file FreeWRLField.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLField.java

## 4.412 sai.FreeWRLFieldDefinition Class Reference

Inheritance diagram for sai.FreeWRLFieldDefinition:



### Public Member Functions

- **FreeWRLFieldDefinition** (String nm, int access, int field)
- String **getName** ()
- int **getAccessType** ()
- int **getFieldType** ()
- String **getFieldTypeString** ()
- void **setDefaultValue** (String val)
- String **getDefault** ()

### Protected Attributes

- String **name**
- int **accessType**
- int **fieldType**
- String **fieldTypeString**
- String **defaultVal**

### 4.412.1 Detailed Description


Definition at line 4 of file FreeWRLFieldDefinition.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLFieldDefinition.java

## 4.413 sai.FreeWRLFieldTypes Class Reference

Inheritance diagram for sai.FreeWRLFieldTypes:



### Static Public Member Functions

- static int **getIntType** (String type)
- static String **getStringType** (int type)
- static String **getStringDesc** (int type)
- static int **getIntFromStringDesc** (String desc)
- static int **getAccessFromType** (String type)
- static int **getIntAccess** (String type)
- static String **getStringAccess** (int type)

### Static Public Attributes

- static int **SFUNKOWN** = 0

### Additional Inherited Members

### 4.413.1 Detailed Description


Definition at line 5 of file FreeWRLFieldTypes.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLFieldTypes.java

## 4.414 sai.FreeWRLMField Class Reference

Inheritance diagram for sai.FreeWRLMField:



### Public Member Functions

- **FreeWRLMField** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- int **size** () throws InvalidFieldException, ConnectionException
- void **clear** () throws InvalidFieldException, ConnectionException
- void **remove** (int index) throws InvalidFieldException, ConnectionException, ArrayIndexOutOfBoundsException↵  
Exception

### Additional Inherited Members

#### 4.414.1 Detailed Description


Definition at line 5 of file FreeWRLMField.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLMField.java

## 4.415 sai.FreeWRLNode Class Reference

Inheritance diagram for sai.FreeWRLNode:



### Public Member Functions

- **FreeWRLNode** ( **FreeWRLBrowser** b)
- **toString** ()
- **boolean equals** (Object o)
- **String getNodeName** () throws **InvalidNodeException**, **ConnectionException**
- **void setPerIPtr** (String p)
- **String getPerIPtr** ()
- **String getName** ()
- **int[] getNodeTypes** () throws **InvalidNodeException**, **ConnectionException**
- **X3DFieldDefinition[] getFieldDefinitions** () throws **InvalidNodeException**, **ConnectionException**
- **X3DField getField** (String fieldName) throws **InvalidNameException**, **InvalidNodeException**, **ConnectionException**
- **void dispose** () throws **InvalidNodeException**
- **void setNodeName** (String n)
- **void setType** (int t)
- **void setPointer** (String p)
- **String getPointer** ()
- **void setMetadata** ( **X3DMetadataObject** data) throws **InvalidNodeException**, **ConnectionException**
- **X3DMetadataObject getMetadata** () throws **InvalidNodeException**, **ConnectionException**

### 4.415.1 Detailed Description


Definition at line 6 of file FreeWRLNode.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLNode.java

## 4.416 sai.FreeWRLNodeTypes Class Reference

Inheritance diagram for sai.FreeWRLNodeTypes:



## Static Public Member Functions

- static String **getStringType** (int type)

## Data Fields

- int **X3D\_Component\_Networking** = 1
- int **X3D\_Component\_Shape** = 2
- int **X3D\_Component\_Geometry2D** = 3
- int **X3D\_Component\_Sound** = 4
- int **X3D\_Component\_EnvironmentalEffects** = 5
- int **X3D\_Component\_Navigation** = 6
- int **X3D\_Component\_EventUtilities** = 7
- int **X3D\_Component\_Geometry3D** = 8
- int **X3D\_Component\_Rendering** = 9
- int **X3D\_Component\_Interpolation** = 10
- int **X3D\_Component\_Nurbs** = 11
- int **X3D\_Component\_PointingDevice** = 12
- int **X3D\_Component\_Lighting** = 13
- int **X3D\_Component\_Text** = 14
- int **X3D\_Component\_Geospatial** = 15
- int **X3D\_Component\_Grouping** = 16
- int **X3D\_Component\_HAnim** = 17
- int **X3D\_Component\_Texturing** = 18
- int **X3D\_Component\_EnvironmentalSensor** = 19
- int **X3D\_Component\_Scripting** = 20
- int **X3D\_Component\_Time** = 21

### 4.416.1 Detailed Description

Definition at line 5 of file FreeWRLNodeTypes.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLNodeTypes.java

## 4.417 sai.FreeWRLRendererInfo Class Reference

### Static Public Member Functions

- static void **setRenderingProperty** (String **key**, Object value)
- static Object **getRenderingProperty** (String **key**)
- static Map **getRenderingProperties** ()

### 4.417.1 Detailed Description


Definition at line 5 of file FreeWRLRendererInfo.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLRendererInfo.java

## 4.418 sai.FreeWRLScene Class Reference

Inheritance diagram for sai.FreeWRLScene:



### Public Member Functions

- **FreeWRLScene** ( **FreeWRLNode**[] n, **FreeWRLBrowser** b)
- **FreeWRLScene** ( **FreeWRLBrowser** b)
- **FreeWRLScene** ( **FWComponentInfo**[] c, **FWProfileInfo** p, **FreeWRLBrowser** b)
- void **setCurrent** (boolean val)
- String **getMetaData** (String **key**) throws **InvalidExecutionContextException**
- void **setMetaData** (String **key**, String value) throws **InvalidExecutionContextException**
- **X3DNode** **getExportedNode** (String nodeName) throws **InvalidExecutionContextException**, **Node**←**UnavailableException**, **InvalidNameException**
- void **updateExportedNode** (String nodeName, String newName) throws **InvalidExecutionContextException**, **InvalidNameException**
- void **removeExportedNode** (String nodeName) throws **InvalidExecutionContextException**, **InvalidName**←**Exception**
- void **addRootNode** ( **X3DNode** rootNode) throws **InvalidExecutionContextException**, **NodeInUseException**, **InsufficientCapabilitiesException**
- void **removeRootNode** ( **X3DNode** rootNode) throws **InvalidExecutionContextException**
- String **getSpecificationVersion** () throws **InvalidExecutionContextException**
- int **getEncoding** () throws **InvalidExecutionContextException**
- **ProfileInfo** **getProfile** () throws **InvalidExecutionContextException**
- **ComponentInfo**[] **getComponents** () throws **InvalidExecutionContextException**
- String **getWorldURL** () throws **InvalidExecutionContextException**
- **X3DNode** **getNamedNode** (String nodeName) throws **InvalidExecutionContextException**, **Node**←**UnavailableException**, **InvalidNameException**
- **X3DNode** **getImportedNode** (String nodeName) throws **InvalidExecutionContextException**, **Node**←**UnavailableException**, **InvalidNameException**
- **X3DNode** **createNode** (String nodeName) throws **InvalidExecutionContextException**, **InvalidName**←**Exception**
- **X3DProtoInstance** **createProto** (String protoName) throws **InvalidExecutionContextException**, **Invalid**←**NameException**
- void **updateNamedNode** (String nodeName, **X3DNode** nodeRef) throws **InvalidExecutionContextException**, **InvalidNameException**, **ImportedNodeException**
- void **updateImportedNode** (String nodeName, String importedName, **X3DNode** nodeRef) throws **Invalid**←**ExecutionContextException**, **InvalidNameException**, **ImportedNodeException**
- void **removeNamedNode** (String nodeName) throws **InvalidExecutionContextException**, **InvalidName**←**Exception**
- void **removeImportedNode** (String nodeName) throws **InvalidExecutionContextException**, **InvalidName**←**Exception**
- **X3DProtoDeclaration** **getProtoDeclaration** (String protoName) throws **InvalidExecutionContextException**, **InvalidNameException**

- void **updateProtoDeclaration** (String protoName, **X3DProtoDeclaration** newDeclaration) throws InvalidExecutionContextException, InvalidNameException
- void **removeProtoDeclaration** (String protoName) throws InvalidExecutionContextException, InvalidNameException
- **X3DExternProtoDeclaration** **getExternProtoDeclaration** (String protoName) throws InvalidExecutionContextException, InvalidNameException, URLUnavailableException
- void **updateExternProtoDeclaration** (String protoName, **X3DExternProtoDeclaration** newDeclaration) throws InvalidExecutionContextException
- void **removeExternProtoDeclaration** (String protoName) throws InvalidExecutionContextException
- **X3DNode**[] **getRootNodes** () throws InvalidExecutionContextException
- **X3DRoute**[] **getRoutes** () throws InvalidExecutionContextException
- **X3DRoute** **addRoute** ( **X3DNode** startNode, String startName, **X3DNode** endNode, String endEvent) throws InvalidExecutionContextException, InvalidNodeException, InvalidFieldException
- void **removeRoute** ( **X3DRoute** route) throws InvalidExecutionContextException, InvalidNodeException, InvalidFieldException
- void **checkValid** ()
- void **dispose** ()

### 4.418.1 Detailed Description

Definition at line 6 of file FreeWRLScene.java.

The documentation for this class was generated from the following file:

- src/java/sai/FreeWRLScene.java

## 4.419 ftype Struct Reference

### Data Fields

- int **type**
- void **\*( \* copy )**(void \*T, void \*A)
- void **\*( \* add )**(void \*T, void \*A, void \*B)
- void **\*( \* dif )**(void \*T, void \*A, void \*B)
- void **\*( \* scale )**(void \*T, void \*A, float S)
- void **\*( \* lerp )**(void \*T, void \*A, void \*B, float alpha)
- float **\*( \* dist )**(void \*A)
- int **\*( \* same )**(void \*A, void \*B)
- int **\*( \* approx )**(void \*A, void \*B)
- void **\*( \* arr )**(void \*A, int i)
- void **\*\* tmp**

### 4.419.1 Detailed Description

Definition at line 195 of file Component\_Followers.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Followers.c

## 4.420 FundamentalParameterData Struct Reference

### Data Fields

- float **frequency**  
*center frequency of the emission in hertz.*
- float **frequencyRange**  
*Bandwidth of the frequencies corresponding to the fequency field.*
- float **effectiveRadiatedPower**  
*Effective radiated power for the emission in DdBm.*
- float **pulseRepetitionFrequency**  
*Average repetition frequency of the emission in hertz.*
- float **pulseWidth**  
*Average pulse width of the emission in microseconds.*
- float **beamAzimuthCenter**  
*Specifies the beam azimuth an elevation centers and corresponding half-angles to describe the scan volume.*
- float **beamAzimuthSweep**  
*Specifies the beam azimuth sweep to determine scan volume.*
- float **beamElevationCenter**  
*Specifies the beam elevation center to determine scan volume.*
- float **beamElevationSweep**  
*Specifies the beam elevation sweep to determine scan volume.*
- float **beamSweepSync**  
*allows receiver to synchronize its regenerated scan pattern to that of the emmitter.*

### 4.420.1 Detailed Description

Definition at line 495 of file DIS.h.

### 4.420.2 Field Documentation

#### 4.420.2.1 beamSweepSync

```
float FundamentalParameterData::beamSweepSync
```

allows receiver to synchronize its regenerated scan pattern to that of the emmitter.

Specifies the percentage of time a scan is through its pattern from its origion.

Definition at line 515 of file DIS.h.



#### 4.420.2.2 effectiveRadiatedPower

```
float FundamentalParameterData::effectiveRadiatedPower
```

Effective radiated power for the emission in DdBm.

For a radar noise jammer, indicates the peak of the transmitted power.

Definition at line 501 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.421 FundamentalParameterDataIff Struct Reference

#### Data Fields

- float **erp**  
*ERP.*
- float **frequency**  
*frequency*
- float **pgrf**  
*pgrf*
- float **pulseWidth**  
*Pulse width.*
- unsigned int **burstLength**  
*Burst length.*
- unsigned char **applicableModes**  
*Applicable modes enumeration.*
- unsigned short **pad2**  
*padding*
- unsigned char **pad3**  
*padding*

#### 4.421.1 Detailed Description

Definition at line 254 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.422 fw\_MaterialParameters Struct Reference

### Data Fields

- float **emission** [4]
- float **ambient** [4]
- float **diffuse** [4]
- float **specular** [4]
- float **shininess**

### 4.422.1 Detailed Description

Definition at line 145 of file Component\_Shape.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Shape.h

## 4.423 FWBITMAPFILEHEADER Struct Reference

### Data Fields

- FDWORD **bfSize**
- FWORD **bfReserved1**
- FWORD **bfReserved2**
- FDWORD **bfOffBits**

### 4.423.1 Detailed Description

Definition at line 196 of file Snapshot.c.

The documentation for this struct was generated from the following file:

- src/lib/main/Snapshot.c

## 4.424 FWBITMAPINFO Struct Reference

### Data Fields

- FWBITMAPINFOHEADER **bmiHeader**
- FWRGBQUAD **bmiColors** [1]

### 4.424.1 Detailed Description

Definition at line 211 of file Snapshot.c.

The documentation for this struct was generated from the following file:

- src/lib/main/Snapshot.c

## 4.425 FWBITMAPINFOHEADER Struct Reference

### Data Fields

- FDWORD **biSize**
- FLONG **biWidth**
- FLONG **biHeight**
- FWORD **biPlanes**
- FWORD **biBitCount**
- FDWORD **biCompression**
- FDWORD **biSizeImage**
- FLONG **biXPelsPerMeter**
- FLONG **biYPelsPerMeter**
- FDWORD **biClrUsed**
- FDWORD **biClrImportant**

### 4.425.1 Detailed Description


Definition at line 181 of file Snapshot.c.

The documentation for this struct was generated from the following file:

- src/lib/main/Snapshot.c

## 4.426 sai.FWComponentInfo Class Reference

Inheritance diagram for sai.FWComponentInfo:



### Public Member Functions

- **FWComponentInfo** (String n, int l, String t, String u)
- String **getName** ()
- int **getLevel** ()
- String **getTitle** ()
- String **getProviderURL** ()
- String **toX3DString** ()

### 4.426.1 Detailed Description

Definition at line 4 of file FWComponentInfo.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWComponentInfo.java

## 4.427 vrml.FWCreateField Class Reference

### Static Public Member Functions

- static **Field createField** (String type)
- static **ConstField createConstField** (String type)

### 4.427.1 Detailed Description


Definition at line 5 of file FWCreateField.java.

The documentation for this class was generated from the following file:

- src/java/vrml/FWCreateField.java

## 4.428 sai.FWExternProtoDeclaration Class Reference

Inheritance diagram for sai.FWExternProtoDeclaration:



### Public Member Functions

- String **getProtoName** ()
- int **getLoadState** ()
- void **loadNow** ()
- **X3DProtoInstance createInstance** () throws InvalidOperationTimingException, InvalidProtoException
- **X3DFieldDefinition[] getFieldDefinitions** () throws InvalidOperationTimingException, InvalidProtoException
- void **setProtoName** (String name)
- void **setFields** ( FreeWRLFieldDefinition[] f)
- void **setType** (int t)
- void **dispose** ()

### 4.428.1 Detailed Description

Definition at line 5 of file FWExternProtoDeclaration.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWExternProtoDeclaration.java

## 4.429 FWFunctionSpec Struct Reference

### Data Fields

- const char \* **name**
- FWFunction **call**
- char **retType**
- struct **ArgListType** **arglist**

### 4.429.1 Detailed Description

Definition at line 60 of file FWTYPE.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/FWTYPE.h

## 4.430 vrml.FWHelper Class Reference

### Static Public Member Functions

- static String **base64encode** (String str)
- static String **base64decode** (String str)
- static String **quote** (String str)  
*This is the static method, that quotes a string.*
- static String **nodeToString** ( **BaseNode** node)

### 4.430.1 Detailed Description

Definition at line 4 of file FWHelper.java.

The documentation for this class was generated from the following file:

- src/java/vrml/FWHelper.java

## 4.431 vrml.FWJavaScript Class Reference

### Static Public Member Functions

- static void **add\_touched** ( **Field** f)
- static void **send\_touched** (String reqid) throws IOException
- static void **main** (String argv[]) throws ClassNotFoundException, NoSuchMethodException, InstantiationException, IllegalAccessException, InvocationTargetException, Exception, Throwable
- static String **getFieldType** ( **BaseNode** node, String fieldname, String kind)
- static void **readField** ( **BaseNode** node, String fieldName, **Field** fld)
- static String **getNodeType** ( **BaseNode** node)
- static **Browser** **getBrowser** ()
- static **BaseNode**[] **createVrmlFromString** (String vrmlSyntax) throws InvalidVRMLSyntaxException
- static **BaseNode**[] **createX3DFromString** (String vrmlSyntax) throws InvalidX3DSyntaxException

### 4.431.1 Detailed Description

Definition at line 13 of file FWJavaScript.java.

The documentation for this class was generated from the following file:

- src/java/vrml/FWJavaScript.java

## 4.432 vrml.FWJavaScriptBinding Class Reference

### Public Member Functions

- **FWJavaScriptBinding** ( **BaseNode** n, String f)
- **FWJavaScriptBinding** ( **BaseNode** n, String f, boolean u)
- **BaseNode** **node** ()
- String **field** ()
- void **updateRead** ( **Field** field)
- void **updateWrite** ( **Field** field)
- String **toString** ()

### 4.432.1 Detailed Description


Definition at line 5 of file FWJavaScriptBinding.java.

The documentation for this class was generated from the following file:

- src/java/vrml/FWJavaScriptBinding.java

## 4.433 vrml.FWJavaScriptClassLoader Class Reference

Inheritance diagram for vrml.FWJavaScriptClassLoader:



### Public Member Functions

- **FWJavaScriptClassLoader** (String url)

### Protected Member Functions

- Class **findClass** (String name) throws ClassNotFoundException
- PermissionCollection **getPermissions** (CodeSource codesource)
- URL **findResource** (String name)
- Enumeration **findResources** (String name) throws IOException

### 4.433.1 Detailed Description

Definition at line 13 of file FWJavaScriptClassLoader.java.

### 4.433.2 Constructor & Destructor Documentation

#### 4.433.2.1 FWJavaScriptClassLoader()

```
vrml.FWJavaScriptClassLoader.FWJavaScriptClassLoader (
    String url ) [inline]
```

Parameters

|            |                               |
|------------|-------------------------------|
| <i>url</i> | base url for loading classes. |
|------------|-------------------------------|


Definition at line 21 of file FWJavaScriptClassLoader.java.

The documentation for this class was generated from the following file:

- src/java/vrml/FWJavaScriptClassLoader.java

## 4.434 sai.FWMFColor Class Reference

Inheritance diagram for sai.FWMFColor:



### Public Member Functions

- **FWMFColor** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[ ][ ] value) throws `ArrayIndexOutOfBoundsException`
- void **getValue** (float[ ] value)
- void **get1Value** (int index, float[ ] value)
- void **setValue** (int numVals, float[ ] value) throws `ArrayIndexOutOfBoundsException`, `IllegalArgumentException`
- void **setValue** (int numVals, float[ ][ ] value) throws `ArrayIndexOutOfBoundsException`, `IllegalArgumentException`
- void **set1Value** (int index, float[ ] value) throws `IllegalArgumentException`, `ArrayIndexOutOfBoundsException`
- void **append** (float[ ] value) throws `IllegalArgumentException`, `ArrayIndexOutOfBoundsException`
- void **insertValue** (int index, float[ ] value)

### Additional Inherited Members

#### 4.434.1 Detailed Description


Definition at line 6 of file `FWMFColor.java`.

The documentation for this class was generated from the following file:

- `src/java/sai/FWMFColor.java`

## 4.435 sai.FWMFColorRGBA Class Reference

Inheritance diagram for sai.FWMFColorRGBA:





## Public Member Functions

- **FWMFColorRGBA** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[] value) throws **ArrayIndexOutOfBoundsException**
- void **getValue** (float[] value) throws **ArrayIndexOutOfBoundsException**
- void **get1Value** (int index, float[] value)
- void **setValue** (int numColors, float[] value) throws **ArrayIndexOutOfBoundsException**
- void **setValue** (int numColors, float[] value) throws **ArrayIndexOutOfBoundsException**
- void **set1Value** (int index, float[] value)
- void **append** (float[] value)
- void **insertValue** (int index, float[] value)

## Additional Inherited Members

### 4.435.1 Detailed Description


Definition at line 5 of file FWMFColorRGBA.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWMFColorRGBA.java

## 4.436 sai.FWMFDouble Class Reference

Inheritance diagram for sai.FWMFDouble:



## Public Member Functions

- **FWMFDouble** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (double[] value) throws **ArrayIndexOutOfBoundsException**
- double **get1Value** (int index) throws **ArrayIndexOutOfBoundsException**
- void **setValue** (int size, double[] value)
- void **set1Value** (int index, double value) throws **ArrayIndexOutOfBoundsException**
- void **append** (double[] value)
- void **insertValue** (int index, double[] value) throws **ArrayIndexOutOfBoundsException**

## Additional Inherited Members

### 4.436.1 Detailed Description


Definition at line 5 of file FWMFDouble.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWMFDouble.java

## 4.437 sai.FWMFFloat Class Reference

Inheritance diagram for sai.FWMFFloat:



## Public Member Functions

- **FWMFFloat** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[] value) throws `ArrayIndexOutOfBoundsException`
- float **get1Value** (int index) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int size, float[] value)
- void **set1Value** (int index, float value) throws `ArrayIndexOutOfBoundsException`
- void **append** (float[] value)
- void **insertValue** (int index, float[] value) throws `ArrayIndexOutOfBoundsException`

## Additional Inherited Members

### 4.437.1 Detailed Description


Definition at line 5 of file FWMFFloat.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWMFFloat.java

## 4.438 sai.FWMFInt32 Class Reference

Inheritance diagram for sai.FWMFInt32:



### Public Member Functions

- **FWMFInt32** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (int[] values) throws ArrayIndexOutOfBoundsException
- int **get1Value** (int index) throws ArrayIndexOutOfBoundsException
- void **setValue** (int size, int[] value)
- void **set1Value** (int index, int value) throws ArrayIndexOutOfBoundsException
- void **append** (int[] value)
- void **insertValue** (int index, int[] value)

### Additional Inherited Members

#### 4.438.1 Detailed Description


Definition at line 5 of file FWMFInt32.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWMFInt32.java

## 4.439 sai.FWMFNode Class Reference

Inheritance diagram for sai.FWMFNode:



## Public Member Functions

- void **getValue** ( **X3DNode**[] nodes) throws `ArrayIndexOutOfBoundsException`
- **X3DNode** **get1Value** (int index) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int size, **X3DNode**[] value)
- void **set1Value** (int index, **X3DNode** value)
- void **append** ( **X3DNode** value)
- void **insertValue** (int index, **X3DNode** value)

## Additional Inherited Members

### 4.439.1 Detailed Description


Definition at line 5 of file `FWMFNode.java`.

The documentation for this class was generated from the following file:

- `src/java/sai/FWMFNode.java`

## 4.440 sai.FWMFRotation Class Reference

Inheritance diagram for `sai.FWMFRotation`:



## Public Member Functions

- **FWMFRotation** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[] [] value) throws `ArrayIndexOutOfBoundsException`
- void **getValue** (float[] value) throws `ArrayIndexOutOfBoundsException`
- void **get1Value** (int index, float[] value)
- void **setValue** (int numRotations, float[] value) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int numRotations, float[] [] value) throws `ArrayIndexOutOfBoundsException`
- void **set1Value** (int index, float[] value)
- void **append** (float[] value)
- void **insertValue** (int index, float[] value)

## Additional Inherited Members

### 4.440.1 Detailed Description


Definition at line 5 of file FWMFRotation.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWMFRotation.java

## 4.441 sai.FWMFString Class Reference

Inheritance diagram for sai.FWMFString:



## Public Member Functions

- **FWMFString** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (String[] value) throws `ArrayIndexOutOfBoundsException`
- String **get1Value** (int index) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int numStrings, String[] value)
- void **set1Value** (int index, String value)
- void **append** (String[] value)
- void **insertValue** (int index, String[] value)

## Additional Inherited Members

### 4.441.1 Detailed Description


Definition at line 5 of file FWMFString.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWMFString.java

## 4.442 sai.FWMFVec2d Class Reference

Inheritance diagram for sai.FWMFVec2d:



### Public Member Functions

- **FWMFVec2d** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (double[][] value) throws `ArrayIndexOutOfBoundsException`
- void **getValue** (double[] value) throws `ArrayIndexOutOfBoundsException`
- void **get1Value** (int index, double[] value) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int size, double[] value) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int size, double[][] value) throws `ArrayIndexOutOfBoundsException`
- void **set1Value** (int index, double[] value) throws `ArrayIndexOutOfBoundsException`
- void **append** (double[] value)
- void **insertValue** (int index, double[] value)

### Additional Inherited Members

#### 4.442.1 Detailed Description


Definition at line 5 of file `FWMFVec2d.java`.

The documentation for this class was generated from the following file:

- `src/java/sai/FWMFVec2d.java`

## 4.443 sai.FWMFVec2f Class Reference

Inheritance diagram for sai.FWMFVec2f:



## Public Member Functions

- **FWMFVec2f** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[ ][ ] value) throws `ArrayIndexOutOfBoundsException`
- void **getValue** (float[ ] value) throws `ArrayIndexOutOfBoundsException`
- void **get1Value** (int index, float[ ] value) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int size, float[ ] value) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int size, float[ ][ ] value) throws `ArrayIndexOutOfBoundsException`
- void **set1Value** (int index, float[ ] value) throws `ArrayIndexOutOfBoundsException`
- void **append** (float[ ] value)
- void **insertValue** (int index, float[ ] value)

## Additional Inherited Members

### 4.443.1 Detailed Description


Definition at line 5 of file `FWMFVec2f.java`.

The documentation for this class was generated from the following file:

- `src/java/sai/FWMFVec2f.java`

## 4.444 sai.FWMFVec3d Class Reference

Inheritance diagram for `sai.FWMFVec3d`:



## Public Member Functions

- **FWMFVec3d** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (double[ ][ ] value) throws `ArrayIndexOutOfBoundsException`
- void **getValue** (double[ ] value) throws `ArrayIndexOutOfBoundsException`
- void **get1Value** (int index, double[ ] value) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int size, double[ ] value) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int size, double[ ][ ] value) throws `ArrayIndexOutOfBoundsException`
- void **set1Value** (int index, double[ ] value) throws `ArrayIndexOutOfBoundsException`
- void **append** (double[ ] value)
- void **insertValue** (int index, double[ ] value)

## Additional Inherited Members

### 4.444.1 Detailed Description


Definition at line 5 of file FWMFVec3d.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWMFVec3d.java

## 4.445 sai.FWMFVec3f Class Reference

Inheritance diagram for sai.FWMFVec3f:



## Public Member Functions

- **FWMFVec3f** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[ ][ ] value) throws **ArrayIndexOutOfBoundsException**
- void **getValue** (float[ ] value) throws **ArrayIndexOutOfBoundsException**
- void **get1Value** (int index, float[ ] value) throws **ArrayIndexOutOfBoundsException**
- void **setValue** (int size, float[ ] value) throws **ArrayIndexOutOfBoundsException**
- void **setValue** (int size, float[ ][ ] value) throws **ArrayIndexOutOfBoundsException**
- void **set1Value** (int index, float[ ] value) throws **ArrayIndexOutOfBoundsException**
- void **append** (float[ ] value)
- void **insertValue** (int index, float[ ] value)

## Additional Inherited Members

### 4.445.1 Detailed Description

Definition at line 5 of file FWMFVec3f.java.


The documentation for this class was generated from the following file:

- src/java/sai/FWMFVec3f.java



## 4.446 sai.FWProfileInfo Class Reference

Inheritance diagram for sai.FWProfileInfo:



### Public Member Functions

- **FWProfileInfo** (String n, String t, **ComponentInfo**[] c)
- String **getName** ()
- String **getTitle** ()
- **ComponentInfo**[] **getComponents** ()
- String **toX3DString** ()

#### 4.446.1 Detailed Description

Definition at line 4 of file FWProfileInfo.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWProfileInfo.java

## 4.447 sai.FWProfInfo Class Reference

### Static Public Member Functions

- static **FWProfileInfo** **getProfile** (String name) throws `NotSupportedException`
- static **FWProfileInfo**[] **getProfiles** ()
- static **ComponentInfo**[] **getComponents** ()
- static **FWComponentInfo** **getComponent** (String name, int level) throws `NotSupportedException`

#### 4.447.1 Detailed Description

Definition at line 5 of file FWProfInfo.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWProfInfo.java

## 4.448 FWPropertySpec Struct Reference

### Data Fields

- const char \* **name**
- short **index**
- char **type**
- char **readOnly**

### 4.448.1 Detailed Description


Definition at line 33 of file FWTYPE.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/FWTYPE.h

## 4.449 sai.FWProtoDeclaration Class Reference

Inheritance diagram for sai.FWProtoDeclaration:



### Public Member Functions

- String **getProtoName** ()
- String **toString** ()
- **X3DProtoInstance** **createInstance** () throws InvalidOperationTimingException, InvalidProtoException
- **X3DFieldDefinition**[] **getFieldDefinitions** () throws InvalidOperationTimingException, InvalidProtoException
- int **getLoadState** ()
- void **loadNow** ()
- void **setProtoName** (String name)
- void **setFields** ( FreeWRLFieldDefinition[] f)
- void **setType** (int t)
- int[] **getNodeTypes** () throws InvalidProtoException
- void **dispose** ()

### 4.449.1 Detailed Description


Definition at line 5 of file FWProtoDeclaration.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWProtoDeclaration.java

## 4.450 sai.FWProtoInstance Class Reference

Inheritance diagram for sai.FWProtoInstance:



### Public Member Functions

- **FWProtoInstance** ( **FreeWRLBrowser** b)
- **int[] getImplementationTypes** ()

### 4.450.1 Detailed Description

Definition at line 4 of file FWProtoInstance.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWProtoInstance.java

## 4.451 FWRGBQUAD Struct Reference

### Data Fields

- **FBYTE rgbBlue**
- **FBYTE rgbGreen**
- **FBYTE rgbRed**
- **FBYTE rgbReserved**

### 4.451.1 Detailed Description


Definition at line 204 of file Snapshot.c.

The documentation for this struct was generated from the following file:

- src/lib/main/Snapshot.c

## 4.452 sai.FWRoute Class Reference

Inheritance diagram for sai.FWRoute:



### Public Member Functions

- **FWRoute** ( **FreeWRLNode** sn, String sf, **FreeWRLNode** dn, String df)
- String **toString** ()
- boolean **equals** (Object o)
- **X3DNode** **getSourceNode** () throws InvalidRouteException
- **X3DNode** **getDestinationNode** () throws InvalidRouteException
- String **getSourceField** () throws InvalidRouteException
- String **getDestinationField** () throws InvalidRouteException
- void **dispose** ()

### 4.452.1 Detailed Description


Definition at line 4 of file FWRoute.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWRoute.java

## 4.453 sai.FWSFBool Class Reference

Inheritance diagram for sai.FWSFBool:



## Public Member Functions

- **FWSFBool** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- boolean **getValue** () throws `InvalidFieldException`
- void **setValue** (boolean value) throws `InvalidFieldException`

## Additional Inherited Members

### 4.453.1 Detailed Description


Definition at line 4 of file `FWSFBool.java`.

The documentation for this class was generated from the following file:

- `src/java/sai/FWSFBool.java`

## 4.454 sai.FWSFColor Class Reference

Inheritance diagram for `sai.FWSFColor`:



## Public Member Functions

- **FWSFColor** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[] value) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (float[] value) throws `IllegalArgumentException`, `ArrayIndexOutOfBoundsException`

## Additional Inherited Members

### 4.454.1 Detailed Description


Definition at line 5 of file `FWSFColor.java`.

The documentation for this class was generated from the following file:

- `src/java/sai/FWSFColor.java`

## 4.455 sai.FWSFColorRGBA Class Reference

Inheritance diagram for sai.FWSFColorRGBA:



### Public Member Functions

- **FWSFColorRGBA** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[] value) throws **ArrayIndexOutOfBoundsException**
- void **setValue** (float[] value) throws **ArrayIndexOutOfBoundsException**

### Additional Inherited Members

#### 4.455.1 Detailed Description


Definition at line 5 of file FWSFColorRGBA.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFColorRGBA.java

## 4.456 sai.FWSFDouble Class Reference

Inheritance diagram for sai.FWSFDouble:



### Public Member Functions

- **FWSFDouble** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- double **getValue** ()
- void **setValue** (double value)

## Additional Inherited Members

### 4.456.1 Detailed Description


Definition at line 4 of file FWSFDouble.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFDouble.java

## 4.457 sai.FWSFFloat Class Reference

Inheritance diagram for sai.FWSFFloat:



## Public Member Functions

- **FWSFFloat** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- float **getValue** ()
- void **setValue** (float value)

## Additional Inherited Members

### 4.457.1 Detailed Description


Definition at line 4 of file FWSFFloat.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFFloat.java

## 4.458 sai.FWSFImage Class Reference

Inheritance diagram for sai.FWSFImage:



## Public Member Functions

- **FWSFImage** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- int **getWidth** ()
- int **getHeight** ()
- int **getComponents** ()
- void **getPixels** (int[] pixels)
- WritableRenderedImage **getImage** ()
- void **setValue** (int width, int height, int components, int[] pixels)
- void **setImage** (RenderedImage image)
- void **setSubImage** (RenderedImage image, int srcWidth, int srcHeight, int srcXOffset, int srcYOffset, int destXOffset, int destYOffset)

## Additional Inherited Members

### 4.458.1 Detailed Description


Definition at line 7 of file FWSFImage.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFImage.java

## 4.459 sai.FWSFInt32 Class Reference

Inheritance diagram for sai.FWSFInt32:



## Public Member Functions

- **FWSFInt32** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- int **getValue** ()
- void **setValue** (int value)

## Additional Inherited Members

### 4.459.1 Detailed Description

Definition at line 4 of file FWSFInt32.java.


The documentation for this class was generated from the following file:

- src/java/sai/FWSFInt32.java



## 4.460 sai.FWSFNode Class Reference

Inheritance diagram for sai.FWSFNode:



### Public Member Functions

- **FWSFNode** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- **X3DNode** **getValue** ()
- void **setValue** ( **X3DNode** value) throws **InvalidNodeException**

### Additional Inherited Members

#### 4.460.1 Detailed Description


Definition at line 4 of file FWSFNode.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFNode.java

## 4.461 sai.FWSFRotation Class Reference

Inheritance diagram for sai.FWSFRotation:



### Public Member Functions

- **FWSFRotation** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[] value) throws **ArrayIndexOutOfBoundsException**
- void **setValue** (float[] value) throws **ArrayIndexOutOfBoundsException**

## Additional Inherited Members

### 4.461.1 Detailed Description


Definition at line 5 of file FWSFRotation.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFRotation.java

## 4.462 sai.FWSFString Class Reference

Inheritance diagram for sai.FWSFString:



## Public Member Functions

- **FWSFString** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- **String** **getValue** ()
- **void** **setValue** (String value)

## Additional Inherited Members

### 4.462.1 Detailed Description


Definition at line 4 of file FWSFString.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFString.java

## 4.463 sai.FWSFTime Class Reference

Inheritance diagram for sai.FWSFTime:



## Public Member Functions

- **FWSFTime** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- double **getValue** ()
- long **getJavaValue** ()
- void **setValue** (double value)
- void **setValue** (long value)

## Additional Inherited Members

### 4.463.1 Detailed Description


Definition at line 4 of file FWSFTime.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFTime.java

## 4.464 sai.FWSFVec2d Class Reference

Inheritance diagram for sai.FWSFVec2d:



## Public Member Functions

- **FWSFVec2d** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (double[] value) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (double[] value) throws `ArrayIndexOutOfBoundsException`

## Additional Inherited Members

### 4.464.1 Detailed Description


Definition at line 5 of file FWSFVec2d.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFVec2d.java

## 4.465 sai.FWSFVec2f Class Reference

Inheritance diagram for sai.FWSFVec2f:



### Public Member Functions

- **FWSFVec2f** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[] value) throws ArrayIndexOutOfBoundsException
- void **setValue** (float[] value) throws ArrayIndexOutOfBoundsException

### Additional Inherited Members

#### 4.465.1 Detailed Description


Definition at line 5 of file FWSFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFVec2f.java

## 4.466 sai.FWSFVec3d Class Reference

Inheritance diagram for sai.FWSFVec3d:



### Public Member Functions

- **FWSFVec3d** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (double[] value) throws ArrayIndexOutOfBoundsException
- void **setValue** (double[] value) throws ArrayIndexOutOfBoundsException

## Additional Inherited Members

### 4.466.1 Detailed Description


Definition at line 5 of file FWSFVec3d.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFVec3d.java

## 4.467 sai.FWSFVec3f Class Reference

Inheritance diagram for sai.FWSFVec3f:



## Public Member Functions

- **FWSFVec3f** ( **FreeWRLFieldDefinition** def, **FreeWRLBrowser** b)
- void **getValue** (float[] value) throws **ArrayIndexOutOfBoundsException**
- void **setValue** (float[] value) throws **ArrayIndexOutOfBoundsException**

## Additional Inherited Members

### 4.467.1 Detailed Description

Definition at line 5 of file FWSFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/sai/FWSFVec3f.java

## 4.468 FWSNDMSG Struct Reference

### Data Fields

- long **mtype**
- char **msg** [SNDMAXMSGSIZE]

### 4.468.1 Detailed Description

Definition at line 49 of file sounds.h.

The documentation for this struct was generated from the following files:

- src/lib/scenegraph/sounds.h
- src/sound/soundheader.h

## 4.469 FWTYPE Struct Reference

### Data Fields

- int **itype**
- char **ctype**
- char \* **name**
- int **size\_of**
- FWConstructor **Constructor**
- struct **ArgListType** \* **ConstructorArgs**
- **FWPropertySpec** \* **Properties**
- FWIterator **iterator**
- FWGet **Getter**
- FWSet **Setter**
- char **takesIndexer**
- char **indexerReadOnly**
- **FWFunctionSpec** \* **Functions**

### 4.469.1 Detailed Description

Definition at line 67 of file FWTYPE.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/FWTYPE.h

## 4.470 FWVAL Struct Reference

### Data Fields

- char **itype**
  -
- ```

union {
    int _null
    double _numeric
    int _integer
    int _boolean
    const char * _string
    FWPointer _pointer
    FWPointer _web3dval
    void * _jsobject
};

```

### 4.470.1 Detailed Description

Definition at line 115 of file FWTYPE.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/FWTYPE.h

## 4.471 FXY Struct Reference

### Data Fields

- GLfloat **x**
- GLfloat **y**

### 4.471.1 Detailed Description

Definition at line 221 of file CursorDraw.c.

The documentation for this struct was generated from the following file:

- src/lib/ui/CursorDraw.c

## 4.472 gcgd Struct Reference

### Data Fields

- double **A**
- double **F**
- double **C**
- double **A2**
- double **C2**
- double **Eps2**
- double **Eps21**
- double **Eps25**
- double **C254**
- double **C2DA**
- double **CEE**
- double **CE2**
- double **CEEps2**
- double **TwoCEE**
- double **tem**
- double **ARat1**
- double **ARat2**
- double **BRat1**
- double **BRat2**
- double **B1**
- double **B2**
- double **B3**
- double **B4**
- double **B5**

### 4.472.1 Detailed Description

Definition at line 1359 of file Component\_Geospatial.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Geospatial.c

## 4.473 GLUface Struct Reference

### Data Fields

- **GLUface** \* next
- **GLUface** \* prev
- **GLUhalfEdge** \* anEdge
- void \* data
- **GLUface** \* trail
- GLboolean marked
- GLboolean inside

### 4.473.1 Detailed Description

Definition at line 126 of file mesh.h.

The documentation for this struct was generated from the following file:

- src/libtess/mesh.h

## 4.474 GLUhalfEdge Struct Reference

### Data Fields

- **GLUhalfEdge** \* next
- **GLUhalfEdge** \* Sym
- **GLUhalfEdge** \* Onext
- **GLUhalfEdge** \* Lnext
- **GLUvertex** \* Org
- **GLUface** \* Lface
- **ActiveRegion** \* activeRegion
- int winding

### 4.474.1 Detailed Description

Definition at line 138 of file mesh.h.

The documentation for this struct was generated from the following file:

- src/libtess/mesh.h



## 4.475 GLUmesh Struct Reference

### Data Fields

- **GLUvertex** vHead
- **GLUface** fHead
- **GLUhalfEdge** eHead
- **GLUhalfEdge** eHeadSym

### 4.475.1 Detailed Description


Definition at line 163 of file mesh.h.

The documentation for this struct was generated from the following file:

- src/libtess/mesh.h

## 4.476 GLUnurbs Class Reference

Inheritance diagram for GLUnurbs:



### Public Member Functions

- void **useGLMatrices** (const GLfloat modelMatrix[16], const GLfloat projMatrix[16], const GLint viewport[4])
- void **setSamplingMatrixIdentity** (void)
- void **errorHandler** (int)
- void **bgnrender** (void)
- void **endrender** (void)
- void **setautoloadmode** (INREAL value)
- GLboolean **getautoloadmode** (void)
- void **postError** (int which)
- void **putSurfCallback** (GLenum which, \_GLUfuncptr fn)
- int **get\_vertices\_call\_back** ()
- void **put\_vertices\_call\_back** (int flag)
- int **get\_callback\_auto\_normal** ()
- void **put\_callback\_auto\_normal** (int flag)
- void **setNurbsCallbackData** (void \*userData)
- void **LOD\_eval\_list** (int level)
- int **is\_callback** ()
- void **put\_callbackFlag** (int flag)

## Data Fields

- errorCallbackType **errorCallback**

## Additional Inherited Members

### 4.476.1 Detailed Description

Definition at line 50 of file glrender.h.

The documentation for this class was generated from the following files:

- src/libnurbs/interface/glrender.h
- src/libnurbs/interface/glrender.cc

## 4.477 GLUtesselator Struct Reference

### Public Member Functions

- **void** (GLAPIENTRY \*callError)(GLenum errnum)
- **void** (GLAPIENTRY \*callCombine)(GLdouble coords[3])
- **void** (GLAPIENTRY \*callBegin)(GLenum type)
- **void** (GLAPIENTRY \*callEdgeFlag)(GLboolean boundaryEdge)
- **void** (GLAPIENTRY \*callVertex)(void \*data)
- **void** (GLAPIENTRY \*callEnd)(void)
- **void** (GLAPIENTRY \*callMesh)( **GLUmesh** \*mesh)
- **void** (GLAPIENTRY \*callBeginData)(GLenum type)
- **void** (GLAPIENTRY \*callEdgeFlagData)(GLboolean boundaryEdge)
- **void** (GLAPIENTRY \*callVertexData)(void \*data)
- **void** (GLAPIENTRY \*callEndData)(void \*polygonData)
- **void** (GLAPIENTRY \*callErrorData)(GLenum errnum)
- **void** (GLAPIENTRY \*callCombineData)(GLdouble coords[3])

### Data Fields

- enum TessState **state**
- **GLUhalfEdge** \* **lastEdge**
- **GLUmesh** \* **mesh**
- GLdouble **normal** [3]
- GLdouble **sUnit** [3]
- GLdouble **tUnit** [3]
- GLdouble **relTolerance**
- GLenum **windingRule**
- GLboolean **fatalError**
- **Dict** \* **dict**
- **PriorityQ** \* **pq**
- **GLUvertex** \* **event**
- void \* **data** [4]
- void GLfloat **weight** [4]

- void GLfloat void \*\* **outData**
- GLboolean **flagBoundary**
- GLboolean **boundaryOnly**
- **GLUface** \* **lonelyTriList**
- GLboolean **emptyCache**
- int **cacheCount**
- **CachedVertex** **cache** [TESS\_MAX\_CACHE]
- void \* **polygonData**
- void GLfloat void void \* **polygonData**
- jmp\_buf **env**

### 4.477.1 Detailed Description

Definition at line 59 of file tess.h.

The documentation for this struct was generated from the following file:

- src/libtess/tess.h

## 4.478 GLUvertex Struct Reference

### Data Fields

- **GLUvertex** \* **next**
- **GLUvertex** \* **prev**
- **GLUhalfEdge** \* **anEdge**
- void \* **data**
- GLdouble **coords** [3]
- GLdouble **s**
- GLdouble **t**
- long **pqHandle**

### 4.478.1 Detailed Description

Definition at line 114 of file mesh.h.

The documentation for this struct was generated from the following file:

- src/libtess/mesh.h

## 4.479 GLwDrawingAreaCallbackStruct Struct Reference

### Data Fields

- int **reason**
- XEvent \* **event**
- Dimension **width**
- Dimension **height**

### 4.479.1 Detailed Description

Definition at line 196 of file GLwDrawA.h.

The documentation for this struct was generated from the following file:

- src/lib/ui/GLwDrawA.h

## 4.480 GLwDrawingAreaPart Struct Reference

### Data Fields

- int \* **attribList**
- XVisualInfo \* **visualInfo**
- Boolean **myList**
- Boolean **myVisual**
- Boolean **installColormap**
- Boolean **allocateBackground**
- Boolean **allocateOtherColors**
- Boolean **installBackground**
- XtCallbackList **ginitCallback**
- XtCallbackList **resizeCallback**
- XtCallbackList **exposeCallback**
- XtCallbackList **inputCallback**
- int **bufferSize**
- int **level**
- Boolean **rgba**
- Boolean **doublebuffer**
- Boolean **stereo**
- int **auxBuffers**
- int **redSize**
- int **greenSize**
- int **blueSize**
- int **alphaSize**
- int **depthSize**
- int **stencilSize**
- int **accumRedSize**
- int **accumGreenSize**
- int **accumBlueSize**
- int **accumAlphaSize**

### 4.480.1 Detailed Description

Definition at line 80 of file GLwDrawAP.h.

The documentation for this struct was generated from the following file:

- src/lib/ui/GLwDrawAP.h

## 4.481 GoP Struct Reference

### Data Fields

- int **drop\_flag**
- unsigned int **tc\_hours**
- unsigned int **tc\_minutes**
- unsigned int **tc\_seconds**
- unsigned int **tc\_pictures**
- int **closed\_gop**
- int **broken\_link**
- char \* **ext\_data**
- char \* **user\_data**

### 4.481.1 Detailed Description

Definition at line 116 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

## 4.482 GridAxisRecord Struct Reference

### Data Fields

- unsigned short **sampleType**  
*type of environmental sample*
- unsigned short **dataRepresentation**  
*value that describes data representation*

### 4.482.1 Detailed Description

Definition at line 288 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.483 GridAxisRecordRepresentation0 Struct Reference

### Data Fields

- struct **GridAxisRecord** **myGridAxisRecord**
- unsigned short **numberOfBytes**  
*number of bytes of environmental state data*
- void \* **dataValues**  
*variable length list of data parameters <sup>^^^</sup>this is wrong—need padding as well*

### 4.483.1 Detailed Description

Definition at line 962 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.484 GridAxisRecordRepresentation1 Struct Reference

### Data Fields

- struct **GridAxisRecord** **myGridAxisRecord**
- float **fieldScale**  
*constant scale factor*
- float **fieldOffset**  
*constant offset used to scale grid data*
- unsigned short **numberOfValues**  
*Number of data values.*
- void \* **dataValues**  
*variable length list of data parameters <sup>^^^</sup>this is wrong—need padding as well*

### 4.484.1 Detailed Description

Definition at line 949 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.485 GridAxisRecordRepresentation2 Struct Reference

### Data Fields

- struct **GridAxisRecord** **myGridAxisRecord**
- unsigned short **numberOfValues**  
*number of values*
- void \* **dataValues**  
*variable length list of data parameters <sup>^^^</sup>this is wrong—need padding as well*

### 4.485.1 Detailed Description

Definition at line 918 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.486 gridBoundaryChain Class Reference

### Public Member Functions

- **gridBoundaryChain** ( **gridWrap** \*gr, Int first\_vline\_index, Int n\_vlines, Int \*uline\_indices, Int \*inner\_indices)
- Int **getVlineIndex** (Int i)
- Int **getUlineIndex** (Int i)
- Real **get\_u\_value** (Int i)
- Real **get\_v\_value** (Int i)
- Int **get\_nVlines** ()
- Int **getInnerIndex** (Int i)
- Real **getInner\_u\_value** (Int i)
- Real \* **get\_vertex** (Int i)
- **gridWrap** \* **getGrid** ()
- void **leftEndFan** (Int i, **primStream** \*pStream)
- void **rightEndFan** (Int i, **primStream** \*pStream)
- Int **lookfor** (Real v, Int i1, Int i2)
- void **draw** ()
- void **drawInner** ()

### 4.486.1 Detailed Description

Definition at line 96 of file gridWrap.h.

The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/gridWrap.h
- src/libnurbs/nurbtess/gridWrap.cc

## 4.487 GriddedDataPdu Struct Reference

### Data Fields

- struct **SyntheticEnvironmentFamilyPdu** **mySyntheticEnvironmentFamilyPdu**
- struct **EntityID** **environmentalSimulationApplicationID**  
*environmental simulation application ID*
- unsigned short **fieldNumber**  
*unique identifier for each piece of enviornmental data*
- unsigned short **pduNumber**  
*sequence number for the total set of PDUS used to transmit the data*
- unsigned short **pduTotal**  
*Total number of PDUS used to transmit the data.*
- unsigned short **coordinateSystem**  
*coordinate system of the grid*
- unsigned char **numberOfGridAxes**  
*number of grid axes for the environmental data*
- unsigned char **constantGrid**  
*are domain grid axes identidal to those of the priveious domain update?*
- struct **EntityType** **environmentType**

- type of environment*
- struct **Orientation** *orientation*
- orientation of the data grid*
- long long **sampleTime**
  - valid time of the enviornmental data sample, 64 bit unsigned int*
- unsigned int **totalValues**
  - total number of all data values for all pdus for an environmental sample*
- unsigned char **vectorDimension**
  - total number of data values at each grid point.*
- unsigned short **padding1**
  - padding*
- unsigned char **padding2**
  - padding*
- void \* **gridDataList**
  - Grid data ^^^ This is wrong.*

#### 4.487.1 Detailed Description

Definition at line 1138 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.488 Gridline Struct Reference

#### Data Fields

- long **v**
- REAL **vval**
- long **vindex**
- long **ustart**
- long **uend**

#### 4.488.1 Detailed Description

Definition at line 39 of file gridline.h.


The documentation for this struct was generated from the following file:

- src/libnurbs/internals/gridline.h



## 4.489 GridTrimVertex Class Reference

Inheritance diagram for GridTrimVertex:



### Public Member Functions

- void **set** (long, long)
- void **set** (REAL, REAL)
- void **set** ( TrimVertex \*)
- void **clear** (void)
- int **isGridVert** ()
- int **isTrimVert** ()
- void **output** ()

### Data Fields

- TrimVertex \* **t**
- GridVertex \* **g**

### 4.489.1 Detailed Description

Definition at line 44 of file gridtrimvertex.h.

The documentation for this class was generated from the following file:

- src/libnurbs/internals/gridtrimvertex.h

## 4.490 GridVertex Struct Reference

### Public Member Functions

- GridVertex (long u, long v)
- void **set** (long u, long v)
- long **nextu** ()
- long **prevu** ()

### Data Fields

- long **gparam** [2]

### 4.490.1 Detailed Description

Definition at line 39 of file gridvertex.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/gridvertex.h

## 4.491 gridWrap Class Reference

### Public Member Functions

- **gridWrap** (Int nUlines, Int nVlines, Real uMin, Real uMax, Real vMin, Real vMax)
- **gridWrap** (Int nUlines, Real \*uvals, Int nVlines, Real \*vvlas)
- void **print** ()
- Int **get\_n\_ulines** ()
- Int **get\_n\_vlines** ()
- Real **get\_u\_min** ()
- Real **get\_u\_max** ()
- Real **get\_v\_min** ()
- Real **get\_v\_max** ()
- Real **get\_u\_value** (Int i)
- Real **get\_v\_value** (Int j)
- Real \* **get\_u\_values** ()
- Real \* **get\_v\_values** ()
- void **outputFanWithPoint** (Int v, Int uleft, Int uright, Real vert[2], **primStream** \*pStream)
- void **draw** ()
- Int **isUniform** ()

### 4.491.1 Detailed Description

Definition at line 42 of file gridWrap.h.

The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/gridWrap.h
- src/libnurbs/nurbtess/gridWrap.cc

## 4.492 GUINamedType Struct Reference

### Data Fields

- char \* **name**
- int **type**

### 4.492.1 Detailed Description

Definition at line 2279 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.493 GUIScreen Struct Reference

### Data Fields

- int X
- int Y

### 4.493.1 Detailed Description


Definition at line 3077 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.494 Hull Class Reference

Inheritance diagram for Hull:



### Public Member Functions

- void **init** (void)
- **GridTrimVertex** \* **nextlower** ( **GridTrimVertex** \*)
- **GridTrimVertex** \* **nextupper** ( **GridTrimVertex** \*)

## Additional Inherited Members

### 4.494.1 Detailed Description


Definition at line 47 of file hull.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/hull.h
- src/libnurbs/internals/hull.cc

## 4.495 vrml.external.IBrowser Interface Reference

Inheritance diagram for vrml.external.IBrowser:



## Public Member Functions

- String **getName** ()
- String **getVersion** ()
- int **getEncoding** ()
- float **getCurrentSpeed** ()
- float **getCurrentFrameRate** ()
- String **getWorldURL** ()
- void **replaceWorld** ( **Node**[] nodes) throws IllegalArgumentException
- void **loadURL** (String[] url, String[] parameter)
- void **setDescription** (String description)
- String **getDescription** ()
- String **getRenderingProperties** ()
- **Node**[] **createVrmlFromString** (String vrmlSyntax) throws InvalidVrmlException
- void **createVrmlFromURL** (String[] url, **Node** node, String event)
- **Node** **getNode** (String name)
- void **addRoute** ( **Node** fromNode, String fromEventOut, **Node** toNode, String toEventIn) throws IllegalArgumentException↵
- void **deleteRoute** ( **Node** fromNode, String fromEventOut, **Node** toNode, String toEventIn) throws IllegalArgumentException↵
- void **beginUpdate** ()
- void **endUpdate** ()
- void **initialize** ()
- void **shutdown** ()
- void **firstViewpoint** ()
- void **lastViewpoint** ()
- void **nextViewpoint** ()
- void **previousViewpoint** ()
- String **createNode** (String name)

- String **createProto** (String name)
- String **updateNamedNode** (String name, **Node** node)
- String **removeNamedNode** (String name)
- String **getProtoDeclaration** (String name)
- String **removeProtoDeclaration** (String name)
- String **updateProtoDeclaration** (String name, String npdecl)
- String **getNodeFieldDefs** ( **Node** myn)
- String **getNodeDEFName** ( **Node** myn)

#### 4.495.1 Detailed Description

Definition at line 6 of file IBrowser.java.

The documentation for this interface was generated from the following file:

- src/java/vrml/external/IBrowser.java

### 4.496 IffAtcNavAidsLayer1Pdu Struct Reference

#### Data Fields

- struct **DistributedEmissionsFamilyPdu** myDistributedEmissionsFamilyPdu
- struct **EntityID** emittingEntityId  
*ID of the entity that is the source of the emissions.*
- struct **EventID** eventID  
*Number generated by the issuing simulation to associate realted events.*
- struct **Vector3Float** location  
*Location wrt entity.*
- struct **SystemID** systemID  
*System ID information.*
- unsigned short **pad2**  
*padding*
- struct **IffFundamentalData** fundamentalParameters  
*fundamental parameters*

#### 4.496.1 Detailed Description

Definition at line 1060 of file DIS.h.

#### 4.496.2 Field Documentation

#### 4.496.2.1 location

```
struct Vector3Float IffAtcNavAidsLayer1Pdu::location
```

Location wrt entity.

There is some ambuigiuity in the standard here, but this is the order it is listed in the table.

Definition at line 1051 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.497 IffAtcNavAidsLayer2Pdu Struct Reference

#### Data Fields

- struct **IffAtcNavAidsLayer1Pdu** myIffAtcNavAidsLayer1Pdu
- struct **LayerHeader** layerHeader  
*layer header*
- struct **BeamData** beamData  
*beam data*
- struct **BeamData** secondaryOperationalData  
*Secondary operational data, 5.2.57.*
- void \* **fundamentalIffParameters**  
*variable length list of fundamental parameters.*

#### 4.497.1 Detailed Description

Definition at line 1530 of file DIS.h.

#### 4.497.2 Field Documentation

##### 4.497.2.1 fundamentalIffParameters

```
void* IffAtcNavAidsLayer2Pdu::fundamentalIffParameters
```

variable length list of fundamental parameters.

^^^This is wrong

Definition at line 1539 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.498 IffFundamentalData Struct Reference

### Data Fields

- unsigned char **systemStatus**  
*system status*
- unsigned char **alternateParameter4**  
*Alternate parameter 4.*
- unsigned char **informationLayers**  
*eight boolean fields*
- unsigned char **modifier**  
*enumeration*
- unsigned short **parameter1**  
*parameter, enumeration*
- unsigned short **parameter2**  
*parameter, enumeration*
- unsigned short **parameter3**  
*parameter, enumeration*
- unsigned short **parameter4**  
*parameter, enumeration*
- unsigned short **parameter5**  
*parameter, enumeration*
- unsigned short **parameter6**  
*parameter, enumeration*

### 4.498.1 Detailed Description

Definition at line 358 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.499 iiglobal Struct Reference

### Data Structures

- struct **tBindable**
- struct **tcollision**
- struct **tcommon**
- struct **tComponent\_CubeMapTexturing**
- struct **tComponent\_EnvironSensor**
- struct **tComponent\_Followers**
- struct **tComponent\_Geometry3D**
- struct **tComponent\_Geospatial**
- struct **tComponent\_HAnim**
- struct **tComponent\_KeyDevice**
- struct **tComponent\_Layering**

- struct **tComponent\_Layout**
- struct **tComponent\_NURBS**
- struct **tComponent\_ParticleSystems**
- struct **tComponent\_Picking**
- struct **tComponent\_ProgrammableShaders**
- struct **tComponent\_PTM**
- struct **tComponent\_Rendering**
- struct **tComponent\_RigidBodyPhysics**
- struct **tComponent\_Shape**
- struct **tComponent\_Sound**
- struct **tComponent\_Text**
- struct **tComponent\_VolumeRendering**
- struct **tComponent\_VRML1**
- struct **tConsoleMessage**
- struct **tCParse**
- struct **tCParseParser**
- struct **tCRoutes**
- struct **tCScripts**
- struct **tCursorDraw**
- struct **tdisplay**
- struct **tEAI\_C\_CommonFunctions**
- struct **tEAICore**
- struct **tEAIEventsIn**
- struct **tEAHelpers**
- struct **tFrustum**
- struct **tinternalc**
- struct **tLoadTextures**
- struct **tMainloop**
- struct **tOpenGL\_Utils**
- struct **tPluginSocket**
- struct **tpluginUtils**
- struct **tProdCon**
- struct **tRenderFuncs**
- struct **tRenderTextures**
- struct **tresources**
- struct **tSensInterps**
- struct **tSnapshot**
- struct **tstatusbar**
- struct **tStreamPoly**
- struct **tTess**
- struct **tTextures**
- struct **tthreads**
- struct **tViewer**
- struct **tX3DParser**

## Data Fields

- struct **iiglobal::tdisplay** display
- struct **iiglobal::tinternalc** internalc
- struct **iiglobal::tresources** resources
- struct **iiglobal::tthreads** threads
- struct **iiglobal::tSnapshot** Snapshot
- struct **iiglobal::tEAI\_C\_CommonFunctions** EAI\_C\_CommonFunctions
- struct **iiglobal::tEAIEventsIn** EAIEventsIn



- struct `iiglobal::tEAIHelpers` `EAIHelpers`
- struct `iiglobal::tEAICore` `EAICore`
- struct `iiglobal::tSensInterps` `SensInterps`
- struct `iiglobal::tConsoleMessage` `ConsoleMessage`
- struct `iiglobal::tMainloop` `Mainloop`
- struct `iiglobal::tProdCon` `ProdCon`
- struct `iiglobal::tFrustum` `Frustum`
- struct `iiglobal::tLoadTextures` `LoadTextures`
- struct `iiglobal::tOpenGL_Utils` `OpenGL_Utils`
- struct `iiglobal::tRenderTextures` `RenderTextures`
- struct `iiglobal::tTextures` `Textures`
- struct `iiglobal::tComponent_PTM` `Component_PTM`
- struct `iiglobal::tPluginSocket` `PluginSocket`
- struct `iiglobal::tpluginUtils` `pluginUtils`
- struct `iiglobal::tcollision` `collision`
- struct `iiglobal::tComponent_CubeMapTexturing` `Component_CubeMapTexturing`
- struct `iiglobal::tComponent_EnviroSensor` `Component_EnviroSensor`
- struct `iiglobal::tComponent_Geometry3D` `Component_Geometry3D`
- struct `iiglobal::tComponent_Geospatial` `Component_Geospatial`
- struct `iiglobal::tComponent_HAnim` `Component_HAnim`
- struct `iiglobal::tComponent_Layering` `Component_Layering`
- struct `iiglobal::tComponent_Layout` `Component_Layout`
- struct `iiglobal::tComponent_NURBS` `Component_NURBS`
- struct `iiglobal::tComponent_ParticleSystems` `Component_ParticleSystems`
- struct `iiglobal::tComponent_ProgrammableShaders` `Component_ProgrammableShaders`
- struct `iiglobal::tComponent_RigidBodyPhysics` `Component_RigidBodyPhysics`
- struct `iiglobal::tComponent_Followers` `Component_Followers`
- struct `iiglobal::tComponent_KeyDevice` `Component_KeyDevice`
- struct `iiglobal::tComponent_Picking` `Component_Picking`
- struct `iiglobal::tComponent_Rendering` `Component_Rendering`
- struct `iiglobal::tComponent_Shape` `Component_Shape`
- struct `iiglobal::tComponent_Sound` `Component_Sound`
- struct `iiglobal::tComponent_Text` `Component_Text`
- struct `iiglobal::tComponent_VRML1` `Component_VRML1`
- struct `iiglobal::tComponent_VolumeRendering` `Component_VolumeRendering`
- struct `iiglobal::tRenderFuncs` `RenderFuncs`
- struct `iiglobal::tStreamPoly` `StreamPoly`
- struct `iiglobal::tTess` `Tess`
- struct `iiglobal::tViewer` `Viewer`
- struct `iiglobal::tstatusbar` `statusbar`
- struct `iiglobal::tCParse` `CParse`
- struct `iiglobal::tCParser` `CParser`
- struct `iiglobal::tCRoutes` `CRoutes`
- struct `iiglobal::tCScripts` `CScripts`
- struct `iiglobal::tBindable` `Bindable`
- struct `iiglobal::tX3DParser` `X3DParser`
- struct `iiglobal::tcommon` `common`
- struct `iiglobal::tCursorDraw` `CursorDraw`

#### 4.499.1 Detailed Description

Definition at line 42 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.500 IMEXPORT Struct Reference

### Data Fields

- struct **X3D\_Node** \* **nodeptr**
- char \* **inlinename**
- char \* **mxname**
- char \* **as**

### 4.500.1 Detailed Description


Definition at line 242 of file CParseParser.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.h

## 4.501 org.web3d.x3d.sai.ImportedException Class Reference

Inheritance diagram for org.web3d.x3d.sai.ImportedException:



### Public Member Functions

- **ImportedException** (String msg)

### 4.501.1 Detailed Description

Definition at line 3 of file ImportedException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/ImportedException.java

## 4.502 initialRouteStruct Struct Reference

### Data Fields

- struct **X3D\_Node** \* **from**
- size\_t **totalptr**

### 4.502.1 Detailed Description


Definition at line 201 of file CRoutes.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CRoutes.c

## 4.503 freeWRLSAI\_cpp::insufficientCapabilitiesException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::insufficientCapabilitiesException:



### Public Member Functions

- virtual const char \* **what** ()

### Additional Inherited Members

### 4.503.1 Detailed Description


Definition at line 118 of file SAexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAexception.h

## 4.504 org.web3d.x3d.sai.InsufficientCapabilitiesException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InsufficientCapabilitiesException:



## Public Member Functions

- **InsufficientCapabilitiesException** (String msg)

### 4.504.1 Detailed Description

Definition at line 3 of file `InsufficientCapabilitiesException.java`.

The documentation for this class was generated from the following file:

- `src/java/org/web3d/x3d/sai/InsufficientCapabilitiesException.java`

## 4.505 IntercomCommunicationsParameters Struct Reference

### Data Fields

- unsigned short **recordType**  
*Type of intercom parameters record.*
- unsigned short **recordLength**  
*length of record*
- unsigned int **recordSpecificField**  
*Jerks.*

### 4.505.1 Detailed Description

Definition at line 452 of file `DIS.h`.

### 4.505.2 Field Documentation

#### 4.505.2.1 recordSpecificField

```
unsigned int IntercomCommunicationsParameters::recordSpecificField
```

Jerks.

Looks like the committee is forcing a lookup of the record type parameter to find out how long the field is. This is a placeholder.

Definition at line 458 of file `DIS.h`.

The documentation for this struct was generated from the following file:

- `src/lib/DIS/DIS.h`

## 4.506 IntercomControlPdu Struct Reference

### Data Fields

- struct **RadioCommunicationsFamilyPdu** **myRadioCommunicationsFamilyPdu**
- unsigned char **controlType**  
*control type*
- unsigned char **communicationsChannelType**  
*control type*
- struct **EntityID** **sourceEntityID**  
*Source entity ID.*
- unsigned char **sourceCommunicationsDeviceID**  
*The specific intercom device being simulated within an entity.*
- unsigned char **sourceLineID**  
*Line number to which the intercom control refers.*
- unsigned char **transmitPriority**  
*priority of this message relative to transmissions from other intercom devices*
- unsigned char **transmitLineState**  
*current transmit state of the line*
- unsigned char **command**  
*detailed type requested.*
- struct **EntityID** **masterEntityID**  
*eid of the entity that has created this intercom channel.*
- unsigned short **masterCommunicationsDeviceID**  
*specific intercom device that has created this intercom channel*
- unsigned int **intercomParametersLength**  
*number of intercom parameters*
- void \* **intercomParameters**  
^^^ *This is wrong—the length of the data field is variable.*

### 4.506.1 Detailed Description

Definition at line 1897 of file DIS.h.

### 4.506.2 Field Documentation

#### 4.506.2.1 intercomParameters

```
void* IntercomControlPdu::intercomParameters
```

^^^This is wrong—the length of the data field is variable.

Using a long for now.

Definition at line 1922 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.507 IntercomSignalPdu Struct Reference

### Data Fields

- struct **RadioCommunicationsFamilyPdu** **myRadioCommunicationsFamilyPdu**
- struct **EntityID** **entityID**  
*entity ID*
- unsigned short **communicationsDeviceID**  
*ID of communications device.*
- unsigned short **encodingScheme**  
*encoding scheme*
- unsigned short **tdlType**  
*tactical data link type*
- unsigned int **sampleRate**  
*sample rate*
- unsigned short **dataLength**  
*data length*
- unsigned short **samples**  
*samples*
- void \* **data**  
*data bytes*

### 4.507.1 Detailed Description

Definition at line 897 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.508 intersection\_info Struct Reference

### Data Fields

- float **dist**
- float **p** [3]
- float **normal** [3]
- float **texcoord** [3]

### 4.508.1 Detailed Description


Definition at line 121 of file Polyrep.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Polyrep.h

## 4.509 freeWRLSAI\_cpp::invalidAccessTypeException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::invalidAccessTypeException:



### Public Member Functions

- virtual const char \* **what** ()

### Additional Inherited Members

#### 4.509.1 Detailed Description


Definition at line 129 of file SAexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAexception.h

## 4.510 freeWRLSAI\_cpp::invalidBrowserException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::invalidBrowserException:



### Public Member Functions

- virtual const char \* **what** ()

## Additional Inherited Members

### 4.510.1 Detailed Description


Definition at line 140 of file SAException.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAException.h

## 4.511 org.web3d.x3d.sai.InvalidBrowserException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidBrowserException:



### Public Member Functions

- **InvalidBrowserException** (String msg)

### 4.511.1 Detailed Description


Definition at line 3 of file InvalidBrowserException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidBrowserException.java

## 4.512 freeWRLSAI\_cpp::invalidDocumentException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::invalidDocumentException:





## Public Member Functions

- virtual const char \* **what** ()

## Additional Inherited Members

### 4.512.1 Detailed Description


Definition at line 151 of file SAException.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAException.h

## 4.513 org.web3d.x3d.sai.InvalidDocumentException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidDocumentException:



## Public Member Functions

- **InvalidDocumentException** (String msg)

### 4.513.1 Detailed Description


Definition at line 3 of file InvalidDocumentException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidDocumentException.java

## 4.514 vrml.external.exception.InvalidEventInException Class Reference

Inheritance diagram for vrml.external.exception.InvalidEventInException:



## Public Member Functions

- **InvalidEventInException ()**  
Constructs an *InvalidEventInException* (p. 341) with no detail message.
- **InvalidEventInException (String s)**  
Constructs an *InvalidEventInException* (p. 341) with the specified detail message.

### 4.514.1 Detailed Description

Definition at line 3 of file InvalidEventInException.java.

### 4.514.2 Constructor & Destructor Documentation

#### 4.514.2.1 InvalidEventInException()

```
vrml.external.exception.InvalidEventInException.InvalidEventInException (
    String s ) [inline]
```

Constructs an **InvalidEventInException** (p. 341) with the specified detail message.

A detail message is a String that describes this particular exception.

#### Parameters

s	the detail message
---	--------------------


Definition at line 17 of file InvalidEventInException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/exception/InvalidEventInException.java

## 4.515 vrml.InvalidEventInException Class Reference

Inheritance diagram for vrml.InvalidEventInException:



## Public Member Functions

- **InvalidEventInException (String s)**

### 4.515.1 Detailed Description


Definition at line 6 of file InvalidEventInException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/InvalidEventInException.java

## 4.516 vrml.external.exception.InvalidEventOutException Class Reference

Inheritance diagram for vrml.external.exception.InvalidEventOutException:



### Public Member Functions

- `InvalidEventOutException` (String s)

### 4.516.1 Detailed Description


Definition at line 3 of file InvalidEventOutException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/exception/InvalidEventOutException.java

## 4.517 vrml.InvalidEventOutException Class Reference

Inheritance diagram for vrml.InvalidEventOutException:



### Public Member Functions

- `InvalidEventOutException` (String s)

### 4.517.1 Detailed Description


Definition at line 6 of file InvalidEventOutException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/InvalidEventOutException.java

## 4.518 freeWRLSAI\_cpp::invalidExecutionContextException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::invalidExecutionContextException:



### Public Member Functions

- virtual const char \* **what** ()

### Additional Inherited Members

### 4.518.1 Detailed Description


Definition at line 253 of file SAlexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAlexception.h

## 4.519 org.web3d.x3d.sai.InvalidExecutionContextException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidExecutionContextException:



## Public Member Functions

- **InvalidExecutionContextException** (String msg)

### 4.519.1 Detailed Description


Definition at line 3 of file InvalidExecutionContextException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidExecutionContextException.java

## 4.520 vrml.InvalidExposedFieldException Class Reference

Inheritance diagram for vrml.InvalidExposedFieldException:



## Public Member Functions

- **InvalidExposedFieldException** (String s)

### 4.520.1 Detailed Description


Definition at line 6 of file InvalidExposedFieldException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/InvalidExposedFieldException.java

## 4.521 vrml.InvalidFieldChangeException Class Reference

Inheritance diagram for vrml.InvalidFieldChangeException:



## Public Member Functions

- `InvalidFieldChangeException` (String s)

### 4.521.1 Detailed Description


Definition at line 6 of file `InvalidFieldChangeException.java`.

The documentation for this class was generated from the following file:

- `src/java/vrml/InvalidFieldChangeException.java`

## 4.522 `freeWRLSAI_cpp::invalidFieldException` Class Reference

Inheritance diagram for `freeWRLSAI_cpp::invalidFieldException`:



## Public Member Functions

- `virtual const char * what ()`

## Additional Inherited Members

### 4.522.1 Detailed Description


Definition at line 264 of file `SAlexception.h`.

The documentation for this class was generated from the following file:

- `src/SAI_Cpp/SAlexception.h`

## 4.523 org.web3d.x3d.sai.InvalidFieldException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidFieldException:



### Public Member Functions

- **InvalidFieldException** (String msg)

#### 4.523.1 Detailed Description


Definition at line 3 of file InvalidFieldException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidFieldException.java

## 4.524 vrml.InvalidFieldException Class Reference

Inheritance diagram for vrml.InvalidFieldException:



### Public Member Functions

- **InvalidFieldException** (String s)

#### 4.524.1 Detailed Description


Definition at line 6 of file InvalidFieldException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/InvalidFieldException.java

## 4.525 org.web3d.x3d.sai.InvalidFieldValueException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidFieldValueException:



### Public Member Functions

- **InvalidFieldValueException** (String msg)

#### 4.525.1 Detailed Description


Definition at line 3 of file InvalidFieldValueException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidFieldValueException.java

## 4.526 freeWRLSAI\_cpp::invalidImportException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::invalidImportException:



### Public Member Functions

- virtual const char \* **what** ()

### Additional Inherited Members

#### 4.526.1 Detailed Description

Definition at line 107 of file SAlexception.h.


The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAlexception.h



## 4.527 org.web3d.x3d.sai.InvalidNameException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidNameException:



### Public Member Functions

- **InvalidNameException** (String str)

#### 4.527.1 Detailed Description


Definition at line 3 of file InvalidNameException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidNameException.java

## 4.528 freeWRLSAI\_cpp::invalidNodeException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::invalidNodeException:



### Public Member Functions

- virtual const char \* **what** ()

## Additional Inherited Members

### 4.528.1 Detailed Description


Definition at line 275 of file SAlexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAlexception.h

## 4.529 org.web3d.x3d.sai.InvalidNodeException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidNodeException:



## Public Member Functions

- **InvalidNodeException** (String str)

### 4.529.1 Detailed Description


Definition at line 3 of file InvalidNodeException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidNodeException.java

## 4.530 vrml.external.exception.InvalidNodeException Class Reference

Inheritance diagram for vrml.external.exception.InvalidNodeException:



## Public Member Functions

- **InvalidNodeException** ()  
Constructs an **InvalidNodeException** (p. 350) with no detail message.
- **InvalidNodeException** (String s)  
Constructs an **InvalidNodeException** (p. 350) with the specified detail message.

### 4.530.1 Detailed Description

Definition at line 3 of file InvalidNodeException.java.

### 4.530.2 Constructor & Destructor Documentation

#### 4.530.2.1 InvalidNodeException()

```
vrml.external.exception.InvalidNodeException.InvalidNodeException (
    String s ) [inline]
```

Constructs an **InvalidNodeException** (p. 350) with the specified detail message.

A detail message is a String that describes this particular exception.

#### Parameters

s	the detail message
---	--------------------


Definition at line 17 of file InvalidNodeException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/exception/InvalidNodeException.java

## 4.531 freeWRLSAI\_cpp::invalidOperationTimingException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::invalidOperationTimingException:



## Public Member Functions

- virtual const char \* **what** ()

## Additional Inherited Members

### 4.531.1 Detailed Description


Definition at line 162 of file SAException.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAException.h

## 4.532 org.web3d.x3d.sai.InvalidOperationTimingException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidOperationTimingException:



## Public Member Functions

- **InvalidOperationTimingException** (String msg)

### 4.532.1 Detailed Description


Definition at line 3 of file InvalidOperationTimingException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidOperationTimingException.java

## 4.533 org.web3d.x3d.sai.InvalidProtoException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidProtoException:



### Public Member Functions

- **InvalidProtoException** (String msg)

#### 4.533.1 Detailed Description


Definition at line 3 of file InvalidProtoException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidProtoException.java

## 4.534 freeWRLSAI\_cpp::InvalidReadableFieldException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::InvalidReadableFieldException:



### Public Member Functions

- virtual const char \* **what** ()

## Additional Inherited Members

### 4.534.1 Detailed Description


Definition at line 298 of file SAException.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAException.h

## 4.535 org.web3d.x3d.sai.InvalidRouteException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidRouteException:



## Public Member Functions

- **InvalidRouteException** (String msg)

### 4.535.1 Detailed Description


Definition at line 3 of file InvalidRouteException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidRouteException.java

## 4.536 vrml.InvalidRouteException Class Reference

Inheritance diagram for vrml.InvalidRouteException:



## Public Member Functions

- `InvalidRouteException` (String s)

### 4.536.1 Detailed Description


Definition at line 6 of file `InvalidRouteException.java`.

The documentation for this class was generated from the following file:

- `src/java/vrml/InvalidRouteException.java`

## 4.537 freeWRLSAI\_cpp::invalidUrlException Class Reference

Inheritance diagram for `freeWRLSAI_cpp::invalidUrlException`:



## Public Member Functions

- `virtual const char * what ()`

## Additional Inherited Members

### 4.537.1 Detailed Description


Definition at line 173 of file `SAlexception.h`.

The documentation for this class was generated from the following file:

- `src/SAI_Cpp/SAlexception.h`

## 4.538 org.web3d.x3d.sai.InvalidURLException Class Reference

Inheritance diagram for `org.web3d.x3d.sai.InvalidURLException`:



## Public Member Functions

- **InvalidURLException** (String str)

### 4.538.1 Detailed Description


Definition at line 3 of file InvalidURLException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidURLException.java

## 4.539 vrml.external.exception.InvalidVrmlException Class Reference

Inheritance diagram for vrml.external.exception.InvalidVrmlException:



## Public Member Functions

- **InvalidVrmlException** ()  
Constructs an **InvalidVrmlException** (p. 356) with no detail message.
- **InvalidVrmlException** (String s)  
Constructs an **InvalidVrmlException** (p. 356) with the specified detail message.

### 4.539.1 Detailed Description

Definition at line 3 of file InvalidVrmlException.java.

### 4.539.2 Constructor & Destructor Documentation

#### 4.539.2.1 InvalidVrmlException()

```
vrml.external.exception.InvalidVrmlException.InvalidVrmlException (
    String s ) [inline]
```

Constructs an **InvalidVrmlException** (p. 356) with the specified detail message.

A detail message is a String that describes this particular exception.



## Parameters

s	the detail message
---	--------------------


Definition at line 17 of file InvalidVrmlException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/exception/InvalidVrmlException.java

## 4.540 vrml.InvalidVRMLSyntaxException Class Reference

Inheritance diagram for vrml.InvalidVRMLSyntaxException:



### Public Member Functions

- `InvalidVRMLSyntaxException` (String s)

#### 4.540.1 Detailed Description


Definition at line 3 of file InvalidVRMLSyntaxException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/InvalidVRMLSyntaxException.java

## 4.541 freeWRLSAI\_cpp::InvalidWritableFieldException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::InvalidWritableFieldException:



## Public Member Functions

- virtual const char \* **what** ()

## Additional Inherited Members

### 4.541.1 Detailed Description


Definition at line 287 of file SAexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAexception.h

## 4.542 freeWRLSAI\_cpp::invalidX3DException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::invalidX3DException:



## Public Member Functions

- virtual const char \* **what** ()

## Additional Inherited Members

### 4.542.1 Detailed Description


Definition at line 184 of file SAexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAexception.h

## 4.543 org.web3d.x3d.sai.InvalidX3DException Class Reference

Inheritance diagram for org.web3d.x3d.sai.InvalidX3DException:



### Public Member Functions

- **InvalidX3DException** (String str)

#### 4.543.1 Detailed Description


Definition at line 3 of file InvalidX3DException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/InvalidX3DException.java

## 4.544 vrml.InvalidX3DSyntaxException Class Reference

Inheritance diagram for vrml.InvalidX3DSyntaxException:



### Public Member Functions

- **InvalidX3DSyntaxException** (String s)

#### 4.544.1 Detailed Description

Definition at line 3 of file InvalidX3DSyntaxException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/InvalidX3DSyntaxException.java

## 4.545 IsGroupOfPdu Struct Reference

### Data Fields

- struct **EntityManagementFamilyPdu** **myEntityManagementFamilyPdu**
- struct **EntityID** **groupEntityID**  
*ID of aggregated entities.*
- unsigned char **groupedEntityCategory**  
*type of entities constituting the group*
- unsigned char **numberOfGroupedEntities**  
*Number of individual entities constituting the group.*
- unsigned int **pad2**  
*padding*
- double **latitude**  
*latitude*
- double **longitude**  
*longitude*
- void \* **groupedEntityDescriptions**  
*GED records about each individual entity in the group.*

### 4.545.1 Detailed Description

Definition at line 1424 of file DIS.h.

### 4.545.2 Field Documentation

#### 4.545.2.1 groupedEntityDescriptions

```
void* IsGroupOfPdu::groupedEntityDescriptions
```

GED records about each individual entity in the group.

^^^this is wrong—need a database lookup to find the actual size of the list elements

Definition at line 1439 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.546 IsPartOfPdu Struct Reference

### Data Fields

- struct **EntityManagementFamilyPdu** **myEntityManagementFamilyPdu**
- struct **EntityID** **originatingEntityID**  
*ID of entity originating PDU.*
- struct **EntityID** **receivingEntityID**  
*ID of entity receiving PDU.*
- struct **Relationship** **relationship**  
*relationship of joined parts*
- struct **Vector3Float** **partLocation**  
*location of part; centroid of part in host's coordinate system.*
- struct **NamedLocation** **namedLocationID**  
*named location*
- struct **EntityType** **partEntityType**  
*entity type*

### 4.546.1 Detailed Description

Definition at line 2091 of file DIS.h.

### 4.546.2 Field Documentation

#### 4.546.2.1 partLocation

```
struct Vector3Float IsPartOfPdu::partLocation
```

location of part; centroid of part in host's coordinate system.

x=range, y=bearing, z=0

Definition at line 2087 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.547 ivec2 Struct Reference

### Data Fields

- int **X**
- int **Y**

### 4.547.1 Detailed Description

Definition at line 66 of file display.c.

The documentation for this struct was generated from the following files:

- src/lib/display.c
- src/lib/scenegraph/Component\_Text.c
- src/lib/scenegraph/RenderFuncs.h

## 4.548 ivec4 Struct Reference

### Data Fields

- int **X**
- int **Y**
- int **W**
- int **H**

### 4.548.1 Detailed Description

Definition at line 65 of file display.c.

The documentation for this struct was generated from the following files:

- src/lib/display.c
- src/lib/scenegraph/Component\_Text.c
- src/lib/scenegraph/RenderFuncs.h

## 4.549 Jarcloc Class Reference

### Public Member Functions

- void **init** (Arc\_ptr a, long first, long last)
- **TrimVertex** \* **getnextpt** (void)
- **TrimVertex** \* **getprevpt** (void)
- void **reverse** ()

### 4.549.1 Detailed Description

Definition at line 41 of file jarcloc.h.

The documentation for this class was generated from the following file:

- src/libnurbs/internals/jarcloc.h

## 4.550 JMATRIX Struct Reference

### Data Fields

- double **mat** [16]
- float **normalmat** [9]

### 4.550.1 Detailed Description

Definition at line 495 of file Component\_HAnim.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_HAnim.c

## 4.551 JSON\_config Struct Reference

The structure used to configure a JSON parser object.

### Data Fields

- JSON\_parser\_callback **callback**  
*Pointer to a callback, called when the parser has something to tell the user.*
- void \* **callback\_ctx**  
*Callback context - client-specified data to pass to the callback function.*
- int **depth**  
*Specifies the levels of nested JSON to allow.*
- int **allow\_comments**  
*To allow C style comments in JSON, set to non-zero.*
- int **handle\_floats\_manually**  
*To decode floating point numbers manually set this parameter to non-zero.*
- JSON\_malloc\_t **malloc**  
*The memory allocation routine, which must be semantically compatible with malloc(3).*
- JSON\_free\_t **free**  
*The memory deallocation routine, which must be semantically compatible with free(3).*

### 4.551.1 Detailed Description

The structure used to configure a JSON parser object.

Definition at line 121 of file cson\_amalgamation\_core.c.

### 4.551.2 Field Documentation

#### 4.551.2.1 callback

```
JSON_parser_callback JSON_config::callback
```

Pointer to a callback, called when the parser has something to tell the user.

This parameter may be NULL. In this case the input is merely checked for validity.

Definition at line 126 of file cson\_amalgamation\_core.c.

#### 4.551.2.2 callback\_ctx

```
void* JSON_config::callback_ctx
```

Callback context - client-specified data to pass to the callback function.

This parameter may be NULL.

Definition at line 131 of file cson\_amalgamation\_core.c.

#### 4.551.2.3 depth

```
int JSON_config::depth
```

Specifies the levels of nested JSON to allow.

Negative numbers yield unlimited nesting. If negative, the parser can parse arbitrary levels of JSON, otherwise the depth is the limit.

Definition at line 136 of file cson\_amalgamation\_core.c.

#### 4.551.2.4 free

```
JSON_free_t JSON_config::free
```

The memory deallocation routine, which must be semantically compatible with free(3).

If set to NULL, free(3) is used.

If this is set to a non-NULL value then the 'alloc' member MUST be set to the proper allocation counterpart for this function. Failure to do so results in undefined behaviour at deallocation time.

Definition at line 165 of file cson\_amalgamation\_core.c.



#### 4.551.2.5 malloc

JSON\_malloc\_t JSON\_config::malloc

The memory allocation routine, which must be semantically compatible with malloc(3).

If set to NULL, malloc(3) is used.

If this is set to a non-NULL value then the 'free' member MUST be set to the proper deallocation counterpart for this function. Failure to do so results in undefined behaviour at deallocation time.

Definition at line 155 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.552 JSON\_parser\_struct Struct Reference

### Data Fields

- JSON\_parser\_callback **callback**
- void \* **ctx**
- signed char **state**
- signed char **before\_comment\_state**
- signed char **type**
- signed char **escaped**
- signed char **comment**
- signed char **allow\_comments**
- signed char **handle\_floats\_manually**
- signed char **error**
- char **decimal\_point**
- UTF16 **utf16\_high\_surrogate**
- int **current\_char**
- int **depth**
- int **top**
- int **stack\_capacity**
- signed char \* **stack**
- char \* **parse\_buffer**
- size\_t **parse\_buffer\_capacity**
- size\_t **parse\_buffer\_count**
- signed char **static\_stack** [JSON\_PARSER\_STACK\_SIZE]
- char **static\_parse\_buffer** [JSON\_PARSER\_PARSE\_BUFFER\_SIZE]
- JSON\_malloc\_t **malloc**
- JSON\_free\_t **free**

### 4.552.1 Detailed Description

Definition at line 347 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.553 JSON\_value\_struct Struct Reference

### Data Fields

- ```
union {  
    JSON_int_t integer_value  
    double float_value  
    struct {  
        const char * value  
        size_t length  
    } str  
} vu
```

### 4.553.1 Detailed Description

Definition at line 81 of file cson\_amalgamation\_core.c.

The documentation for this struct was generated from the following file:

- src/SSR/cson/cson\_amalgamation\_core.c

## 4.554 key Struct Reference

### Data Fields

- unsigned int **hit**

### 4.554.1 Detailed Description

Definition at line 139 of file Viewer.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.h

## 4.555 keyHit Struct Reference

### Data Fields

- int **direction**
- double **epoch**
- double **era**
- int **once**

### 4.555.1 Detailed Description

Definition at line 143 of file Viewer.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.h

## 4.556 keyval Struct Reference

### Data Fields

- char \* **key**
- char \* **val**
- cson\_value \* **cv**

### 4.556.1 Detailed Description

Definition at line 52 of file common.c.

The documentation for this struct was generated from the following files:

- src/lib/ui/common.c
- src/SSR/SSRServer.c

## 4.557 Knotspec Struct Reference

### Public Member Functions

- void **factors** (void)
- void **insert** (REAL \*)
- void **preselect** ()
- void **select** (void)
- void **copy** (INREAL \*, REAL \*)
- void **breakpoints** (void)
- void **knots** (void)
- void **transform** (REAL \*)
- void **showpts** (REAL \*)
- void **pt\_io\_copy** (REAL \*, INREAL \*)
- void **pt\_oo\_copy** (REAL \*, REAL \*)
- void **pt\_oo\_sum** (REAL \*, REAL \*, REAL \*, Knot, Knot)

## Data Fields

- long **order**
- Knot\_ptr **inkbegin**
- Knot\_ptr **inkend**
- Knot\_ptr **outkbegin**
- Knot\_ptr **outkend**
- Knot\_ptr **kleft**
- Knot\_ptr **kright**
- Knot\_ptr **kfirst**
- Knot\_ptr **klast**
- Knot\_ptr **sbegin**
- **Breakpt** \* **bbegin**
- **Breakpt** \* **bend**
- int **ncoords**
- int **prestride**
- int **poststride**
- int **preoffset**
- int **postoffset**
- int **prewidth**
- int **postwidth**
- int **istransformed**
- **Knotspec** \* **next**
- **Knotspec** \* **kspectotrans**

### 4.557.1 Detailed Description

Definition at line 54 of file tobezier.cc.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/tobezier.cc

## 4.558 Knotvector Struct Reference

### Public Member Functions

- void **init** (long, long, long, INREAL \*)
- int **validate** (void)
- void **show** (const char \*)

### Data Fields

- long **order**
- long **knotcount**
- long **stride**
- Knot \* **knotlist**

### 4.558.1 Detailed Description

Definition at line 41 of file knotvector.h.

The documentation for this struct was generated from the following files:

- src/libnurbs/internals/knotvector.h
- src/libnurbs/internals/knotvector.cc

## 4.559 LayerHeader Struct Reference

### Data Fields

- unsigned char **layerNumber**  
*Layer number.*
- unsigned char **layerSpecificInformaiton**  
*Layer speccific information enumeration.*
- unsigned short **length**  
*information length*

### 4.559.1 Detailed Description

Definition at line 183 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.560 layout\_scale\_item Struct Reference

### Data Fields

- float **scale** [2]
- int **scalemode** [2]

### 4.560.1 Detailed Description

Definition at line 70 of file Component\_Layout.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Layout.c

## 4.561 layoutmode Struct Reference

### Data Fields

- char \* **key**
- int **type**

### 4.561.1 Detailed Description

Definition at line 109 of file Component\_Layout.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Layout.c

## 4.562 LinearObjectStatePdu Struct Reference

### Data Fields

- struct **SyntheticEnvironmentFamilyPdu** mySyntheticEnvironmentFamilyPdu
- struct **EntityID** objectID  
*Object in synthetic environment.*
- struct **EntityID** referencedObjectID  
*Object with which this point object is associated.*
- unsigned short **updateNumber**  
*unique update number of each state transition of an object*
- unsigned char **forceID**  
*force ID*
- unsigned char **numberOfSegments**  
*number of linear segment parameters*
- struct **SimulationAddress** requesterID  
*requesterID*
- struct **SimulationAddress** receivingID  
*receiver ID*
- struct **ObjectType** objectType  
*Object type.*
- void \* **linearSegmentParameters**  
*Linear segment parameters.*

### 4.562.1 Detailed Description

Definition at line 846 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.563 LinearSegmentParameter Struct Reference

### Data Fields

- unsigned char **segmentNumber**  
*number of segments*
- struct **SixByteChunk** **segmentAppearance**  
*segment appearance*
- struct **Vector3Double** **location**  
*location*
- struct **Orientation** **orientation**  
*orientation*
- unsigned short **segmentLength**  
*segmentLength*
- unsigned short **segmentWidth**  
*segmentWidth*
- unsigned short **segmentHeight**  
*segmentHeight*
- unsigned short **segmentDepth**  
*segment Depth*
- unsigned int **pad1**  
*segment Depth*

### 4.563.1 Detailed Description

Definition at line 927 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.564 linkedlist\_data\_s Struct Reference

### Data Fields

- **linkedlist\_datablock\_internal \* first\_block**
- **linkedlist\_datablock\_internal \* last\_block**

### 4.564.1 Detailed Description

Definition at line 123 of file zip.c.

The documentation for this struct was generated from the following file:

- src/libminizip/zip.c

## 4.565 linkedlist\_datablock\_internal\_s Struct Reference

### Data Fields

- struct **linkedlist\_datablock\_internal\_s** \* **next\_datablock**
- uLong **avail\_in\_this\_block**
- uLong **filled\_in\_this\_block**
- uLong **unused**
- unsigned char **data** [SIZEDATA\_INDATABLOCK]

### 4.565.1 Detailed Description

Definition at line 114 of file zip.c.

The documentation for this struct was generated from the following file:

- src/libminizip/zip.c

## 4.566 LogisticsFamilyPdu Struct Reference

### Data Fields

- struct **Pdu** **myPdu**

### 4.566.1 Detailed Description

Definition at line 700 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.567 macroblock Struct Reference

### Data Fields

- int **mb\_address**
- int **past\_mb\_addr**
- int **motion\_h\_forw\_code**
- unsigned int **motion\_h\_forw\_r**
- int **motion\_v\_forw\_code**
- unsigned int **motion\_v\_forw\_r**
- int **motion\_h\_back\_code**
- unsigned int **motion\_h\_back\_r**
- int **motion\_v\_back\_code**
- unsigned int **motion\_v\_back\_r**
- unsigned int **cbp**
- int **mb\_intra**
- int **bpict\_past\_forw**
- int **bpict\_past\_back**
- int **past\_intra\_addr**
- int **recon\_right\_for\_prev**
- int **recon\_down\_for\_prev**
- int **recon\_right\_back\_prev**
- int **recon\_down\_back\_prev**



### 4.567.1 Detailed Description


Definition at line 158 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

## 4.568 Mapdesc Class Reference

Inheritance diagram for Mapdesc:



### Public Member Functions

- **Mapdesc** (long, int, int, **Backend** &)
- int **isProperty** (long)
- REAL **getProperty** (long)
- void **setProperty** (long, REAL)
- int **isConstantSampling** (void)
- int **isDomainSampling** (void)
- int **isRangeSampling** (void)
- int **isSampling** (void)
- int **isParametricDistanceSampling** (void)
- int **isObjectSpaceParaSampling** (void)
- int **isObjectSpacePathSampling** (void)
- int **isSurfaceAreaSampling** (void)
- int **isPathLengthSampling** (void)
- int **isCulling** (void)
- int **isBboxSubdividing** (void)
- long **getType** (void)
- void **subdivide** (REAL \*, REAL \*, REAL, int, int)
- int **cullCheck** (REAL \*, int, int)
- void **xformBounding** (REAL \*, int, int, REAL \*, int)
- void **xformCulling** (REAL \*, int, int, REAL \*, int)
- void **xformSampling** (REAL \*, int, int, REAL \*, int)
- void **xformMat** (Maxmatrix, REAL \*, int, int, REAL \*, int)
- REAL **calcPartialVelocity** (REAL \*, int, int, int, REAL)
- int **project** (REAL \*, int, REAL \*, int, int)
- REAL **calcVelocityRational** (REAL \*, int, int)
- REAL **calcVelocityNonrational** (REAL \*, int, int)
- void **subdivide** (REAL \*, REAL \*, REAL, int, int, int, int)
- int **cullCheck** (REAL \*, int, int, int, int)
- void **xformBounding** (REAL \*, int, int, int, int, REAL \*, int, int)
- void **xformCulling** (REAL \*, int, int, int, int, REAL \*, int, int)

- void **xformSampling** (REAL \*, int, int, int, int, REAL \*, int, int)
- void **xformMat** (Maxmatrix, REAL \*, int, int, int, int, REAL \*, int, int)
- REAL **calcPartialVelocity** (REAL \*, REAL \*, int, int, int, int, int, int, REAL, REAL, int)
- int **project** (REAL \*, int, int, REAL \*, int, int, int, int)
- void **surfbbox** (REAL bb[2][MAXCOORDS])
- int **bbboxTooBig** (REAL \*, int, int, int, int, REAL[2][MAXCOORDS])
- int **xformAndCullCheck** (REAL \*, int, int, int, int)
- void **identify** (REAL[MAXCOORDS][MAXCOORDS])
- void **setBboxsize** (INREAL \*)
- void **setBmat** (INREAL \*, long, long)
- void **setCmat** (INREAL \*, long, long)
- void **setSmat** (INREAL \*, long, long)
- int **isRational** (void)
- int **getNcoords** (void)

## Data Fields

- REAL **pixel\_tolerance**
- REAL **error\_tolerance**
- REAL **object\_space\_error\_tolerance**
- REAL **clampfactor**
- REAL **minsavings**
- REAL **maxrate**
- REAL **maxsrate**
- REAL **maxtrate**
- REAL **bbboxsize** [MAXCOORDS]

## Friends

- class **Maplist**

### 4.568.1 Detailed Description

Definition at line 49 of file mapdesc.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/mapdesc.h
- src/libnurbs/internals/mapdesc.cc
- src/libnurbs/internals/mapdescv.cc

## 4.569 Maplist Class Reference

### Public Member Functions

- **Maplist** ( **Backend** &)
- void **define** (long, int, int)
- void **undefine** (long)
- int **isMap** (long)
- void **initialize** (void)
- **Mapdesc** \* **find** (long)
- **Mapdesc** \* **locate** (long)

### 4.569.1 Detailed Description

Definition at line 46 of file maplist.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/maplist.h
- src/libnurbs/internals/maplist.cc

## 4.570 Marking Struct Reference

### Data Fields

- unsigned char **characterSet**  
*The character set.*
- char **characters** [11]  
*The characters.*

### 4.570.1 Detailed Description

Definition at line 634 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.571 matpropstruct Struct Reference

### Data Fields

- struct **fw\_MaterialParameters** fw\_FrontMaterial
- struct **fw\_MaterialParameters** fw\_BackMaterial
- **s\_shader\_capabilities\_t**\* currentShaderProperties
- float **transparency**
- GLfloat **emissionColour** [3]
- GLint **cubeFace**
- int **cullFace**
- int **algorithm**
- bool **hatchedBool**
- bool **filledBool**
- GLfloat **hatchPercent** [2]
- GLfloat **hatchScale** [2]
- GLfloat **hatchColour** [4]
- GLfloat **pointSize**
- int **texCoordGeneratorType**

### 4.571.1 Detailed Description

Definition at line 153 of file Component\_Shape.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Shape.h

## 4.572 org.web3d.x3d.sai.Matrix Interface Reference

### Public Member Functions

- void **setTransform** ( **SFVec3f** translation, **SFVec3f** rotation, **SFVec2f** scale, **SFVec3f** scaleOrientation, **SFVec2f** center)
- void **getTransform** ( **SFVec2f** translation, **SFVec3f** rotation, **SFVec2f** scale)
- void **inverse** (float[ ][ ] matrix)
- void **transpose** (float[ ][ ] matrix)
- void **multiplyLeft** (float[ ][ ] matrix, float[ ][ ] mult, int size)
- void **multiplyRight** (float[ ][ ] matrix, float[ ][ ] mult, int size)
- void **multiplyRowVector** (float[ ][ ] matrix, float[ ] vec, int size)
- void **multiplyColVector** (float[ ][ ] matrix, float[ ] vec, int size)

### 4.572.1 Detailed Description

Definition at line 3 of file Matrix.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/Matrix.java

## 4.573 org.web3d.x3d.sai.Matrix3 Class Reference

### Public Member Functions

- **Matrix3** (float[ ] init)
- void **setIdentity** ()
- void **set** (int row, int column, float value)
- float **get** (int row, int column)
- void **setTransform** ( **SFVec2f** translation, **SFVec3f** rotation, **SFVec2f** scale, **SFVec3f** scaleOrientation, **SFVec2f** centre)
- void **getTransform** ( **SFVec2f** translation, **SFVec3f** rotation, **SFVec2f** scale)
- float[ ][ ] **multiply** (float[ ][ ] multp, float[ ][ ] mat)
- **Matrix3** **inverse** ()
- **Matrix3** **transpose** ()
- **Matrix3** **multiplyLeft** ( **Matrix3** mat)
- **Matrix3** **multiplyRight** ( **Matrix3** mat)
- float[ ] **multiplyRowVector** (float[ ] vec)
- float[ ] **multiplyColVector** (float[ ] vec)

## Data Fields

- float[][] **matrix**

## Static Public Attributes

- static int **SIZE** = 3

### 4.573.1 Detailed Description

Definition at line 3 of file Matrix3.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/Matrix3.java

## 4.574 org.web3d.x3d.sai.Matrix4 Class Reference

### Public Member Functions

- **Matrix4** (float[][] init)
- **Matrix4** (float[] init)
- void **setIdentity** ()
- void **set** (int row, int column, float value)
- float **get** (int row, int column)
- void **setTransform** ( **SFVec3f** translation, **SFRotation** rotation, **SFVec3f** scale, **SFRotation** scale↔ Orientation, **SFVec3f** centre)
- void **getTransform** ( **SFVec3f** translation, **SFRotation** rotation, **SFVec3f** scale)
- **Matrix4** **inverse** ()
- **Matrix4** **transpose** ()
- **Matrix4** **multiplyLeft** ( **Matrix4** mat)
- float[][] **multiply** (float[][] multp, float[][] mat)
- **Matrix4** **multiplyRight** ( **Matrix4** mat)
- float[] **multiplyRowVector** (float[] vec)
- float[] **multiplyColVector** (float[] vec)

## Data Fields

- float[][] **matrix**

## Static Public Attributes

- static int **SIZE** = 4

#### 4.574.1 Detailed Description

Definition at line 3 of file Matrix4.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/Matrix4.java

### 4.575 mb\_addr\_inc\_entry Struct Reference

#### Data Fields

- int **value**
- int **num\_bits**

#### 4.575.1 Detailed Description

Definition at line 751 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

### 4.576 mb\_type\_entry Struct Reference

#### Data Fields

- unsigned int **mb\_quant**
- unsigned int **mb\_motion\_forward**
- unsigned int **mb\_motion\_backward**
- unsigned int **mb\_pattern**
- unsigned int **mb\_intra**
- int **num\_bits**

#### 4.576.1 Detailed Description


Definition at line 757 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

## 4.577 Mesher Class Reference

Inheritance diagram for Mesher:



### Public Member Functions

- **Mesher** ( **Backend** & )
- void **init** (unsigned int)
- void **mesh** (void)

### Additional Inherited Members

#### 4.577.1 Detailed Description


Definition at line 47 of file mesher.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/mesher.h
- src/libnurbs/internals/mesher.cc

## 4.578 org.web3d.x3d.sai.MFBool Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFBool:



## Public Member Functions

- void **getValue** (boolean[] vals)
- boolean **get1Value** (int index)
- void **setValue** (int size, boolean[] value)
- void **set1Value** (int index, boolean value) throws ArrayIndexOutOfBoundsException
- void **append** (boolean value)
- void **insertValue** (int index, boolean value)

### 4.578.1 Detailed Description


Definition at line 3 of file MFBool.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFBool.java

## 4.579 org.web3d.x3d.sai.MFColor Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFColor:



## Public Member Functions

- void **getValue** (float[][] value)
- void **getValue** (float[] value)
- void **get1Value** (int index, float[] value)
- void **setValue** (int numVals, float[] value)
- void **setValue** (int numVals, float[][] value)
- void **set1Value** (int index, float[] value)
- void **append** (float[] value)
- void **insertValue** (int index, float[] value)

### 4.579.1 Detailed Description

Definition at line 3 of file MFColor.java.


The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFColor.java



## 4.580 vrml.field.MFColor Class Reference

Inheritance diagram for vrml.field.MFColor:



### Public Member Functions

- **MFColor** (float[] colors)
- **MFColor** (int size, float[] colors)
- **MFColor** (float[][] colors)
- void **getValue** (float[] colors)
- void **getValue** (float[][] colors)
- void **get1Value** (int index, float[] colors)
- void **get1Value** (int index, **SFColor** sfColor)
- void **setValue** (float[] colors)
- void **setValue** (int size, float[] colors)
- void **set1Value** (int index, float red, float green, float blue)
- void **set1Value** (int index, **SFColor** sfColor)
- void **set1Value** (int index, **ConstSFColor** sfColor)
- void **addValue** (float red, float green, float blue)
- void **addValue** ( **SFColor** sfColor)
- void **addValue** ( **ConstSFColor** sfColor)
- void **insertValue** (int index, float red, float green, float blue)
- void **insertValue** (int index, **SFColor** sfColor)
- void **insertValue** (int index, **ConstSFColor** sfColor)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.580.1 Detailed Description


Definition at line 10 of file MFColor.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/MFColor.java

## 4.581 org.web3d.x3d.sai.MFColorRGBA Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFColorRGBA:



### Public Member Functions

- void **getValue** (float[ ][ ] value)
- void **getValue** (float[ ] value)
- void **get1Value** (int index, float[ ] value)
- void **setValue** (int numVolors, float[ ] value)
- void **setValue** (int numColors, float[ ][ ] value)
- void **set1Value** (int index, float[ ] value)
- void **append** (float[ ] value)
- void **insertValue** (int index, float[ ] value)

### 4.581.1 Detailed Description


Definition at line 3 of file MFColorRGBA.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFColorRGBA.java

## 4.582 org.web3d.x3d.sai.MFDouble Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFDouble:



## Public Member Functions

- void **getValue** (double[] values)
- double **get1Value** (int index) throws ArrayIndexOutOfBoundsException
- void **setValue** (int size, double[] value)
- void **set1Value** (int index, double value) throws ArrayIndexOutOfBoundsException
- void **append** (double[] value)
- void **insertValue** (int index, double[] value)

### 4.582.1 Detailed Description


Definition at line 3 of file MFDouble.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFDouble.java

## 4.583 org.web3d.x3d.sai.MFFloat Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFFloat:



## Public Member Functions

- void **getValue** (float[] values)
- float **get1Value** (int index) throws ArrayIndexOutOfBoundsException
- void **setValue** (int size, float[] value)
- void **set1Value** (int index, float value) throws ArrayIndexOutOfBoundsException
- void **append** (float[] value)
- void **insertValue** (int index, float[] value)

### 4.583.1 Detailed Description


Definition at line 3 of file MFFloat.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFFloat.java

## 4.584 vrml.field.MFFloat Class Reference

Inheritance diagram for vrml.field.MFFloat:



### Public Member Functions

- **MFFloat** (float[] f)
- **MFFloat** (int size, float[] f)
- void **getValue** (float[] f)
- float **get1Value** (int index)
- void **setValue** (float[] f)
- void **setValue** (int size, float[] f)
- void **set1Value** (int index, float f)
- void **set1Value** (int index, **SFFloat** sfFloat)
- void **set1Value** (int index, **ConstSFFloat** sfFloat)
- void **addValue** (float f)
- void **addValue** ( **SFFloat** sfFloat)
- void **addValue** ( **ConstSFFloat** sfFloat)
- void **insertValue** (int index, float f)
- void **insertValue** (int index, **SFFloat** sfFloat)
- void **insertValue** (int index, **ConstSFFloat** sfFloat)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.584.1 Detailed Description


Definition at line 10 of file MFFloat.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/MFFloat.java

## 4.585 org.web3d.x3d.sai.MField Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MField:



### Public Member Functions

- `int size ()` throws `InvalidFieldException`, `ConnectionException`
- `void clear ()` throws `InvalidFieldException`, `ConnectionException`
- `void remove (int index)` throws `InvalidFieldException`, `ConnectionException`, `ArrayIndexOutOfBoundsException`←  
Exception

### 4.585.1 Detailed Description


Definition at line 3 of file `MField.java`.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/MField.java`

## 4.586 vrml.MField Class Reference

Inheritance diagram for vrml.MField:



### Public Member Functions

- int **getSize** ()
- void **clear** ()
- void **delete** (int index)

### Data Fields

- **Vector** **\_\_vect** = new **Vector**()

### Protected Member Functions

- final void **\_\_update1Read** (int index)
- final void **\_\_set1Value** (int index, **ConstField** fld)
- final void **\_\_insertValue** (int index, **ConstField** fld)
- final void **\_\_addValue** ( **ConstField** fld)

### 4.586.1 Detailed Description


Definition at line 4 of file MField.java.

The documentation for this class was generated from the following file:

- src/java/vrml/MField.java

## 4.587 org.web3d.x3d.sai.MFImage Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFImage:



### Public Member Functions

- int **getWidth** (int imgIndex)
- int **getHeight** (int imgIndex)
- int **getComponents** (int imgIndex)
- void **getPixels** (int imgIndex, int[] pixels)
- WritableRenderedImage **getImage** (int imgIndex)
- void **setImage** (int imgIndex, RenderedImage img)
- void **setSubImage** (int imgIndex, RenderedImage img, int srcWidth, int srcHeight, int srcXOffset, int srcYOffset, int destXOffset, int destYOffset)
- void **set1Value** (int index, int value)
- void **set1Value** (int imgIndex, int width, int height, int components, int[] pixels)
- void **setValue** (int[] value)
- void **setImage** (RenderedImage[] img)
- void **append** (RenderedImage value)
- void **insertValue** (int index, RenderedImage value)

### 4.587.1 Detailed Description


Definition at line 4 of file MFImage.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFImage.java

## 4.588 org.web3d.x3d.sai.MFInt32 Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFInt32:



### Public Member Functions

- void **getValue** (int[] values)
- int **get1Value** (int index) throws `ArrayIndexOutOfBoundsException`
- void **setValue** (int size, int[] value)
- void **set1Value** (int index, int value) throws `ArrayIndexOutOfBoundsException`
- void **append** (int[] value)
- void **insertValue** (int index, int[] value)

### 4.588.1 Detailed Description


Definition at line 3 of file MFInt32.java.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/MFInt32.java`

## 4.589 vrml.field.MFInt32 Class Reference

Inheritance diagram for vrml.field.MFInt32:





## Public Member Functions

- **MFInt32** (int[] value)
- **MFInt32** (int size, int[] value)
- void **getValue** (int[] value)
- int **get1Value** (int index)
- void **setValue** (int[] value)
- void **setValue** (int size, int[] value)
- void **set1Value** (int index, int value)
- void **set1Value** (int index, **SFInt32** sflnt32)
- void **set1Value** (int index, **ConstSFInt32** sflnt32)
- void **addValue** (int value)
- void **addValue** ( **SFInt32** sflnt32)
- void **addValue** ( **ConstSFInt32** sflnt32)
- void **insertValue** (int index, int value)
- void **insertValue** (int index, **SFInt32** sflnt32)
- void **insertValue** (int index, **ConstSFInt32** sflnt32)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.589.1 Detailed Description


Definition at line 10 of file MFInt32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/MFInt32.java

## 4.590 org.web3d.x3d.sai.MFNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFNode:



## Public Member Functions

- void **getValue** ( **X3DNode**[] nodes)
- **X3DNode** **get1Value** (int index)
- void **setValue** (int size, **X3DNode**[] value)
- void **set1Value** (int index, **X3DNode** value)
- void **append** ( **X3DNode** value)
- void **insertValue** (int index, **X3DNode** value)

### 4.590.1 Detailed Description


Definition at line 3 of file MFNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFNode.java

## 4.591 vrml.field.MFNode Class Reference

Inheritance diagram for vrml.field.MFNode:



## Public Member Functions

- **MFNode** ( **BaseNode**[] node)
- **MFNode** (int size, **BaseNode**[] node)
- void **getValue** ( **BaseNode**[] node)
- **BaseNode** **get1Value** (int index)
- void **setValue** ( **BaseNode**[] node)
- void **setValue** (int size, **BaseNode**[] node)
- void **set1Value** (int index, **BaseNode** node)
- void **set1Value** (int index, **SFNode** sfNode)
- void **set1Value** (int index, **ConstSFNode** sfNode)
- void **addValue** ( **BaseNode** node)
- void **addValue** ( **SFNode** sfNode)
- void **addValue** ( **ConstSFNode** sfNode)
- void **insertValue** (int index, **BaseNode** node)
- void **insertValue** (int index, **SFNode** sfNode)
- void **insertValue** (int index, **ConstSFNode** sfNode)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.591.1 Detailed Description


Definition at line 10 of file MFNode.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/MFNode.java

## 4.592 org.web3d.x3d.sai.MFRotation Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFRotation:



## Public Member Functions

- void **getValue** (float[ ][ ] value)
- void **getValue** (float[ ] value)
- void **get1Value** (int index, float[ ] value)
- void **setValue** (int numRotations, float[ ] value)
- void **setValue** (int numRotations, float[ ][ ] value)
- void **set1Value** (int index, float[ ] value)
- void **append** (float[ ] value)
- void **insertValue** (int index, float[ ] value)

### 4.592.1 Detailed Description


Definition at line 3 of file MFRotation.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFRotation.java

## 4.593 vrml.field.MFRotation Class Reference

Inheritance diagram for vrml.field.MFRotation:



### Public Member Functions

- **MFRotation** (float[] rotations)
- **MFRotation** (int size, float[] rotations)
- **MFRotation** (float[][] rotations)
- void **getValue** (float[] rotations)
- void **getValue** (float[][] rotations)
- void **get1Value** (int index, float[] rotations)
- void **get1Value** (int index, **SFRotation** sfRotation)
- void **setValue** (float[] rotations)
- void **setValue** (int size, float[] rotations)
- void **set1Value** (int index, float axisX, float axisY, float axisZ, float angle)
- void **set1Value** (int index, **SFRotation** sfRotation)
- void **set1Value** (int index, **ConstSFRotation** sfRotation)
- void **addValue** (float axisX, float axisY, float axisZ, float angle)
- void **addValue** ( **SFRotation** sfRotation)
- void **addValue** ( **ConstSFRotation** sfRotation)
- void **insertValue** (int index, float axisX, float axisY, float axisZ, float angle)
- void **insertValue** (int index, **SFRotation** sfRotation)
- void **insertValue** (int index, **ConstSFRotation** sfRotation)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.593.1 Detailed Description


Definition at line 10 of file MFRotation.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/MFRotation.java

## 4.594 org.web3d.x3d.sai.MFString Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFString:



### Public Member Functions

- void **getValue** (String[] value)
- String **get1Value** (int index)
- void **setValue** (int numStrings, String[] value)
- void **set1Value** (int index, String value)
- void **append** (String[] value)
- void **insertValue** (int index, String[] value)

### 4.594.1 Detailed Description


Definition at line 3 of file MFString.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFString.java

## 4.595 vrml.field.MFString Class Reference

Inheritance diagram for vrml.field.MFString:



## Public Member Functions

- **MFString** (String[] s)
- **MFString** (int size, String[] s)
- void **getValue** (String[] s)
- String **get1Value** (int index)
- void **setValue** (String[] s)
- void **setValue** (int size, String[] s)
- void **set1Value** (int index, String s)
- void **set1Value** (int index, **SFString** sfString)
- void **set1Value** (int index, **ConstSFString** sfString)
- void **addValue** (String s)
- void **addValue** ( **SFString** sfString)
- void **addValue** ( **ConstSFString** sfString)
- void **insertValue** (int index, String s)
- void **insertValue** (int index, **SFString** sfString)
- void **insertValue** (int index, **ConstSFString** sfString)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.595.1 Detailed Description


Definition at line 10 of file MFString.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/MFString.java

## 4.596 org.web3d.x3d.sai.MFTime Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFTime:



## Public Member Functions

- void **getValue** (double[] value)
- double **get1Value** (int index)
- long **get1JavaValue** (int index)
- void **setValue** (int size, double[] value)
- void **setValue** (int size, long[] value)
- void **set1Value** (int index, double value)
- void **set1Value** (int index, long value)
- void **append** (double value)
- void **append** (long value)
- void **insertValue** (int index, long value)
- void **insertValue** (int index, double value)

### 4.596.1 Detailed Description


Definition at line 3 of file MFTime.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFTime.java

## 4.597 vrml.field.MFTime Class Reference

Inheritance diagram for vrml.field.MFTime:



## Public Member Functions

- **MFTime** (double[] value)
- **MFTime** (int size, double[] value)
- void **getValue** (double[] value)
- double **get1Value** (int index)
- void **setValue** (double[] value)
- void **setValue** (int size, double[] value)
- void **set1Value** (int index, double value)
- void **set1Value** (int index, **SFTime** sfTime)
- void **set1Value** (int index, **ConstSFTime** sfTime)
- void **addValue** (double value)
- void **addValue** ( **SFTime** sfTime)
- void **addValue** ( **ConstSFTime** sfTime)
- void **insertValue** (int index, double value)
- void **insertValue** (int index, **SFTime** sfTime)
- void **insertValue** (int index, **ConstSFTime** sfTime)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.597.1 Detailed Description


Definition at line 10 of file MFTIME.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/MFTIME.java

## 4.598 org.web3d.x3d.sai.MFVec2d Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFVec2d:



## Public Member Functions

- void **getValue** (double[][] value)
- void **getValue** (double[] value)
- void **get1Value** (int index, double[] value)
- void **setValue** (int size, double[] value)
- void **setValue** (int size, double[][] value)
- void **set1Value** (int index, double[] value)
- void **append** (double[] value)
- void **insertValue** (int index, double[] value)

### 4.598.1 Detailed Description

Definition at line 3 of file MFVec2d.java.


The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFVec2d.java



## 4.599 org.web3d.x3d.sai.MFVec2f Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFVec2f:



### Public Member Functions

- void **getValue** (float[ ][ ] value)
- void **getValue** (float[ ] value)
- void **get1Value** (int index, float[ ] value)
- void **setValue** (int size, float[ ] value)
- void **setValue** (int size, float[ ][ ] value)
- void **set1Value** (int index, float[ ] value)
- void **append** (float[ ] value)
- void **insertValue** (int index, float[ ] value)

### 4.599.1 Detailed Description


Definition at line 3 of file MFVec2f.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFVec2f.java

## 4.600 vrml.field.MFVec2f Class Reference

Inheritance diagram for vrml.field.MFVec2f:



## Public Member Functions

- **MFVec2f** (float[] vec2fs)
- **MFVec2f** (int size, float[] vec2fs)
- **MFVec2f** (float[][] vec2fs)
- void **getValue** (float[] vec2fs)
- void **getValue** (float[][] vec2fs)
- void **get1Value** (int index, float[] vec2fs)
- void **get1Value** (int index, **SFVec2f** sfVec2f)
- void **setValue** (float[] vec2fs)
- void **setValue** (int size, float[] vec2fs)
- void **set1Value** (int index, float x, float y)
- void **set1Value** (int index, **SFVec2f** sfVec2f)
- void **set1Value** (int index, **ConstSFVec2f** sfVec2f)
- void **addValue** (float x, float y)
- void **addValue** ( **SFVec2f** sfVec2f)
- void **addValue** ( **ConstSFVec2f** sfVec2f)
- void **insertValue** (int index, float x, float y)
- void **insertValue** (int index, **SFVec2f** sfVec2f)
- void **insertValue** (int index, **ConstSFVec2f** sfVec2f)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.600.1 Detailed Description


Definition at line 10 of file MFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/MFVec2f.java

## 4.601 org.web3d.x3d.sai.MFVec3d Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFVec3d:



## Public Member Functions

- void **getValue** (double[ ][ ] value)
- void **getValue** (double[ ] value)
- void **get1Value** (int index, double[ ] value)
- void **setValue** (int size, double[ ] value)
- void **setValue** (int size, double[ ][ ] value)
- void **set1Value** (int index, double[ ] value)
- void **append** (double[ ] value)
- void **insertValue** (int index, double[ ] value)

### 4.601.1 Detailed Description


Definition at line 3 of file MFVec3d.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFVec3d.java

## 4.602 org.web3d.x3d.sai.MFVec3f Interface Reference

Inheritance diagram for org.web3d.x3d.sai.MFVec3f:



## Public Member Functions

- void **getValue** (float[ ][ ] value)
- void **getValue** (float[ ] value)
- void **get1Value** (int index, float[ ] value)
- void **setValue** (int size, float[ ] value)
- void **setValue** (int size, float[ ][ ] value)
- void **set1Value** (int index, float[ ] value)
- void **append** (float[ ] value)
- void **insertValue** (int index, float[ ] value)

### 4.602.1 Detailed Description


Definition at line 3 of file MFVec3f.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/MFVec3f.java

## 4.603 vrml.field.MFVec3f Class Reference

Inheritance diagram for vrml.field.MFVec3f:



### Public Member Functions

- **MFVec3f** (float[] vec3fs)
- **MFVec3f** (int size, float[] vec3fs)
- **MFVec3f** (float[][] vec3fs)
- void **getValue** (float[] vec3fs)
- void **getValue** (float[][] vec3fs)
- void **get1Value** (int index, float[] vec3fs)
- void **get1Value** (int index, **SFVec3f** sfVec3f)
- void **setValue** (float[] vec3fs)
- void **setValue** (int size, float[] vec3fs)
- void **set1Value** (int index, float x, float y, float z)
- void **set1Value** (int index, **SFVec3f** sfVec3f)
- void **set1Value** (int index, **ConstSFVec3f** sfVec3f)
- void **addValue** (float x, float y, float z)
- void **addValue** ( **SFVec3f** sfVec3f)
- void **addValue** ( **ConstSFVec3f** sfVec3f)
- void **insertValue** (int index, float x, float y, float z)
- void **insertValue** (int index, **SFVec3f** sfVec3f)
- void **insertValue** (int index, **ConstSFVec3f** sfVec3f)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.603.1 Detailed Description

Definition at line 10 of file MFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/MFVec3f.java

## 4.604 MinefieldDataPdu Struct Reference

### Data Fields

- struct **MinefieldFamilyPdu** **myMinefieldFamilyPdu**
- struct **EntityID** **minefieldID**  
*Minefield ID.*
- struct **EntityID** **requestingEntityID**  
*ID of entity making request.*
- unsigned short **minefieldSequenceNumber**  
*Minefield sequence number.*
- unsigned char **requestID**  
*request ID*
- unsigned char **pduSequenceNumber**  
*pdu sequence number*
- unsigned char **numberOfPdus**  
*number of pdus in response*
- unsigned char **numberOfMinesInThisPdu**  
*how many mines are in this PDU*
- unsigned char **numberOfSensorTypes**  
*how many sensor type are in this PDU*
- unsigned char **pad2**  
*padding*
- unsigned int **dataFilter**  
*32 boolean fields*
- struct **EntityType** **mineType**  
*Mine type.*
- void \* **sensorTypes**  
*Sensor types, each 16 bits long.*
- unsigned char **pad3**  
*Padding to get things 32-bit aligned.*
- void \* **mineLocation**  
*Mine locations.*

### 4.604.1 Detailed Description

Definition at line 1443 of file DIS.h.

### 4.604.2 Field Documentation

#### 4.604.2.1 pad3

```
unsigned char MinefieldDataPdu::pad3
```

Padding to get things 32-bit aligned.

^^^this is wrong—dyanmically sized padding needed

Definition at line 1470 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.605 MinefieldFamilyPdu Struct Reference

#### Data Fields

- struct **Pdu** myPdu

#### 4.605.1 Detailed Description

Definition at line 1316 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.606 MinefieldQueryPdu Struct Reference

#### Data Fields

- struct **MinefieldFamilyPdu** myMinefieldFamilyPdu
- struct **EntityID** minefieldID  
*Minefield ID.*
- struct **EntityID** requestingEntityID  
*EID of entity making the request.*
- unsigned char **requestID**  
*request ID*
- unsigned char **numberOfPerimeterPoints**  
*Number of perimeter points for the minefield.*
- unsigned char **pad2**  
*Padding.*
- unsigned char **numberOfSensorTypes**  
*Number of sensor types.*
- unsigned int **dataFilter**  
*data filter, 32 boolean fields*
- struct **EntityType** requestedMineType  
*Entity type of mine being requested.*
- void \* **requestedPerimeterPoints**  
*perimeter points of request*
- void \* **sensorTypes**  
*Sensor types, each 16 bits long.*

### 4.606.1 Detailed Description

Definition at line 2108 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.607 MinefieldResponseNackPdu Struct Reference

### Data Fields

- struct **MinefieldFamilyPdu** myMinefieldFamilyPdu
- struct **EntityID** minefieldID  
*Minefield ID.*
- struct **EntityID** requestingEntityID  
*entity ID making the request*
- unsigned char **requestID**  
*request ID*
- unsigned char **numberOfMissingPdus**  
*how many pdus were missing*
- void \* **missingPduSequenceNumbers**  
*PDU sequence numbers that were missing.*

### 4.607.1 Detailed Description

Definition at line 2024 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.608 MinefieldStatePdu Struct Reference

### Data Fields

- struct **MinefieldFamilyPdu** myMinefieldFamilyPdu
- struct **EntityID** minefieldID  
*Minefield ID.*
- unsigned short **minefieldSequence**  
*Minefield sequence.*
- unsigned char **forceID**  
*force ID*
- unsigned char **numberOfPerimeterPoints**  
*Number of perimeter points.*
- struct **EntityType** minefieldType

- type of minefield*
- unsigned short **numberOfMineTypes**
  - how many mine types*
- struct **Vector3Double** **minefieldLocation**
  - location of minefield in world coords*
- struct **Orientation** **minefieldOrientation**
  - orientation of minefield*
- unsigned short **appearance**
  - appearance bitflags*
- unsigned short **protocolMode**
  - protocolMode*
- void \* **perimeterPoints**
  - perimeter points for the minefield*
- void \* **mineType**
  - Type of mines.*

#### 4.608.1 Detailed Description

Definition at line 1660 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

### 4.609 mode\_name Struct Reference

#### Data Fields

- int **mode**
- const char \* **name**

#### 4.609.1 Detailed Description

Definition at line 170 of file X3DParser.c.

The documentation for this struct was generated from the following file:

- src/lib/x3d\_parser/X3DParser.c

### 4.610 ModulationType Struct Reference

#### Data Fields

- unsigned short **spreadSpectrum**
  - spread spectrum, 16 bit boolean array*
- unsigned short **major**
  - major*
- unsigned short **detail**
  - detail*
- unsigned short **system**
  - system*



### 4.610.1 Detailed Description

Definition at line 338 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.611 monoChain Class Reference

### Public Member Functions

- **monoChain** ( **directedLine** \*cHead, **directedLine** \*cTail)
- void **setNext** ( **monoChain** \*n)
- void **setPrev** ( **monoChain** \*p)
- void **setNextPolygon** ( **monoChain** \*np)
- **monoChain** \* **getNext** ()
- **monoChain** \* **getPrev** ()
- **directedLine** \* **getHead** ()
- **directedLine** \* **getTail** ()
- void **resetCurrent** ()
- void **deleteLoop** ()
- void **deleteLoopList** ()
- void **insert** ( **monoChain** \*nc)
- Int **numChainsSingleLoop** ()
- Int **numChainsAllLoops** ()
- **monoChain** \*\* **toArrayAllLoops** (Int &num\_chains)
- Int **toArraySingleLoop** ( **monoChain** \*\*array, Int index)
- Real **chainIntersectHoriz** (Real y)
- **directedLine** \* **find** (Real y)
- void **printOneChain** ()
- void **printChainLoop** ()
- void **printAllLoops** ()

### Data Fields

- Int **isKey**
- Real **keyY**

### 4.611.1 Detailed Description

Definition at line 41 of file monoChain.h.

The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/monoChain.h
- src/libnurbs/nurbtess/monoChain.cc

## 4.612 Monotonizer Class Reference

### Public Member Functions

- **Monotonizer** ( **ArcTessellator** &at, **Pool** &ap, **Pool** &p, jmp\_buf &j)
- int **decompose** ( **Bin** &, **REAL**)

### 4.612.1 Detailed Description

Definition at line 49 of file monotonizer.h.

The documentation for this class was generated from the following file:

- src/libnurbs/internals/monotonizer.h

## 4.613 motion\_vectors\_entry Struct Reference

### Data Fields

- int **code**
- int **num\_bits**

### 4.613.1 Detailed Description

Definition at line 780 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

## 4.614 Multi\_Any Struct Reference

### Data Fields

- int **n**
- char \* **p**

### 4.614.1 Detailed Description

Definition at line 133 of file FWTYPE.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/FWTYPE.h

## 4.615 Multi\_Bool Struct Reference

### Data Fields

- int **n**
- int \* **p**
- size\_t **n**

### 4.615.1 Detailed Description

Definition at line 2543 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.616 Multi\_Color Struct Reference

### Data Fields

- int **n**
- struct **SFColor** \* **p**
- size\_t **n**

### 4.616.1 Detailed Description

Definition at line 2549 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.617 Multi\_ColorRGBA Struct Reference

### Data Fields

- int **n**
- struct **SFColorRGBA** \* **p**
- size\_t **n**

### 4.617.1 Detailed Description

Definition at line 2551 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.618 Multi\_Double Struct Reference

### Data Fields

- int **n**
- double \* **p**
- size\_t **n**

### 4.618.1 Detailed Description

Definition at line 2563 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.619 Multi\_Float Struct Reference

### Data Fields

- int **n**
- float \* **p**
- size\_t **n**

### 4.619.1 Detailed Description

Definition at line 2537 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.620 Multi\_Int32 Struct Reference

### Data Fields

- int **n**
- int \* **p**
- size\_t **n**

### 4.620.1 Detailed Description

Definition at line 2545 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.621 Multi\_Matrix3d Struct Reference

### Data Fields

- int **n**
- struct **SFMatrix3d** \* **p**
- size\_t **n**

### 4.621.1 Detailed Description

Definition at line 2567 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.622 Multi\_Matrix3f Struct Reference

### Data Fields

- int **n**
- struct **SFMatrix3f** \* **p**
- size\_t **n**

### 4.622.1 Detailed Description

Definition at line 2565 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.623 Multi\_Matrix4d Struct Reference

### Data Fields

- int **n**
- struct **SFMatrix4d** \* **p**
- size\_t **n**

### 4.623.1 Detailed Description

Definition at line 2571 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.624 Multi\_Matrix4f Struct Reference

### Data Fields

- int **n**
- struct **SFMatrix4f** \* **p**
- size\_t **n**

### 4.624.1 Detailed Description

Definition at line 2569 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.625 Multi\_Node Struct Reference

### Data Fields

- int **n**
- struct **X3D\_Node** \*\* **p**
- size\_t **n**
- void \*\* **p**

### 4.625.1 Detailed Description

Definition at line 2547 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.626 Multi\_Rotation Struct Reference

### Data Fields

- int **n**
- struct **SFRotation** \* **p**
- size\_t **n**

### 4.626.1 Detailed Description

Definition at line 2539 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.627 Multi\_String Struct Reference

### Data Fields

- int **n**
- struct **Uni\_String** \*\* **p**
- size\_t **n**

### 4.627.1 Detailed Description

Definition at line 2555 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.628 Multi\_Time Struct Reference

### Data Fields

- int **n**
- double \* **p**
- size\_t **n**

### 4.628.1 Detailed Description

Definition at line 2553 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.629 Multi\_Vec2d Struct Reference

### Data Fields

- int **n**
- struct **SFVec2d** \* **p**
- size\_t **n**

### 4.629.1 Detailed Description

Definition at line 2573 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h



## 4.630 Multi\_Vec2f Struct Reference

### Data Fields

- int **n**
- struct **SFVec2f** \* **p**
- size\_t **n**

### 4.630.1 Detailed Description

Definition at line 2557 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.631 Multi\_Vec3d Struct Reference

### Data Fields

- int **n**
- struct **SFVec3d** \* **p**
- size\_t **n**

### 4.631.1 Detailed Description

Definition at line 2561 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.632 Multi\_Vec3f Struct Reference

### Data Fields

- int **n**
- struct **SFVec3f** \* **p**
- size\_t **n**
- struct **SFColor** \* **p**

### 4.632.1 Detailed Description

Definition at line 2541 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.633 Multi\_Vec4d Struct Reference

### Data Fields

- int **n**
- struct **SFVec4d** \* **p**
- size\_t **n**

### 4.633.1 Detailed Description

Definition at line 2577 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.634 Multi\_Vec4f Struct Reference

### Data Fields

- int **n**
- struct **SFVec4f** \* **p**
- size\_t **n**

### 4.634.1 Detailed Description

Definition at line 2575 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.635 multiTexParams Struct Reference

### Data Fields

- int **multitex\_mode** [2]
- int **multitex\_source** [2]
- int **multitex\_function**

### 4.635.1 Detailed Description

Definition at line 49 of file RenderTextures.c.

The documentation for this struct was generated from the following files:

- src/lib/OpenGL/RenderTextures.c
- src/lib/OpenGL/Textures.c

## 4.636 myArgs Struct Reference

### Data Fields

- struct **X3D\_Node** \* **node**
- ttglobal **tg**

### 4.636.1 Detailed Description

Definition at line 148 of file Component\_ProgrammableShaders.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_ProgrammableShaders.c

## 4.637 MyVertex Struct Reference

### Data Fields

- struct **SFVec3f** **vert**
- struct **SFVec3f** **norm**
- struct **SFVec2f** **tc**
- struct **SFVec3f** **flat\_norm**
- struct **SFColorRGBA** **col**

### 4.637.1 Detailed Description

Definition at line 54 of file Component\_Geometry3D.c.

The documentation for this struct was generated from the following files:

- src/lib/scenegraph/Component\_Geometry3D.c
- src/lib/x3d\_parser/Bindable.c

## 4.638 name\_num Struct Reference

### Data Fields

- char \* **facename**
- char \* **family**
- char \* **style**
- char \* **style2**
- int **num**
- int **bold**
- int **italic**
- int **ifamily**

### 4.638.1 Detailed Description

Definition at line 638 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.639 NamedLocation Struct Reference

### Data Fields

- unsigned short **stationName**  
*station name enumeration*
- unsigned short **stationNumber**  
*station number*

### 4.639.1 Detailed Description

Definition at line 413 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.640 navmode Struct Reference

### Data Fields

- char \* **key**
- int **type**

### 4.640.1 Detailed Description

Definition at line 506 of file Viewer.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.c

## 4.641 vrml.external.Node Class Reference

### Public Member Functions

- String **getType** ()
- **EventIn** **getEventIn** (String name) throws InvalidEventInException
- **EventOut** **getEventOut** (String name) throws InvalidEventOutException

### Data Fields

- int **EventType** = FieldTypes.UnknownType
- String **outNode**
- String **inNode**
- String **command**
- String **RLreturn**
- int **nodeptr** = 0
- int **offset** = 0
- int **datasize** = 0
- String **datatype**
- int **ScriptType** = 0

### 4.641.1 Detailed Description


Definition at line 11 of file Node.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/Node.java

## 4.642 vrml.node.Node Class Reference

Inheritance diagram for vrml.node.Node:



### Public Member Functions

- **Node** (String id)
- final **Field** **getEventIn** (String eventInName)
- final **ConstField** **getEventOut** (String eventOutName)
- final **Field** **getExposedField** (String exposedFieldName)

### 4.642.1 Detailed Description

Definition at line 12 of file Node.java.

The documentation for this class was generated from the following file:

- src/java/vrml/node/Node.java

## 4.643 nodedistance Struct Reference

### Data Fields

- struct **X3D\_Node** \* **node**
- float **dist**

### 4.643.1 Detailed Description


Definition at line 55 of file Component\_Picking.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Picking.c

## 4.644 freeWRLSAI\_cpp::nodeInUseException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::nodeInUseException:



### Public Member Functions

- virtual const char \* **what** ()

### Additional Inherited Members

#### 4.644.1 Detailed Description


Definition at line 206 of file SAexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAexception.h

## 4.645 org.web3d.x3d.sai.NodeInUseException Class Reference

Inheritance diagram for org.web3d.x3d.sai.NodeInUseException:



### Public Member Functions

- **NodeInUseException** (String msg)

#### 4.645.1 Detailed Description


Definition at line 3 of file NodeInUseException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/NodeInUseException.java

### 4.646 freeWRLSAI\_cpp::nodeUnavailableException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::nodeUnavailableException:



#### Public Member Functions

- virtual const char \* **what** ()

#### Additional Inherited Members

#### 4.646.1 Detailed Description


Definition at line 195 of file SAlexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAlexception.h

### 4.647 org.web3d.x3d.sai.NodeUnavailableException Class Reference

Inheritance diagram for org.web3d.x3d.sai.NodeUnavailableException:





## Public Member Functions

- **NodeUnavailableException** (String msg)

### 4.647.1 Detailed Description


Definition at line 3 of file NodeUnavailableException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/NodeUnavailableException.java

## 4.648 freeWRLSAI\_cpp::noSuchBrowserException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::noSuchBrowserException:



## Public Member Functions

- virtual const char \* **what** ()

## Additional Inherited Members

### 4.648.1 Detailed Description


Definition at line 73 of file SAlexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAlexception.h

## 4.649 org.web3d.x3d.sai.NoSuchBrowserException Class Reference

Inheritance diagram for org.web3d.x3d.sai.NoSuchBrowserException:



## Public Member Functions

- **NoSuchBrowserException** (String msg)

### 4.649.1 Detailed Description


Definition at line 3 of file NoSuchBrowserException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/NoSuchBrowserException.java

## 4.650 freeWRLSAI\_cpp::notSupportedException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::notSupportedException:



## Public Member Functions

- virtual const char \* **what** ()

## Additional Inherited Members

### 4.650.1 Detailed Description


Definition at line 229 of file SAException.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAException.h

## 4.651 org.web3d.x3d.sai.NotSupportedException Class Reference

Inheritance diagram for org.web3d.x3d.sai.NotSupportedException:



## Public Member Functions

- **NotSupportedException** (String msg)

### 4.651.1 Detailed Description

Definition at line 3 of file NotSupportedException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/NotSupportedException.java

## 4.652 NPClass Struct Reference

### Data Fields

- uint32\_t **structVersion**
- NPAllocateFunctionPtr **allocate**
- NPDeallocateFunctionPtr **deallocate**
- NPInvalidateFunctionPtr **invalidate**
- NPHasMethodFunctionPtr **hasMethod**
- NPInvokeFunctionPtr **invoke**
- NPInvokeDefaultFunctionPtr **invokeDefault**
- NPHasPropertyFunctionPtr **hasProperty**
- NPGetPropertyFunctionPtr **getProperty**
- NPSetPropertyFunctionPtr **setProperty**
- NPRemovePropertyFunctionPtr **removeProperty**
- NPEnumerationFunctionPtr **enumerate**
- NPConstructFunctionPtr **construct**

### 4.652.1 Detailed Description


Definition at line 327 of file npruntime.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npruntime.h

## 4.653 NPObject Struct Reference

Inheritance diagram for NPObject:



## Data Fields

- **NPCClass \* \_class**
- **uint32\_t referenceCount**

### 4.653.1 Detailed Description

Definition at line 355 of file npruntime.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/npruntime.h

## 4.654 nsByteRange Struct Reference

### Data Fields

- **PRInt32 offset**
- **PRUint32 length**
- struct **nsByteRange** \* **next**

### 4.654.1 Detailed Description


Definition at line 125 of file nsplugindefs.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/nsplugindefs.h

## 4.655 nsIAuthenticationInfo Interface Reference

Inheritance diagram for nsIAuthenticationInfo:



### Data Fields

- readonly attribute const\_char\_ptr **username**  
*AuthenticationInfo (username/password pair)*
- readonly attribute const\_char\_ptr **password**

### 4.655.1 Detailed Description


Definition at line 56 of file nsIJVMAuthTools.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIJVMAuthTools.idl

## 4.656 nsICookieStorage Interface Reference

Inheritance diagram for nsICookieStorage:



### Public Member Functions

- void **getCookie** (in string aCookieURL, in voidPtr aCookieBuffer, in PRUint32Ref aCookieSize)  
Retrieves a cookie from the browser's persistent cookie store.
- void **setCookie** (in string aCookieURL, in constVoidPtr aCookieBuffer, in unsigned long aCookieSize)  
Stores a cookie in the browser's persistent cookie store.

### 4.656.1 Detailed Description

Definition at line 51 of file nsICookieStorage.idl.

### 4.656.2 Member Function Documentation

#### 4.656.2.1 getCookie()

```
void nsICookieStorage::getCookie (
    in string aCookieURL,
    in voidPtr aCookieBuffer,
    in PRUint32Ref aCookieSize )
```

Retrieves a cookie from the browser's persistent cookie store.

#### Parameters

|                      |                                                                 |
|----------------------|-----------------------------------------------------------------|
| <i>aCookieURL</i>    | - URL string to look up cookie with.                            |
| <i>aCookieBuffer</i> | - buffer large enough to accomodate cookie data.                |
| <i>aCookieSize</i>   | - on input, size of the cookie buffer, on output cookie's size. |

#### 4.656.2.2 setCookie()

```
void nsICookieStorage::setCookie (
    in string aCookieURL,
    in constVoidPtr aCookieBuffer,
    in unsigned long aCookieSize )
```

Stores a cookie in the browser's persistent cookie store.

##### Parameters

|                      |                                  |
|----------------------|----------------------------------|
| <i>aCookieURL</i>    | - URL string store cookie with.  |
| <i>aCookieBuffer</i> | - buffer containing cookie data. |
| <i>aCookieSize</i>   | - specifies size of cookie data. |

The documentation for this interface was generated from the following file:


- src/plugin\_win32/include/nsICookieStorage.idl

## 4.657 nsIFileUtilities Interface Reference

The **nsIFileUtilities** (p. 426) interface provides access to random file operations.

```
import "nsIFileUtilities.idl";
```

Inheritance diagram for nsIFileUtilities:



### Public Member Functions

- void **getProgramPath** (out constCharPtr aProgramPath)  
*Returns the name of the browser executable program.*
- void **getTempDirPath** (out constCharPtr aTempDirPath)  
*Returns the name of the temporary directory.*
- void **newTempFileName** (in string aPrefix, in unsigned long aLength, in charPtr aBuffer)  
*Returns a unique temporary file name.*

#### 4.657.1 Detailed Description

The **nsIFileUtilities** (p. 426) interface provides access to random file operations.

To obtain: QueryInterface on **nsIPluginManager** (p. 462).

Definition at line 50 of file nsIFileUtilities.idl.

## 4.657.2 Member Function Documentation

### 4.657.2.1 getProgramPath()

```
void nsFileUtilities::getProgramPath (
    out constCharPtr aProgramPath )
```

Returns the name of the browser executable program.

#### Parameters

|                     |                                    |
|---------------------|------------------------------------|
| <i>aProgramPath</i> | - the returned path to the program |
|---------------------|------------------------------------|

#### Returns

- NS\_OK if this operation was successful

### 4.657.2.2 getTempDirPath()

```
void nsFileUtilities::getTempDirPath (
    out constCharPtr aTempDirPath )
```

Returns the name of the temporary directory.

#### Parameters

|                     |                                           |
|---------------------|-------------------------------------------|
| <i>aTempDirPath</i> | - the returned path to the temp directory |
|---------------------|-------------------------------------------|

#### Returns

- NS\_OK if this operation was successful

### 4.657.2.3 newTempFileName()

```
void nsFileUtilities::newTempFileName (
    in string aPrefix,
    in unsigned long aLength,
    in charPtr aBuffer )
```

Returns a unique temporary file name.

## Parameters

|                |                                                          |
|----------------|----------------------------------------------------------|
| <i>aPrefix</i> | - a string to prefix to the temporary file name          |
| <i>aLength</i> | - the length of the resulting buffer to receive the data |
| <i>aBuffer</i> | - the returned temp file name                            |

## Returns

- NS\_OK if this operation was successful

The documentation for this interface was generated from the following file:


- src/plugin\_win32/include/nsIFileUtilities.idl

## 4.658 nsIHTTPHeaderListener Interface Reference

The **nsIHTTPHeaderListener** (p. 428) interface allows plugin authors to access HTTP Response headers after issuing an **nsIPluginHost** (p. 434)::{GetURL,PostURL}() call.

```
import "nsIHTTPHeaderListener.idl";
```

Inheritance diagram for nsIHTTPHeaderListener:



### Public Member Functions

- void **newResponseHeader** (in string headerName, in string headerValue)  
*Called for each HTTP Response header.*
- void **statusLine** (in string line)  
*Called once for the HTTP Response status line.*

### 4.658.1 Detailed Description

The **nsIHTTPHeaderListener** (p. 428) interface allows plugin authors to access HTTP Response headers after issuing an **nsIPluginHost** (p. 434)::{GetURL,PostURL}() call.

IMPORTANT NOTE: The plugin author must provide an instance to {GetURL,PostURL}() that implements both **nsIPluginStreamListener** (p. 475) and **nsIHTTPHeaderListener** (p. 428). This instance is passed in through {GetURL,PostURL}()'s streamListener parameter. The browser will then QI thi streamListener to see if it implements **nsIHTTPHeaderListener** (p. 428).

Definition at line 55 of file nsIHTTPHeaderListener.idl.



## 4.658.2 Member Function Documentation

### 4.658.2.1 newResponseHeader()

```
void nsIHTTPHeaderListener::newResponseHeader (
    in string headerName,
    in string headerValue )
```

Called for each HTTP Response header.

NOTE: You must copy the values of the params.

### 4.658.2.2 statusLine()

```
void nsIHTTPHeaderListener::statusLine (
    in string line )
```

Called once for the HTTP Response status line.


Value does NOT include a terminating newline. NOTE: You must copy this value.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIHTTPHeaderListener.idl

## 4.659 nsIJVMAuthTools Interface Reference

Inheritance diagram for nsIJVMAuthTools:



## Public Member Functions

- **nsIAuthenticationInfo GetAuthenticationInfo** (in string protocol, in string host, in PRInt32 port, in string scheme, in string realm)  
*Export AuthenticationInfo interface to JPI.*
- void **SetAuthenticationInfo** (in string protocol, in string host, in PRInt32 port, in string scheme, in string realm, in string username, in string password)  
*Import username/password pair from JPI.*

### 4.659.1 Detailed Description

Definition at line 67 of file nsIJVMAuthTools.idl.

### 4.659.2 Member Function Documentation

#### 4.659.2.1 GetAuthenticationInfo()

```
nsIAuthenticationInfo nsIJVMAuthTools::GetAuthenticationInfo (
    in string protocol,
    in string host,
    in PRInt32 port,
    in string scheme,
    in string realm )
```

Export AuthenticationInfo interface to JPI.

##### Parameters

|                                       |                                              |
|---------------------------------------|----------------------------------------------|
| <i>protocol</i>                       | the protocol that support (http/https)       |
| <i>host</i>                           | host name                                    |
| <i>port</i>                           | port number                                  |
| <i>scheme</i>                         | scheme                                       |
| <i>realm</i>                          | realm                                        |
| <b>nsIAuthenticationInfo</b> (p. 424) | the AuthenticationInfo interface that export |

##### Returns

NS\_OK if success, other if fail

#### 4.659.2.2 SetAuthenticationInfo()

```
void nsIJVMAuthTools::SetAuthenticationInfo (
    in string protocol,
    in string host,
    in PRInt32 port,
    in string scheme,
    in string realm,
    in string username,
    in string password )
```

Import username/password pair from JPI.

## Parameters

|                 |                                        |
|-----------------|----------------------------------------|
| <i>protocol</i> | the protocol that support (http/https) |
| <i>host</i>     | host name                              |
| <i>port</i>     | port number                            |
| <i>scheme</i>   | scheme                                 |
| <i>realm</i>    | realm                                  |
| <i>username</i> | user name                              |
| <i>password</i> | password                               |

## Returns


NS\_OK if success, other if fail

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIJVMAuthTools.idl

## 4.660 nsIPlugin Interface Reference

Inheritance diagram for nsIPlugin:



### Public Member Functions

- void **createPluginInstance** (out **nsIPluginInstance** aResult)  
*Creates a new plugin instance, based on a MIME type.*
- void **initialize** ()  
*Initializes the plugin and will be called before any new instances are created.*
- void **shutdown** ()  
*Called when the browser is done with the plugin factory, or when the plugin is disabled by the user.*
- void **getMIMEDescription** (out constCharPtr aMIMEDescription)  
*Returns the MIME description for the plugin.*
- void **getValue** (in nsPluginVariable aVariable, in voidPtr aValue)  
*Returns the value of a variable associated with the plugin.*

### 4.660.1 Detailed Description

Definition at line 51 of file nsIPlugin.idl.

## 4.660.2 Member Function Documentation

### 4.660.2.1 createPluginInstance()

```
void nsIPlugin::createPluginInstance (
    out nsIPluginInstance aResult )
```

Creates a new plugin instance, based on a MIME type.

This allows different implemenations to be created depending on the specified MIME type.

### 4.660.2.2 getMIMEDescription()

```
void nsIPlugin::getMIMEDescription (
    out constCharPtr aMIMEDescription )
```

Returns the MIME description for the plugin.

The MIME description is a colon-separated string containg the plugin MIME type, plugin data file extension, and plugin name, e.g.:

"application/x-simple-plugin:smp:Simple Sample Plug-in"

(Corresponds to NPP\_GetMIMEDescription.)

#### Parameters

|                         |                                  |
|-------------------------|----------------------------------|
| <i>aMIMEDescription</i> | - the resulting MIME description |
|-------------------------|----------------------------------|

#### Returns

- NS\_OK if this operation was successful

### 4.660.2.3 getValue()

```
void nsIPlugin::getValue (
    in nsPluginVariable aVariable,
    in voidPtr aValue )
```

Returns the value of a variable associated with the plugin.

(Corresponds to NPP\_GetValue.)

#### Parameters

|                  |                                                   |
|------------------|---------------------------------------------------|
| <i>aVariable</i> | - the plugin variable to get                      |
| <i>aValue</i>    | the address of where to store the resulting value |

**Returns**

- NS\_OK if this operation was successful

**4.660.2.4 initialize()**

```
void nsIPlugin::initialize ( )
```

Initializes the plugin and will be called before any new instances are created.

It is passed browserInterfaces on which QueryInterface may be used to obtain an **nsIPluginManager** (p. 462), and other interfaces.

**Parameters**

|                          |                                                                               |
|--------------------------|-------------------------------------------------------------------------------|
| <i>browserInterfaces</i> | - an object that allows access to other browser interfaces via QueryInterface |
|--------------------------|-------------------------------------------------------------------------------|

**Returns**

- NS\_OK if this operation was successful

**4.660.2.5 shutdown()**

```
void nsIPlugin::shutdown ( )
```

Called when the browser is done with the plugin factory, or when the plugin is disabled by the user.

(Corresponds to NPP\_Shutdown.)

**Returns**


- NS\_OK if this operation was successful

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPlugin.idl

## 4.661 nsIPluginDocument Interface Reference

Inheritance diagram for nsIPluginDocument:



## Public Member Functions

- void **setStreamListener** (in nsIStreamListener aStreamListener)  
*Sets the stream listener for this plugin document.*
- void **print** ()  
*Causes the plugin to print in full-page mode.*

## Data Fields

- readonly attribute boolean **willHandleInstantiation**  
*Check whether the document is planning to handle plug-in instantiation itself.*

### 4.661.1 Detailed Description

Definition at line 42 of file nsIPluginDocument.idl.

### 4.661.2 Field Documentation

#### 4.661.2.1 willHandleInstantiation

```
readonly attribute boolean nsIPluginDocument::willHandleInstantiation
```

Check whether the document is planning to handle plug-in instantiation itself.

If not, then the plugin content node should do it.


Definition at line 60 of file nsIPluginDocument.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginDocument.idl

## 4.662 nsIPluginHost Interface Reference

Inheritance diagram for nsIPluginHost:



## Public Member Functions

- void **init** ()
- void **destroy** ()
- void **loadPlugins** ()
- void **reloadPlugins** (in boolean reloadPages)
 

*Causes the plugins directory to be searched again for new plugin libraries.*
- **nsIPlugin** **getPlugin** (in string aMimeType)
- void **instantiateEmbeddedPlugin** (in string aMimeType, in nsIURI aURL, in **nsIPluginInstanceOwner** aOwner)
 

*Owner*
- void **instantiateFullPagePlugin** (in string aMimeType, in nsIURI aURL, in nsIStreamListenerRef aStreamListener, in **nsIPluginInstanceOwner** aOwner)
 

*Listener*
- nsIStreamListener **instantiatePluginForChannel** (in nsIChannel aChannel, in **nsIPluginInstanceOwner** aOwner)
 

*Instantiate an embedded plugin for an existing channel.*
- void **setUpPluginInstance** (in string aMimeType, in nsIURI aURL, in **nsIPluginInstanceOwner** aOwner)
- void **isPluginEnabledForType** (in string aMimeType)
- void **isPluginEnabledForExtension** (in string aExtension, in constCharStarRef aMimeType)
- void **getPlugins** (in unsigned long aPluginCount, out nsIDOMPlugin aPluginArray)
- void **getPluginTags** (out unsigned long aPluginCount, [retval, array, size\_is(aPluginCount)] out **nsIPluginTag** aResults)
- void **stopPluginInstance** (in **nsIPluginInstance** aInstance)
- void **handleBadPlugin** (in PRLibraryPtr aLibrary, in **nsIPluginInstance** instance)
- NS\_IMETHOD **GetURL** (nsISupports \*pluginInst, const char \*url, const char \*target=NULL, **nsIPluginStreamListener** \*streamListener=NULL, const char \*altHost=NULL, const char \*referrer=NULL, PRBool forceJSEnabled=PR\_FALSE)=0
 

*Fetches a URL.*
- NS\_IMETHOD **PostURL** (nsISupports \*pluginInst, const char \*url, PRUint32 postDataLen, const char \*postData, PRBool isFile=PR\_FALSE, const char \*target=NULL, **nsIPluginStreamListener** \*streamListener=NULL, const char \*altHost=NULL, const char \*referrer=NULL, PRBool forceJSEnabled=PR\_FALSE, PRUint32 postHeadersLength=0, const char \*postHeaders=NULL)=0
 

*Posts to a URL with post data and/or post headers.*
- void **findProxyForURL** (in string aURL, out string aResult)
 

*Returns the proxy info for a given URL.*
- void **UserAgent** (in nativeChar resultingAgentString)
- void **setIsScriptableInstance** (in **nsIPluginInstance** aInstance, in boolean aScriptable)
 

*To notify the plugin manager that the plugin created a script object.*
- void **parsePostBufferToFixHeaders** (in string aInPostData, in unsigned long aInPostDataLen, out string aOutPostData, out unsigned long aOutPostDataLen)
 

*This method parses post buffer to find out case insensitive "Content-length" string and CR or LF some where after that, then it assumes there is http headers in the input buffer and continue to search for end of headers (CRLF or LFLF).*
- void **createTmpFileToPost** (in string aPostDataURL, out string aTmpFileName)
 

*To create tmp file with Content len header in, it will use by http POST.*
- void **newPluginNativeWindow** (out nsPluginNativeWindowPtr aPluginNativeWindow)
 

*Creates a new plugin native window object.*
- void **deletePluginNativeWindow** (in nsPluginNativeWindowPtr aPluginNativeWindow)
 

*Deletes plugin native window object created by NewPluginNativeWindow.*
- void **instantiateDummyJavaPlugin** (in **nsIPluginInstanceOwner** aOwner)
 

*Instantiate a "dummy" java plugin if a java plugin that supports NPRuntime is installed.*
- void **getPluginName** (in **nsIPluginInstance** aInstance, [shared] out string aPluginName)
 

*Get the plugin name for the plugin instance.*
- **nsIPluginTag** **getPluginTagForInstance** (in **nsIPluginInstance** aInstance)
 

*Get the plugin tag associated with a given plugin instance.*

## Data Fields

- readonly attribute unsigned long **pluginCount**

### 4.662.1 Detailed Description

Definition at line 69 of file nsIPluginHost.idl.

### 4.662.2 Member Function Documentation

#### 4.662.2.1 findProxyForURL()

```
void nsIPluginHost::findProxyForURL (
    in string aURL,
    out string aResult )
```

Returns the proxy info for a given URL.

The caller is required to free the resulting memory with nsIMalloc::Free. The result will be in the following format

i) "DIRECT" – no proxy ii) "PROXY xxx.xxx.xxx.xxx" – use proxy iii) "SOCKS xxx.xxx.xxx.xxx" – use SOCKS iv) Mixed. e.g. "PROXY 111.111.111.111;PROXY 112.112.112.112", "PROXY 111.111.111.111;SOCKS 112.112.112.112"....

Which proxy/SOCKS to use is determined by the plugin.

#### 4.662.2.2 getPluginName()

```
void nsIPluginHost::getPluginName (
    in nsIPluginInstance aInstance,
    [shared] out string aPluginName )
```

Get the plugin name for the plugin instance.

##### Parameters

|                    |                                                                                                                                                                                |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>aInstance</i>   | the plugin instance object                                                                                                                                                     |
| <i>aPluginName</i> | returns a pointer to a shared readonly string value, it's only valid for the lifetime of the plugin instance - you must copy the string value if you need it longer than that. |

#### 4.662.2.3 getPluginTagForInstance()

```
nsIPluginTag nsIPluginHost::getPluginTagForInstance (
    in nsIPluginInstance aInstance )
```



Get the plugin tag associated with a given plugin instance.

#### Parameters

|                  |                            |
|------------------|----------------------------|
| <i>aInstance</i> | the plugin instance object |
|------------------|----------------------------|

#### Returns

plugin tag object

### 4.662.2.4 GetURL()

```
NS_IMETHOD nsIPluginHost::GetURL (
    nsISupports * pluginInst,
    const char * url,
    const char * target = NULL,
    nsIPluginStreamListener * streamListener = NULL,
    const char * altHost = NULL,
    const char * referrer = NULL,
    PRBool forceJSEnabled = PR_FALSE ) [pure virtual]
```

Fetches a URL.

(Corresponds to NPN\_GetURL and NPN\_GetURLNotify.)

#### Parameters

|                       |                                                                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>pluginInst</i>     | - the plugin making the request. If NULL, the URL is fetched in the background.                                                                                                            |
| <i>url</i>            | - the URL to fetch                                                                                                                                                                         |
| <i>target</i>         | - the target window into which to load the URL, or NULL if the data should be returned to the plugin via streamListener.                                                                   |
| <i>streamListener</i> | - a stream listener to be used to return data to the plugin. May be NULL if target is not NULL.                                                                                            |
| <i>altHost</i>        | - an IP-address string that will be used instead of the host specified in the URL. This is used to prevent DNS-spoofing attacks. Can be defaulted to NULL meaning use the host in the URL. |
| <i>referrer</i>       | - the referring URL (may be NULL)                                                                                                                                                          |
| <i>forceJSEnabled</i> | - forces JavaScript to be enabled for 'javascript:' URLs, even if the user currently has JavaScript disabled (usually specify PR_FALSE)                                                    |

#### Returns

- NS\_OK if this operation was successful

### 4.662.2.5 instantiateDummyJavaPlugin()

```
void nsIPluginHost::instantiateDummyJavaPlugin (
    in nsIPluginInstanceOwner aOwner )
```

Instantiate a "dummy" java plugin if a java plugin that supports NPRuntime is installed.

This plugin is used for exposing window.java and window.Packages. If the java plugin supports NPRuntime and instantiation was successful, aOwners instance will be non-null, if not, it will be null.

#### 4.662.2.6 instantiatePluginForChannel()

```
nsIStreamListener nsIPluginHost::instantiatePluginForChannel (
    in nsIChannel aChannel,
    in nsIPluginInstanceOwner aOwner )
```

Instantiate an embedded plugin for an existing channel.

The caller is responsible for opening the channel. It may or may not be already opened when this function is called.

#### 4.662.2.7 parsePostBufferToFixHeaders()

```
void nsIPluginHost::parsePostBufferToFixHeaders (
    in string aInPostData,
    in unsigned long aInPostDataLen,
    out string aOutPostData,
    out unsigned long aOutPostDataLen )
```

This method parses post buffer to find out case insensitive "Content-length" string and CR or LF some where after that, then it assumes there is http headers in the input buffer and continue to search for end of headers (CRLF or LFLF).

It will *always malloc()* output buffer (caller is responsible to free it) if input buffer starts with LF, which comes from 4.x spec <http://developer.netscape.com/docs/manuals/communicator/plugin/pgfn2.htm#1007754> "If no custom headers are required, simply add a blank line ('\n') to the beginning of the file or buffer.", it skips that '

' and considers rest of the input buffer as data. If "Content-length" string and end of headers is found it substitutes single LF with CRLF in the headers, so the end of headers always will be CRLFCRLF (single CR in headers, if any, remain untouched) else it puts "Content-length: "+size\_of\_data+CRLFCRLF at the beginning of the output buffer and memcpy data to the output buffer

On failure outPostData and outPostDataLen will be set in 0.

##### Parameters

|                        |                              |
|------------------------|------------------------------|
| <i>aInPostData</i>     | - the post data              |
| <i>aInPostDataLen</i>  | - the length aInPostData     |
| <i>aOutPostData</i>    | - the buffer                 |
| <i>aOutPostDataLen</i> | - the length of aOutPostData |

#### 4.662.2.8 PostURL()

```
NS_IMETHOD nsIPluginHost::PostURL (
```

```

nsISupports * pluginInst,
const char * url,
PRUint32 postDataLen,
const char * postData,
PRBool isFile = PR_FALSE,
const char * target = NULL,
    nsIPluginStreamListener * streamListener = NULL,
const char * altHost = NULL,
const char * referrer = NULL,
PRBool forceJSEnabled = PR_FALSE,
PRUint32 postHeadersLength = 0,
const char * postHeaders = NULL ) [pure virtual]

```

Posts to a URL with post data and/or post headers.

(Corresponds to NPN\_PostURL and NPN\_PostURLNotify.)

#### Parameters

|                          |                                                                                                                                                                                            |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>pluginInst</i>        | - the plugin making the request. If NULL, the URL is fetched in the background.                                                                                                            |
| <i>url</i>               | - the URL to fetch                                                                                                                                                                         |
| <i>postDataLength</i>    | - the length of postData (if non-NULL)                                                                                                                                                     |
| <i>postData</i>          | - the data to POST. NULL specifies that there is not post data                                                                                                                             |
| <i>isFile</i>            | - whether the postData specifies the name of a file to post instead of data. The file will be deleted afterwards.                                                                          |
| <i>target</i>            | - the target window into which to load the URL, or NULL if the data should be returned to the plugin via streamListener.                                                                   |
| <i>streamListener</i>    | - a stream listener to be used to return data to the plugin. May be NULL if target is not NULL.                                                                                            |
| <i>altHost</i>           | - an IP-address string that will be used instead of the host specified in the URL. This is used to prevent DNS-spoofing attacks. Can be defaulted to NULL meaning use the host in the URL. |
| <i>referrer</i>          | - the referring URL (may be NULL)                                                                                                                                                          |
| <i>forceJSEnabled</i>    | - forces JavaScript to be enabled for 'javascript:' URLs, even if the user currently has JavaScript disabled (usually specify PR_FALSE)                                                    |
| <i>postHeadersLength</i> | - the length of postHeaders (if non-NULL)                                                                                                                                                  |
| <i>postHeaders</i>       | - the headers to POST. Must be in the form of "HeaderName: HeaderValue\r\n". Each header, including the last, must be followed by "\r\n". NULL specifies that there are no post headers    |

#### Returns

- NS\_OK if this operation was successful

#### 4.662.2.9 reloadPlugins()

```

void nsIPluginHost::reloadPlugins (
    in boolean reloadPages )

```

Causes the plugins directory to be searched again for new plugin libraries.

## Parameters


|                          |                                                                     |
|--------------------------|---------------------------------------------------------------------|
| <code>reloadPages</code> | - indicates whether currently visible pages should also be reloaded |
|--------------------------|---------------------------------------------------------------------|

The documentation for this interface was generated from the following file:

- `src/plugin_win32/include/nsIPluginHost.idl`

## 4.663 nsIPluginHostOld Interface Reference

Inheritance diagram for nsIPluginHostOld:



### Public Member Functions

- void **init** ()
- void **destroy** ()
- void **loadPlugins** ()
- **nsIPlugin** **getPluginFactory** (in string aMimeType)
- void **instantiateEmbeddedPlugin** (in string aMimeType, in nsIURI aURL, in **nsIPluginInstanceOwner** aOwner)
- void **instantiateFullPagePlugin** (in string aMimeType, in nsIURI aURL, in nsIStreamListenerRef aStreamListener, in **nsIPluginInstanceOwner** aOwner)
- nsIStreamListener **instantiatePluginForChannel** (in nsIChannel aChannel, in **nsIPluginInstanceOwner** aOwner)  
*Instantiate an embedded plugin for an existing channel.*
- void **setUpPluginInstance** (in string aMimeType, in nsIURI aURL, in **nsIPluginInstanceOwner** aOwner)
- void **isPluginEnabledForType** (in string aMimeType)
- void **isPluginEnabledForExtension** (in string aExtension, in constCharStarRef aMimeType)
- void **getPlugins** (in unsigned long aPluginCount, out nsIDOMPlugin aPluginArray)
- void **getPluginTags** (out unsigned long aPluginCount, [retval, array, size\_is(aPluginCount)] out **nsIPluginTag** aResults)
- void **stopPluginInstance** (in **nsIPluginInstance** aInstance)
- void **handleBadPlugin** (in PRLibraryPtr aLibrary, in **nsIPluginInstance** instance)

### Data Fields

- readonly attribute unsigned long **pluginCount**

#### 4.663.1 Detailed Description

Definition at line 64 of file `nsIPluginHostOld.idl`.

## 4.663.2 Member Function Documentation

### 4.663.2.1 instantiatePluginForChannel()

```
nsIStreamListener nsIPluginHostOld::instantiatePluginForChannel (
    in nsIChannel aChannel,
    in nsIPluginInstanceOwner aOwner )
```

Instantiate an embedded plugin for an existing channel.

The caller is responsible for opening the channel. It may or may not be already opened when this function is called.

The documentation for this interface was generated from the following file:


- src/plugin\_win32/include/nsIPluginHostOld.idl

## 4.664 nsIPluginInputStream Interface Reference

The **nsIPluginInputStream** (p. 441) interface ...

```
import "nsIPluginInputStream.idl";
```

Inheritance diagram for nsIPluginInputStream:



### Public Member Functions

- void **getLastModified** (out unsigned long aResult)  
*Corresponds to NPStream's lastmodified field.*
- void **requestRead** (out **nsByteRange** aRangeList)

### 4.664.1 Detailed Description

The **nsIPluginInputStream** (p. 441) interface ...


Definition at line 45 of file nsIPluginInputStream.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginInputStream.idl

## 4.665 nsIPluginInstance Interface Reference

Inheritance diagram for nsIPluginInstance:



### Public Member Functions

- void **initialize** (in **nsIPluginInstanceOwner** aOwner, in string aMIMETYPE)  
*Initializes a newly created plugin instance.*
- void **start** ()  
*Called to instruct the plugin instance to start.*
- void **stop** ()  
*Called to instruct the plugin instance to stop, thereby suspending its state.*
- void **setWindow** (in nsPluginWindowPtr aWindow)  
*Called when the window containing the plugin instance changes.*
- void **newStreamToPlugin** (out **nsIPluginStreamListener** aListener)  
*Called to tell the plugin that the initial src/data stream is ready.*
- void **newStreamFromPlugin** (in string aType, in string aTarget, out nsIOutputStream aResult)  
*This operation is called by the plugin instance when it wishes to send a stream of data to the browser.*
- void **print** (in nsPluginPrintPtr aPlatformPrint)  
*Called to instruct the plugin instance to print itself to a printer.*
- void **getValue** (in nsPluginInstanceVariable aVariable, in voidPtr aValue)  
*Returns the value of a variable associated with the plugin instance.*
- void **handleEvent** (in nsPluginEventPtr aEvent, out boolean aHandled)  
*Handles an event.*
- void **invalidateRect** (in nsPluginRectPtr aRect)  
*Corresponds to NPN\_InvalidateRect.*
- void **invalidateRegion** (in nsPluginRegion aRegion)  
*Corresponds to NPN\_InvalidateRegion.*
- void **forceRedraw** ()  
*Corresponds to NPN\_ForceRedraw.*
- void **getMimeType** ([const, shared] out string aValue)  
*Returns the MIME type of the plugin instance.*
- void **showStatus** (in string aMessage)  
*This operation causes status information to be displayed on the window associated with the plugin instance.*
- void **invalidateOwner** ()  
*Drop our reference to our owner.*
- JSObjectPtr **GetJSObject** (in JSContextPtr cx)
- void **pushPopupsEnabledState** (in boolean aEnabled)
- void **popPopupsEnabledState** ()
- void **defineJavaProperties** ()

## Data Fields

- readonly attribute JSContextPtr **JSContext**  
*Get the JavaScript context to this plugin instance.*
- attribute **nsIPluginInstanceOwner** owner
- readonly attribute AString **formValue**
- readonly attribute PRUint16 **pluginAPIVersion**

### 4.665.1 Detailed Description

Definition at line 57 of file nsIPluginInstance.idl.

### 4.665.2 Member Function Documentation

#### 4.665.2.1 getMimeType()

```
void nsIPluginInstance::getMimeType (  
    [const, shared] out string aValue )
```

Returns the MIME type of the plugin instance.

(Corresponds to NPP\_New's MimeType argument.)

##### Parameters

|                  |                       |
|------------------|-----------------------|
| <i>aMimeType</i> | - resulting MIME type |
|------------------|-----------------------|

##### Returns

- NS\_OK if this operation was successful

#### 4.665.2.2 getValue()

```
void nsIPluginInstance::getValue (  
    in nsPluginInstanceVariable aVariable,  
    in voidPtr aValue )
```

Returns the value of a variable associated with the plugin instance.

##### Parameters

|                  |                                                     |
|------------------|-----------------------------------------------------|
| <i>aVariable</i> | - the plugin instance variable to get               |
| <i>aValue</i>    | - the address of where to store the resulting value |

**Returns**

- NS\_OK if this operation was successful

**4.665.2.3 handleEvent()**

```
void nsIPluginInstance::handleEvent (
    in nsPluginEventPtr aEvent,
    out boolean aHandled )
```

Handles an event.

Note that for Unix and Mac the **nsPluginEvent** (p. 490) structure is different from the old NPEvent structure – it's no longer the native event record, but is instead a struct. This was done for future extensibility, and so that the Mac could receive the window argument too. For Windows and OS2, it's always been a struct, so there's no change for them.

(Corresponds to NPP\_HandleEvent.)

**Parameters**

|                 |                                       |
|-----------------|---------------------------------------|
| <i>aEvent</i>   | - the event to be handled             |
| <i>aHandled</i> | - set to PR_TRUE if event was handled |

**Returns**

- NS\_OK if this operation was successful

**4.665.2.4 initialize()**

```
void nsIPluginInstance::initialize (
    in nsIPluginInstanceOwner aOwner,
    in string aMIMEType )
```

Initializes a newly created plugin instance.

**Parameters**

|               |                                  |
|---------------|----------------------------------|
| <i>aOwner</i> | - the plugin instance owner      |
| <i>aMime</i>  | - the mime type for the instance |

**Returns**

- NS\_OK if this operation was successful



#### 4.665.2.5 newStreamFromPlugin()

```
void nsIPluginInstance::newStreamFromPlugin (
    in string aType,
    in string aTarget,
    out nsIOutputStream aResult )
```

This operation is called by the plugin instance when it wishes to send a stream of data to the browser.

It constructs a new output stream to which the plugin may send the data. When complete, the Close and Release methods should be called on the output stream.

(Corresponds to NPN\_NewStream.)

##### Parameters

|                |                                              |
|----------------|----------------------------------------------|
| <i>aType</i>   | - MIME type of the stream to create          |
| <i>aTarget</i> | - the target window name to receive the data |
| <i>aResult</i> | - the resulting output stream                |

##### Returns

- NS\_OK if this operation was successful

#### 4.665.2.6 newStreamToPlugin()

```
void nsIPluginInstance::newStreamToPlugin (
    out nsIPluginStreamListener aListener )
```

Called to tell the plugin that the initial src/data stream is ready.

Expects the plugin to return a **nsIPluginStreamListener** (p. 475).

(Corresponds to NPP\_NewStream.)

##### Parameters

|                  |                                                             |
|------------------|-------------------------------------------------------------|
| <i>aListener</i> | - listener the browser will use to give the plugin the data |
|------------------|-------------------------------------------------------------|

##### Returns

- NS\_OK if this operation was successful

#### 4.665.2.7 print()

```
void nsIPluginInstance::print (
    in nsPluginPrintPtr aPlatformPrint )
```

Called to instruct the plugin instance to print itself to a printer.

(Corresponds to NPP\_Print.)

#### Parameters

|                       |                                          |
|-----------------------|------------------------------------------|
| <i>aPlatformPrint</i> | - platform-specific printing information |
|-----------------------|------------------------------------------|

#### Returns

- NS\_OK if this operation was successful

### 4.665.2.8 setWindow()

```
void nsIPluginInstance::setWindow (
    in nsPluginWindowPtr aWindow )
```

Called when the window containing the plugin instance changes.

(Corresponds to NPP\_SetWindow.)

#### Parameters

|                |                               |
|----------------|-------------------------------|
| <i>aWindow</i> | - the plugin window structure |
|----------------|-------------------------------|

#### Returns

- NS\_OK if this operation was successful

### 4.665.2.9 showStatus()

```
void nsIPluginInstance::showStatus (
    in string aMessage )
```

This operation causes status information to be displayed on the window associated with the plugin instance.

(Corresponds to NPN\_Status.)

#### Parameters

|                 |                                 |
|-----------------|---------------------------------|
| <i>aMessage</i> | - the status message to display |
|-----------------|---------------------------------|

**Returns**

- NS\_OK if this operation was successful

**4.665.2.10 start()**

```
void nsIPluginInstance::start ( )
```

Called to instruct the plugin instance to start.

This will be called after the plugin is first created and initialized, and may be called after the plugin is stopped (via the Stop method) if the plugin instance is returned to in the browser window's history.

**Returns**

- NS\_OK if this operation was successful

**4.665.2.11 stop()**

```
void nsIPluginInstance::stop ( )
```

Called to instruct the plugin instance to stop, thereby suspending its state.

This method will be called whenever the browser window goes on to display another page and the page containing the plugin goes into the window's history list.

**Returns**

- NS\_OK if this operation was successful

**4.665.3 Field Documentation****4.665.3.1 JSContext**

```
readonly attribute JSContextPtr nsIPluginInstance::JSContext
```

Get the JavaScript context to this plugin instance.

**Parameters**

|                   |                                    |
|-------------------|------------------------------------|
| <i>aJSContext</i> | - the resulting JavaScript context |
|-------------------|------------------------------------|

**Returns**

- NS\_OK if this operation was successful


Definition at line 192 of file nsIPluginInstance.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginInstance.idl

## 4.666 nsIPluginInstanceInternal Class Reference

Inheritance diagram for nsIPluginInstanceInternal:



### Public Member Functions

- virtual JSObject \* **GetJSObject** (JSContext \*cx)=0
- virtual nsresult **GetFormValue** (nsAString &aValue)=0
- virtual nsresult **PushPopupsEnabledState** (PRBool aEnabled)=0
- virtual nsresult **PopPopupsEnabledState** ()=0
- virtual PRUint16 **GetPluginAPIVersion** ()=0
- virtual nsresult **DefineJavaProperties** ()=0

### 4.666.1 Detailed Description

Definition at line 51 of file nsIPluginInstanceInternal.h.

The documentation for this class was generated from the following file:


- src/plugin\_win32/include/nsIPluginInstanceInternal.h

## 4.667 nsIPluginInstanceOld Interface Reference

The **nsIPluginInstance** (p. 442) interface is the minimum interface plugin developers need to support in order to implement a plugin instance.

```
import "nsIPluginInstanceOld.idl";
```

Inheritance diagram for nsIPluginInstanceOld:



## Public Member Functions

- void **initialize** (in **nsIPluginInstancePeer** aPeer)  
*Initializes a newly created plugin instance, passing to it the plugin instance peer which it should use for all communication back to the browser.*
- void **start** ()  
*Called to instruct the plugin instance to start.*
- void **stop** ()  
*Called to instruct the plugin instance to stop, thereby suspending its state.*
- void **destroy** ()  
*Called to instruct the plugin instance to destroy itself.*
- void **setWindow** (in nsPluginWindowPtr aWindow)  
*Called when the window containing the plugin instance changes.*
- void **newStream** (out **nsIPluginStreamListener** aListener)  
*Called to tell the plugin that the initial src/data stream is ready.*
- void **print** (in nsPluginPrintPtr aPlatformPrint)  
*Called to instruct the plugin instance to print itself to a printer.*
- void **getValue** (in nsPluginInstanceVariable aVariable, in voidPtr aValue)  
*Returns the value of a variable associated with the plugin instance.*
- void **handleEvent** (in nsPluginEventPtr aEvent, out boolean aHandled)  
*Handles an event.*

## Data Fields

- readonly attribute **nsIPluginInstancePeer** peer  
*Returns a reference back to the plugin instance peer.*

### 4.667.1 Detailed Description

The **nsIPluginInstance** (p. 442) interface is the minimum interface plugin developers need to support in order to implement a plugin instance.

The plugin manager may QueryInterface for more specific types, e.g. nsILiveConnectPluginInstance.

(Corresponds to NPP object.)

The old NPP\_Destroy call has been factored into two plugin instance methods:

Stop – called when the plugin instance is to be stopped (e.g. by displaying another plugin manager window, causing the page containing the plugin to become removed from the display).

Destroy – called once, before the plugin instance peer is to be destroyed. This method is used to destroy the plugin instance.

Definition at line 75 of file nsIPluginInstanceOld.idl.

### 4.667.2 Member Function Documentation

#### 4.667.2.1 destroy()

```
void nsIPluginInstanceOld::destroy ( )
```

Called to instruct the plugin instance to destroy itself.

This is called when it become no longer possible to return to the plugin instance, either because the browser window's history list of pages is being trimmed, or because the window containing this page in the history is being closed.

##### Returns

- NS\_OK if this operation was successful

#### 4.667.2.2 getValue()

```
void nsIPluginInstanceOld::getValue (
    in nsPluginInstanceVariable aVariable,
    in voidPtr aValue )
```

Returns the value of a variable associated with the plugin instance.

##### Parameters

|                  |                                                     |
|------------------|-----------------------------------------------------|
| <i>aVariable</i> | - the plugin instance variable to get               |
| <i>aValue</i>    | - the address of where to store the resulting value |

##### Returns

- NS\_OK if this operation was successful

#### 4.667.2.3 handleEvent()

```
void nsIPluginInstanceOld::handleEvent (
    in nsPluginEventPtr aEvent,
    out boolean aHandled )
```

Handles an event.

An nsIEventHandler can also get registered with with nsIPluginManager2::RegisterWindow and will be called whenever an event comes in for that window.

Note that for Unix and Mac the **nsPluginEvent** (p. 490) structure is different from the old NPEvent structure – it's no longer the native event record, but is instead a struct. This was done for future extensibility, and so that the Mac could receive the window argument too. For Windows and OS2, it's always been a struct, so there's no change for them.

(Corresponds to NPP\_HandleEvent.)

## Parameters

|                 |                                       |
|-----------------|---------------------------------------|
| <i>aEvent</i>   | - the event to be handled             |
| <i>aHandled</i> | - set to PR_TRUE if event was handled |

## Returns

- NS\_OK if this operation was successful

**4.667.2.4 initialize()**

```
void nsIPluginInstanceOld::initialize (
    in nsIPluginInstancePeer aPeer )
```

Initializes a newly created plugin instance, passing to it the plugin instance peer which it should use for all communication back to the browser.

## Parameters

|              |                                          |
|--------------|------------------------------------------|
| <i>aPeer</i> | - the corresponding plugin instance peer |
|--------------|------------------------------------------|

## Returns

- NS\_OK if this operation was successful

**4.667.2.5 newStream()**

```
void nsIPluginInstanceOld::newStream (
    out nsIPluginStreamListener aListener )
```

Called to tell the plugin that the initial src/data stream is ready.

Expects the plugin to return a **nsIPluginStreamListener** (p. 475).

(Corresponds to NPP\_NewStream.)

## Parameters

|                  |                                                             |
|------------------|-------------------------------------------------------------|
| <i>aListener</i> | - listener the browser will use to give the plugin the data |
|------------------|-------------------------------------------------------------|

## Returns

- NS\_OK if this operation was successful

#### 4.667.2.6 print()

```
void nsIPluginInstanceOld::print (
    in nsPluginPrintPtr aPlatformPrint )
```

Called to instruct the plugin instance to print itself to a printer.

(Corresponds to NPP\_Print.)

##### Parameters

|                       |                                          |
|-----------------------|------------------------------------------|
| <i>aPlatformPrint</i> | - platform-specific printing information |
|-----------------------|------------------------------------------|

##### Returns

- NS\_OK if this operation was successful

#### 4.667.2.7 setWindow()

```
void nsIPluginInstanceOld::setWindow (
    in nsPluginWindowPtr aWindow )
```

Called when the window containing the plugin instance changes.

(Corresponds to NPP\_SetWindow.)

##### Parameters

|                |                               |
|----------------|-------------------------------|
| <i>aWindow</i> | - the plugin window structure |
|----------------|-------------------------------|

##### Returns

- NS\_OK if this operation was successful

#### 4.667.2.8 start()

```
void nsIPluginInstanceOld::start ( )
```

Called to instruct the plugin instance to start.

This will be called after the plugin is first created and initialized, and may be called after the plugin is stopped (via the Stop method) if the plugin instance is returned to in the browser window's history.

##### Returns

- NS\_OK if this operation was successful



### 4.667.2.9 stop()

```
void nsIPluginInstanceOld::stop ( )
```

Called to instruct the plugin instance to stop, thereby suspending its state.

This method will be called whenever the browser window goes on to display another page and the page containing the plugin goes into the window's history list.

#### Returns

- NS\_OK if this operation was successful

## 4.667.3 Field Documentation

### 4.667.3.1 peer

```
readonly attribute nsIPluginInstancePeer nsIPluginInstanceOld::peer
```

Returns a reference back to the plugin instance peer.

This method is used whenever the browser needs to obtain the peer back from a plugin instance. The implementation of this method should be sure to increment the reference count on the peer by calling AddRef.

#### Parameters

|              |                                      |
|--------------|--------------------------------------|
| <i>aPeer</i> | - the resulting plugin instance peer |
|--------------|--------------------------------------|

#### Returns

- NS\_OK if this operation was successful

Definition at line 96 of file nsIPluginInstanceOld.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginInstanceOld.idl

## 4.668 nsIPluginInstanceOwner Interface Reference

Inheritance diagram for nsIPluginInstanceOwner:



## Public Member Functions

- void **setInstance** (in **nsIPluginInstance** aInstance)  
*Let the owner know what its instance is.*
- void **getInstance** (in nsIPluginInstanceRef aInstance)  
*Get the instance associated with this owner.*
- nsresult **GetInstance** ( **nsIPluginInstance** \*\*aInstance)
- void **getWindow** (in nsPluginWindowStarRef aWindow)  
*Get a handle to the window structure of the owner.*
- void **createWidget** ()  
*Create a place for the plugin to live in the owner's environment.*
- NS\_IMETHOD **GetURL** (const char \*aURL, const char \*aTarget, void \*aPostData, PRUint32 aPostDataLen, void \*aHeadersData, PRUint32 aHeadersDataLen, PRBool aIsFile=PR\_FALSE)=0  
*Called when there is a valid target so that the proper frame can be updated with new content.*
- void **showStatus** (in string aStatusMsg)  
*Show a status message in the host environment.*
- NS\_IMETHOD **ShowStatus** (const PRUnichar \*aStatusMsg)=0
- void **invalidateRect** (in nsPluginRectPtr aRect)  
*Invalidate the rectangle.*
- void **invalidateRegion** (in nsPluginRegion aRegion)  
*Invalidate the region.*
- void **forceRedraw** ()  
*Force a redraw.*
- void **getNetscapeWindow** (in voidPtr aValue)  
*Get NetscapeWindow, corresponds to NPNVnetscapeWindow.*

## Data Fields

- readonly attribute nsPluginMode **mode**  
*Get the display mode for the plugin instance.*
- readonly attribute nsIDocument **document**  
*Get the associated document.*

### 4.668.1 Detailed Description

Definition at line 48 of file nsIPluginInstanceOwner.idl.

### 4.668.2 Member Function Documentation

#### 4.668.2.1 createWidget()

```
void nsIPluginInstanceOwner::createWidget ( )
```

Create a place for the plugin to live in the owner's environment.

this may or may not create a window depending on the windowless state of the plugin instance.

### 4.668.2.2 GetURL()

```
NS_IMETHOD nsIPluginInstanceOwner::GetURL (
    const char * aURL,
    const char * aTarget,
    void * aPostData,
    PRUint32 aPostDataLen,
    void * aHeadersData,
    PRUint32 aHeadersDataLen,
    PRBool aIsFile = PR_FALSE ) [pure virtual]
```

Called when there is a valid target so that the proper frame can be updated with new content.

will not be called with nsnull aTarget.

### 4.668.2.3 getWindow()

```
void nsIPluginInstanceOwner::getWindow (
    in nsPluginWindowStarRef aWindow )
```

Get a handle to the window structure of the owner.

This pointer cannot be made persistent by the caller.

The documentation for this interface was generated from the following file:


- src/plugin\_win32/include/nsIPluginInstanceOwner.idl

## 4.669 nsIPluginInstancePeer Interface Reference

The **nsIPluginInstancePeer** (p.455) interface is the set of operations implemented by the browser to support a plugin instance.

```
import "nsIPluginInstancePeer.idl";
```

Inheritance diagram for nsIPluginInstancePeer:



## Public Member Functions

- void **getValue** (in nsPluginInstancePeerVariable aVariable, in voidPtr aValue)  
*Returns the value of a variable associated with the plugin manager.*
- void **newStream** (in nsMimeType aType, in string aTarget, out nsIOutputStream aResult)  
*This operation is called by the plugin instance when it wishes to send a stream of data to the browser.*
- void **showStatus** (in string aMessage)  
*This operation causes status information to be displayed on the window associated with the plugin instance.*
- void **setWindowSize** (in unsigned long aWidth, in unsigned long aHeight)  
*Set the desired size of the window in which the plugin instance lives.*

## Data Fields

- readonly attribute nsMimeType **MIMETYPE**  
*Returns the MIME type of the plugin instance.*
- readonly attribute nsPluginMode **mode**  
*Returns the mode of the plugin instance, i.e.*

### 4.669.1 Detailed Description

The **nsIPluginInstancePeer** (p. 455) interface is the set of operations implemented by the browser to support a plugin instance.

When a plugin instance is constructed, a **nsIPluginInstancePeer** (p. 455) is passed to its initializer representing the instantiation of the plugin on the page.

Other interfaces may be obtained from **nsIPluginInstancePeer** (p. 455) by calling QueryInterface, e.g. **nsIPluginTagInfo** (p. 479).

Definition at line 68 of file nsIPluginInstancePeer.idl.

### 4.669.2 Member Function Documentation

#### 4.669.2.1 getValue()

```
void nsIPluginInstancePeer::getValue (
    in nsPluginInstancePeerVariable aVariable,
    in voidPtr aValue )
```

Returns the value of a variable associated with the plugin manager.

(Corresponds to NPN\_GetValue.)

#### Parameters

|                  |                                                     |
|------------------|-----------------------------------------------------|
| <i>aVariable</i> | - the plugin manager variable to get                |
| <i>aValue</i>    | - the address of where to store the resulting value |

**Returns**

- NS\_OK if this operation was successful

**4.669.2.2 newStream()**

```
void nsIPluginInstancePeer::newStream (
    in nsMIMEType aType,
    in string aTarget,
    out nsIOutputStream aResult )
```

This operation is called by the plugin instance when it wishes to send a stream of data to the browser.

It constructs a new output stream to which the plugin may send the data. When complete, the Close and Release methods should be called on the output stream.

(Corresponds to NPN\_NewStream.)

**Parameters**

|                |                                              |
|----------------|----------------------------------------------|
| <i>aType</i>   | - MIME type of the stream to create          |
| <i>aTarget</i> | - the target window name to receive the data |
| <i>aResult</i> | - the resulting output stream                |

**Returns**

- NS\_OK if this operation was successful

**4.669.2.3 setWindowSize()**

```
void nsIPluginInstancePeer::setWindowSize (
    in unsigned long aWidth,
    in unsigned long aHeight )
```

Set the desired size of the window in which the plugin instance lives.

**Parameters**

|                |                     |
|----------------|---------------------|
| <i>aWidth</i>  | - new window width  |
| <i>aHeight</i> | - new window height |

**Returns**

- NS\_OK if this operation was successful

#### 4.669.2.4 showStatus()

```
void nsIPluginInstancePeer::showStatus (
    in string aMessage )
```

This operation causes status information to be displayed on the window associated with the plugin instance.

(Corresponds to NPN\_Status.)

##### Parameters

|                 |                                 |
|-----------------|---------------------------------|
| <i>aMessage</i> | - the status message to display |
|-----------------|---------------------------------|

##### Returns

- NS\_OK if this operation was successful

### 4.669.3 Field Documentation

#### 4.669.3.1 MIMETYPE

```
readonly attribute nsMIMETYPE nsIPluginInstancePeer::MIMETYPE
```

Returns the MIME type of the plugin instance.

(Corresponds to NPP\_New's MIMETYPE argument.)

##### Parameters

|                  |                       |
|------------------|-----------------------|
| <i>aMIMETYPE</i> | - resulting MIME type |
|------------------|-----------------------|

##### Returns

- NS\_OK if this operation was successful

Definition at line 88 of file nsIPluginInstancePeer.idl.

#### 4.669.3.2 mode

```
readonly attribute nsPluginMode nsIPluginInstancePeer::mode
```

Returns the mode of the plugin instance, i.e.

whether the plugin is embedded in the html, or full page.

(Corresponds to NPP\_New's mode argument.)

## Parameters

|               |                      |
|---------------|----------------------|
| <i>result</i> | - the resulting mode |
|---------------|----------------------|

## Returns

- NS\_OK if this operation was successful

Definition at line 99 of file nsIPluginInstancePeer.idl.

The documentation for this interface was generated from the following file:


- src/plugin\_win32/include/nsIPluginInstancePeer.idl

## 4.670 nsIPluginInstancePeer2 Interface Reference

The **nsIPluginInstancePeer2** (p. 459) interface extends the **nsIPluginInstancePeer** (p. 455) interface, providing access to functionality provided by newer browsers.

```
import "nsIPluginInstancePeer2.idl";
```

Inheritance diagram for nsIPluginInstancePeer2:



### Data Fields

- readonly attribute JSObjectPtr **JSWindow**  
*Get the JavaScript window object corresponding to this plugin instance.*
- readonly attribute unsigned long **JSThread**  
*Get the JavaScript execution thread corresponding to this plugin instance.*
- readonly attribute JSContextPtr **JSContext**  
*Get the JavaScript context to this plugin instance.*

### Additional Inherited Members

#### 4.670.1 Detailed Description

The **nsIPluginInstancePeer2** (p. 459) interface extends the **nsIPluginInstancePeer** (p. 455) interface, providing access to functionality provided by newer browsers.

All functionality in **nsIPluginInstancePeer** (p. 455) can be mapped to the 4.X plugin API.

Definition at line 65 of file nsIPluginInstancePeer2.idl.

## 4.670.2 Field Documentation

### 4.670.2.1 JSContext

```
readonly attribute JSContextPtr nsIPluginInstancePeer2::JSContext
```

Get the JavaScript context to this plugin instance.

#### Parameters

|                   |                                    |
|-------------------|------------------------------------|
| <i>aJSContext</i> | - the resulting JavaScript context |
|-------------------|------------------------------------|

#### Returns

- NS\_OK if this operation was successful

Definition at line 90 of file nsIPluginInstancePeer2.idl.

### 4.670.2.2 JSThread

```
readonly attribute unsigned long nsIPluginInstancePeer2::JSThread
```

Get the JavaScript execution thread corresponding to this plugin instance.

#### Parameters

|                  |                                      |
|------------------|--------------------------------------|
| <i>aJSThread</i> | - the resulting JavaScript thread id |
|------------------|--------------------------------------|

#### Returns

- NS\_OK if this operation was successful

Definition at line 82 of file nsIPluginInstancePeer2.idl.

### 4.670.2.3 JSWindow

```
readonly attribute JSObjectPtr nsIPluginInstancePeer2::JSWindow
```

Get the JavaScript window object corresponding to this plugin instance.



## Parameters

|                  |                                          |
|------------------|------------------------------------------|
| <i>aJSWindow</i> | - the resulting JavaScript window object |
|------------------|------------------------------------------|

## Returns

- NS\_OK if this operation was successful


Definition at line 73 of file nsIPluginInstancePeer2.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginInstancePeer2.idl

## 4.671 nsIPluginInstancePeer2\_1\_9\_1\_BRANCH Interface Reference

Inheritance diagram for nsIPluginInstancePeer2\_1\_9\_1\_BRANCH:



### Public Member Functions

- void **invalidateOwner** ()  
*Drop our reference to our owner.*

### Additional Inherited Members

#### 4.671.1 Detailed Description


Definition at line 94 of file nsIPluginInstancePeer2.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginInstancePeer2.idl

## 4.672 nsIPluginManager Interface Reference

Inheritance diagram for nsIPluginManager:



### Public Member Functions

- void **GetValue** (in nsPluginManagerVariable variable, in nativeVoid value)  
*Returns the value of a variable associated with the plugin manager.*
- void **reloadPlugins** (in boolean reloadPages)  
*Causes the plugins directory to be searched again for new plugin libraries.*
- void **UserAgent** (in nativeChar resultingAgentString)  
*Returns the user agent string for the browser.*
- NS\_IMETHOD **GetURL** (nsISupports \*pluginInst, const char \*url, const char \*target=NULL, **nsIPluginStreamListener** \*streamListener=NULL, const char \*altHost=NULL, const char \*referrer=NULL, PRBool forceJSEnabled=PR\_FALSE)=0  
*Fetches a URL.*
- NS\_IMETHOD **PostURL** (nsISupports \*pluginInst, const char \*url, PRUint32 postDataLen, const char \*postData, PRBool isFile=PR\_FALSE, const char \*target=NULL, **nsIPluginStreamListener** \*streamListener=NULL, const char \*altHost=NULL, const char \*referrer=NULL, PRBool forceJSEnabled=PR\_FALSE, PRUint32 postHeadersLength=0, const char \*postHeaders=NULL)=0  
*Posts to a URL with post data and/or post headers.*
- void **RegisterPlugin** (in REFNSIID aCID, in string aPluginName, in string aDescription, in nativeChar aMimeTypes, in nativeChar aMimeDescriptions, in nativeChar aFileExtensions, in long aCount)  
*Persistently register a plugin with the plugin manager.*
- void **UnregisterPlugin** (in REFNSIID aCID)  
*Unregister a plugin from the plugin manager.*
- NS\_IMETHOD **GetURLWithHeaders** (nsISupports \*pluginInst, const char \*url, const char \*target=NULL, **nsIPluginStreamListener** \*streamListener=NULL, const char \*altHost=NULL, const char \*referrer=NULL, PRBool forceJSEnabled=PR\_FALSE, PRUint32 getHeadersLength=0, const char \*getHeaders=NULL)=0  
*Fetches a URL, with Headers.*

### 4.672.1 Detailed Description

Definition at line 77 of file nsIPluginManager.idl.

### 4.672.2 Member Function Documentation

### 4.672.2.1 GetURL()

```

NS_IMETHOD nsIPluginManager::GetURL (
    nsISupports * pluginInst,
    const char * url,
    const char * target = NULL,
    nsIPluginStreamListener * streamListener = NULL,
    const char * altHost = NULL,
    const char * referrer = NULL,
    PRBool forceJSEnabled = PR_FALSE ) [pure virtual]

```

Fetches a URL.

(Corresponds to NPN\_GetURL and NPN\_GetURLNotify.)

#### Parameters

|                       |                                                                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>pluginInst</i>     | - the plugin making the request. If NULL, the URL is fetched in the background.                                                                                                            |
| <i>url</i>            | - the URL to fetch                                                                                                                                                                         |
| <i>target</i>         | - the target window into which to load the URL, or NULL if the data should be returned to the plugin via streamListener.                                                                   |
| <i>streamListener</i> | - a stream listener to be used to return data to the plugin. May be NULL if target is not NULL.                                                                                            |
| <i>altHost</i>        | - an IP-address string that will be used instead of the host specified in the URL. This is used to prevent DNS-spoofing attacks. Can be defaulted to NULL meaning use the host in the URL. |
| <i>referrer</i>       | - the referring URL (may be NULL)                                                                                                                                                          |
| <i>forceJSEnabled</i> | - forces JavaScript to be enabled for 'javascript:' URLs, even if the user currently has JavaScript disabled (usually specify PR_FALSE)                                                    |

#### Returns

- NS\_OK if this operation was successful

### 4.672.2.2 GetURLWithHeaders()

```

NS_IMETHOD nsIPluginManager::GetURLWithHeaders (
    nsISupports * pluginInst,
    const char * url,
    const char * target = NULL,
    nsIPluginStreamListener * streamListener = NULL,
    const char * altHost = NULL,
    const char * referrer = NULL,
    PRBool forceJSEnabled = PR_FALSE,
    PRUint32 getHeadersLength = 0,
    const char * getHeaders = NULL ) [pure virtual]

```

Fetches a URL, with Headers.

#### See also

**GetURL** (p. 462). Identical except for additional params headers and headersLen

## Parameters

|                         |                                                                                                                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>getHeadersLength</i> | - the length of getHeaders (if non-NULL)                                                                                                                                              |
| <i>getHeaders</i>       | - the headers to GET. Must be in the form of "HeaderName: HeaderValue\r\n". Each header, including the last, must be followed by "\r\n". NULL specifies that there are no get headers |

## Returns

- NS\_OK if this operation was successful

**4.672.2.3 GetValue()**

```
void nsIPluginManager::GetValue (
    in nsPluginManagerVariable variable,
    in nativeVoid value )
```

Returns the value of a variable associated with the plugin manager.

(Corresponds to NPN\_GetValue.)

## Parameters

|                 |                                                     |
|-----------------|-----------------------------------------------------|
| <i>variable</i> | - the plugin manager variable to get                |
| <i>value</i>    | - the address of where to store the resulting value |

## Returns

- NS\_OK if this operation was successful

**4.672.2.4 PostURL()**

```
NS_IMETHOD nsIPluginManager::PostURL (
    nsISupports * pluginInst,
    const char * url,
    PRUint32 postDataLen,
    const char * postData,
    PRBool isFile = PR_FALSE,
    const char * target = NULL,
    nsIPluginStreamListener * streamListener = NULL,
    const char * altHost = NULL,
    const char * referrer = NULL,
    PRBool forceJSEnabled = PR_FALSE,
    PRUint32 postHeadersLength = 0,
    const char * postHeaders = NULL ) [pure virtual]
```

Posts to a URL with post data and/or post headers.

(Corresponds to NPN\_PostURL and NPN\_PostURLNotify.)

## Parameters

|                          |                                                                                                                                                                                            |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>pluginInst</i>        | - the plugin making the request. If NULL, the URL is fetched in the background.                                                                                                            |
| <i>url</i>               | - the URL to fetch                                                                                                                                                                         |
| <i>postDataLength</i>    | - the length of postData (if non-NULL)                                                                                                                                                     |
| <i>postData</i>          | - the data to POST. NULL specifies that there is not post data                                                                                                                             |
| <i>isFile</i>            | - whether the postData specifies the name of a file to post instead of data. The file will be deleted afterwards.                                                                          |
| <i>target</i>            | - the target window into which to load the URL, or NULL if the data should be returned to the plugin via streamListener.                                                                   |
| <i>streamListener</i>    | - a stream listener to be used to return data to the plugin. May be NULL if target is not NULL.                                                                                            |
| <i>altHost</i>           | - an IP-address string that will be used instead of the host specified in the URL. This is used to prevent DNS-spoofing attacks. Can be defaulted to NULL meaning use the host in the URL. |
| <i>referrer</i>          | - the referring URL (may be NULL)                                                                                                                                                          |
| <i>forceJSEnabled</i>    | - forces JavaScript to be enabled for 'javascript:' URLs, even if the user currently has JavaScript disabled (usually specify PR_FALSE)                                                    |
| <i>postHeadersLength</i> | - the length of postHeaders (if non-NULL)                                                                                                                                                  |
| <i>postHeaders</i>       | - the headers to POST. Must be in the form of "HeaderName: HeaderValue\r\n". Each header, including the last, must be followed by "\r\n". NULL specifies that there are no post headers    |

## Returns

- NS\_OK if this operation was successful

## 4.672.2.5 RegisterPlugin()

```
void nsIPluginManager::RegisterPlugin (
    in REFNSIID aCID,
    in string aPluginName,
    in string aDescription,
    in nativeChar aMimeTypes,
    in nativeChar aMimeDescriptions,
    in nativeChar aFileExtensions,
    in long aCount )
```

Persistently register a plugin with the plugin manager.

aMimeTypes, aMimeDescriptions, and aFileExtensions are parallel arrays that contain information about the MIME types that the plugin supports.

## Parameters

|                          |                                                                                            |
|--------------------------|--------------------------------------------------------------------------------------------|
| <i>aCID</i>              | - the plugin's CID                                                                         |
| <i>aPluginName</i>       | - the plugin's name                                                                        |
| <i>aDescription</i>      | - a description of the plugin                                                              |
| <i>aMimeTypes</i>        | - an array of MIME types that the plugin is prepared to handle                             |
| <i>aMimeDescriptions</i> | - an array of descriptions for the MIME types that the plugin can handle.                  |
| <i>aFileExtensions</i>   | - an array of file extensions for the MIME types that the plugin can handle.               |
| <i>aCount</i>            | - the number of elements in the aMimeTypes, aMimeDescriptions, and aFileExtensions arrays. |

**Returns**

- NS\_OK if the operation was successful.

**4.672.2.6 reloadPlugins()**

```
void nsIPluginManager::reloadPlugins (
    in boolean reloadPages )
```

Causes the plugins directory to be searched again for new plugin libraries.

(Corresponds to NPN\_ReloadPlugins.)

**Parameters**

|                    |                                                                     |
|--------------------|---------------------------------------------------------------------|
| <i>reloadPages</i> | - indicates whether currently visible pages should also be reloaded |
|--------------------|---------------------------------------------------------------------|

**4.672.2.7 UnregisterPlugin()**

```
void nsIPluginManager::UnregisterPlugin (
    in REFNSIID aCID )
```

Unregister a plugin from the plugin manager.

**Parameters**

|             |                                      |
|-------------|--------------------------------------|
| <i>aCID</i> | the CID of the plugin to unregister. |
|-------------|--------------------------------------|

**Returns**

- NS\_OK if the operation was successful.

**4.672.2.8 UserAgent()**

```
void nsIPluginManager::UserAgent (
    in nativeChar resultingAgentString )
```

Returns the user agent string for the browser.

(Corresponds to NPN\_UserAgent.)

## Parameters

|                             |                                   |
|-----------------------------|-----------------------------------|
| <i>resultingAgentString</i> | - the resulting user agent string |
|-----------------------------|-----------------------------------|

The documentation for this interface was generated from the following file:


- src/plugin\_win32/include/nsIPluginManager.idl

## 4.673 nsIPluginManager2 Interface Reference

Plugin Manager 2 Interface These extensions to **nsIPluginManager** (p. 462) are only available in Communicator 5.0.

```
import "nsIPluginManager2.idl";
```

Inheritance diagram for nsIPluginManager2:



### Public Member Functions

- void **beginWaitCursor** ()  
*Puts up a wait cursor.*
- void **endWaitCursor** ()  
*Restores the previous (non-wait) cursor.*
- void **supportsURLProtocol** (in string aProtocol, out boolean aResult)  
*Returns true if a URL protocol (e.g.*
- void **notifyStatusChange** (in **nsIPlugin** aPlugin, in nsresult aStatus)  
*This method may be called by the plugin to indicate that an error has occurred, e.g.*
- void **findProxyForURL** (in string aURL, out string aResult)  
*Returns the proxy info for a given URL.*
- void **registerWindow** (in nsIEventHandler aHandler, in nsPluginPlatformWindowRef aWindow)  
*Registers a top-level window with the browser.*
- void **unregisterWindow** (in nsIEventHandler aHandler, in nsPluginPlatformWindowRef aWindow)  
*Unregisters a top-level window with the browser.*
- void **allocateMenuID** (in nsIEventHandler aHandler, in boolean alsSubmenu, out short aResult)  
*Allocates a new menu ID (for the Mac).*
- void **deallocateMenuID** (in nsIEventHandler aHandler, in short aMenuID)  
*Deallocates a menu ID (for the Mac).*
- void **hasAllocatedMenuID** (in nsIEventHandler aHandler, in short aMenuID, out boolean aResult)  
*Indicates whether this event handler has allocated the given menu ID.*

### 4.673.1 Detailed Description

Plugin Manager 2 Interface These extensions to **nsIPluginManager** (p. 462) are only available in Communicator 5.0.

Definition at line 50 of file nsIPluginManager2.idl.

### 4.673.2 Member Function Documentation

#### 4.673.2.1 allocateMenuID()

```
void nsIPluginManager2::allocateMenuID (
    in nsIEventHandler aHandler,
    in boolean aIsSubmenu,
    out short aResult )
```

Allocates a new menu ID (for the Mac).

##### Parameters

|                   |                                        |
|-------------------|----------------------------------------|
| <i>aHandler</i>   | - the event handler for the window     |
| <i>aIsSubmenu</i> | - whether this is a sub-menu ID or not |
| <i>aResult</i>    | - the resulting menu ID                |

##### Returns

- NS\_OK if this operation was successful

#### 4.673.2.2 beginWaitCursor()

```
void nsIPluginManager2::beginWaitCursor ( )
```

Puts up a wait cursor.

##### Returns

- NS\_OK if this operation was successful

#### 4.673.2.3 deallocateMenuID()

```
void nsIPluginManager2::deallocateMenuID (
    in nsIEventHandler aHandler,
    in short aMenuID )
```

Deallocates a menu ID (for the Mac).



## Parameters

|                 |                                    |
|-----------------|------------------------------------|
| <i>aHandler</i> | - the event handler for the window |
| <i>aMenuID</i>  | - the menu ID                      |

## Returns

- NS\_OK if this operation was successful

**4.673.2.4 endWaitCursor()**

```
void nsIPluginManager2::endWaitCursor ( )
```

Restores the previous (non-wait) cursor.

## Returns

- NS\_OK if this operation was successful

**4.673.2.5 findProxyForURL()**

```
void nsIPluginManager2::findProxyForURL (
    in string aURL,
    out string aResult )
```

Returns the proxy info for a given URL.

The caller is required to free the resulting memory with nsIMalloc::Free. The result will be in the following format

i) "DIRECT" – no proxy ii) "PROXY xxx.xxx.xxx.xxx" – use proxy iii) "SOCKS xxx.xxx.xxx.xxx" – use SOCKS iv) Mixed. e.g. "PROXY 111.111.111.111;PROXY 112.112.112.112", "PROXY 111.111.111.111;SOCKS 112.112.112.112"....

Which proxy/SOCKS to use is determined by the plugin.

**4.673.2.6 hasAllocatedMenuID()**

```
void nsIPluginManager2::hasAllocatedMenuID (
    in nsIEventHandler aHandler,
    in short aMenuID,
    out boolean aResult )
```

Indicates whether this event handler has allocated the given menu ID.

## Parameters

|                 |                                               |
|-----------------|-----------------------------------------------|
| <i>aHandler</i> | - the event handler for the window            |
| <i>aMenuID</i>  | - the menu ID                                 |
| <i>aResult</i>  | - returns PR_TRUE if the menu ID is allocated |

## Returns

- NS\_OK if this operation was successful

**4.673.2.7 notifyStatusChange()**

```
void nsIPluginManager2::notifyStatusChange (
    in nsIPlugin aPlugin,
    in nsresult aStatus )
```

This method may be called by the plugin to indicate that an error has occurred, e.g.

that the plugin has failed or is shutting down spontaneously. This allows the browser to clean up any plugin-specific state.

## Parameters

|                |                                       |
|----------------|---------------------------------------|
| <i>aPlugin</i> | - the plugin whose status is changing |
| <i>aStatus</i> | - the error status value              |

## Returns

- NS\_OK if this operation was successful

**4.673.2.8 registerWindow()**

```
void nsIPluginManager2::registerWindow (
    in nsIEventHandler aHandler,
    in nsPluginPlatformWindowRef aWindow )
```

Registers a top-level window with the browser.

Events received by that window will be dispatched to the event handler specified.

## Parameters

|                 |                                    |
|-----------------|------------------------------------|
| <i>aHandler</i> | - the event handler for the window |
| <i>aWindow</i>  | - the platform window reference    |

**Returns**

- NS\_OK if this operation was successful

**4.673.2.9 supportsURLProtocol()**

```
void nsIPluginManager2::supportsURLProtocol (
    in string aProtocol,
    out boolean aResult )
```

Returns true if a URL protocol (e.g.

"http") is supported.

**Parameters**

|                  |                                     |
|------------------|-------------------------------------|
| <i>aProtocol</i> | - the protocol name                 |
| <i>aResult</i>   | - true if the protocol is supported |

**Returns**

- NS\_OK if this operation was successful

**4.673.2.10 unregisterWindow()**

```
void nsIPluginManager2::unregisterWindow (
    in nsIEventHandler aHandler,
    in nsPluginPlatformWindowRef aWindow )
```

Unregisters a top-level window with the browser.

The handler and window pair should be the same as that specified to RegisterWindow.

**Parameters**

|                 |                                    |
|-----------------|------------------------------------|
| <i>aHandler</i> | - the event handler for the window |
| <i>aWindow</i>  | - the platform window reference    |

**Returns**

- NS\_OK if this operation was successful

The documentation for this interface was generated from the following file:


- src/plugin\_win32/include/nsIPluginManager2.idl

## 4.674 nsIPluginOld Interface Reference

The **nsIPlugin** (p. 431) interface is the minimum interface plugin developers need to support in order to implement a plugin.

```
import "nsIPluginOld.idl";
```

Inheritance diagram for nsIPluginOld:



### Public Member Functions

- void **createPluginInstance** (in nsISupports aOuter, in nsIIDRef aIID, in string aPluginMIMETYPE, [retval, iid\_is(aIID)] out nsQIResult aResult)  
*Creates a new plugin instance, based on a MIME type.*
- void **initialize** ()  
*Initializes the plugin and will be called before any new instances are created.*
- void **shutdown** ()  
*Called when the browser is done with the plugin factory, or when the plugin is disabled by the user.*
- void **getMIMEDescription** (out constCharPtr aMIMEDescription)  
*Returns the MIME description for the plugin.*
- void **getValue** (in nsPluginVariable aVariable, in voidPtr aValue)  
*Returns the value of a variable associated with the plugin.*

### 4.674.1 Detailed Description

The **nsIPlugin** (p. 431) interface is the minimum interface plugin developers need to support in order to implement a plugin.

The plugin manager may QueryInterface for more specific plugin types, e.g. nsILiveConnectPlugin.

The old NPP\_New plugin operation is now subsumed by two operations:

CreateInstance – called once, after the plugin instance is created. This method is used to initialize the new plugin instance (although the actual plugin instance object will be created by the plugin manager).

nsIPluginInstance::Start – called when the plugin instance is to be started. This happens in two circumstances: (1) after the plugin instance is first initialized, and (2) after a plugin instance is returned to (e.g. by going back in the window history) after previously being stopped by the Stop method.

Definition at line 82 of file nsIPluginOld.idl.

### 4.674.2 Member Function Documentation

#### 4.674.2.1 createPluginInstance()

```
void nsIPluginOld::createPluginInstance (
    in nsISupports aOuter,
    in nsIIDRef aIID,
    in string aPluginMIMEType,
    [retval, iid_is(aIID)] out nsQIResult aResult )
```

Creates a new plugin instance, based on a MIME type.

This allows different implementations to be created depending on the specified MIME type.

#### 4.674.2.2 getMIMEDescription()

```
void nsIPluginOld::getMIMEDescription (
    out constCharPtr aMIMEDescription )
```

Returns the MIME description for the plugin.

The MIME description is a colon-separated string containing the plugin MIME type, plugin data file extension, and plugin name, e.g.:

"application/x-simple-plugin:smp:Simple LiveConnect Sample Plug-in"

(Corresponds to NPP\_GetMIMEDescription.)

##### Parameters

|                         |                                  |
|-------------------------|----------------------------------|
| <i>aMIMEDescription</i> | - the resulting MIME description |
|-------------------------|----------------------------------|

##### Returns

- NS\_OK if this operation was successful

#### 4.674.2.3 getValue()

```
void nsIPluginOld::getValue (
    in nsPluginVariable aVariable,
    in voidPtr aValue )
```

Returns the value of a variable associated with the plugin.

(Corresponds to NPP\_GetValue.)

##### Parameters

|                  |                                                     |
|------------------|-----------------------------------------------------|
| <i>aVariable</i> | - the plugin variable to get                        |
| <i>aValue</i>    | - the address of where to store the resulting value |

**Returns**

- NS\_OK if this operation was successful

**4.674.2.4 initialize()**

```
void nsIPluginOld::initialize ( )
```

Initializes the plugin and will be called before any new instances are created.

It is passed browserInterfaces on which QueryInterface may be used to obtain an **nsIPluginManager** (p. 462), and other interfaces.

**Parameters**

|                          |                                                                               |
|--------------------------|-------------------------------------------------------------------------------|
| <i>browserInterfaces</i> | - an object that allows access to other browser interfaces via QueryInterface |
|--------------------------|-------------------------------------------------------------------------------|

**Returns**

- NS\_OK if this operation was successful

**4.674.2.5 shutdown()**

```
void nsIPluginOld::shutdown ( )
```

Called when the browser is done with the plugin factory, or when the plugin is disabled by the user.

(Corresponds to NPP\_Shutdown.)

**Returns**

- NS\_OK if this operation was successful

The documentation for this interface was generated from the following file:


- src/plugin\_win32/include/nsIPluginOld.idl

**4.675 nsIPluginStreamInfo Interface Reference**

**nsIPluginStreamInfo** (p. 474)

```
import "nsIPluginStreamInfo.idl";
```

Inheritance diagram for nsIPluginStreamInfo:



## Public Member Functions

- void **isSeekable** (out boolean aSeekable)
- void **getURL** (out constCharPtr aURL)
- void **requestRead** (in nsByteRangePtr aRangeList)

## Data Fields

- readonly attribute string **contentType**
- readonly attribute unsigned long **length**
- readonly attribute unsigned long **lastModified**
- attribute long **streamOffset**

### 4.675.1 Detailed Description

**nsIPluginStreamInfo** (p. 474)

@status DEPRECATED

Originally published XPCOM Plugin API is now deprecated Developers are welcome to use NPAPI, please refer to: <http://mozilla.org/projects/plugins/>

Definition at line 56 of file nsIPluginStreamInfo.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginStreamInfo.idl

## 4.676 nsIPluginStreamListener Interface Reference

**nsIPluginStreamListener** (p. 475)

```
import "nsIPluginStreamListener.idl";
```

Inheritance diagram for nsIPluginStreamListener:



## Public Member Functions

- void **onStartBinding** (in **nsIPluginStreamInfo** aPluginInfo)  
*Notify the observer that the URL has started to load.*
- void **onDataAvailable** (in **nsIPluginStreamInfo** aPluginInfo, in nsIInputStream aInputStream, in unsigned long aLength)  
*Notify the client that data is available in the input stream.*
- void **onFileAvailable** (in **nsIPluginStreamInfo** aPluginInfo, in string aFileName)  
*Notify the client that data is available in the file.*
- void **onStopBinding** (in **nsIPluginStreamInfo** aPluginInfo, in nsresult aStatus)  
*Notify the observer that the URL has finished loading.*

## Data Fields

- readonly attribute nsPluginStreamType **streamType**

*Gets the type of the stream.*

### 4.676.1 Detailed Description

**nsIPluginStreamListener** (p. 475)

@status DEPRECATED

Originally published XPCOM Plugin API is now deprecated Developers are welcome to use NPAPI, please refer to: <http://mozilla.org/projects/plugins/> The **nsIPluginStreamListener** (p. 475) interface defines the minimum set of functionality that the browser will support if it allows plugins. Plugins can call QueryInterface to determine if a plugin manager implements more specific APIs or other browser interfaces for the plugin to use (e.g. nsINetworkManager).

Definition at line 64 of file nsIPluginStreamListener.idl.

### 4.676.2 Member Function Documentation

#### 4.676.2.1 onDataAvailable()

```
void nsIPluginStreamListener::onDataAvailable (
    in  nsIPluginStreamInfo aPluginInfo,
    in  nsIInputStream aInputStream,
    in  unsigned long aLength )
```

Notify the client that data is available in the input stream.

This method is called whenever data is written into the input stream by the networking library...

#### Parameters

|                     |                                                                                                      |
|---------------------|------------------------------------------------------------------------------------------------------|
| <i>aPluginInfo</i>  | - plugin stream info                                                                                 |
| <i>aInputStream</i> | - the input stream containing the data. This stream can be either a blocking or non-blocking stream. |
| <i>aLength</i>      | - the amount of data that was just pushed into the stream.                                           |

#### Returns

- the return value is currently ignored.



#### 4.676.2.2 onFileAvailable()

```
void nsIPluginStreamListener::onFileAvailable (
    in nsIPluginStreamInfo aPluginInfo,
    in string aFileName )
```

Notify the client that data is available in the file.

##### Parameters

|                    |                                            |
|--------------------|--------------------------------------------|
| <i>aPluginInfo</i> | - plugin stream info                       |
| <i>aFileName</i>   | - the name of the file containing the data |

##### Returns

- the return value is currently ignored.

#### 4.676.2.3 onStartBinding()

```
void nsIPluginStreamListener::onStartBinding (
    in nsIPluginStreamInfo aPluginInfo )
```

Notify the observer that the URL has started to load.

This method is called only once, at the beginning of a URL load.

##### Parameters

|                    |                      |
|--------------------|----------------------|
| <i>aPluginInfo</i> | - plugin stream info |
|--------------------|----------------------|

##### Returns

- the return value is currently ignored, in the future it may be used to cancel the URL load..

#### 4.676.2.4 onStopBinding()

```
void nsIPluginStreamListener::onStopBinding (
    in nsIPluginStreamInfo aPluginInfo,
    in nsresult aStatus )
```

Notify the observer that the URL has finished loading.

This method is called once when the networking library has finished processing the URL transaction initiated via the nsINetService::Open(...) call.

This method is called regardless of whether the URL loaded successfully.

#### Parameters

|                    |                                             |
|--------------------|---------------------------------------------|
| <i>aPluginInfo</i> | - plugin stream info                        |
| <i>aStatus</i>     | - reason why the stream has been terminated |

#### Returns

- the return value is currently ignored.

### 4.676.3 Field Documentation

#### 4.676.3.1 streamType

readonly attribute nsPluginStreamType nsIPluginStreamListener::streamType

Gets the type of the stream.

#### Parameters

|                    |                          |
|--------------------|--------------------------|
| <i>aStreamType</i> | - the type of the stream |
|--------------------|--------------------------|


Definition at line 118 of file nsIPluginStreamListener.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginStreamListener.idl

## 4.677 nsIPluginTag Interface Reference

Inheritance diagram for nsIPluginTag:



## Data Fields

- readonly attribute UTF8String **description**
- readonly attribute UTF8String **filename**
- readonly attribute UTF8String **version**
- readonly attribute UTF8String **name**
- attribute boolean **disabled**
- attribute boolean **blocklisted**

### 4.677.1 Detailed Description

Definition at line 42 of file nsIPluginTag.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginTag.idl

## 4.678 nsIPluginTagInfo Interface Reference

Plugin Tag Info Interface This interface provides information about the HTML tag on the page.

```
import "nsIPluginTagInfo.idl";
```

Inheritance diagram for nsIPluginTagInfo:



## Public Member Functions

- void **getAttributes** (in PRUint16Ref aCount, in constCharStarConstStar aNames, in constCharStarConstStar aValues)  
*QueryInterface on **nsIPluginInstancePeer** (p. 455) to get this.*
- void **getAttribute** (in string aName, out constCharPtr aResult)  
*Gets the value for the named attribute.*
- void **getTagText** (out constCharPtr aTagText)  
*Get the complete text of the HTML tag that was used to instantiate this plugin.*
- void **getParameters** (in PRUint16Ref aCount, in constCharStarConstStar aNames, in constCharStarConstStar aValues)  
*Get a ptr to the paired list of parameter names and values, returns the length of the array.*
- void **getParameter** (in string aName, out constCharPtr aResult)  
*Get the value for the named parameter.*
- void **getDocumentBase** (out constCharPtr aDocumentBase)  
*Get the document base.*
- void **getDocumentEncoding** (out constCharPtr aDocumentEncoding)  
*Return an encoding whose name is specified in: <http://java.sun.com/products/jdk/1.4/docs/guide/intl/intl.doc.html#25303>.*
- void **getAlignment** (out constCharPtr aEligment)  
*Get object alignment.*

## Data Fields

- readonly attribute nsPluginTagType **tagType**  
*Get the type of the HTML tag that was used ot instantiate this plugin.*
- readonly attribute unsigned long **width**  
*Get object width.*
- readonly attribute unsigned long **height**  
*Get object height.*
- readonly attribute unsigned long **borderVertSpace**  
*Get border vertical space.*
- readonly attribute unsigned long **borderHorizSpace**  
*Get border horizontal space.*
- readonly attribute unsigned long **uniqueID**  
*Returns a unique id for the current document containing plugin.*
- readonly attribute nsIDOMElement **DOMElement**  
*Returns the DOM element corresponding to the tag which references this plugin in the document.*

### 4.678.1 Detailed Description

Plugin Tag Info Interface This interface provides information about the HTML tag on the page.

Some day this might get superseded by a DOM API.

Definition at line 63 of file nsIPluginTagInfo.idl.

### 4.678.2 Member Function Documentation

#### 4.678.2.1 `getAttribute()`

```
void nsIPluginTagInfo::getAttribute (
    in string aName,
    out constCharPtr aResult )
```

Gets the value for the named attribute.

#### Parameters

|                |                                     |
|----------------|-------------------------------------|
| <i>aName</i>   | - the name of the attribute to find |
| <i>aResult</i> | - the resulting attribute           |

#### Returns

- NS\_OK if this operation was successful, NS\_ERROR\_FAILURE if this operation failed. result is set to NULL if the attribute is not found else to the found value.

### 4.678.2.2 `getAttributes()`

```
void nsIPluginTagInfo::getAttributes (
    in PRUint16Ref aCount,
    in constCharStarConstStar aNames,
    in constCharStarConstStar aValues )
```

QueryInterface on **nsIPluginInstancePeer** (p. 455) to get this.

(Corresponds to NPP\_New's argc, argn, and argv arguments.) Get a ptr to the paired list of attribute names and values, returns the length of the array.

Each name or value is a null-terminated string.

### 4.678.2.3 `getParameter()`

```
void nsIPluginTagInfo::getParameter (
    in string aName,
    out constCharPtr aResult )
```

Get the value for the named parameter.

Returns null if the parameter was not set.

#### Parameters

|                |                         |
|----------------|-------------------------|
| <i>aName</i>   | - name of the parameter |
| <i>aResult</i> | - parameter value       |

#### Returns

- NS\_OK if this operation was successful

### 4.678.2.4 `getParameters()`

```
void nsIPluginTagInfo::getParameters (
    in PRUint16Ref aCount,
    in constCharStarConstStar aNames,
    in constCharStarConstStar aValues )
```

Get a ptr to the paired list of parameter names and values, returns the length of the array.

Each name or value is a null-terminated string.

## 4.678.3 Field Documentation

### 4.678.3.1 **DOMElement**

readonly attribute nsIDOMElement nsIPluginTagInfo::DOMElement

Returns the DOM element corresponding to the tag which references this plugin in the document.

## Parameters

|                    |                         |
|--------------------|-------------------------|
| <i>aDOMElement</i> | - resulting DOM element |
|--------------------|-------------------------|

## Returns

- NS\_OK if this operation was successful

Definition at line 168 of file nsIPluginTagInfo.idl.

### 4.678.3.2 tagType

readonly attribute nsPluginTagType nsIPluginTagInfo::tagType

Get the type of the HTML tag that was used ot instantiate this plugin.

Currently supported tags are EMBED, OBJECT and APPLET.

Definition at line 93 of file nsIPluginTagInfo.idl.

The documentation for this interface was generated from the following file:


- src/plugin\_win32/include/nsIPluginTagInfo.idl

## 4.679 nsIPluginTagInfo2 Interface Reference

**nsIPluginTagInfo2** (p. 482)

```
import "nsIPluginTagInfo2.idl";
```

Inheritance diagram for nsIPluginTagInfo2:



## Public Member Functions

- void **getTagText** (out constCharPtr aTagText)  
*Get the complete text of the HTML tag that was used to instantiate this plugin.*
- void **getParameters** (in PRUint16Ref aCount, in constCharStarConstStar aNames, in constCharStarConstStar aValues)  
*Get a ptr to the paired list of parameter names and values, returns the length of the array.*
- void **getParameter** (in string aName, out constCharPtr aResult)  
*Get the value for the named parameter.*
- void **getDocumentBase** (out constCharPtr aDocumentBase)  
*Get the document base.*
- void **getDocumentEncoding** (out constCharPtr aDocumentEncoding)  
*Return an encoding whose name is specified in: <http://java.sun.com/products/jdk/1.4/docs/guide/intl/intl.doc.html#25303>.*
- void **getAlignment** (out constCharPtr aEligment)  
*Get object alignment.*

## Data Fields

- readonly attribute nsPluginTagType **tagType**  
*Get the type of the HTML tag that was used to instantiate this plugin.*
- readonly attribute unsigned long **width**  
*Get object width.*
- readonly attribute unsigned long **height**  
*Get object height.*
- readonly attribute unsigned long **borderVertSpace**  
*Get border vertical space.*
- readonly attribute unsigned long **borderHorizSpace**  
*Get border horizontal space.*
- readonly attribute unsigned long **uniqueID**  
*Returns a unique id for the current document containing plugin.*
- readonly attribute nsIDOMElement **DOMElement**  
*Returns the DOM element corresponding to the tag which references this plugin in the document.*

### 4.679.1 Detailed Description

**nsIPluginTagInfo2** (p. 482)

@status DEPRECATED

Originally published XPCOM Plugin API is now deprecated Developers are welcome to use NPAPI, please refer to: <http://mozilla.org/projects/plugins/>

Definition at line 52 of file nsIPluginTagInfo2.idl.

### 4.679.2 Member Function Documentation

#### 4.679.2.1 `getParameter()`

```
void nsIPluginTagInfo2::getParameter (
    in string aName,
    out constCharPtr aResult )
```

Get the value for the named parameter.

Returns null if the parameter was not set.



## Parameters

|                |                         |
|----------------|-------------------------|
| <i>aName</i>   | - name of the parameter |
| <i>aResult</i> | - parameter value       |

## Returns

- NS\_OK if this operation was successful

**4.679.2.2 getParameters()**

```
void nsIPluginTagInfo2::getParameters (
    in PRUint16Ref aCount,
    in constCharStarConstStar aNames,
    in constCharStarConstStar aValues )
```

Get a ptr to the paired list of parameter names and values, returns the length of the array.

Each name or value is a null-terminated string.

**4.679.3 Field Documentation****4.679.3.1 DOMElement**

```
readonly attribute nsIDOMElement nsIPluginTagInfo2::DOMElement
```

Returns the DOM element corresponding to the tag which references this plugin in the document.

## Parameters

|                    |                         |
|--------------------|-------------------------|
| <i>aDOMElement</i> | - resulting DOM element |
|--------------------|-------------------------|

## Returns

- NS\_OK if this operation was successful

Definition at line 133 of file nsIPluginTagInfo2.idl.

**4.679.3.2 tagType**

```
readonly attribute nsPluginTagType nsIPluginTagInfo2::tagType
```

Get the type of the HTML tag that was used to instantiate this plugin.

Currently supported tags are EMBED, OBJECT and APPLET.

Definition at line 58 of file nsIPluginTagInfo2.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginTagInfo2.idl

## 4.680 nsIPluginTagInfoOld Interface Reference

Plugin Tag Info Interface This interface provides information about the HTML tag on the page.

```
import "nsIPluginTagInfoOld.idl";
```

Inheritance diagram for nsIPluginTagInfoOld:



### Public Member Functions

- void **getAttributes** (in PRUint16Ref aCount, in constCharStarConstStar aNames, in constCharStarConstStar aValues)  
*QueryInterface on **nsIPluginInstancePeer** (p. 455) to get this.*
- void **getAttribute** (in string aName, out constCharPtr aResult)  
*Gets the value for the named attribute.*

### 4.680.1 Detailed Description

Plugin Tag Info Interface This interface provides information about the HTML tag on the page.

Some day this might get superseded by a DOM API.

Definition at line 64 of file nsIPluginTagInfoOld.idl.

### 4.680.2 Member Function Documentation

#### 4.680.2.1 getAttribute()

```
void nsIPluginTagInfoOld::getAttribute (
    in string aName,
    out constCharPtr aResult )
```

Gets the value for the named attribute.

## Parameters

|                |                                     |
|----------------|-------------------------------------|
| <i>aName</i>   | - the name of the attribute to find |
| <i>aResult</i> | - the resulting attribute           |

## Returns

- NS\_OK if this operation was successful, NS\_ERROR\_FAILURE if this operation failed. result is set to NULL if the attribute is not found else to the found value.

## 4.680.2.2 getAttributes()

```
void nsIPluginTagInfoOld::getAttributes (
    in PRUint16Ref aCount,
    in constCharStarConstStar aNames,
    in constCharStarConstStar aValues )
```

QueryInterface on **nsIPluginInstancePeer** (p. 455) to get this.

(Corresponds to NPP\_New's argc, argn, and argv arguments.) Get a ptr to the paired list of attribute names and values, returns the length of the array.

Each name or value is a null-terminated string.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIPluginTagInfoOld.idl

## 4.681 nsIScriptablePlugin Interface Reference

Interface for exposing scriptable plugin methods to JavaScript via XPCConnect.

```
import "nsIScriptablePlugin.idl";
```

Inheritance diagram for nsIScriptablePlugin:



## Data Fields

- readonly attribute nsQIResult **scriptablePeer**  
*The object to be wrapped and exposed to JavaScript.*
- readonly attribute nsIIDPtr **scriptableInterface**  
*The interface that XPCConnect should use when exposing the peer object to JavaScript.*

### 4.681.1 Detailed Description

Interface for exposing scriptable plugin methods to JavaScript via XPCConnect.

Definition at line 45 of file nsIScriptablePlugin.idl.

### 4.681.2 Field Documentation

#### 4.681.2.1 scriptableInterface

```
readonly attribute nsIIDPtr nsIScriptablePlugin::scriptableInterface
```

The interface that XPCConnect should use when exposing the peer object to JavaScript.

All scriptable methods on the interface will be available to JavaScript.

Definition at line 58 of file nsIScriptablePlugin.idl.

#### 4.681.2.2 scriptablePeer

```
readonly attribute nsQIResult nsIScriptablePlugin::scriptablePeer
```

The object to be wrapped and exposed to JavaScript.

It should be an XPCOM object, and it can be the same object as the plugin.


Definition at line 51 of file nsIScriptablePlugin.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIScriptablePlugin.idl

## 4.682 nsIWindowlessPluginInstancePeer Interface Reference

Inheritance diagram for nsIWindowlessPluginInstancePeer:



## Public Member Functions

- void **invalidateRect** (in nsPluginRectPtr aRect)  
*Corresponds to NPN\_InvalidateRect.*
- void **invalidateRegion** (in nsPluginRegion aRegion)  
*Corresponds to NPN\_InvalidateRegion.*
- void **forceRedraw** ()  
*Corresponds to NPN\_ForceRedraw.*

### 4.682.1 Detailed Description


Definition at line 46 of file nsIWindowlessPlugInstPeer.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsIWindowlessPlugInstPeer.idl

## 4.683 nsPIPluginInstancePeer Interface Reference

Inheritance diagram for nsPIPluginInstancePeer:



## Data Fields

- readonly attribute **nsIPluginInstanceOwner** owner

### 4.683.1 Detailed Description

Definition at line 45 of file nsPIPluginInstancePeer.idl.

The documentation for this interface was generated from the following file:

- src/plugin\_win32/include/nsPIPluginInstancePeer.idl

## 4.684 nsPluginEmbedPrint Struct Reference

## Data Fields

- **nsPluginWindow** window
- void \* **platformPrint**

### 4.684.1 Detailed Description

Definition at line 312 of file nsplugindefs.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/nsplugindefs.h

## 4.685 nsPluginEvent Struct Reference

### Data Fields

- void \* **event**

### 4.685.1 Detailed Description

Definition at line 326 of file nsplugindefs.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/nsplugindefs.h

## 4.686 nsPluginFullPrint Struct Reference

### Data Fields

- PRBool **pluginPrinted**
- PRBool **printOne**
- void \* **platformPrint**

### 4.686.1 Detailed Description

Definition at line 304 of file nsplugindefs.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/nsplugindefs.h

## 4.687 nsPluginLogging Class Reference

### Static Public Attributes

- static PRLogModuleInfo \* **gNPNLog**
- static PRLogModuleInfo \* **gNPPLog**
- static PRLogModuleInfo \* **gPluginLog**

### 4.687.1 Detailed Description

Definition at line 85 of file nsPluginLogging.h.

The documentation for this class was generated from the following file:


- src/plugin\_win32/include/nsPluginLogging.h

## 4.688 nsPluginNativeWindow Class Reference

base class for native plugin window implementations

```
#include <nsPluginNativeWindow.h>
```

Inheritance diagram for nsPluginNativeWindow:



### Public Member Functions

- nsresult **GetPluginInstance** (nsCOMPtr< **nsIPluginInstance** > &aPluginInstance)  
*!!! CAUTION !!!*
- nsresult **SetPluginInstance** ( **nsIPluginInstance** \*aPluginInstance)
- nsresult **GetPluginWidget** (nsIWidget \*\*aWidget)
- nsresult **SetPluginWidget** (nsIWidget \*aWidget)
- virtual nsresult **CallSetWindow** (nsCOMPtr< **nsIPluginInstance** > &aPluginInstance)

### Protected Attributes

- nsCOMPtr< **nsIPluginInstance** > **mPluginInstance**
- nsCOMPtr< nsIWidget > **mWidget**

### Additional Inherited Members

### 4.688.1 Detailed Description

base class for native plugin window implementations

Definition at line 54 of file nsPluginNativeWindow.h.

### 4.688.2 Member Function Documentation

### 4.688.2.1 GetPluginInstance()

```
nsresult nsPluginNativeWindow::GetPluginInstance (
    nsCOMPtr< nsIPluginInstance > & aPluginInstance ) [inline]
```

!!! CAUTION !!!

The base class `|nsPluginWindow|` is defined as a struct in `nsplugindefs.h` (p. ??), thus it does not have a destructor of its own. One should never attempt to delete `|nsPluginNativeWindow|` object instance (or derivatives) using a pointer of `|nsPluginWindow*|` type. Should such necessity occur it must be properly casted first.

Definition at line 76 of file `nsPluginNativeWindow.h`.

The documentation for this class was generated from the following file:

- `src/plugin_win32/include/nsPluginNativeWindow.h`

## 4.689 nsPluginPrint Struct Reference

### Data Fields

- `PRUint16 mode`
- - union {
    - `nsPluginFullPrint fullPrint`
    - `nsPluginEmbedPrint embedPrint`
  - `print`

### 4.689.1 Detailed Description

Definition at line 317 of file `nsplugindefs.h`.

The documentation for this struct was generated from the following file:

- `src/plugin_win32/include/nsplugindefs.h`

## 4.690 nsPluginRect Struct Reference

### Data Fields

- `PRUint16 top`
- `PRUint16 left`
- `PRUint16 bottom`
- `PRUint16 right`



### 4.690.1 Detailed Description


Definition at line 131 of file nsplugindefs.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/nsplugindefs.h

## 4.691 nsPluginWindow Struct Reference

Inheritance diagram for nsPluginWindow:



### Data Fields

- nsPluginPort \* **window**
- PRInt32 **x**
- PRInt32 **y**
- PRUint32 **width**
- PRUint32 **height**
- **nsPluginRect clipRect**
- nsPluginWindowType **type**

### 4.691.1 Detailed Description

Definition at line 288 of file nsplugindefs.h.

The documentation for this struct was generated from the following file:

- src/plugin\_win32/include/nsplugindefs.h

## 4.692 NurbsTessellator Class Reference

Inheritance diagram for NurbsTessellator:



## Public Member Functions

- **NurbsTessellator** ( **BasicCurveEvaluator** &c, **BasicSurfaceEvaluator** &e)
- void **getnurbsproperty** (long, INREAL \*)
- void **getnurbsproperty** (long, long, INREAL \*)
- void **setnurbsproperty** (long, INREAL)
- void **setnurbsproperty** (long, long, INREAL)
- void **setnurbsproperty** (long, long, INREAL \*)
- void **setnurbsproperty** (long, long, INREAL \*, long, long)
- virtual void **bgnrender** (void)
- virtual void **endrender** (void)
- virtual void **makeobj** (int n)
- virtual void **closeobj** (void)
- virtual void **errorHandler** (int)
- void **bgnsurface** (long)
- void **endsurface** (void)
- void **bgntrim** (void)
- void **endtrim** (void)
- void **bgncurve** (long)
- void **endcurve** (void)
- void **pwlcurve** (long, INREAL[], long, long)
- void **nurbscurve** (long, INREAL[], long, INREAL[], long, long)
- void **nurbssurface** (long, INREAL[], long, INREAL[], long, long, INREAL[], long, long, long)
- void **defineMap** (long, long, long)
- void **redefineMaps** (void)
- void **discardRecording** (void \*)
- void \* **beginRecording** (void)
- void **endRecording** (void)
- void **playRecording** (void \*)
- void **set\_domain\_distance\_u\_rate** (REAL u\_rate)
- void **set\_domain\_distance\_v\_rate** (REAL v\_rate)
- void **set\_is\_domain\_distance\_sampling** (int flag)

## Data Fields

- **Pool** quiltPool

## Protected Attributes

- **Renderhints** renderhints
- **Maplist** maplist
- **Backend** backend

### 4.692.1 Detailed Description


Definition at line 53 of file nurbstess.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/nurbstess.h
- src/libnurbs/internals/nurbsinterfac.cc
- src/libnurbs/internals/nurbstess.cc

## 4.693 O\_curve Struct Reference

Inheritance diagram for O\_curve:



### Data Fields

- - union {
    - O\_nurbscurve \* o\_nurbscurve
    - O\_pwlcurve \* o\_pwlcurve
  - } curve
- Curvetype **curvetype**
- O\_curve \* **next**
- O\_surface \* **owner**
- int **used**
- int **save**
- long **nuid**

### Additional Inherited Members

#### 4.693.1 Detailed Description


Definition at line 55 of file reader.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/reader.h

## 4.694 O\_nurbscurve Struct Reference

Inheritance diagram for O\_nurbscurve:



### Public Member Functions

- O\_nurbscurve (long \_type)

## Data Fields

- **Quilt \* bezier\_curves**
- long **type**
- REAL **tesselation**
- int **method**
- **O\_nurbcurve \* next**
- int **used**
- int **save**
- **O\_curve \* owner**

### 4.694.1 Detailed Description

Definition at line 70 of file reader.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/reader.h

## 4.695 O\_nurbssurface Struct Reference

Inheritance diagram for O\_nurbssurface:



## Public Member Functions

- **O\_nurbssurface** (long \_type)

## Data Fields

- **Quilt \* bezier\_patches**
- long **type**
- **O\_surface \* owner**
- **O\_nurbssurface \* next**
- int **save**
- int **used**

### 4.695.1 Detailed Description

Definition at line 101 of file reader.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/reader.h

## 4.696 O\_pwlcurve Class Reference

Inheritance diagram for O\_pwlcurve:



### Public Member Functions

- **O\_pwlcurve** (long, long, INREAL \*, long, **TrimVertex** \*)

### Data Fields

- **TrimVertex** \* pts
- int npts
- **O\_pwlcurve** \* next
- int used
- int save
- **O\_curve** \* owner

### 4.696.1 Detailed Description


Definition at line 83 of file reader.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/reader.h
- src/libnurbs/internals/reader.cc

## 4.697 O\_surface Struct Reference

Inheritance diagram for O\_surface:



### Data Fields

- **O\_nurbssurface** \* o\_nurbssurface
- **O\_trim** \* o\_trim
- int save
- long nuid

## Additional Inherited Members

### 4.697.1 Detailed Description

Definition at line 112 of file reader.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/reader.h

## 4.698 O\_trim Struct Reference

Inheritance diagram for O\_trim:



### Data Fields

- **O\_curve \* o\_curve**
- **O\_trim \* next**
- **int save**

## Additional Inherited Members

### 4.698.1 Detailed Description

Definition at line 94 of file reader.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/reader.h

## 4.699 ObjectType Struct Reference

### Data Fields

- unsigned char **entityKind**  
*Kind of entity.*
- unsigned char **domain**  
*Domain of entity (air, surface, subsurface, space, etc)*
- unsigned short **country**  
*country to which the design of the entity is attributed*
- unsigned char **category**  
*category of entity*
- unsigned char **subcategory**  
*subcategory of entity*

### 4.699.1 Detailed Description

Definition at line 240 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.700 OneByteChunk Struct Reference

### Data Fields

- char **otherParameters** [1]  
*one byte of arbitrary data*

### 4.700.1 Detailed Description


Definition at line 216 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.701 OpenGLCurveEvaluator Class Reference

Inheritance diagram for OpenGLCurveEvaluator:



## Public Member Functions

- void **range1f** (long, REAL \*, REAL \*)
- void **domain1f** (REAL, REAL)
- void **addMap** (CurveMap \*)
- void **enable** (long)
- void **disable** (long)
- void **bgnmap1f** (long)
- void **map1f** (long, REAL, REAL, long, long, REAL \*)
- void **mapgrid1f** (long, REAL, REAL)
- void **mapmesh1f** (long, long, long)
- void **evalpoint1i** (long)
- void **evalcoord1f** (long, REAL)
- void **endmap1f** (void)
- void **bgnline** (void)
- void **endline** (void)
- void **put\_vertices\_call\_back** (int flag)
- void **putCallBack** (GLenum which, \_GLUfuncptr fn)
- void **set\_callback\_userdata** (void \*data)
- void **inMap1f** (int which, int dimension, REAL ulower, REAL uupper, int ustride, int uorder, REAL \*ctlpoints)
- void **inPreEvaluate** (int order, REAL vprime, REAL \*coeff)
- void **inDoDomain1** ( **curveEvalMachine** \*em, REAL u, REAL \*retPoint)
- void **inDoEvalCoord1** (REAL u)
- void **inMapMesh1f** (int umin, int umax)
- void (GLAPIENTRY \*beginCallBackN)(GLenum type)
- void (GLAPIENTRY \*endCallBackN)(void)
- void (GLAPIENTRY \*vertexCallBackN)(const GLfloat \*vert)
- void (GLAPIENTRY \*normalCallBackN)(const GLfloat \*normal)
- void (GLAPIENTRY \*colorCallBackN)(const GLfloat \*color)
- void (GLAPIENTRY \*texcoordCallBackN)(const GLfloat \*texcoord)
- void (GLAPIENTRY \*beginCallBackData)(GLenum type)
- void (GLAPIENTRY \*endCallBackData)(void \*data)
- void (GLAPIENTRY \*vertexCallBackData)(const GLfloat \*vert)
- void (GLAPIENTRY \*normalCallBackData)(const GLfloat \*normal)
- void (GLAPIENTRY \*colorCallBackData)(const GLfloat \*color)
- void (GLAPIENTRY \*texcoordCallBackData)(const GLfloat \*texcoord)
- void **beginCallBack** (GLenum type, void \*data)
- void **endCallBack** (void \*data)
- void **vertexCallBack** (const GLfloat \*vert, void \*data)
- void **normalCallBack** (const GLfloat \*normal, void \*data)
- void **colorCallBack** (const GLfloat \*color, void \*data)
- void **texcoordCallBack** (const GLfloat \*texcoord, void \*data)

## Data Fields

- **curveEvalMachine** em\_vertex
- **curveEvalMachine** em\_normal
- **curveEvalMachine** em\_color
- **curveEvalMachine** em\_texcoord
- int vertex\_flag
- int normal\_flag
- int color\_flag
- int texcoord\_flag
- REAL global\_grid\_u0
- REAL global\_grid\_u1
- int global\_grid\_nu
- void \* data
- void \* userData



## Additional Inherited Members

### 4.701.1 Detailed Description

Definition at line 67 of file glcurveval.h.

The documentation for this class was generated from the following files:

- src/libnurbs/interface/glcurveval.h
- src/libnurbs/interface/glcurveval.cc
- src/libnurbs/interface/incurveeval.cc

## 4.702 OpenGLSurfaceEvaluator Class Reference

Inheritance diagram for OpenGLSurfaceEvaluator:



## Public Member Functions

- void **polymode** (long style)
- void **range2f** (long, REAL \*, REAL \*)
- void **domain2f** (REAL, REAL, REAL, REAL)
- void **addMap** (SurfaceMap \*)
- void **enable** (long)
- void **disable** (long)
- void **bgnmap2f** (long)
- void **map2f** (long, REAL, REAL, long, long, REAL, REAL, long, long, REAL \*)
- void **mapgrid2f** (long, REAL, REAL, long, REAL, REAL)
- void **mapmesh2f** (long, long, long, long, long)
- void **evalcoord2f** (long, REAL, REAL)
- void **evalpoint2i** (long, long)
- void **endmap2f** (void)
- void **bgnline** (void)
- void **endline** (void)
- void **bgnclosedline** (void)
- void **endclosedline** (void)
- void **bgntmesh** (void)
- void **swaptmesh** (void)
- void **endtmesh** (void)
- void **bgnqstrip** (void)
- void **endqstrip** (void)
- void **bgntfan** (void)
- void **endtfan** (void)

- void **evalUStrip** (int n\_upper, REAL v\_upper, REAL \*upper\_val, int n\_lower, REAL v\_lower, REAL \*lower\_val)
- void **evalVStrip** (int n\_left, REAL u\_left, REAL \*left\_val, int n\_right, REAL u\_right, REAL \*right\_val)
- void **coord2f** (REAL, REAL)
- void **point2i** (long, long)
- void **newtmeshvert** (REAL, REAL)
- void **newtmeshvert** (long, long)
- void **putCallback** (GLenum which, \_GLUfuncptr fn)
- int **get\_vertices\_call\_back** ()
- void **put\_vertices\_call\_back** (int flag)
- void **put\_callback\_auto\_normal** (int flag)
- int **get\_callback\_auto\_normal** ()
- void **set\_callback\_userData** (void \*data)
- void **LOD\_eval\_list** (int level)

## Additional Inherited Members

### 4.702.1 Detailed Description

Definition at line 101 of file glsurfeval.h.

The documentation for this class was generated from the following files:

- src/libnurbs/interface/glsurfeval.h
- src/libnurbs/interface/glsurfeval.cc
- src/libnurbs/interface/insurfeval.cc

## 4.703 opened\_file Struct Reference

### Data Fields

- const char \* **fileFileName**
- int **fileDescriptor**
- int **fileDataSize**
- char \* **fileData**
- int **imageHeight**
- int **imageWidth**
- bool **imageAlpha**
- int **imageChannels**

### 4.703.1 Detailed Description

Definition at line 46 of file io\_files.h.

The documentation for this struct was generated from the following file:

- src/lib/io\_files.h

## 4.704 orient\_XYZA Struct Reference

### Data Fields

- GLDOUBLE **x**
- GLDOUBLE **y**
- GLDOUBLE **z**
- GLDOUBLE **a**

### 4.704.1 Detailed Description

Definition at line 35 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.705 Orientation Struct Reference

### Data Fields

- float **psi**
- float **theta**
- float **phi**

### 4.705.1 Detailed Description

Definition at line 209 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.706 particle Struct Reference

### Data Fields

- float **age**
- float **lifespan**
- float **size** [2]
- float **position** [3]
- float **velocity** [3]
- float **origin** [3]
- float **mass**
- float **surfaceArea**

### 4.706.1 Detailed Description

Definition at line 335 of file Component\_ParticleSystems.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_ParticleSystems.c

## 4.707 Patch Class Reference

### Public Member Functions

- **Patch** ( **Quilt** \*, REAL \*, REAL \*, **Patch** \*)
- **Patch** ( **Patch** &, int, REAL, **Patch** \*)
- void **bbox** (void)
- void **clamp** (void)
- void **getstepsize** (void)
- int **cullCheck** (void)
- int **needsSubdivision** (int)
- int **needsSamplingSubdivision** (void)
- int **needsNonSamplingSubdivision** (void)
- int **get\_uorder** ()
- int **get\_vorder** ()

### Friends

- class **Subdivider**
- class **Quilt**
- class **Patchlist**

### 4.707.1 Detailed Description

Definition at line 62 of file patch.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/patch.h
- src/libnurbs/internals/patch.cc

## 4.708 Patchlist Class Reference

### Public Member Functions

- **Patchlist** ( **Quilt** \*, REAL \*, REAL \*)
- **Patchlist** ( **Patchlist** &, int, REAL)
- void **bbox** ()
- int **cullCheck** (void)
- void **getstepsize** (void)
- int **needsNonSamplingSubdivision** (void)
- int **needsSamplingSubdivision** (void)
- int **needsSubdivision** (int)
- REAL **getStepsize** (int)
- void **getRanges** (REAL ranges[4])
- int **get\_uorder** ()
- int **get\_vorder** ()

## Friends

- class **Subdivider**

### 4.708.1 Detailed Description


Definition at line 45 of file patchlist.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/patchlist.h
- src/libnurbs/internals/patchlist.cc

## 4.709 Patchspec Struct Reference

Inheritance diagram for Patchspec:



## Public Member Functions

- void **clamp** (REAL)
- void **getstepsize** (REAL)
- void **singleStep** (void)

## Data Fields

- int **order**
- int **stride**

### 4.709.1 Detailed Description

Definition at line 54 of file patch.h.

The documentation for this struct was generated from the following files:

- src/libnurbs/internals/patch.h
- src/libnurbs/internals/patch.cc

## 4.710 pBindable Struct Reference

### Data Fields

- struct **sNavInfo** naviinfo
- **bindablestack** bstack

### 4.710.1 Detailed Description

Definition at line 93 of file Bindable.c.

The documentation for this struct was generated from the following file:

- src/lib/x3d\_parser/Bindable.c

## 4.711 pcollision Struct Reference

### Data Fields

- float \* **prd\_newc\_floats**
- unsigned int **prd\_newc\_floats\_size**
- struct **point\_XYZ** \* **prd\_normals**
- int **prd\_normals\_size**
- struct **point\_XYZ** \* **clippedPoly1**
- int **clippedPoly1Size**
- struct **point\_XYZ** \* **clippedPoly2**
- int **clippedPoly2Size**
- struct **point\_XYZ** \* **clippedPoly3**
- int **clippedPoly3Size**
- struct **point\_XYZ** \* **clippedPoly4**
- int **clippedPoly4Size**
- struct **point\_XYZ** \* **clippedPoly5**
- int **clippedPoly5Size**
- struct **point\_XYZ** **res**
- double **get\_poly\_mindisp**
- struct **sCollisionInfo** **CollisionInfo**
- struct **sFallInfo** **FallInfo**
- bool **OpenCL\_Collision\_Program\_initialized**

### 4.711.1 Detailed Description

Definition at line 80 of file Collision.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Collision.c

## 4.712 pcommon Struct Reference

### Data Fields

- int **itrap**
- float **myFps**
- int **target\_frames\_per\_second**
- char **myMenuStatus** [MAXSTAT]
- char **messagebar** [MAXSTAT]
- char **fpsbar** [16]
- char **distbar** [16]
- char **window\_title** [MAXTITLE]
- int **cursorStyle**
- int **promptForURL**
- int **promptForFile**
- int **sb\_hasString**
- char **buffer** [200]
- int **showConsoleText**
- void \* **colorScheme**
- int **colorSchemeChanged**
- int **pin\_statusbar**
- int **pin\_menubar**
- int **want\_menubar**
- int **want\_statusbar**
- struct **Vector** \* **keyvals**
- float **density\_factor**
- int **pedal**
- int **hover**
- int **jsengine**
- int **jsengine\_variant**
- int **draw\_bounding\_boxes**

### 4.712.1 Detailed Description

Definition at line 58 of file common.c.

The documentation for this struct was generated from the following file:

- src/lib/ui/common.c

## 4.713 pComponent\_CubeMapTexturing Struct Reference

### Data Fields

- **Stack** \* **gencube\_stack**

### 4.713.1 Detailed Description

Definition at line 1152 of file Component\_CubeMapTexturing.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_CubeMapTexturing.c

## 4.714 pComponent\_EnvironSensor Struct Reference

### Data Fields

- int **candoVisibility**

### 4.714.1 Detailed Description

- can we do a VisibiltySensor? Only if we have OpenGL support for OcclusionCulling \*/

Definition at line 50 of file Component\_EnvironSensor.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_EnvironSensor.c

## 4.715 pComponent\_Followers Struct Reference

### Data Fields

- int **something**

### 4.715.1 Detailed Description

Definition at line 55 of file Component\_Followers.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Followers.c

## 4.716 pComponent\_Geometry3D Struct Reference

### Data Fields

- int **junk**
- struct **sCollisionGeometry collisionSphere**
- struct **sCollisionGeometry collisionCylinder**
- struct **sCollisionGeometry collisionCone**



### 4.716.1 Detailed Description

Definition at line 78 of file Component\_Geometry3D.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Geometry3D.c

## 4.717 pComponent\_Geospatial Struct Reference

### Data Fields

- int **geoLodLevel**
- void \* **gcgdpars** [50]
- **Stack** \* **planet\_stack**
- **Stack** \* **current\_planet\_stack**

### 4.717.1 Detailed Description

Definition at line 485 of file Component\_Geospatial.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Geospatial.c

## 4.718 pComponent\_HAnim Struct Reference

### Data Fields

- struct **X3D\_HAnimHumanoid** \* **HH**
- double **HHMatrix** [16]

### 4.718.1 Detailed Description

Definition at line 243 of file Component\_HAnim.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_HAnim.c

## 4.719 pComponent\_KeyDevice Struct Reference

### Data Fields

- struct **Vector** \* **keySink**

### 4.719.1 Detailed Description

Definition at line 213 of file Component\_KeyDevice.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_KeyDevice.c

## 4.720 pComponent\_Layering Struct Reference

### Data Fields

- int **layerId**
- int **saveActive**
- int **binding\_stack\_set**
- struct **X3D\_Node** \* **layersetnode**

### 4.720.1 Detailed Description

Definition at line 66 of file Component\_Layering.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Layering.c

## 4.721 pComponent\_Layout Struct Reference

### Data Fields

- **Stack** \* **layout\_scale\_stack**

### 4.721.1 Detailed Description

Definition at line 76 of file Component\_Layout.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Layout.c

## 4.722 pComponent\_NURBS Struct Reference

### Data Fields

- void \* **nada**

### 4.722.1 Detailed Description

Definition at line 56 of file Component\_NURBS.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_NURBS.c

## 4.723 pComponent\_ParticleSystems Struct Reference

### Data Fields

- int **something**

### 4.723.1 Detailed Description

Definition at line 57 of file Component\_ParticleSystems.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_ParticleSystems.c

## 4.724 pComponent\_Picking Struct Reference

### Data Fields

- **Stack \* stack\_nodesdistance**
- **Stack \* stack\_intersections**
- **Stack \* stack\_pointsinside**

### 4.724.1 Detailed Description

Definition at line 60 of file Component\_Picking.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Picking.c

## 4.725 pComponent\_ProgrammableShaders Struct Reference

### Data Fields

- **Stack \* effect\_stack**
- int **effectCount**

### 4.725.1 Detailed Description

Definition at line 108 of file Component\_ProgrammableShaders.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_ProgrammableShaders.c

## 4.726 pComponent\_PTM Struct Reference

### Data Fields

- struct **Vector** \* **projector\_stack**
- int **currentlyWorkingOn**
- int **textureInProcess**
- struct **projective\_Texdata** **data** [4]

### 4.726.1 Detailed Description

Definition at line 89 of file Component\_PTM.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_PTM.c

## 4.727 pComponent\_Rendering Struct Reference

### Data Fields

- **Stack** \* **clipplane\_stack**
- float **clipplanes** [4 \*FW\_MAXCLIPPLANES]

### 4.727.1 Detailed Description

Definition at line 48 of file Component\_Rendering.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Rendering.c

## 4.728 pComponent\_RigidBodyPhysics Struct Reference

### Data Fields

- int **something**

### 4.728.1 Detailed Description

Definition at line 64 of file Component\_RigidBodyPhysics.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_RigidBodyPhysics.c

## 4.729 pComponent\_Shape Struct Reference

### Data Fields

- struct **matpropstruct** **appearanceProperties**
- struct **X3D\_Node** \* **this\_textureTransform**
- struct **X3D\_TwoSidedMaterial** \* **material\_twoSided**
- struct **X3D\_Material** \* **material\_oneSided**
- struct **X3D\_Node** \* **userShaderNode**
- int **modulation**

### 4.729.1 Detailed Description

Definition at line 49 of file Component\_Shape.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Shape.c

## 4.730 pComponent\_Sound Struct Reference

### Data Fields

- int **soundWarned**
- int **SoundSourceNumber**
- void \* **alContext**
- float **AC\_LastDuration** [50]

### 4.730.1 Detailed Description

Definition at line 97 of file Component\_Sound.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Sound.c

## 4.731 pComponent\_Text Struct Reference

### Data Fields

- FT\_Library **library**
- FT\_Face **font\_face** [num\_fonts]
- int **font\_state** [num\_fonts]
- FT\_Glyph **glyphs** [MAX\_GLYPHS]
- int **cur\_glyph**
- int **TextVerbose**
- int **rowvec\_allocn**
- **row32** \* **rowvec**
- FT\_Outline\_Funcs **FW\_outline\_interface**
- char \* **font\_directory**
- char **thisfontname** [fp\_name\_len]
- double **pen\_x**
- double **pen\_y**
- double **shrink\_x**
- double **shrink\_y**
- float **TextZdist**
- double **size**
- double **pointsize**
- int **myff**
- int **FW\_RIA** [500]
- int **FW\_RIA\_indx**
- struct **X3D\_PolyRep** \* **FW\_rep\_**
- int **FW\_pointctr**
- int **indx\_count**
- int **coordmaxsize**
- int **cindexmaxsize**
- int **contour\_started**
- FT\_Vector **last\_point**
- int **FW\_Vertex**
- int **started**
- GLfloat \* **textpanel\_vert**
- GLfloat \* **textpanel\_tex**
- GLushort \* **textpanel\_ind**
- int **textpanel\_size**
- int **textpanel\_vert\_size**
- int **textpanel\_tex\_size**
- int **textpanel\_ind\_size**
- struct **Vector** \* **font\_table**
- struct **Vector** \* **atlas\_table**
- GLuint **positionLoc**
- GLuint **texCoordLoc**
- GLuint **textureLoc**
- GLuint **color4fLoc**
- GLuint **textureID**
- GLuint **blendLoc**
- GLuint **modelviewLoc**
- GLuint **projectionLoc**
- GLuint **programObject**

### 4.731.1 Detailed Description

Definition at line 233 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.732 pComponent\_VolumeRendering Struct Reference

### Data Fields

- GLuint **front\_texture**
- GLuint **back\_texture**
- GLint **ifbobo**
- GLint **idepthbo**
- int **width**
- int **height**
- GLfloat \* **quad**

### 4.732.1 Detailed Description

Definition at line 184 of file Component\_VolumeRendering.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_VolumeRendering.c

## 4.733 pConsoleMessage Struct Reference

### Data Fields

- int **androidFreeSlot**
- char \*\* **androidMessageSlot**
- int **androidHaveUnreadMessages**
- char **FWbuffer** [STRING\_LENGTH]
- int **maxLineLength**
- int **maxLines**
- int **tabSpaces**
- void(\* **callback** [2])(char \*)
- void(\* **callbackB** [4])(void \*, char \*)
- void \* **dataB** [4]
- int **nbackB**

#### 4.733.1 Detailed Description

Definition at line 55 of file ConsoleMessage.c.

The documentation for this struct was generated from the following file:

- src/lib/main/ConsoleMessage.c

### 4.734 pCParse Struct Reference

#### Data Fields

- int **ijunk**

#### 4.734.1 Detailed Description

Definition at line 50 of file CParse.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParse.c

### 4.735 pCParserParser Struct Reference

#### Data Fields

- char **fw\_outline** [2000]
- int **foundInputErrors**
- int **latest\_protoDefNumber**

#### 4.735.1 Detailed Description

Definition at line 66 of file CParserParser.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParserParser.c



## 4.736 pCRoutes Struct Reference

### Data Fields

- struct **FirstStruct** \* **ClockEvents**
- int **num\_ClockEvents**
- int **size\_ClockEvents**
- int **CRoutes\_Initiated**
- int **CRoutes\_Count**
- int **CRoutes\_MAX**
- int **initialEventBeforeRoutesCount**
- int **preRouteTableSize**
- struct **initialRouteStruct** \* **preEvents**
- pthread\_mutex\_t **preRouteLock**
- struct **Vector** \* **routesToRegister**
- pthread\_mutex\_t **insertRouteLock**
- int **thisIntTimeStamp**
- struct **CRStruct** \* **CRoutes**
- struct **Vector** \* **ScriptControl**
- int **JSMMaxScript**
- struct **CRjsnameStruct** \* **JSparamnames**

### 4.736.1 Detailed Description

Definition at line 217 of file CRoutes.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CRoutes.c

## 4.737 pCScripts Struct Reference

### Data Fields

- int **handleCnt**

### 4.737.1 Detailed Description

Definition at line 72 of file CScripts.c.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/CScripts.c

## 4.738 pCursorDraw Struct Reference

### Data Fields

- GLuint **textureID**
- int **done**

### 4.738.1 Detailed Description

Definition at line 192 of file CursorDraw.c.

The documentation for this struct was generated from the following file:

- src/lib/ui/CursorDraw.c

## 4.739 pdisplay Struct Reference

### Data Fields

- freewrl\_params\_t **params**
- s\_renderer\_capabilities\_t **rdr\_caps**
- char **myMenuStatus** [MAXSTAT]
- int **multi\_window\_capable**

### 4.739.1 Detailed Description

Definition at line 80 of file display.c.

The documentation for this struct was generated from the following file:

- src/lib/display.c

## 4.740 Pdu Struct Reference

### Data Fields

- unsigned char **protocolVersion**  
*The version of the protocol.*
- unsigned char **exercisID**  
*Exercise ID.*
- unsigned char **pduType**  
*Type of pdu, unique for each PDU class.*
- unsigned char **protocolFamily**  
*value that refers to the protocol family, eg SimulationManagement, et*
- unsigned int **timestamp**  
*Timestamp value.*
- unsigned short **length**  
*Length, in bytes, of the PDU.*
- short **padding**  
*zero-filled array of padding*

### 4.740.1 Detailed Description

Definition at line 597 of file DIS.h.

### 4.740.2 Field Documentation

#### 4.740.2.1 protocolVersion

```
unsigned char Pdu::protocolVersion
```

The version of the protocol.

5=DIS-1995, 6=DIS-1998.

Definition at line 599 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.741 PduContainer Struct Reference

### Data Fields

- int **numberOfPdus**  
*Number of PDUs in the container list.*
- void \* **pdus**  
*record sets*

### 4.741.1 Detailed Description

Definition at line 668 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.742 pEAI\_C\_CommonFunctions Struct Reference

### Data Fields

- struct **VRMLParser** \* **parser**

### 4.742.1 Detailed Description

Definition at line 53 of file EAI\_C\_CommonFunctions.c.

The documentation for this struct was generated from the following file:

- src/lib/input/EAI\_C\_CommonFunctions.c

## 4.743 pEAICore Struct Reference

### Data Fields

- pthread\_mutex\_t **eaibufferlock**

### 4.743.1 Detailed Description

Definition at line 160 of file EAIEventsIn.c.

The documentation for this struct was generated from the following file:

- src/lib/input/EAIEventsIn.c

## 4.744 pEAIEventsIn Struct Reference

### Data Fields

- int **oldCount**
- int **waiting\_for\_anchor**
- struct X3D\_Anchor **EAI\_AnchorNode**

### 4.744.1 Detailed Description

Definition at line 129 of file EAIEventsIn.c.

The documentation for this struct was generated from the following file:

- src/lib/input/EAIEventsIn.c

## 4.745 pEAHelpers Struct Reference

### Data Fields

- struct Vector \* **EAINodeIndex**

### 4.745.1 Detailed Description

Definition at line 97 of file `EAIHelpers.c`.

The documentation for this struct was generated from the following file:

- `src/lib/input/EAIHelpers.c`

## 4.746 `pedal_state` Struct Reference

### Data Fields

- `int x`
- `int y`
- `int rx`
- `int ry`
- `int isDown`
- `int initialized`

### 4.746.1 Detailed Description

Definition at line 2990 of file `MainLoop.c`.

The documentation for this struct was generated from the following file:

- `src/lib/main/MainLoop.c`

## 4.747 `pFrustum` Struct Reference

### Data Fields

- `GLuint * OccQueries`
- `GLuint potentialOccluderCount`
- `void ** occluderNodePointer`
- `GLuint OccQuerySize`
- `GLuint OccResultsAvailable`

### 4.747.1 Detailed Description

Definition at line 88 of file `Frustum.c`.

The documentation for this struct was generated from the following file:

- `src/lib/opengl/Frustum.c`

## 4.748 pict Struct Reference

### Data Fields

- unsigned int **temp\_ref**
- unsigned int **code\_type**
- unsigned int **vbv\_delay**
- int **full\_pel\_forw\_vector**
- unsigned int **forw\_r\_size**
- unsigned int **forw\_f**
- int **full\_pel\_back\_vector**
- unsigned int **back\_r\_size**
- unsigned int **back\_f**
- char \* **extra\_info**
- char \* **ext\_data**
- char \* **user\_data**

### 4.748.1 Detailed Description

Definition at line 131 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

## 4.749 pict\_image Struct Reference

### Data Fields

- unsigned char \* **luminance**
- unsigned char \* **Cr**
- unsigned char \* **Cb**
- unsigned char \* **display**
- int **locked**
- TimeStamp **show\_time**

### 4.749.1 Detailed Description

Definition at line 105 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

## 4.750 Planet Struct Reference

### Data Fields

- int **ID**
- **Stack** \* **gegs**
- struct **SFVec4d** **autoOrient**
- struct **SFVec3d** **autoOrigin**
- int **autoOriginSet**

### 4.750.1 Detailed Description

Definition at line 465 of file Component\_Geospatial.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Geospatial.c

## 4.751 pLoadTextures Struct Reference

### Data Fields

- **s\_list\_t** \* **texture\_request\_list**
- bool **loader\_waiting**
- **s\_list\_t** \* **texture\_list**
- int **TextureParsing**

### 4.751.1 Detailed Description

- is the texture thread up and running yet? \*/

Definition at line 100 of file LoadTextures.c.

The documentation for this struct was generated from the following file:

- src/lib/opengl/LoadTextures.c

## 4.752 pMainloop Struct Reference

### Data Fields

- int **onScreen**
- int **doEvents**
- char \* **PluginFullPath**
- struct **Vector** \* **SensorEvents**
- GLint **viewPort2** [10]
- GLint **viewpointScreenX** [2]
- GLint **viewpointScreenY** [2]
- int **maxbuffers**
- int **bufferarray** [2]
- double **BrowserStartTime**
- double **BrowserInitTime**
- int **keypress\_wait\_for\_settle**
- char \* **keypress\_string**
- unsigned int **loop\_count**
- unsigned int **once**
- unsigned int **slowloop\_count**
- unsigned int **total\_loop\_count**
- int **lastDeltax**
- int **lastDeltay**
- int **lastxx**
- int **lastyy**
- int **ntouch**
- unsigned int **currentTouch**
- struct **Touch** **touchlist** [20]
- int **EMULATE\_MULTITOUCH**
- FILE \* **logfile**
- FILE \* **logerr**
- char \* **logfname**
- int **logging**
- int **keySensorMode**
- int **draw\_initialized**
- int **keywait**
- char **keywaitstring** [25]
- int **fps\_sleep\_remainder**
- double **screenorientationmatrix** [16]
- double **viewtransformmatrix** [16]
- double **posorimatrix** [16]
- double **stereooffsetmatrix** [2][16]
- int **targets\_initialized**
- **targetwindow** **cwindows** [4]
- void \* **hyper\_switch** [4]
- int **hyper\_case** [4]
- int **nwindow**
- int **windex**
- **Stack** \* **\_vportstack**
- **Stack** \* **\_stagestack**
- **Stack** \* **\_framebufferstack**
- struct **Vector** \* **contenttype\_registry**
- int **mouseDown**
- int **mouseOver**
- struct **pedal\_state** **pedalstate**



### 4.752.1 Detailed Description

Definition at line 2997 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.753 Point Struct Reference

### Data Fields

- float **x**  
x
- float **y**  
y
- double **x**
- double **y**

### 4.753.1 Detailed Description

Definition at line 642 of file DIS.h.

The documentation for this struct was generated from the following files:

- src/lib/DIS/DIS.h
- src/SSR/point\_in\_poly.c
- src/SSR/SSRServer.c

## 4.754 point\_XYZ Struct Reference

### Data Fields

- GLDOUBLE **x**
- GLDOUBLE **y**
- GLDOUBLE **z**

### 4.754.1 Detailed Description

Definition at line 34 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.755 point\_XYZ3 Struct Reference

### Data Fields

- struct **point\_XYZ** p1
- struct **point\_XYZ** p2
- struct **point\_XYZ** p3

### 4.755.1 Detailed Description

Definition at line 65 of file RenderFuncs.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/RenderFuncs.c

## 4.756 pointer2pointer Struct Reference

### Data Fields

- struct **X3D\_Node** \* pp
- struct **X3D\_Node** \* pn

### 4.756.1 Detailed Description

Definition at line 4428 of file CParseParser.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.c

## 4.757 PointObjectStatePdu Struct Reference

### Data Fields

- struct **SyntheticEnvironmentFamilyPdu** mySyntheticEnvironmentFamilyPdu
- struct **EntityID** objectID  
*Object in synthetic environment.*
- struct **EntityID** referencedObjectID  
*Object with which this point object is associated.*
- unsigned short **updateNumber**  
*unique update number of each state transition of an object*
- unsigned char **forceID**  
*force ID*
- unsigned char **modifications**

- modifications*
- struct **ObjectType** **objectType**  
*Object type.*
- struct **Vector3Double** **objectLocation**  
*Object location.*
- struct **Orientation** **objectOrientation**  
*Object orientation.*
- double **objectAppearance**  
*Object apperance.*
- struct **SimulationAddress** **requesterID**  
*requesterID*
- struct **SimulationAddress** **receivingID**  
*receiver ID*
- unsigned int **pad2**  
*padding*

#### 4.757.1 Detailed Description

Definition at line 1359 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.758 polygon Struct Reference

### Data Fields

- int **n**
- double \* **pts**

#### 4.758.1 Detailed Description

Definition at line 767 of file SSRServer.c.

The documentation for this struct was generated from the following file:

- src/SSR/SSRServer.c

## 4.759 polyrep\_combiner\_data Struct Reference

### Data Fields

- float \* **coords**
- int \* **counter**
- int \* **ria**
- int \* **riaindex**

### 4.759.1 Detailed Description

Definition at line 971 of file headers.h.

The documentation for this struct was generated from the following file:

- src/lib/main/headers.h

## 4.760 Pool Class Reference

### Public Member Functions

- **Pool** (int, int, const char \*)
- void \* **new\_buffer** (void)
- void **free\_buffer** (void \*)
- void **clear** (void)

### Protected Types

- enum **Magic** { **is\_allocated** = 0xf3a1 , **is\_free** = 0xf1a2 }

### Protected Attributes

- **Buffer** \* **freelist**
- char \* **blocklist** [NBLOCKS]
- int **nextblock**
- char \* **curblock**
- int **buffersize**
- int **nextsize**
- int **nextfree**
- int **initsize**
- const char \* **name**
- Magic **magic**

### 4.760.1 Detailed Description


Definition at line 50 of file bufpool.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/bufpool.h
- src/libnurbs/internals/bufpool.cc

## 4.761 PooledObj Class Reference

Inheritance diagram for PooledObj:



### Public Member Functions

- void \* **operator new** (size\_t, **Pool** &)
- void \* **operator new** (size\_t, void \*)
- void \* **operator new** (size\_t s)
- void **operator delete** (void \*)
- void **operator delete** (void \*, **Pool** &)
- void **deleteMe** ( **Pool** &)

### 4.761.1 Detailed Description

Definition at line 118 of file bufpool.h.

The documentation for this class was generated from the following file:

- src/libnurbs/internals/bufpool.h

## 4.762 pOpenGL\_Utils Struct Reference

### Data Fields

- struct **Vector** \* **linearNodeTable**
- int **potentialHoleCount**
- float **cc\_red**
- float **cc\_green**
- float **cc\_blue**
- float **cc\_alpha**
- pthread\_mutex\_t **memtablelock**
- MATRIX4 **FW\_ModelView** [MAX\_LARGE\_MATRIX\_STACK]
- MATRIX4 **FW\_ProjectionView** [MAX\_SMALL\_MATRIX\_STACK]
- MATRIX4 **FW\_TextureView** [MAX\_SMALL\_MATRIX\_STACK]
- int **modelviewTOS**
- int **projectionviewTOS**
- int **textureviewTOS**
- int **whichMode**
- GLDOUBLE \* **currentMatrix**
- struct **Vector** \* **myShaderTable**
- int **userDefinedShaderCount**
- char \* **userDefinedFragmentShader** [MAX\_USER\_DEFINED\_SHADERS]
- char \* **userDefinedVertexShader** [MAX\_USER\_DEFINED\_SHADERS]
- int **shadingStyle**
- int **maxStackUsed**

### 4.762.1 Detailed Description

Definition at line 124 of file OpenGL\_Utils.c.

The documentation for this struct was generated from the following file:

- src/lib/opengl/OpenGL\_Utils.c

## 4.763 pPluginSocket Struct Reference

### Data Fields

- pthread\_mutex\_t **mylocker**
- fd\_set **rfds**
- struct timeval **tv**
- char **return\_url** [FILENAME\_MAX]

### 4.763.1 Detailed Description

Definition at line 62 of file PluginSocket.c.

The documentation for this struct was generated from the following file:

- src/lib/plugin/PluginSocket.c

## 4.764 ppluginUtils Struct Reference

### Data Fields

- int **waitingForURLtoLoad**
- resource\_item\_t \* **plugin\_res**

### 4.764.1 Detailed Description

Definition at line 70 of file pluginUtils.c.

The documentation for this struct was generated from the following file:

- src/lib/plugin/pluginUtils.c

## 4.765 pProdCon Struct Reference

### Data Fields

- struct **Vector** \* **viewpointNodes**
- struct **Vector** \* **fogNodes**
- struct **Vector** \* **backgroundNodes**
- struct **Vector** \* **navigationNodes**
- int **\_P\_LOCK\_VAR**
- s\_list\_t \* **resource\_list\_to\_parse**
- s\_list\_t \* **frontend\_list\_to\_get**
- int **frontend\_gets\_files**
- struct **PSstruct** **psp**
- int **inputThreadParsing**
- int **haveParsedCParsed**
- int **frontend\_res\_count**

### 4.765.1 Detailed Description

Definition at line 121 of file ProdCon.c.

The documentation for this struct was generated from the following file:

- src/lib/main/ProdCon.c

## 4.766 PQhandleElem Struct Reference

### Data Fields

- PQkey **key**
- PQhandle **node**

### 4.766.1 Detailed Description

Definition at line 84 of file priorityq-heap.h.

The documentation for this struct was generated from the following file:

- src/libtess/priorityq-heap.h

## 4.767 PQnode Struct Reference

### Data Fields

- PQhandle **handle**

### 4.767.1 Detailed Description

Definition at line 83 of file priorityq-heap.h.

The documentation for this struct was generated from the following file:

- src/libtess/priorityq-heap.h

## 4.768 pRasterFont Struct Reference

### Data Fields

- struct **X3D\_Text** myText
- struct **X3D\_FontStyle** myFont
- bool **rf\_initialized**
- int **xf\_color**
- vec4f\_t **xf\_colors** [3]

### 4.768.1 Detailed Description

Definition at line 57 of file RasterFont.c.

The documentation for this struct was generated from the following file:

- src/lib/opengl/RasterFont.c



## 4.769 pRenderFuncs Struct Reference

### Data Fields

- int **profile\_entry\_count**
- struct **profile\_entry** **profile\_entries** [100]
- int **profiling\_on**
- float **light\_linAtten** [MAX\_LIGHT\_STACK]
- float **light\_constAtten** [MAX\_LIGHT\_STACK]
- float **light\_quadAtten** [MAX\_LIGHT\_STACK]
- float **light\_spotCutoffAngle** [MAX\_LIGHT\_STACK]
- float **light\_spotBeamWidth** [MAX\_LIGHT\_STACK]
- shaderVec4 **light\_amb** [MAX\_LIGHT\_STACK]
- shaderVec4 **light\_dif** [MAX\_LIGHT\_STACK]
- shaderVec4 **light\_pos** [MAX\_LIGHT\_STACK]
- shaderVec4 **light\_spec** [MAX\_LIGHT\_STACK]
- shaderVec4 **light\_spotDir** [MAX\_LIGHT\_STACK]
- float **light\_radius** [MAX\_LIGHT\_STACK]
- GLint **lightType** [MAX\_LIGHT\_STACK]
- int **nextFreeLight**
- int **refreshLightUniforms**
- unsigned int **currentLoop**
- unsigned int **lastLoop**
- unsigned int **sendCount**
- GLint **lightOnOff** [MAX\_LIGHT\_STACK]
- GLint **lightChanged** [MAX\_LIGHT\_STACK]
- GLint **lastShader**
- void \* **empty\_group**
- struct **point\_XYZ** **hyper\_r1** **hyper\_r2**
- struct **currayhit** **rayph**
- struct **X3D\_Node** \* **rootNode**
- struct **Vector** \* **libraries**
- struct **X3D\_Anchor** \* **AnchorsAnchor**
- struct **currayhit** **rayHit**
- struct **trenderstate** **renderstate**
- int **renderLevel**
- GLint **currentShader**
- **Stack** \* **render\_geom\_stack**
- **Stack** \* **sensor\_stack**
- **Stack** \* **ray\_stack**
- **Stack** \* **shaderflags\_stack**
- **Stack** \* **fog\_stack**
- **Stack** \* **localLight\_stack**
- struct **point\_XYZ3** **t\_r123**
- struct **point\_XYZ** **hp**
- **Stack** \* **usehits\_stack**
- **Stack** \* **usehitsB\_stack**
- **Stack** \* **pickablegroupdata\_stack**
- **Stack** \* **draw\_call\_params\_stack**

### 4.769.1 Detailed Description

Definition at line 88 of file RenderFuncs.c.

The documentation for this struct was generated from the following file:

- `src/lib/scenegraph/RenderFuncs.c`

## 4.770 pRenderTextures Struct Reference

### Data Fields

- struct **multiTexParams** **textureParameterStack** [MAX\_MULTITEXTURE]

### 4.770.1 Detailed Description

Definition at line 55 of file RenderTextures.c.

The documentation for this struct was generated from the following file:

- `src/lib/opengl/RenderTextures.c`

## 4.771 presources Struct Reference

### Data Fields

- struct **Vector** \* **resStack**
- **resource\_item\_t** \* **lastBaseResource**

### 4.771.1 Detailed Description

Definition at line 57 of file resources.c.

The documentation for this struct was generated from the following file:

- `src/lib/resources.c`

## 4.772 primStream Class Reference

### Public Member Functions

- **primStream** (Int sizeLengths, Int sizeVertices)
- Int **get\_n\_prims** ()
- Int **get\_type** (Int i)
- Int **get\_length** (Int i)
- Real \* **get\_vertices** ()
- void **begin** ()
- void **insert** (Real u, Real v)
- void **insert** (Real v[2])
- void **end** (Int type)
- Int **num\_triangles** ()
- void **triangle** (Real A[2], Real B[2], Real C[2])
- void **print** ()
- void **draw** ()

### 4.772.1 Detailed Description

Definition at line 44 of file primitiveStream.h.

The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/primitiveStream.h
- src/libnurbs/nurbtess/primitiveStream.cc

## 4.773 PriorityQ Struct Reference

### Data Fields

- **PQnode** \* **nodes**
- **PQhandleElem** \* **handles**
- long **size**
- long **max**
- **PQhandle** **freeList**
- int **initialized**
- int(\* **leq** )(PQkey key1, PQkey key2)
- **PriorityQHeap** \* **heap**
- **PQkey** \* **keys**
- **PQkey** \*\* **order**
- **PQhandle** **size**
- **PQhandle** **max**

### 4.773.1 Detailed Description

Definition at line 86 of file priorityq-heap.h.

The documentation for this struct was generated from the following files:

- src/libtess/priorityq-heap.h
- src/libtess/priorityq-sort.h
- src/libtess/priorityq.h

## 4.774 profile\_entry Struct Reference

### Data Fields

- char \* **name**
- double **start**
- double **accum**
- int **hits**

### 4.774.1 Detailed Description


Definition at line 58 of file RenderFuncs.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/RenderFuncs.c

## 4.775 org.web3d.x3d.sai.ProfileInfo Interface Reference

Inheritance diagram for org.web3d.x3d.sai.ProfileInfo:



### Public Member Functions

- String **getName** ()
- String **getTitle** ()
- **ComponentInfo[]** **getComponents** ()
- String **toX3DString** ()

### 4.775.1 Detailed Description

Definition at line 3 of file ProfileInfo.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/ProfileInfo.java

## 4.776 proftablestruct Struct Reference

### Data Fields

- int **profileName**
- const int \* **profileTable**
- int **level**

### 4.776.1 Detailed Description

Definition at line 237 of file capabilitiesHandler.c.

The documentation for this struct was generated from the following file:

- src/lib/x3d\_parser/capabilitiesHandler.c

## 4.777 projective\_Texdata Struct Reference

### Data Fields

- struct **Uni\_String** \* **des**
- GLDOUBLE **TenLinearGexMat** [16]

### 4.777.1 Detailed Description

Definition at line 74 of file Component\_PTM.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_PTM.c

## 4.778 projector\_tuple Struct Reference

### Data Fields

- struct **Uni\_String** \* **des**
- GLDOUBLE **TenLinearGexMat** [16]
- int **backCull**
- int **global**
- int **type**
- GLuint **texture**
- struct **X3D\_Node** \* **textureNode**

### 4.778.1 Detailed Description


Definition at line 79 of file Component\_PTM.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_PTM.c

## 4.779 Property Struct Reference

Inheritance diagram for Property:



### Public Member Functions

- **Property** (long \_type, long \_tag, INREAL \_value)
- **Property** (long \_tag, INREAL \_value)

### Data Fields

- long **type**
- long **tag**
- REAL **value**
- int **save**

### 4.779.1 Detailed Description

Definition at line 120 of file reader.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/reader.h

## 4.780 PropulsionSystemData Struct Reference

### Data Fields

- float **powerSetting**  
*powerSetting*
- float **engineRpm**  
*engine RPMs*

### 4.780.1 Detailed Description

Definition at line 650 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.781 ProtoDefinition Struct Reference

### Data Fields

- indexT **protoDefNumber**
- struct **Vector** \* **iface**
- struct **Vector** \* **deconstructedProtoBody**
- int **estimatedBodyLen**
- char \* **protoName**
- int **isCopy**
- int **isExtern**

### 4.781.1 Detailed Description

Definition at line 92 of file CParseParser.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.h

## 4.782 ProtoFieldDecl Struct Reference

### Data Fields

- indexT **mode**
- indexT **type**
- indexT **name**
- char \* **cname**
- char \* **fieldString**
- BOOL **alreadySet**
- union **anyVrml** **defaultVal**
- struct **Vector** \* **scriptDests**

### 4.782.1 Detailed Description

Definition at line 38 of file CParseParser.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.h

## 4.783 pSensInterps Struct Reference

### Data Fields

- int **stub**

### 4.783.1 Detailed Description

Definition at line 64 of file SensInterps.c.

The documentation for this struct was generated from the following file:

- src/lib/input/SensInterps.c

## 4.784 pSnapshot Struct Reference

### Data Fields

- int **snapRawCount**
- int **snapGoodCount**
- int **snapGif**
- char \* **snapsnapB**
- const char \* **default\_seqtmp**
- char \* **seqtmp**
- int **doSnapshot**
- int **doPrintshot**
- int **savedSnapshot**
- int **modeTesting**

### 4.784.1 Detailed Description

Definition at line 58 of file Snapshot.c.


The documentation for this struct was generated from the following file:

- src/lib/main/Snapshot.c



## 4.785 Pspec Struct Reference

Inheritance diagram for Pspec:



### Data Fields

- REAL **range** [3]
- REAL **sidestep** [2]
- REAL **stepsize**
- REAL **minstepsize**
- int **needsSubdivision**

#### 4.785.1 Detailed Description

Definition at line 46 of file patch.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/patch.h

## 4.786 PSStruct Struct Reference

### Data Fields

- unsigned **type**
- char \* **inp**
- void \* **ptr**
- unsigned **ofs**
- int **zeroBind**
- int **bind**
- char \* **path**
- int \* **comp**
- char \* **fieldname**
- int **jparamcount**
- struct **Uni\_String** \* **sv**

#### 4.786.1 Detailed Description

Definition at line 103 of file ProdCon.c.

The documentation for this struct was generated from the following file:

- src/lib/main/ProdCon.c

## 4.787 pstatusbar Struct Reference

### Data Fields

- int **initDone**
- int **screenWidth**
- int **screenHeight**
- double **screenRatio**

### 4.787.1 Detailed Description

Definition at line 65 of file `statusbar.c`.

The documentation for this struct was generated from the following file:

- `src/lib/ui/statusbar.c`

## 4.788 pStreamPoly Struct Reference

### Data Fields

- int **Sindex**
- int **Tindex**
- GLfloat **minVals** [3]
- GLfloat **Ssize**

### 4.788.1 Detailed Description

Definition at line 83 of file `StreamPoly.c`.

The documentation for this struct was generated from the following file:

- `src/lib/scenegraph/StreamPoly.c`

## 4.789 pTess Struct Reference

### Data Fields

- int **global\_IFS\_Coords** [TESS\_MAX\_COORDS]

### 4.789.1 Detailed Description

Definition at line 68 of file `Tess.c`.

The documentation for this struct was generated from the following file:

- `src/lib/scenegraph/Tess.c`

## 4.790 pTextures Struct Reference

### Data Fields

- struct **Vector** \* **activeTextureTable**
- **textureTableIndexStruct\_s** \* **loadThisTexture**
- int **currentlyWorkingOn**
- int **textureInProcess**

### 4.790.1 Detailed Description

Definition at line 96 of file Textures.c.

The documentation for this struct was generated from the following file:

- src/lib/OpenGL/Textures.c

## 4.791 pViewer Struct Reference

### Data Fields

- int **examineCounter**
- int **viewer\_initialized**
- **X3D\_Viewer\_Walk** viewer\_walk
- **X3D\_Viewer\_Examine** viewer\_examine
- **X3D\_Viewer\_Fly** viewer\_fly
- **X3D\_Viewer\_Spherical** viewer\_ypz
- FILE \* **exfly\_in\_file**
- struct **point\_XYZ** viewer\_lastP
- int **exflyMethod**
- int **StereoInitializedOnce**
- GLboolean **acMask** [3][3]
- double **old2new** [16]
- double **identity** [16]
- double **tickFrac**
- **Quaternion** sq
- double **sp** [3]
- int **keychord**
- int **dragchord**

### 4.791.1 Detailed Description


Definition at line 80 of file Viewer.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.c

## 4.792 PwIArc Class Reference

Inheritance diagram for PwIArc:



### Public Member Functions

- **PwIArc** (int, **TrimVertex** \*)
- **PwIArc** (int, **TrimVertex** \*, long)

### Data Fields

- **TrimVertex** \* **pts**
- int **npts**
- long **type**

### 4.792.1 Detailed Description

Definition at line 44 of file pwIarc.h.

The documentation for this class was generated from the following file:

- src/libnurbs/internals/pwIarc.h

## 4.793 pX3DParser Struct Reference

### Data Fields

- struct **VRMLLexer** \* **myLexer**
- **Stack** \* **DEFedNodes**
- int **CDATA\_TextMallocSize**
- int **in3\_3\_fieldValue**
- int **in3\_3\_fieldIndex**
- int **X3DParserRecurseLevel**
- XML\_Parser **x3dparser** [PROTOINSTANCE\_MAX\_LEVELS]
- XML\_Parser **currentX3DParser**
- int **currentParserMode** [PROTOINSTANCE\_MAX\_LEVELS]
- int **currentParserModelIndex**
- struct **xml\_user\_data** \* **user\_data**

### 4.793.1 Detailed Description

Definition at line 259 of file X3DParser.c.

The documentation for this struct was generated from the following file:

- src/lib/x3d\_parser/X3DParser.c

## 4.794 quaternion Struct Reference

### Data Fields

- double **w**
- double **x**
- double **y**
- double **z**

### 4.794.1 Detailed Description


Definition at line 70 of file quaternion.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/quaternion.h

## 4.795 Quilt Class Reference

Inheritance diagram for Quilt:



### Public Member Functions

- **Quilt** ( **Mapdesc** \*)
- void **deleteMe** ( **Pool** &)
- void **toBezier** ( **Knotvector** &, INREAL \*, long)
- void **toBezier** ( **Knotvector** &, **Knotvector** &, INREAL \*, long)
- void **select** (REAL \*, REAL \*)
- int **getDimension** (void)
- void **download** ( **Backend** &)
- void **downloadAll** (REAL \*, REAL \*, **Backend** &)
- int **isCulled** (void)
- void **getRange** (REAL \*, REAL \*, **Flist** &, **Flist** &)
- void **getRange** (REAL \*, REAL \*, int, **Flist** &)
- void **getRange** (REAL \*, REAL \*, **Flist** &)
- void **findRates** ( **Flist** &slist, **Flist** &tlist, REAL[2])
- void **findSampleRates** ( **Flist** &slist, **Flist** &tlist)
- void **show** ()

## Data Fields

- **Mapdesc** \* **mapdesc**
- REAL \* **cpts**
- **Quiltspec** **qspec** [MAXDIM]
- **Quiltspec\_ptr** **eqspec**
- **Quilt** \* **next**

### 4.795.1 Detailed Description

Definition at line 64 of file quilt.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/quilt.h
- src/libnurbs/internals/quilt.cc
- src/libnurbs/internals/tobezier.cc

## 4.796 Quiltspec Struct Reference

### Data Fields

- int **stride**
- int **width**
- int **offset**
- int **order**
- int **index**
- int **bdry** [2]
- REAL **step\_size**
- Knot \* **breakpoints**

### 4.796.1 Detailed Description

Definition at line 51 of file quilt.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/quilt.h

## 4.797 RadioCommunicationsFamilyPdu Struct Reference

### Data Fields

- struct **Pdu** **myPdu**
- struct **EntityID** **entityId**  
*ID of the entity that is the source of the communication.*
- unsigned short **radioId**  
*particular radio within an entity*

### 4.797.1 Detailed Description

Definition at line 876 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.798 RadioEntityType Struct Reference

### Data Fields

- unsigned char **entityKind**  
*Kind of entity.*
- unsigned char **domain**  
*Domain of entity (air, surface, subsurface, space, etc)*
- unsigned short **country**  
*country to which the design of the entity is attributed*
- unsigned char **category**  
*category of entity*
- unsigned char **nomenclatureVersion**  
*specific info based on subcategory field*
- unsigned short **nomenclature**

### 4.798.1 Detailed Description

Definition at line 168 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.799 rb1 Struct Reference

### Data Fields

- int **head**
- int **tail**
- int **noOfElements**
- void \* **data**

### 4.799.1 Detailed Description

Definition at line 8 of file ringbuf.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/ringbuf.h

## 4.800 ReceiverPdu Struct Reference

### Data Fields

- struct **RadioCommunicationsFamilyPdu** **myRadioCommunicationsFamilyPdu**
- unsigned short **receiverState**  
*encoding scheme used, and enumeration*
- unsigned short **padding1**  
*padding*
- float **receivedPoser**  
*received power*
- struct **EntityID** **transmitterEntityId**  
*ID of transmitter.*
- unsigned short **transmitterRadioid**  
*ID of transmitting radio.*

### 4.800.1 Detailed Description

Definition at line 1854 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.801 RecordQueryReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** **mySimulationManagementWithReliability**↔  
**FamilyPdu**
- unsigned int **requestID**  
*request ID*
- unsigned char **requiredReliabilityService**  
*level of reliability service used for this transaction*
- unsigned short **pad1**  
*padding.*
- unsigned char **pad2**  
*padding*
- unsigned short **eventType**  
*event type*
- unsigned int **time**  
*time*
- unsigned int **numberOfRecords**  
*numberOfRecords*
- void \* **recordIDs**  
*record IDs*



### 4.801.1 Detailed Description

Definition at line 1777 of file DIS.h.

### 4.801.2 Field Documentation

#### 4.801.2.1 pad1

```
unsigned short RecordQueryReliablePdu::pad1
```

padding.

The spec is unclear and contradictory here.

Definition at line 1784 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.802 RecordSet Struct Reference

### Data Fields

- unsigned int **recordID**  
*record ID*
- unsigned int **recordSetSerialNumber**  
*record set serial number*
- unsigned short **recordLength**  
*record length*
- unsigned short **recordCount**  
*record count*
- unsigned short **recordValues**  
^^^ *This is wrong—variable sized data records*
- unsigned char **pad4**  
^^^ *This is wrong—variable sized padding*

### 4.802.1 Detailed Description

Definition at line 421 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.803 rectBlock Class Reference

### Public Member Functions

- **rectBlock** ( **gridBoundaryChain** \*left, **gridBoundaryChain** \*right, **Int** beginVline, **Int** endVline)
- **Int** **get\_upGridLineIndex** ()
- **Int** **get\_lowGridLineIndex** ()
- **Int** \* **get\_leftIndices** ()
- **Int** \* **get\_rightIndices** ()
- **Int** **num\_quads** ()
- **void** **print** ()
- **void** **draw** (**Real** \*u\_values, **Real** \*v\_values)

### 4.803.1 Detailed Description

Definition at line 39 of file rectBlock.h.

The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/rectBlock.h
- src/libnurbs/nurbtess/rectBlock.cc

## 4.804 rectBlockArray Class Reference

### Public Member Functions

- **rectBlockArray** (**Int** s)
- **Int** **get\_n\_elements** ()
- **rectBlock** \* **get\_element** (**Int** i)
- **void** **insert** ( **rectBlock** \*newBlock)
- **Int** **num\_quads** ()
- **void** **print** ()
- **void** **draw** (**Real** \*u\_values, **Real** \*v\_values)

### 4.804.1 Detailed Description

Definition at line 61 of file rectBlock.h.

The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/rectBlock.h
- src/libnurbs/nurbtess/rectBlock.cc

## 4.805 reflexChain Class Reference

### Public Member Functions

- **reflexChain** (Int size, Int isIncreasing)
- void **insert** (Real u, Real v)
- void **insert** (Real v[2])
- void **processNewVertex** (Real v[2], **primStream** \*pStream)
- void **outputFan** (Real v[2], **primStream** \*pStream)
- void **processNewVertex** (Real v[2], **Backend** \*backend)
- void **outputFan** (Real v[2], **Backend** \*backend)
- void **print** ()

### 4.805.1 Detailed Description

Definition at line 43 of file monoTriangulation.h.

The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/monoTriangulation.h
- src/libnurbs/internals/monoTriangulationBackend.cc
- src/libnurbs/nurbtess/monoTriangulation.cc

## 4.806 Relationship Struct Reference

### Data Fields

- unsigned short **nature**  
*Nature of join.*
- unsigned short **position**  
*position of join*

### 4.806.1 Detailed Description

Definition at line 320 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.807 RemoveEntityPdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** mySimulationManagementFamilyPdu
- unsigned int **requestID**  
*Identifier for the request.*

### 4.807.1 Detailed Description

Definition at line 971 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.808 RemoveEntityReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** mySimulationManagementWithReliability↔  
**FamilyPdu**
- unsigned char **requiredReliabilityService**  
*level of reliability service used for this transaction*
- unsigned short **pad1**  
*padding*
- unsigned char **pad2**  
*padding*
- unsigned int **requestID**  
*Request ID.*

### 4.808.1 Detailed Description

Definition at line 1943 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.809 Renderhints Class Reference

### Public Member Functions

- void **init** (void)
- int **isProperty** (long)
- REAL **getProperty** (long)
- void **setProperty** (long, REAL)

### Data Fields

- REAL **display\_method**
- REAL **errorchecking**
- REAL **subdivisions**
- REAL **tmp1**
- int **displaydomain**
- int **maxsubdivisions**
- int **wiretris**
- int **wirequads**

### 4.809.1 Detailed Description

Definition at line 41 of file renderhints.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/renderhints.h
- src/libnurbs/internals/renderhints.cc

## 4.810 RepairCompletePdu Struct Reference

### Data Fields

- struct **LogisticsFamilyPdu** myLogisticsFamilyPdu
- struct **EntityID** receivingEntityID  
*Entity that is receiving service.*
- struct **EntityID** repairingEntityID  
*Entity that is supplying.*
- unsigned short **repair**  
*Enumeration for type of repair.*
- short **padding2**  
*padding, number prevents conflict with superclass ivar name*

### 4.810.1 Detailed Description

Definition at line 721 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.811 RepairResponsePdu Struct Reference

### Data Fields

- struct **LogisticsFamilyPdu** myLogisticsFamilyPdu
- struct **EntityID** receivingEntityID  
*Entity that is receiving service.*
- struct **EntityID** repairingEntityID  
*Entity that is supplying.*
- unsigned char **repairResult**  
*Result of repair operation.*
- short **padding1**  
*padding*
- char **padding2**  
*padding*

### 4.811.1 Detailed Description

Definition at line 783 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.812 resource\_item Struct Reference

### Data Fields

- struct **resource\_item** \* **parent**
- **s\_list\_t** \* **children**
- bool **network**
- bool **new\_root**
- resource\_type\_t **type**
- resource\_status\_t **status**
- resource\_actions\_t **actions**
- bool **complete**
- void \* **ectx**
- void \* **whereToPlaceData**
- int **offsetFromWhereToPlaceData**
- int **textureNumber**
- **s\_list\_t** \* **m\_request**
- char \* **URLrequest**
- char \* **URLbase**
- char \* **temp\_dir**
- char \* **afterPoundCharacters**
- char \* **parsed\_request**
- char \* **actual\_file**
- void \* **cached\_files**
- void \* **openned\_files**
- char **four\_first\_bytes**[4]
- resource\_media\_type\_t **media\_type**
- int **treat\_as\_root**
- pthread\_t \* **\_loadThread**
- void \* **tg**
- int(\* **\_loadFunc**)(void \*)

### 4.812.1 Detailed Description

Definition at line 99 of file resources.h.

The documentation for this struct was generated from the following file:

- src/lib/resources.h

## 4.813 ResupplyCancelPdu Struct Reference

### Data Fields

- struct **LogisticsFamilyPdu** **myLogisticsFamilyPdu**
- struct **EntityID** **receivingEntityID**  
*Entity that is receiving service.*
- struct **EntityID** **supplyingEntityID**  
*Entity that is supplying.*

### 4.813.1 Detailed Description

Definition at line 1205 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.814 ResupplyOfferPdu Struct Reference

### Data Fields

- struct **LogisticsFamilyPdu** **myLogisticsFamilyPdu**
- struct **EntityID** **receivingEntityID**  
*Entity that is receiving service.*
- struct **EntityID** **supplyingEntityID**  
*Entity that is supplying.*
- unsigned char **numberOfSupplyTypes**  
*how many supplies are being offered*
- short **padding1**  
*padding*
- char **padding2**  
*padding*
- void \* **supplies**

### 4.814.1 Detailed Description

Definition at line 1300 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.815 ResupplyReceivedPdu Struct Reference

### Data Fields

- struct **LogisticsFamilyPdu** **myLogisticsFamilyPdu**
- struct **EntityID** **receivingEntityID**  
*Entity that is receiving service.*
- struct **EntityID** **supplyingEntityID**  
*Entity that is supplying.*
- unsigned char **numberOfSupplyTypes**  
*how many supplies are being offered*
- short **padding1**  
*padding*
- char **padding2**  
*padding*
- void \* **supplies**

### 4.815.1 Detailed Description

Definition at line 978 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.816 row32 Struct Reference

### Data Fields

- int **allocn**
- int **len32**
- unsigned int \* **str32**
- int **iglyphstartindex**
- double **hrowsize**
- double **vcolsize**
- double **widestchar**
- **chardata** \* **chr**

### 4.816.1 Detailed Description

Definition at line 211 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c



## 4.817 `s_renderer_capabilities_t` Struct Reference

### Data Fields

- `const char *` **renderer**
- `const char *` **version**
- `const char *` **vendor**
- `const char *` **extensions**
- `float` **versionf**
- `bool` **have\_GL\_VERSION\_1\_1**
- `bool` **have\_GL\_VERSION\_1\_2**
- `bool` **have\_GL\_VERSION\_1\_3**
- `bool` **have\_GL\_VERSION\_1\_4**
- `bool` **have\_GL\_VERSION\_1\_5**
- `bool` **have\_GL\_VERSION\_2\_0**
- `bool` **have\_GL\_VERSION\_2\_1**
- `bool` **have\_GL\_VERSION\_3\_0**
- `bool` **av\_multitexture**
- `bool` **av\_npot\_texture**
- `bool` **av\_texture\_rect**
- `bool` **av\_occlusion\_q**
- `int` **texture\_units**
- `int` **runtime\_max\_texture\_size**
- `int` **system\_max\_texture\_size**
- `float` **anisotropicDegree**
- `GLboolean` **quadBuffer**

### 4.817.1 Detailed Description

Definition at line 454 of file `display.h`.

The documentation for this struct was generated from the following file:

- `src/lib/display.h`

## 4.818 `s_shader_capabilities` Struct Reference

### Data Fields

- `GLint` **compiledOK**
- `GLuint` **myShaderProgram**
- `GLint` **myMaterialAmbient**
- `GLint` **myMaterialDiffuse**
- `GLint` **myMaterialSpecular**
- `GLint` **myMaterialShininess**
- `GLint` **myMaterialEmission**
- `GLint` **myMaterialBackAmbient**
- `GLint` **myMaterialBackDiffuse**
- `GLint` **myMaterialBackSpecular**
- `GLint` **myMaterialBackShininess**

- GLint **myMaterialBackEmission**
- GLint **myPointSize**
- bool **haveLightInShader**
- GLint **lightcount**
- GLint **lightType** [MAX\_LIGHTS]
- GLint **lightAmbient** [MAX\_LIGHTS]
- GLint **lightDiffuse** [MAX\_LIGHTS]
- GLint **lightSpecular** [MAX\_LIGHTS]
- GLint **lightPosition** [MAX\_LIGHTS]
- GLint **lightSpotDir** [MAX\_LIGHTS]
- GLint **lightAtten** [MAX\_LIGHTS]
- GLint **lightSpotCutoffAngle** [MAX\_LIGHTS]
- GLint **lightSpotBeamWidth** [MAX\_LIGHTS]
- GLint **lightRadius** [MAX\_LIGHTS]
- GLint **ModelViewMatrix**
- GLint **ProjectionMatrix**
- GLint **NormalMatrix**
- GLint **ModelViewInverseMatrix**
- GLint **TextureMatrix** [MAX\_MULTITEXTURE]
- GLint **Vertices**
- GLint **Normals**
- GLint **Colours**
- GLint **TexCoords** [MAX\_MULTITEXTURE]
- GLint **FogCoords**
- GLint **textureUnit** [4]
- GLint **projTexGenMatCam** [16]
- GLint **pbackCull** [16]
- GLint **ntdesc** [16]
- GLint **pCount**
- GLint **tunits** [16]
- GLint **modes** [16]
- GLint **sources** [16]
- GLint **funcs** [16]
- GLint **TextureUnit** [MAX\_MULTITEXTURE]
- GLint **TextureMode** [MAX\_MULTITEXTURE]
- GLint **TextureSource** [MAX\_MULTITEXTURE]
- GLint **TextureFunction** [MAX\_MULTITEXTURE]
- GLint **textureCount**
- GLint **multitextureColor**
- GLint **tex3dTiles**
- GLint **tex3dUseVertex**
- GLint **repeatSTR**
- GLint **magFilter**
- GLint **hatchColour**
- GLint **hatchPercent**
- GLint **hatchScale**
- GLint **filledBool**
- GLint **hatchedBool**
- GLint **algorithm**
- GLint **texCoordGenType**
- GLint **fogColor**
- GLint **fogvisibilityRange**
- GLint **fogScale**
- GLint **fogType**
- GLint **fogHaveCoords**
- GLint **clipplanes**
- GLint **nclipplanes**

### 4.818.1 Detailed Description

Definition at line 345 of file display.h.

The documentation for this struct was generated from the following file:

- src/lib/display.h

## 4.819 freeWRLSAI\_cpp::saiBrowser Class Reference

### Public Member Functions

- virtual **saiBrowser** \* **getBrowser** (const SAIParameter \*pParams)=0
- virtual **saiBrowser** \* **createBrowser** (const SAIParameter \*pParams, std::map< std::string, std::string > \*pProperties)=0
- virtual const char \* **getName** ()=0
- virtual const char \* **getVersion** ()=0
- virtual float **getCurrentSpeed** ()=0
- virtual float **getCurrentFrameRate** ()=0
- virtual void **replaceWorld** (const char \*sceneURI)=0
- virtual void **loadURL** (const char \*sceneURL)=0
- virtual void **setDescription** (const char \*strDescription)=0
- virtual **saiScene** \* **createX3DFromString** (const char \*strX3DSource)=0
- virtual void **updateControl** (unsigned int nAction)=0
- virtual void **registerBrowserInterest** (unsigned int nAction, **saiBrowser** \*pRequester)=0
- virtual std::map< std::string, std::string > \* **getRenderingProperties** ()=0
- virtual std::map< std::string, std::string > \* **getBrowserProperties** ()=0
- virtual void **changeViewpoint** (unsigned int nAction)=0
- virtual void **print** ()=0
- virtual void **dispose** ()=0
- virtual bool **setBrowserOption** (const char \*strOptionName, void \*pOptionValue)=0
- virtual const std::vector< **saiProfileDeclaration** \* > \* **getSupportedProfiles** ()=0
- virtual const **saiProfileDeclaration** \* **getProfile** (const char \*strProfileName)=0
- virtual const std::map< std::string, **saiComponent** \* > \* **getSupportedComponents** ()=0
- virtual const **saiComponent** \* **getComponent** (const char \*strComponentName)=0
- virtual const **saiExecutionContext** \* **getExecutionContext** ()=0
- virtual **saiExecutionContext** \* **createScene** ()=0
- virtual **saiExecutionContext** \* **importDocument** (const char \*DOMdocURI)=0
- virtual **saiExecutionContext** \* **createX3DFromStream** (void \*pStreambuf)=0
- virtual **saiExecutionContext** \* **createX3DFromUrl** (const char \*srcURL)=0

### 4.819.1 Detailed Description

Definition at line 32 of file SAIBrowser.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAIBrowser.h

## 4.820 freeWRLSAI\_cpp::saiComponent Class Reference

### Public Member Functions

- virtual const char \* **getComponentName** ()=0

### 4.820.1 Detailed Description


Definition at line 47 of file SAIGlobals.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAIGlobals.h

## 4.821 freeWRLSAI\_cpp::saiCustomException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::saiCustomException:



### Public Member Functions

- **saiCustomException** (const char \*strWhat, const char \*strFile, int strLine, const char \*strFunc)
- virtual const char \* **what** ()

### Data Fields

- std::string **m\_strWhat**

### Additional Inherited Members

### 4.821.1 Detailed Description


Definition at line 310 of file SAlexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAlexception.h

## 4.822 freeWRLSAI\_cpp::saiException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::saiException:



### Public Member Functions

- virtual const char \* **what** ()
- virtual int **GetError** ()

### Protected Attributes

- int **m\_nErrorCode**

#### 4.822.1 Detailed Description

Definition at line 56 of file SAexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAexception.h

## 4.823 freeWRLSAI\_cpp::saiExecutionContext Class Reference

### Public Types

- enum **saiContextType** { **saiGenericContext** = 0 , **saiSceneContext** , **saiUndefinedContext** }

### Public Member Functions

- virtual saiContextType **getContextType** ()=0
- virtual const char \* **getSpecificationVersion** ()=0
- virtual int **getEncoding** ()=0
- virtual const char \* **getWorldURL** ()=0
- virtual **saiNode** \* **getNode** (const char \*strNodeName, int nAction)=0
- virtual **saiNode** \* **createNode** (const char \*strNodeType)=0
- virtual **saiNode** \* **createProto** (const char \*strProtoName)=0
- virtual saiProtoDeclaration \* **getProtoDeclaration** (const char \*strProtoName)=0
- virtual void **protoDeclarationHandling** (const char \*strProtoName, **saiNode** \*pNode, int nAction)=0
- virtual saiProtoDeclaration \* **getExternProtoDeclaration** (const char \*strProtoName)=0
- virtual void **externProtoDeclarationHandling** (const char \*strProtoName, **saiNode** \*pNode, int nAction)=0
- virtual std::vector< **saiNode** \* > \* **getRootNodes** ()=0
- virtual std::vector< **saiRoute** \* > \* **getRoutes** ()=0
- virtual void **dispose** ()=0
- virtual **saiProfileDeclaration** \* **getProfile** ()=0
- virtual std::map< std::string, **saiComponent** \* > \* **getComponents** ()=0

### 4.823.1 Detailed Description

Definition at line 45 of file SAExecutionContext.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAExecutionContext.h

## 4.824 freeWRLSAI\_cpp::saiField Class Reference

### Public Types

- enum **saiFieldAccess** { **initializeOnly** = 0 , **inputOnly** , **outputOnly** , **inputOutput** }

### Public Member Functions

- virtual saiFieldAccess **getAccessType** ()=0
- virtual int **getType** ()=0
- virtual const char \* **getName** ()=0
- virtual void **dispose** ()=0
- virtual const saiFieldValuePtr **getValue** ()=0
- virtual void **setValue** (const saiFieldValuePtr pValue)=0

### 4.824.1 Detailed Description

Definition at line 35 of file SAIField.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAIField.h

## 4.825 freeWRLSAI\_cpp::saiNode Class Reference

### Public Member Functions

- virtual const char \* **getTypeName** ()=0
- virtual const char \* **getType** ()=0
- virtual **saiField** \* **getField** (const char \*strFieldName)=0
- virtual std::vector< **saiField** \* > \* **getFieldDefinitions** (const char \*strNodeType)=0
- virtual void **dispose** ()=0

### 4.825.1 Detailed Description

Definition at line 31 of file SAINode.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAINode.h

## 4.826 freeWRLSAI\_cpp::saiProfileDeclaration Class Reference

### Public Member Functions

- virtual const char \* **getProfileName** ()=0
- virtual std::map< std::string, **saiComponent** \* > **getComponentDeclaration** ()=0

### 4.826.1 Detailed Description

Definition at line 55 of file SAIGlobals.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAIGlobals.h

## 4.827 freeWRLSAI\_cpp::saiProto Class Reference

### Public Types

- enum **saiLoadState** { **NOT\_STARTED** = 0 , **IN\_PROGRESS** , **COMPLETE** , **FAILED** }

## Public Member Functions

- virtual bool **isExternproto** ()=0
- virtual **saiNode** \* **createInstance** (const char \*strProtoDeclaration)=0
- virtual std::vector< **saiField** \* > \* **getFieldDefinitions** ()=0
- virtual saiLoadState **checkLoadState** ()=0
- virtual void **requestImmediateLoad** ()=0

### 4.827.1 Detailed Description

Definition at line 32 of file SAIproto.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAIproto.h

## 4.828 freeWRLSAI\_cpp::saiRoute Class Reference

### Public Member Functions

- virtual const **saiNode** \* **getSourceNode** ()=0
- virtual const **saiField** \* **getSourceField** ()=0
- virtual const **saiNode** \* **getDestinationNode** ()=0
- virtual const **saiField** \* **getDestinationField** ()=0
- virtual void **dispose** ()=0

### 4.828.1 Detailed Description

Definition at line 32 of file SAIroute.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAIroute.h

## 4.829 freeWRLSAI\_cpp::saiScene Class Reference

### Public Member Functions

- virtual const char \* **getMetaData** (const char \*strKey)=0
- virtual void **setMetaData** (const char \*strKey, const char \*strMetadata)=0
- virtual void **rootNodeHandling** (const **saiNode** \*pTargetNode, int nAction)=0
- virtual void **AddRootNode** (const **saiNode** \*pNodeToAdd)=0
- virtual void **RemoveRootNode** (const **saiNode** \*pNodeToRemove)=0



### 4.829.1 Detailed Description

Definition at line 34 of file SAIScene.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAIScene.h

## 4.830 sampledLine Class Reference

### Public Member Functions

- **sampledLine** (Int n\_points)
- **sampledLine** (Int n\_points, Real pts[ ][2])
- **sampledLine** (Real pt1[2], Real pt2[2])
- void **init** (Int n\_points, Real2 \*pts)
- void **setPoint** (Int i, Real p[2])
- **sampledLine** \* **insert** ( **sampledLine** \*nline)
- void **deleteList** ()
- Int **get\_npoints** ()
- Real2 \* **get\_points** ()
- void **tessellate** (Real u\_reso, Real v\_reso)
- void **tessellateAll** (Real u\_reso, Real v\_reso)
- void **print** ()

### Data Fields

- **sampledLine** \* **next**

### 4.830.1 Detailed Description

Definition at line 38 of file sampledLine.h.

The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/sampledLine.h
- src/libnurbs/nurbtess/sampledLine.cc

## 4.831 sCollisionGeometry Struct Reference

### Data Fields

- struct **point\_XYZ** \* **pts**
- struct **point\_XYZ** \* **tpts**
- ctri \* **tris**
- int **ntris**
- cquad \* **quads**
- int **nquads**
- int **npts**
- double **smin** [3]
- double **smax** [3]

#### 4.831.1 Detailed Description

Definition at line 64 of file Component\_Geometry3D.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Geometry3D.c

### 4.832 sCollisionInfo Struct Reference

#### Data Fields

- struct **point\_XYZ** **Offset**
- int **Count**
- double **Maximum2**

#### 4.832.1 Detailed Description

Definition at line 50 of file Collision.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Collision.h

### 4.833 screentextdata Struct Reference

#### Data Fields

- int **nalloc**
- int **nrow**
- **row32** \* **rowvec**
- void \* **atlasfont**
- float **size**
- float **faceheight**
- float **emsize**

#### 4.833.1 Detailed Description


Definition at line 223 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

## 4.834 vrml.node.Script Class Reference

Inheritance diagram for vrml.node.Script:



### Public Member Functions

- void **initialize** ()
- final **Field** **getEventOut** (String eventOutName)
- void **processEvents** (final int count, final **Event** events[])
- void **processEvent** ( **Event** event)
- void **eventsProcessed** ()
- void **shutdown** ()

### Protected Member Functions

- final **Field** **getField** (String fieldName)
- final **Field** **getEventIn** (String eventInName)

#### 4.834.1 Detailed Description


Definition at line 10 of file Script.java.

The documentation for this class was generated from the following file:

- src/java/vrml/node/Script.java

## 4.835 ScriptableObjectBase Class Reference

Inheritance diagram for ScriptableObjectBase:



## Public Member Functions

- **ScriptableObjectBase** ( **NPP** npp)
- virtual void **Invalidate** ()
- virtual bool **HasMethod** (NPIdentifier name)
- virtual bool **Invoke** (NPIdentifier name, const **NPVariant** \*args, uint32\_t argCount, **NPVariant** \*result)
- virtual bool **InvokeDefault** (const **NPVariant** \*args, uint32\_t argCount, **NPVariant** \*result)
- virtual bool **HasProperty** (NPIdentifier name)
- virtual bool **GetProperty** (NPIdentifier name, **NPVariant** \*result)
- virtual bool **SetProperty** (NPIdentifier name, const **NPVariant** \*value)
- virtual bool **RemoveProperty** (NPIdentifier name)
- virtual bool **Enumerate** (NPIdentifier \*\*identifier, uint32\_t \*count)
- virtual bool **Construct** (const **NPVariant** \*args, uint32\_t argCount, **NPVariant** \*result)

## Static Public Member Functions

- static void **\_Deallocate** ( **NPObj** \*npobj)
- static void **\_Invalidate** ( **NPObj** \*npobj)
- static bool **\_HasMethod** ( **NPObj** \*npobj, NPIdentifier name)
- static bool **\_Invoke** ( **NPObj** \*npobj, NPIdentifier name, const **NPVariant** \*args, uint32\_t argCount, **NPVariant** \*result)
- static bool **\_InvokeDefault** ( **NPObj** \*npobj, const **NPVariant** \*args, uint32\_t argCount, **NPVariant** \*result)
- static bool **\_HasProperty** ( **NPObj** \*npobj, NPIdentifier name)
- static bool **\_GetProperty** ( **NPObj** \*npobj, NPIdentifier name, **NPVariant** \*result)
- static bool **\_SetProperty** ( **NPObj** \*npobj, NPIdentifier name, const **NPVariant** \*value)
- static bool **\_RemoveProperty** ( **NPObj** \*npobj, NPIdentifier name)
- static bool **\_Enumerate** ( **NPObj** \*npobj, NPIdentifier \*\*identifier, uint32\_t \*count)
- static bool **\_Construct** ( **NPObj** \*npobj, const **NPVariant** \*args, uint32\_t argCount, **NPVariant** \*result)

## Protected Attributes

- **NPP** mNpp

## Additional Inherited Members

### 4.835.1 Detailed Description

Definition at line 68 of file ScriptableObjectBase.h.

The documentation for this class was generated from the following files:

- src/plugin\_win32/ScriptableObjectBase.h
- src/plugin\_win32/ScriptableObjectBase.cpp

## 4.836 ScriptFieldDecl Struct Reference

### Data Fields

- struct **FieldDecl** \* **fieldDecl**
- char \* **ASCIIvalue**
- int **valueChanged**
- union **anyVrml** **value**
- BOOL **valueSet**
- int **eventInSet**
- struct **Shader\_Script** \* **script**

### 4.836.1 Detailed Description

Definition at line 55 of file CScripts.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/CScripts.h

## 4.837 ScriptFieldInstanceInfo Struct Reference

### Data Fields

- struct **ScriptFieldDecl** \* **decl**
- struct **Shader\_Script** \* **script**

### 4.837.1 Detailed Description

Definition at line 79 of file CScripts.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/CScripts.h

## 4.838 ScriptParamList Struct Reference

### Data Fields

- struct **ScriptParamList** \* **next**
- indexT **kind**
- indexT **type**
- char \* **field**
- union **anyVrml** **value**

### 4.838.1 Detailed Description

Definition at line 146 of file CScripts.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/CScripts.h

## 4.839 SeesPdu Struct Reference

### Data Fields

- struct **DistributedEmissionsFamilyPdu** myDistributedEmissionsFamilyPdu
- struct **EntityID** originatingEntityID  
*Originating entity ID.*
- unsigned short **infraredSignatureRepresentationIndex**  
*IR Signature representation index.*
- unsigned short **acousticSignatureRepresentationIndex**  
*acoustic Signature representation index*
- unsigned short **radarCrossSectionSignatureRepresentationIndex**  
*radar cross section representation index*
- unsigned short **numberOfPropulsionSystems**  
*how many propulsion systems*
- unsigned short **numberOfVectoringNozzleSystems**  
*how many vectoring nozzle systems*
- void \* **propulsionSystemData**  
*variable length list of propulsion system data*
- void \* **vectoringSystemData**  
*variable length list of vectoring system data*

### 4.839.1 Detailed Description

Definition at line 1956 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.840 SensStruct Struct Reference

### Data Fields

- struct **X3D\_Node** \* fromnode
- struct **X3D\_Node** \* datanode
- void(\* **interpPtr** )(void \*, int, int, int)

### 4.840.1 Detailed Description

Definition at line 130 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.841 ServiceRequestPdu Struct Reference

### Data Fields

- struct **LogisticsFamilyPdu** **myLogisticsFamilyPdu**
- struct **EntityID** **requestingEntityID**  
*Entity that is requesting service.*
- struct **EntityID** **servicingEntityID**  
*Entity that is providing the service.*
- unsigned char **serviceTypeRequested**  
*type of service requested*
- unsigned char **numberOfSupplyTypes**  
*How many requested.*
- short **serviceRequestPadding**  
*padding*
- void \* **supplies**

### 4.841.1 Detailed Description

Definition at line 705 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.842 SetDataPdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** **mySimulationManagementFamilyPdu**
- unsigned int **requestID**  
*ID of request.*
- unsigned int **padding1**  
*padding*
- unsigned int **numberOfFixedDatumRecords**  
*Number of fixed datum records.*
- unsigned int **numberOfVariableDatumRecords**  
*Number of variable datum records.*
- void \* **fixedDatums**  
*variable length list of fixed datums*
- void \* **variableDatums**  
*variable length list of variable length datums*

### 4.842.1 Detailed Description

Definition at line 1760 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.843 SetDataReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** mySimulationManagementWithReliability↔  
**FamilyPdu**
- unsigned char **requiredReliabilityService**  
*level of reliability service used for this transaction*
- unsigned short **pad1**  
*padding*
- unsigned char **pad2**  
*padding*
- unsigned int **requestID**  
*Request ID.*
- unsigned int **numberOfFixedDatumRecords**  
*Fixed datum record count.*
- unsigned int **numberOfVariableDatumRecords**  
*variable datum record count*
- void \* **fixedDatumRecords**  
*Fixed datum records.*
- void \* **variableDatumRecords**  
*Variable datum records.*

### 4.843.1 Detailed Description

Definition at line 1321 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h



## 4.844 SetRecordReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** **mySimulationManagementWithReliabilityFamilyPdu**↔
- unsigned int **requestID**  
*request ID*
- unsigned char **requiredReliabilityService**  
*level of reliability service used for this transaction*
- unsigned short **pad1**  
*padding.*
- unsigned char **pad2**  
*padding*
- unsigned int **numberOfRecordSets**  
*Number of record sets in list.*
- void \* **recordSets**  
*record sets*

### 4.844.1 Detailed Description

Definition at line 1173 of file DIS.h.

### 4.844.2 Field Documentation

#### 4.844.2.1 pad1

```
unsigned short SetRecordReliablePdu::pad1
```

padding.

The spec is unclear and contradictory here.

Definition at line 1180 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.845 sFallInfo Struct Reference

### Data Fields

- double **fallHeight**
- double **climbHeight**
- double **fallStep**
- double **hfall**
- double **hclimb**
- int **isFall**
- int **canFall**
- int **isClimb**
- int **hits**
- int **walking**
- int **smoothStep**
- int **allowClimbing**
- GLDOUBLE **collision2avatar** [16]
- GLDOUBLE **avatar2collision** [16]
- int **checkFall**
- int **checkCylinder**
- int **checkPenetration**
- int **canPenetrate**
- int **isPenetrate**
- GLDOUBLE **penMin** [3]
- GLDOUBLE **penMax** [3]
- struct **point\_XYZ** **penvec**
- double **penRadius**
- struct **point\_XYZ** **pen correction**
- double **pendisp**

### 4.845.1 Detailed Description


Definition at line 137 of file Collision.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Collision.h

## 4.846 org.web3d.x3d.sai.SFBool Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFBool:



## Public Member Functions

- boolean **getValue** ()
- void **setValue** (boolean value)

### 4.846.1 Detailed Description


Definition at line 3 of file SFBool.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFBool.java

## 4.847 vrml.field.SFBool Class Reference

Inheritance diagram for vrml.field.SFBool:



## Public Member Functions

- **SFBool** (boolean value)
- boolean **getValue** ()
- void **setValue** (boolean value)
- void **setValue** ( **ConstSFBool** sfBool)
- void **setValue** ( **SFBool** sfBool)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.847.1 Detailed Description


Definition at line 10 of file SFBool.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFBool.java

## 4.848 org.web3d.x3d.sai.SFColor Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFColor:



### Public Member Functions

- void **getValue** (float[] value)
- void **setValue** (float[] value)

### 4.848.1 Detailed Description

Definition at line 3 of file SFColor.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFColor.java

## 4.849 SFColor Struct Reference

### Data Fields

- float **c** [3]

### 4.849.1 Detailed Description


Definition at line 2548 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.850 vrml.field.SFColor Class Reference

Inheritance diagram for vrml.field.SFColor:



### Public Member Functions

- **SFColor** (float red, float green, float blue)
- void **getValue** (float[] values)
- float **getRed** ()
- float **getGreen** ()
- float **getBlue** ()
- void **setValue** (float red, float green, float blue)
- void **setValue** (float[] values)
- void **setValue** ( **ConstSFColor** sfColor)
- void **setValue** ( **SFColor** sfColor)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.850.1 Detailed Description


Definition at line 10 of file SFColor.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFColor.java

## 4.851 org.web3d.x3d.sai.SFColorRGBA Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFColorRGBA:



## Public Member Functions

- void **getValue** (float[] value)
- void **setValue** (float[] value)

### 4.851.1 Detailed Description

Definition at line 3 of file SFColorRGBA.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFColorRGBA.java

## 4.852 SFColorRGBA Struct Reference

### Data Fields

- float **c** [4]
- float **r** [4]

### 4.852.1 Detailed Description


Definition at line 2550 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.853 org.web3d.x3d.sai.SFDouble Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFDouble:



## Public Member Functions

- double **getValue** ()
- void **setValue** (double value)

### 4.853.1 Detailed Description


Definition at line 3 of file SFDouble.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFDouble.java

## 4.854 org.web3d.x3d.sai.SFFloat Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFFloat:



### Public Member Functions

- float **getValue** ()
- void **setValue** (float value)

### 4.854.1 Detailed Description


Definition at line 3 of file SFFloat.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFFloat.java

## 4.855 vrml.field.SFFloat Class Reference

Inheritance diagram for vrml.field.SFFloat:



## Public Member Functions

- **SFFloat** (float f)
- float **getValue** ()
- void **setValue** (float f)
- void **setValue** ( **ConstSFFloat** sfFloat)
- void **setValue** ( **SFFloat** sfFloat)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.855.1 Detailed Description


Definition at line 10 of file SFFloat.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFFloat.java

## 4.856 org.web3d.x3d.sai.SFImage Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFImage:



## Public Member Functions

- int **getWidth** ()
- int **getHeight** ()
- int **getComponents** ()
- void **getPixels** (int[] pixels)
- java.awt.image.WritableRenderedImage **getImage** ()
- void **setValue** (int width, int height, int components, int[] pixels)
- void **setImage** (java.awt.image.RenderedImage image)
- void **setSubImage** (java.awt.image.RenderedImage image, int srcWidth, int srcHeight, int srcXOffset, int srcYOffset, int destXOffset, int destYOffset)



### 4.856.1 Detailed Description


Definition at line 3 of file SFImage.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFImage.java

## 4.857 vrml.field.SFImage Class Reference

Inheritance diagram for vrml.field.SFImage:



### Public Member Functions

- **SFImage** (int width, int height, int components, byte[] pixels)
- int **getWidth** ()
- int **getHeight** ()
- int **getComponents** ()
- byte[] **getPixels** ()
- void **setValue** (int width, int height, int components, byte[] pixels)
- void **setValue** ( **ConstSFImage** sflmage)
- void **setValue** ( **SFImage** sflmage)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

### 4.857.1 Detailed Description


Definition at line 10 of file SFImage.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFImage.java

## 4.858 org.web3d.x3d.sai.SFInt32 Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFInt32:



### Public Member Functions

- int **getValue** ()
- void **setValue** (int value)

### 4.858.1 Detailed Description


Definition at line 3 of file SFInt32.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFInt32.java

## 4.859 vrml.field.SFInt32 Class Reference

Inheritance diagram for vrml.field.SFInt32:



### Public Member Functions

- **SFInt32** (int value)
- int **getValue** ()
- void **setValue** (int value)
- void **setValue** ( **ConstSFInt32** sflnt32)
- void **setValue** ( **SFInt32** sflnt32)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.859.1 Detailed Description

Definition at line 10 of file SFInt32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFInt32.java

## 4.860 SFMatrix3d Struct Reference

### Data Fields

- double **c** [9]

### 4.860.1 Detailed Description

Definition at line 2566 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.861 SFMatrix3f Struct Reference

### Data Fields

- float **c** [9]

### 4.861.1 Detailed Description

Definition at line 2564 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.862 SFMatrix4d Struct Reference

### Data Fields

- double **c** [16]

### 4.862.1 Detailed Description

Definition at line 2570 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.863 SFMatrix4f Struct Reference

### Data Fields

- float **c** [16]

### 4.863.1 Detailed Description


Definition at line 2568 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.864 org.web3d.x3d.sai.SFNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFNode:



### Public Member Functions

- **X3DNode** `getValue ()`
- void `setValue ( X3DNode value)` throws `InvalidNodeException`

### 4.864.1 Detailed Description


Definition at line 3 of file SFNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFNode.java

## 4.865 vrml.field.SFNode Class Reference

Inheritance diagram for vrml.field.SFNode:



### Public Member Functions

- **SFNode** ( **BaseNode** node)
- **BaseNode** **getValue** ()
- void **setValue** ( **BaseNode** node)
- void **setValue** ( **ConstSFNode** sfNode)
- void **setValue** ( **SFNode** sfNode)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.865.1 Detailed Description


Definition at line 10 of file SFNode.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFNode.java

## 4.866 org.web3d.x3d.sai.SFRotation Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFRotation:



## Public Member Functions

- void **getValue** (float[] value)
- void **setValue** (float[] value)

### 4.866.1 Detailed Description

Definition at line 3 of file SFRotation.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFRotation.java

## 4.867 SFRotation Struct Reference

### Data Fields

- float **c** [4]
- float **r** [4]

### 4.867.1 Detailed Description


Definition at line 2538 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.868 vrml.field.SFRotation Class Reference

Inheritance diagram for vrml.field.SFRotation:



## Public Member Functions

- **SFRotation** (float axisX, float axisY, float axisZ, float angle)
- void **getValue** (float[] values)
- void **setValue** (float axisX, float axisY, float axisZ, float angle)
- void **setValue** (float[] values)
- void **setValue** ( **ConstSFRotation** sfRotation)
- void **setValue** ( **SFRotation** sfRotation)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.868.1 Detailed Description


Definition at line 10 of file SFRotation.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFRotation.java

## 4.869 org.web3d.x3d.sai.SFString Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFString:



## Public Member Functions

- String **getValue** ()
- void **setValue** (String value)

### 4.869.1 Detailed Description


Definition at line 3 of file SFString.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFString.java

## 4.870 vrml.field.SFString Class Reference

Inheritance diagram for vrml.field.SFString:



### Public Member Functions

- **SFString** (String s)
- String **getValue** ()
- void **setValue** (String s)
- void **setValue** ( **ConstSFString** sfString)
- void **setValue** ( **SFString** sfString)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.870.1 Detailed Description


Definition at line 10 of file SFString.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFString.java

## 4.871 org.web3d.x3d.sai.SFTime Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFTime:





## Public Member Functions

- double **getValue** ()
- long **getJavaValue** ()
- void **setValue** (double value)
- void **setValue** (long value)

### 4.871.1 Detailed Description


Definition at line 3 of file SFTime.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFTime.java

## 4.872 vrml.field.SFTime Class Reference

Inheritance diagram for vrml.field.SFTime:



## Public Member Functions

- **SFTime** (double value)
- double **getValue** ()
- void **setValue** (double value)
- void **setValue** ( **ConstSFTime** sfTime)
- void **setValue** ( **SFTime** sfTime)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.872.1 Detailed Description


Definition at line 10 of file SFTime.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFTime.java

## 4.873 org.web3d.x3d.sai.SFVec2d Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFVec2d:



### Public Member Functions

- void **getValue** (double[] value)
- void **setValue** (double[] value)

#### 4.873.1 Detailed Description

Definition at line 3 of file SFVec2d.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFVec2d.java

## 4.874 SFVec2d Struct Reference

### Data Fields

- double **c** [2]

#### 4.874.1 Detailed Description


Definition at line 2572 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.875 org.web3d.x3d.sai.SFVec2f Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFVec2f:



### Public Member Functions

- void **getValue** (float[] value)
- void **setValue** (float[] value)

#### 4.875.1 Detailed Description

Definition at line 3 of file SFVec2f.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFVec2f.java

## 4.876 SFVec2f Struct Reference

### Data Fields

- float **c** [2]

#### 4.876.1 Detailed Description


Definition at line 2556 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.877 vrml.field.SFVec2f Class Reference

Inheritance diagram for vrml.field.SFVec2f:



### Public Member Functions

- **SFVec2f** (float x, float y)
- void **getValue** (float[] values)
- float **getX** ()
- float **getY** ()
- void **setValue** (float x, float y)
- void **setValue** (float[] values)
- void **setValue** ( **ConstSFVec2f** sfVec2f)
- void **setValue** ( **SFVec2f** sfVec2f)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

### Additional Inherited Members

#### 4.877.1 Detailed Description


Definition at line 10 of file SFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFVec2f.java

## 4.878 org.web3d.x3d.sai.SFVec3d Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFVec3d:



## Public Member Functions

- void **getValue** (double[] value)
- void **setValue** (double[] value)

### 4.878.1 Detailed Description

Definition at line 3 of file SFVec3d.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/SFVec3d.java

## 4.879 SFVec3d Struct Reference

### Data Fields

- double **c** [3]

### 4.879.1 Detailed Description


Definition at line 2560 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.880 org.web3d.x3d.sai.SFVec3f Interface Reference

Inheritance diagram for org.web3d.x3d.sai.SFVec3f:



## Public Member Functions

- void **getValue** (float[] value)
- void **setValue** (float[] value)

### 4.880.1 Detailed Description

Definition at line 3 of file SFVec3f.java.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/SFVec3f.java`

## 4.881 SFVec3f Struct Reference

### Data Fields

- `float c [3]`

### 4.881.1 Detailed Description


Definition at line 2540 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.882 vrml.field.SFVec3f Class Reference

Inheritance diagram for `vrml.field.SFVec3f`:



### Public Member Functions

- **SFVec3f** (float x, float y, float z)
- void **getValue** (float[] values)
- float **getX** ()
- float **getY** ()
- float **getZ** ()
- void **setValue** (float x, float y, float z)
- void **setValue** (float[] values)
- void **setValue** ( **ConstSFVec3f** sfVec3f)
- void **setValue** ( **SFVec3f** sfVec3f)
- String **toString** ()
- void **\_\_fromPerl** (BufferedReader in) throws IOException
- void **\_\_toPerl** (PrintWriter out) throws IOException

## Additional Inherited Members

### 4.882.1 Detailed Description

Definition at line 10 of file SFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/field/SFVec3f.java

## 4.883 SFVec4d Struct Reference

### Data Fields

- double **c** [4]

### 4.883.1 Detailed Description

Definition at line 2576 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.884 SFVec4f Struct Reference

### Data Fields

- float **c** [4]

### 4.884.1 Detailed Description

Definition at line 2574 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.885 Shader\_Script Struct Reference

### Data Fields

- struct **X3D\_Node** \* **ShaderScriptNode**
- int **num**
- BOOL **loaded**
- struct **Vector** \* **fields**

### 4.885.1 Detailed Description

Definition at line 112 of file CScripts.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/CScripts.h

## 4.886 shaderflagsstruct Struct Reference

### Data Fields

- int **base**
- int **effects**
- int **usershaders**
- int **volume**

### 4.886.1 Detailed Description

Definition at line 62 of file Component\_Shape.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Shape.h

## 4.887 shaderTableEntry Struct Reference

### Data Fields

- **shaderflagsstruct** **whichOne**
- **s\_shader\_capabilities\_t** \* **myCapabilities**



### 4.887.1 Detailed Description

Definition at line 89 of file OpenGL\_Utils.c.

The documentation for this struct was generated from the following file:

- src/lib/opengl/OpenGL\_Utils.c

## 4.888 ShaftRPMs Struct Reference

### Data Fields

- short **currentShaftRPMs**  
*Current shaft RPMs.*
- short **orderedShaftRPMs**  
*ordered shaft rpms*
- float **shaftRPMRateOfChange**  
*rate of change of shaft RPMs*

### 4.888.1 Detailed Description

Definition at line 442 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.889 SignalPdu Struct Reference

### Data Fields

- struct **RadioCommunicationsFamilyPdu** myRadioCommunicationsFamilyPdu
- unsigned short **encodingScheme**  
*encoding scheme used, and enumeration*
- unsigned short **tdlType**  
*tdl type*
- unsigned int **sampleRate**  
*sample rate*
- short **dataLength**  
*length od data*
- short **samples**  
*number of samples*
- void \* **data**  
*list of eight bit values*

### 4.889.1 Detailed Description

Definition at line 1926 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.890 SimulationAddress Struct Reference

### Data Fields

- unsigned short **site**  
*The site ID.*
- unsigned short **application**  
*The application ID.*

### 4.890.1 Detailed Description

Definition at line 350 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.891 SimulationManagementFamilyPdu Struct Reference

### Data Fields

- struct **Pdu myPdu**
- struct **EntityID originatingEntityID**  
*Entity that is sending message.*
- struct **EntityID receivingEntityID**  
*Entity that is intended to receive message.*

### 4.891.1 Detailed Description

Definition at line 798 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.892 SimulationManagementWithReliabilityFamilyPdu Struct Reference

### Data Fields

- struct **Pdu** **myPdu**
- struct **EntityID** **originatingEntityID**  
*Object originatig the request.*
- struct **EntityID** **receivingEntityID**  
*Object with which this point object is associated.*

### 4.892.1 Detailed Description

Definition at line 1077 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.893 SixByteChunk Struct Reference

### Data Fields

- char **otherParameters** [6]  
*six bytes of arbitrary data*

### 4.893.1 Detailed Description

Definition at line 581 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.894 slice Struct Reference

### Data Fields

- unsigned int **vert\_pos**
- unsigned int **quant\_scale**
- char \* **extra\_info**

### 4.894.1 Detailed Description


Definition at line 150 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

## 4.895 Slicer Class Reference

Inheritance diagram for Slicer:



### Public Member Functions

- **Slicer** ( **Backend** & )
- void **slice** (Arc\_ptr)
- void **slice\_old** (Arc\_ptr)
- void **slice\_new** (Arc\_ptr)
- void **evalStream** ( **primStream** \*)
- void **evalRBAArray** ( **rectBlockArray** \*rbArray, **gridWrap** \*grid)
- void **outline** (Arc\_ptr)
- void **setstriptessellation** (REAL, REAL)
- void **setisolines** (int)
- void **set\_ulinear** (int ulinear\_flag)
- void **set\_vlinear** (int vlinear\_flag)

### Additional Inherited Members

### 4.895.1 Detailed Description

Definition at line 49 of file slicer.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/slicer.h
- src/libnurbs/internals/slicer.cc

## 4.896 sNavilInfo Struct Reference

### Data Fields

- double **width**
- double **height**
- double **step**

### 4.896.1 Detailed Description

Definition at line 57 of file Bindable.h.

The documentation for this struct was generated from the following file:

- src/lib/x3d\_parser/Bindable.h

## 4.897 SNDFILE Struct Reference

### Data Fields

- int **type**
- FILE \* **fd**
- char **data** [MAXBUFSIZE]
- int **dataptr**
- int **wavdataoffset**
- float **pitch**
- int **bytes\_remaining**
- int **ampl**
- int **balance**
- **fmtChnk** FormatChunk
- **datChnk** DataChunk

### 4.897.1 Detailed Description


Definition at line 75 of file soundheader.h.

The documentation for this struct was generated from the following file:

- src/sound/soundheader.h

## 4.898 Sorter Class Reference

Inheritance diagram for Sorter:



## Public Member Functions

- **Sorter** (int es)
- void **qsort** (void \*a, int n)

## Protected Member Functions

- virtual int **qscmp** (char \*, char \*)
- virtual void **qsexc** (char \*i, char \*j)
- virtual void **qstexc** (char \*i, char \*j, char \*k)

### 4.898.1 Detailed Description

Definition at line 36 of file sorter.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/sorter.h
- src/libnurbs/internals/sorter.cc

## 4.899 SphericalHarmonicAntennaPattern Struct Reference

### Data Fields

- char **order**

### 4.899.1 Detailed Description

Definition at line 437 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.900 Splinespec Struct Reference

### Public Member Functions

- **Splinespec** (int)
- void **kspecinit** ( **Knotvector** &)
- void **kspecinit** ( **Knotvector** &, **Knotvector** &)
- void **select** (void)
- void **layout** (long)
- void **setupquilt** (Quilt\_ptr)
- void **copy** (INREAL \*)
- void **transform** (void)

## Data Fields

- **Knotspec** \* **kspec**
- int **dim**
- REAL \* **outcpts**

### 4.900.1 Detailed Description

Definition at line 95 of file tobezier.cc.

The documentation for this struct was generated from the following file:

- src/libnurbs/internals/tobezier.cc

## 4.901 ssr Struct Reference

### Data Fields

- char \* **name**
- char \* **ip**
- char \* **port**
- void \* **next**
- double **extent** [6]
- int **levels\_available**

### 4.901.1 Detailed Description

Definition at line 552 of file SSRServer.c.

The documentation for this struct was generated from the following file:

- src/SSR/SSRServer.c

## 4.902 SSR\_request Struct Reference

### Data Fields

- int **type**
- pthread\_mutex\_t **requester\_mutex**
- pthread\_cond\_t **requester\_condition**
- double **quat4** [4]
- double **vec3** [3]
- char \* **blob**
- int **len**
- int **answered**
- int **LOD**
- int **levels\_available**
- int **status**
- double **extent** [6]
- int **isInside**
- double **avatarHeight**
- double **fov**

### 4.902.1 Detailed Description

Definition at line 7 of file SSRhelper.h.

The documentation for this struct was generated from the following file:

- src/lib/SSRhelper.h

## 4.903 stage Struct Reference

### Data Fields

- **tcontenttype t1**
- **int type**
- **unsigned int ibuffer**
- **unsigned int itexturebuffer**
- **unsigned int idepthbuffer**
- **ivec4 ivport**
- **BOOL clear\_zbuffer**
- **int even\_odd\_frame**

### 4.903.1 Detailed Description

Definition at line 2132 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.904 StartResumePdu Struct Reference

### Data Fields

- **struct SimulationManagementFamilyPdu mySimulationManagementFamilyPdu**
- **struct ClockTime realWorldTime**  
*UTC time at which the simulation shall start or resume.*
- **struct ClockTime simulationTime**  
*Simulation clock time at which the simulation shall start or resume.*
- **unsigned int requestID**  
*Identifier for the request.*

### 4.904.1 Detailed Description

Definition at line 1219 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h



## 4.905 StartResumeReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** mySimulationManagementWithReliability↔  
**FamilyPdu**
- struct **ClockTime** realWorldTime  
*time in real world for this operation to happen*
- struct **ClockTime** simulationTime  
*time in simulation for the simulation to resume*
- unsigned char **requiredReliabilityService**  
*level of reliability service used for this transaction*
- unsigned short **pad1**  
*padding*
- unsigned char **pad2**  
*padding*
- unsigned int **requestID**  
*Request ID.*

### 4.905.1 Detailed Description

Definition at line 1513 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.906 StopFreezePdu Struct Reference

### Data Fields

- struct **SimulationManagementFamilyPdu** mySimulationManagementFamilyPdu
- struct **ClockTime** realWorldTime  
*UTC time at which the simulation shall stop or freeze.*
- unsigned char **reason**  
*Reason the simulation was stopped or frozen.*
- unsigned char **frozenBehavior**  
*Internal behavior of the simulation and its appearance while frozen to the other participants.*
- short **padding1**  
*padding*
- unsigned int **requestID**  
*Request ID that is unique.*

### 4.906.1 Detailed Description

Definition at line 1190 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.907 StopFreezeReliablePdu Struct Reference

### Data Fields

- struct **SimulationManagementWithReliabilityFamilyPdu** **mySimulationManagementWithReliabilityFamilyPdu**  
**FamilyPdu**
- struct **ClockTime** **realWorldTime**  
*time in real world for this operation to happen*
- unsigned char **reason**  
*Reason for stopping/freezing simulation.*
- unsigned char **frozenBehavior**  
*internal behavior of the simulation while frozen*
- unsigned char **requiredReliabilityService**  
*reliability level*
- unsigned char **pad1**  
*padding*
- unsigned int **requestID**  
*Request ID.*

### 4.907.1 Detailed Description

Definition at line 1990 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.908 StoredVertex Class Reference

### Public Member Functions

- void **saveEvalCoord** (REAL x, REAL y)
- void **saveEvalPoint** (long x, long y)
- void **invoke** ( **OpenGLSurfaceEvaluator** \*eval)

### 4.908.1 Detailed Description

Definition at line 85 of file glsurfeval.h.

The documentation for this class was generated from the following file:

- src/libnurbs/interface/glsurfeval.h

## 4.909 stringint Struct Reference

### Data Fields

- char \* **c**
- int **i**

### 4.909.1 Detailed Description

Definition at line 1854 of file Component\_Geospatial.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Geospatial.c

## 4.910 Subdivider Class Reference

### Public Member Functions

- **Subdivider** ( **Renderhints** &, **Backend** &)
- void **clear** (void)
- void **beginTrims** (void)
- void **beginLoop** (void)
- void **addArc** (REAL \*, **Quilt** \*, long)
- void **addArc** (int, **TrimVertex** \*, long)
- void **endLoop** (void)
- void **endTrims** (void)
- void **beginQuilts** (void)
- void **addQuilt** ( **Quilt** \*)
- void **endQuilts** (void)
- void **drawCurves** (void)
- void **drawSurfaces** (long)
- int **ccwTurn\_sl** (Arc\_ptr, Arc\_ptr)
- int **ccwTurn\_sr** (Arc\_ptr, Arc\_ptr)
- int **ccwTurn\_tl** (Arc\_ptr, Arc\_ptr)
- int **ccwTurn\_tr** (Arc\_ptr, Arc\_ptr)
- void **setJumpbuffer** (JumpBuffer \*)
- void **set\_domain\_distance\_u\_rate** (REAL u\_rate)
- void **set\_domain\_distance\_v\_rate** (REAL v\_rate)
- void **set\_is\_domain\_distance\_sampling** (int flag)

### 4.910.1 Detailed Description

Definition at line 55 of file subdivider.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/subdivider.h
- src/libnurbs/internals/ccw.cc
- src/libnurbs/internals/curvesub.cc
- src/libnurbs/internals/intersect.cc
- src/libnurbs/internals/monotonizer.cc
- src/libnurbs/internals/splitarcs.cc
- src/libnurbs/internals/subdivider.cc

## 4.911 SupplyQuantity Struct Reference

### Data Fields

- struct **EntityType** **supplyType**  
*Type of supply.*
- unsigned char **quantity**  
*quantity to be supplied*

### 4.911.1 Detailed Description

Definition at line 1036 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.912 surfEvalMachine Struct Reference

### Data Fields

- REAL **uprime**
- REAL **vprime**
- int **k**
- REAL **u1**
- REAL **u2**
- int **ustride**
- int **uorder**
- REAL **v1**
- REAL **v2**
- int **vstride**
- int **vorder**
- REAL **ctlPoints** [IN\_MAX\_BEZIER\_ORDER \* IN\_MAX\_BEZIER\_ORDER \* IN\_MAX\_DIMENSION]
- REAL **ucoeff** [IN\_MAX\_BEZIER\_ORDER]
- REAL **vcoeff** [IN\_MAX\_BEZIER\_ORDER]
- REAL **ucoeffDeriv** [IN\_MAX\_BEZIER\_ORDER]
- REAL **vcoeffDeriv** [IN\_MAX\_BEZIER\_ORDER]

### 4.912.1 Detailed Description

Definition at line 64 of file glsurfeval.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/interface/glsurfeval.h

## 4.913 sweepRange Struct Reference

### Data Fields

- **directedLine** \* **left**
- **Int** **leftType**
- **directedLine** \* **right**
- **Int** **rightType**

### 4.913.1 Detailed Description

Definition at line 70 of file partitionY.h.

The documentation for this struct was generated from the following file:

- src/libnurbs/nurbtess/partitionY.h

## 4.914 SyntheticEnvironmentFamilyPdu Struct Reference

### Data Fields

- struct **Pdu** **myPdu**

### 4.914.1 Detailed Description

Definition at line 762 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.915 SystemID Struct Reference

### Data Fields

- unsigned short **systemType**  
*System Type.*
- unsigned short **systemName**  
*System name, an enumeration.*
- unsigned char **systemMode**  
*System mode.*
- unsigned char **changeOptions**  
*Change Options.*

### 4.915.1 Detailed Description

Definition at line 156 of file DIS.h.

The documentation for this struct was generated from the following file:

- `src/lib/DIS/DIS.h`

## 4.916 targetwindow Struct Reference

### Data Fields

- `contenttype * stage`
- `void * hwnd`
- `BOOL swapbuf`
- `ivec4 ivport`
- `freewrl_params_t params`
- `struct targetwindow * next`

### 4.916.1 Detailed Description

Definition at line 2965 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- `src/lib/main/MainLoop.c`

## 4.917 iiglobal::tBindable Struct Reference

### Data Fields

- `void * naviinfo`
- `int activeLayer`
- `void * bstacks`
- `void * prv`

### 4.917.1 Detailed Description

Definition at line 438 of file iglobal.h.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.918 iiglobal::tcollision Struct Reference

### Data Fields

- void \* **prv**

### 4.918.1 Detailed Description

Definition at line 258 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.919 iiglobal::tcommon Struct Reference

### Data Fields

- void \* **prv**

### 4.919.1 Detailed Description

Definition at line 460 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.920 iiglobal::tComponent\_CubeMapTexturing Struct Reference

### Data Fields

- void \* **prv**

### 4.920.1 Detailed Description

Definition at line 261 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.921 `iiglobal::tComponent_EnvironSensor` Struct Reference

### Data Fields

- `void * prv`

### 4.921.1 Detailed Description

Definition at line 264 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.922 `iiglobal::tComponent_Followers` Struct Reference

### Data Fields

- `void * prv`

### 4.922.1 Detailed Description

Definition at line 294 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.923 `iiglobal::tComponent_Geometry3D` Struct Reference

### Data Fields

- `void * prv`

### 4.923.1 Detailed Description

Definition at line 267 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`



## 4.924 iiglobal::tComponent\_Geospatial Struct Reference

### Data Fields

- void \* **prv**

### 4.924.1 Detailed Description

Definition at line 270 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.925 iiglobal::tComponent\_HAnim Struct Reference

### Data Fields

- void \* **prv**

### 4.925.1 Detailed Description

Definition at line 273 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.926 iiglobal::tComponent\_KeyDevice Struct Reference

### Data Fields

- void \* **prv**

### 4.926.1 Detailed Description

Definition at line 297 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.927 **iglobal::tComponent\_Layering** Struct Reference

### Data Fields

- void \* **prv**

### 4.927.1 Detailed Description

Definition at line 276 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.928 **iglobal::tComponent\_Layout** Struct Reference

### Data Fields

- void \* **prv**

### 4.928.1 Detailed Description

Definition at line 279 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.929 **iglobal::tComponent\_NURBS** Struct Reference

### Data Fields

- void \* **prv**

### 4.929.1 Detailed Description

Definition at line 282 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.930 iiglobal::tComponent\_ParticleSystems Struct Reference

### Data Fields

- void \* **prv**

### 4.930.1 Detailed Description

Definition at line 285 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.931 iiglobal::tComponent\_Picking Struct Reference

### Data Fields

- void \* **prv**

### 4.931.1 Detailed Description

Definition at line 311 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.932 iiglobal::tComponent\_ProgrammableShaders Struct Reference

### Data Fields

- void \* **prv**

### 4.932.1 Detailed Description

Definition at line 288 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.933 `iiglobal::tComponent_PTM` Struct Reference

### Data Fields

- `int globalProjector`
- `void * prv`

### 4.933.1 Detailed Description

Definition at line 238 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.934 `iiglobal::tComponent_Rendering` Struct Reference

### Data Fields

- `void * prv`

### 4.934.1 Detailed Description

Definition at line 314 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.935 `iiglobal::tComponent_RigidBodyPhysics` Struct Reference

### Data Fields

- `void * prv`

### 4.935.1 Detailed Description

Definition at line 291 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.936 iiglobal::tComponent\_Shape Struct Reference

### Data Fields

- void \* **prv**

### 4.936.1 Detailed Description

Definition at line 317 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.937 iiglobal::tComponent\_Sound Struct Reference

### Data Fields

- int **sound\_from\_audioclip**
- int **SoundEngineStarted**
- void \* **prv**

### 4.937.1 Detailed Description

Definition at line 320 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.938 iiglobal::tComponent\_Text Struct Reference

### Data Fields

- void \* **prv**

### 4.938.1 Detailed Description

Definition at line 326 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.939 iiglobal::tComponent\_VolumeRendering Struct Reference

### Data Fields

- void \* **prv**

### 4.939.1 Detailed Description

Definition at line 332 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.940 iiglobal::tComponent\_VRML1 Struct Reference

### Data Fields

- void \* **prv**

### 4.940.1 Detailed Description

Definition at line 329 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.941 iiglobal::tConsoleMessage Struct Reference

### Data Fields

- int **consMsgCount**
- int **Console\_writeToHud**
- void \* **prv**

### 4.941.1 Detailed Description

Definition at line 131 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.942 tcontenttype Struct Reference

### Data Fields

- int **itype**
- **contenttype** \* **contents**
- **contenttype** \* **next**
- **contenttype** \* **pnext**
- float **viewport** [4]
- void(\* **render** )(void \*self)
- int(\* **pick** )(void \*self, int mev, int butnum, int mouseX, int mouseY, unsigned int ID, int windex)

### 4.942.1 Detailed Description

Definition at line 447 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.943 iiglobal::tCParse Struct Reference

### Data Fields

- void \* **globalParser**
- void \* **prv**

### 4.943.1 Detailed Description

Definition at line 392 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.944 iiglobal::tCParseParser Struct Reference

### Data Fields

- void \* **prv**

#### 4.944.1 Detailed Description

Definition at line 396 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

### 4.945 iiglobal::tCRoutes Struct Reference

#### Data Fields

- void \* **CRoutesExtra**
- void \* **JSSFpointer**
- int **max\_script\_found**
- int **max\_script\_found\_and\_initialized**
- int **jsnameindex**
- int **MAXJSparamNames**
- void \* **prv**

#### 4.945.1 Detailed Description

Definition at line 399 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

### 4.946 iiglobal::tCScripts Struct Reference

#### Data Fields

- void \* **prv**

#### 4.946.1 Detailed Description

Definition at line 411 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h



## 4.947 iiglobal::tCursorDraw Struct Reference

### Data Fields

- void \* **prv**

### 4.947.1 Detailed Description

Definition at line 463 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.948 iiglobal::tdisplay Struct Reference

### Data Fields

- void \* **params**
- int **\_global\_gl\_err**
- IBOOL **display\_initialized**
- int **screenWidth**
- int **screenHeight**
- char \* **window\_title**
- int **shutterGlasses**
- void \* **rdr\_caps**
- void \* **prv**

### 4.948.1 Detailed Description

Definition at line 46 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.949 iiglobal::tEAI\_C\_CommonFunctions Struct Reference

### Data Fields

- int **eaiverbose**
- void \* **prv**

#### 4.949.1 Detailed Description

Definition at line 108 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

### 4.950 iiglobal::tEALCore Struct Reference

#### Data Fields

- char \* **EALbuffer**
- int **EALbufcount**
- int **EALbufpos**
- int **EALbufsize**
- void \* **prv**

#### 4.950.1 Detailed Description

Definition at line 120 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

### 4.951 iiglobal::tEAEventsIn Struct Reference

#### Data Fields

- void \* **prv**

#### 4.951.1 Detailed Description

Definition at line 112 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

### 4.952 iiglobal::tEAHelpers Struct Reference

#### Data Fields

- char \* **outBuffer**
- int **outBufferLen**
- void \* **prv**

### 4.952.1 Detailed Description

Definition at line 115 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.953 `text_combiner_data` Struct Reference

### Data Fields

- `float * coords`
- `int * counter`
- `int * ria`
- `int * riaindex`

### 4.953.1 Detailed Description

Definition at line 964 of file `headers.h`.

The documentation for this struct was generated from the following file:

- `src/lib/main/headers.h`

## 4.954 `textureTableIndexStruct` Struct Reference

### Data Fields

- `struct X3D_Node * scenegraphNode`
- `int nodeType`
- `int status`
- `int hasAlpha`
- `GLuint OpenGLTexture`
- `GLuint ifbobuffer`
- `GLuint idepthbuffer`
- `int frames`
- `char * filename`
- `int x`
- `int y`
- `int z`
- `int tiles [3]`
- `unsigned char * texdata`
- `GLint repeatSTR [3]`
- `GLint magFilter`
- `int textureNumber`
- `int channels`

### 4.954.1 Detailed Description

Definition at line 37 of file Textures.h.

The documentation for this struct was generated from the following file:

- src/lib/opengl/Textures.h

## 4.955 textureVertexInfo Struct Reference

### Data Fields

- GLfloat \* **pre\_canned\_textureCoords**
- GLint **TC\_size**
- GLenum **TC\_type**
- GLsizei **TC\_stride**
- GLvoid \* **TC\_pointer**
- void \* **next**
- GLint **VBO**

### 4.955.1 Detailed Description

Definition at line 67 of file Textures.h.

The documentation for this struct was generated from the following file:

- src/lib/opengl/Textures.h

## 4.956 iiglobal::tFrustum Struct Reference

### Data Fields

- int **OccFailed**
- void \* **prv**

### 4.956.1 Detailed Description

Definition at line 193 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.957 iiglobal::tinternalc Struct Reference

### Data Fields

- IBOOL **global\_strictParsing**
- IBOOL **global\_plugin\_print**
- IBOOL **global\_occlusion\_disable**
- unsigned **user\_request\_texture\_size**
- IBOOL **global\_print\_opengl\_errors**
- IBOOL **global\_trace\_threads**
- void \* **prv**

### 4.957.1 Detailed Description

Definition at line 57 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.958 iiglobal::tLoadTextures Struct Reference

### Data Fields

- void \* **prv**

### 4.958.1 Detailed Description

Definition at line 197 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.959 tm\_unz\_s Struct Reference

### Data Fields

- ulnt **tm\_sec**
- ulnt **tm\_min**
- ulnt **tm\_hour**
- ulnt **tm\_mday**
- ulnt **tm\_mon**
- ulnt **tm\_year**

### 4.959.1 Detailed Description

Definition at line 84 of file unzip.h.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.h

## 4.960 tm\_zip\_s Struct Reference

### Data Fields

- `uint tm_sec`
- `uint tm_min`
- `uint tm_hour`
- `uint tm_mday`
- `uint tm_mon`
- `uint tm_year`

### 4.960.1 Detailed Description

Definition at line 89 of file zip.h.

The documentation for this struct was generated from the following file:

- src/libminizip/zip.h

## 4.961 iiglobal::tMainloop Struct Reference

### Data Fields

- `float gl_linewidth`
- `int currentFileVersion`
- `double TickTime`
- `double lastTime`
- `double BrowserFPS`
- `double BrowserSpeed`
- `const char * BrowserDescription`
- `int HaveSensitive`
- `int AllowNavDrag`
- `int trisThisLoop`
- `int clipPlane`
- `int SHIFT`
- `int CTRL`
- `void * prv`
- `char * tmpFileLocation`
- `char * url`
- `char * scene_name`

- char \* **scene\_suff**
- int **scene\_profile**
- int \* **scene\_components**
- char \* **replaceWorldRequest**
- void \* **replaceWorldRequestMulti**
- void \* **\_vportstack**
- void \* **\_stagestack**
- void \* **\_framebufferstack**
- int **screenOrientation2**
- int **pickray\_x**
- int **pickray\_y**
- float **fieldOfView**

#### 4.961.1 Detailed Description

Definition at line 136 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.962 iiglobal::tOpenGL\_Utils Struct Reference

### Data Fields

- int **displayDepth**
- int **cc\_changed**
- void \* **prv**

#### 4.962.1 Detailed Description

Definition at line 202 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.963 Touch Struct Reference

### Data Fields

- int **buttonState**
- int **mev**
- unsigned int **ID**
- int **inUse**
- float **angle**
- int **x**
- int **y**
- float **fx**
- float **fy**
- int **dragStart**
- int **dragEnd**
- int **windex**
- void \* **stageld**
- int **rx**
- int **ry**
- int **claimant**
- int **passed**
- struct **X3D\_Node** \* **CursorOverSensitive**
- struct **X3D\_Node** \* **oldCOS**
- struct **X3D\_Node** \* **lastPressedOver**
- struct **X3D\_Node** \* **lastOver**
- int **lastOverButtonPressed**
- void \* **hypersensitive**
- int **hyperhit**
- double **justModel** [16]
- struct **point\_XYZ** **hp**

### 4.963.1 Detailed Description

Definition at line 153 of file MainLoop.c.

The documentation for this struct was generated from the following file:

- src/lib/main/MainLoop.c

## 4.964 iiGlobal::tPluginSocket Struct Reference

### Data Fields

- void \* **prv**



### 4.964.1 Detailed Description

Definition at line 252 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.965 iiglobal::tpluginUtils Struct Reference

### Data Fields

- void \* **prv**

### 4.965.1 Detailed Description

Definition at line 255 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.966 iiglobal::tProdCon Struct Reference

### Data Fields

- struct **Vector** \* **viewpointNodes**
- int **currboundvpno**
- struct **X3D\_Node** \* **setViewpointBindInRender**
- struct **X3D\_Node** \* **setFogBindInRender**
- struct **X3D\_Node** \* **setBackgroundBindInRender**
- struct **X3D\_Node** \* **setNavigationBindInRender**
- void \* **savedParser**
- void \* **prv**

### 4.966.1 Detailed Description

Definition at line 169 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.967 TrackJamTarget Struct Reference

### Data Fields

- struct **EntityID** **trackJam**  
*track/jam target*
- unsigned char **emitterID**  
*Emitter ID.*
- unsigned char **beamID**  
*beam ID*

### 4.967.1 Detailed Description

Definition at line 1273 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.968 TransferControlRequestPdu Struct Reference

### Data Fields

- struct **EntityManagementFamilyPdu** **myEntityManagementFamilyPdu**
- struct **EntityID** **originatingEntityID**  
*ID of entity originating request.*
- struct **EntityID** **receivingEntityID**  
*ID of entity receiving request.*
- unsigned int **requestID**  
*ID of request.*
- unsigned char **requiredReliabilityService**  
*required level of reliability service.*
- unsigned char **transferType**  
*type of transfer desired*
- struct **EntityID** **transferEntityID**  
*The entity for which control is being requested to transfer.*
- unsigned char **numberOfRecordSets**  
*number of record sets to transfer*
- void \* **recordSets**  
^^^ *This is wrong—the **RecordSet** (p. 549) class needs more work*

### 4.968.1 Detailed Description

Definition at line 1476 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.969 TransmitterPdu Struct Reference

### Data Fields

- struct **RadioCommunicationsFamilyPdu** myRadioCommunicationsFamilyPdu
- struct **RadioEntityType** radioEntityType  
*linear acceleration of entity*
- unsigned char **transmitState**  
*transmit state*
- unsigned char **inputSource**  
*input source*
- unsigned short **padding1**  
*padding*
- struct **Vector3Double** antennaLocation  
*Location of antenna.*
- struct **Vector3Float** relativeAntennaLocation  
*relative location of antenna*
- unsigned short **antennaPatternType**  
*antenna pattern type*
- unsigned short **antennaPatternCount**  
*atenna pattern length*
- unsigned long long **frequency**  
*frequency*
- float **transmitFrequencyBandwidth**  
*transmit frequency Bandwidth*
- float **power**  
*transmission power*
- struct **ModulationType** modulationType  
*modulation*
- unsigned short **cryptoSystem**  
*crypto system enumeration*
- unsigned short **cryptoKeyId**  
*crypto system key identifier*
- unsigned char **modulationParameterCount**  
*how many modulation parameters we have*
- unsigned short **padding2**  
*padding2*
- unsigned char **padding3**  
*padding3*
- void \* **modulationParametersList**  
*variable length list of modulation parameters*
- void \* **antennaPatternList**  
*variable length list of antenna pattern records*

### 4.969.1 Detailed Description

Definition at line 1230 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.970 treeNode Struct Reference

### Data Fields

- void \* **key**
- struct **treeNode** \* **parent**
- struct **treeNode** \* **left**
- struct **treeNode** \* **right**

### 4.970.1 Detailed Description

Definition at line 36 of file `searchTree.h`.

The documentation for this struct was generated from the following file:

- `src/libnurbs/nurbtess/searchTree.h`

## 4.971 iiglobal::tRenderFuncs Struct Reference

### Data Fields

- int **BrowserAction**
- double **hitPointDist**
- float **hyp\_save\_posn** [3]
- float **hyp\_save\_norm** [3]
- float **ray\_save\_posn** [3]
- float **camera\_axis** [3]
- void \* **hypersensitive**
- int **hyperhit**
- void \* **hp**
- void \* **rayHit**
- int **lightingOn**
- int **have\_transparency**
- int **last\_texture\_type**
- unsigned int **boundTextureStack** [10]
- int **textureStackTop**
- void \* **texturenode**
- void \* **shapenode**
- void \* **prv**

### 4.971.1 Detailed Description

Definition at line 335 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.972 **trenderstate** Struct Reference

### Data Fields

- int **render\_sensitive**
- int **render\_picking**
- int **render\_vp**
- int **render\_light**
- int **render\_proximity**
- int **render\_other**
- int **verbose**
- int **render\_blend**
- int **render\_geom**
- int **render\_collision**
- int **render\_cube**
- int **render\_background**
- int **render\_boxes**

### 4.972.1 Detailed Description

Definition at line 793 of file headers.h.

The documentation for this struct was generated from the following file:

- src/lib/main/headers.h

## 4.973 **iiglobal::tRenderTextures** Struct Reference

### Data Fields

- void \* **textureParameterStack**
- void \* **prv**

### 4.973.1 Detailed Description

Definition at line 223 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.974 **iiglobal::tresources** Struct Reference

### Data Fields

- void \* **root\_res**
- void \* **prv**

### 4.974.1 Detailed Description

Definition at line 69 of file iglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iglobal.h

## 4.975 Trimline Class Reference

### Public Member Functions

- void **init** ( TrimVertex \*)
- void **init** (long, Arc\_ptr, long)
- void **getNextPt** (void)
- void **getPrevPt** (void)
- void **getNextPts** (REAL, Backend &)
- void **getPrevPts** (REAL, Backend &)
- void **getNextPts** (Arc\_ptr)
- void **getPrevPts** (Arc\_ptr)
- TrimVertex \* **next** (void)
- TrimVertex \* **prev** (void)
- TrimVertex \* **first** (void)
- TrimVertex \* **last** (void)

### 4.975.1 Detailed Description


Definition at line 46 of file trimline.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/trimline.h
- src/libnurbs/internals/trimline.cc

## 4.976 TrimRegion Class Reference

Inheritance diagram for TrimRegion:



## Public Member Functions

- void **init** (REAL)
- void **advance** (REAL, REAL, REAL)
- void **setDu** (REAL)
- void **init** (long, Arc\_ptr)
- void **getPts** (Arc\_ptr)
- void **getPts** ( **Backend** &)
- void **getGridExtent** ( **TrimVertex** \*, **TrimVertex** \*)
- void **getGridExtent** (void)
- int **canTile** (void)

## Data Fields

- **Trimline left**
- **Trimline right**
- **Gridline top**
- **Gridline bot**
- **Uarray uarray**

### 4.976.1 Detailed Description

Definition at line 46 of file trimregion.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/trimregion.h
- src/libnurbs/internals/trimregion.cc

## 4.977 TrimVertex Class Reference

### Data Fields

- REAL **param** [2]
- long **nuid**

### 4.977.1 Detailed Description

Definition at line 43 of file trimvertex.h.

The documentation for this class was generated from the following file:

- src/libnurbs/internals/trimvertex.h

## 4.978 TrimVertexPool Class Reference

### Public Member Functions

- void **clear** (void)
- **TrimVertex** \* **get** (int)

### 4.978.1 Detailed Description

Definition at line 45 of file trimvertpool.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/trimvertpool.h
- src/libnurbs/internals/trimvertpool.cc

## 4.979 iiglobal::tSensInterps Struct Reference

### Data Fields

- void \* **prv**

### 4.979.1 Detailed Description

Definition at line 128 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.980 iiglobal::tSnapshot Struct Reference

### Data Fields

- IBOOL **doSnapshot**
- IBOOL **doPrintshot**
- int **snapGoodCount**
- void \* **prv**

### 4.980.1 Detailed Description

Definition at line 102 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h



## 4.981 iiglobal::tstatusbar Struct Reference

### Data Fields

- void \* **prv**

#### 4.981.1 Detailed Description

Definition at line 389 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.982 iiglobal::tStreamPoly Struct Reference

### Data Fields

- void \* **prv**

#### 4.982.1 Detailed Description

Definition at line 371 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.983 iiglobal::tTess Struct Reference

### Data Fields

- int \* **global\_IFS\_Coords**
- int **global\_IFS\_Coord\_count**
- void \* **global\_tessobj**
- int \* **text\_IFS\_Coords**
- int **text\_IFS\_Coord\_count**
- void \* **text\_tessobj**
- void \* **prv**

#### 4.983.1 Detailed Description

Definition at line 374 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.984 **iglobal::tTextures** Struct Reference

### Data Fields

- unsigned int \* **global\_tcin**
- int **global\_tcin\_count**
- void \* **global\_tcin\_lastParent**
- unsigned int **defaultBlankTexture**
- void \* **prv**

### 4.984.1 Detailed Description

Definition at line 228 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.985 **iglobal::tthreads** Struct Reference

### Data Fields

- pthread\_t **disposeThread**
- pthread\_t **mainThread**
- pthread\_t **DispThrd**
- pthread\_t **PCthread**
- pthread\_t **loadThread**
- pthread\_mutex\_t **mutex\_resource\_tree**
- pthread\_mutex\_t **mutex\_resource\_list**
- pthread\_cond\_t **resource\_list\_condition**
- pthread\_mutex\_t **mutex\_frontend\_list**
- pthread\_mutex\_t **mutex\_texture\_list**
- pthread\_cond\_t **texture\_list\_condition**
- IBOOL **ResourceThreadRunning**
- IBOOL **TextureThreadRunning**
- IBOOL **ResourceThreadWaiting**
- IBOOL **TextureThreadWaiting**
- IBOOL **flushing**
- int **MainLoopQuit**
- void \* **prv**

### 4.985.1 Detailed Description

Definition at line 74 of file `iglobal.h`.

The documentation for this struct was generated from the following file:

- `src/lib/iglobal.h`

## 4.986 iiglobal::tViewer Struct Reference

### Data Fields

- int **stereotype**
- void \* **prv**

### 4.986.1 Detailed Description

Definition at line 385 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.987 TwoByteChunk Struct Reference

### Data Fields

- char **otherParameters** [2]  
*two bytes of arbitrary data*

### 4.987.1 Detailed Description

Definition at line 306 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.988 iiglobal::tX3DParser Struct Reference

### Data Fields

- int **parentIndex**
- char \* **CDATA\_Text**
- int **CDATA\_Text\_curlen**
- void \* **prv**

### 4.988.1 Detailed Description

Definition at line 453 of file iiglobal.h.

The documentation for this struct was generated from the following file:

- src/lib/iiglobal.h

## 4.989 UaPdu Struct Reference

### Data Fields

- struct **DistributedEmissionsFamilyPdu** **myDistributedEmissionsFamilyPdu**
- struct **EntityID** **emittingEntityID**  
*ID of the entity that is the source of the emission.*
- struct **EventID** **eventID**  
*ID of event.*
- char **stateChangeIndicator**  
*This field shall be used to indicate whether the data in the UA PDU represent a state update or data that have changed since issuance of the last UA PDU.*
- char **pad**  
*padding*
- unsigned short **passiveParameterIndex**  
*This field indicates which database record (or file) shall be used in the definition of passive signature (unintentional) emissions of the entity.*
- unsigned char **propulsionPlantConfiguration**  
*This field shall specify the entity propulsion plant configuration.*
- unsigned char **numberOfShafts**  
*This field shall represent the number of shafts on a platform.*
- unsigned char **numberOfAPAs**  
*This field shall indicate the number of APAs described in the current UA PDU.*
- unsigned char **numberOfUAEmitterSystems**  
*This field shall specify the number of UA emitter systems being described in the current UA PDU.*
- void \* **shaftRPMs**  
*shaft RPM values*
- void \* **apaData**  
*apaData*
- void \* **emitterSystems**

### 4.989.1 Detailed Description

Definition at line 1869 of file DIS.h.

### 4.989.2 Field Documentation

#### 4.989.2.1 passiveParameterIndex

```
unsigned short UaPdu::passiveParameterIndex
```

This field indicates which database record (or file) shall be used in the definition of passive signature (unintentional) emissions of the entity.

The indicated database record (or file) shall define all noise generated as a function of propulsion plant configurations and associated auxiliaries.

Definition at line 1880 of file DIS.h.

### 4.989.2.2 propulsionPlantConfiguration

```
unsigned char UaPdu::propulsionPlantConfiguration
```

This field shall specify the entity propulsion plant configuration.

This field is used to determine the passive signature characteristics of an entity.

Definition at line 1882 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.990 Uarray Class Reference

### Public Member Functions

- long **init** (REAL, Arc\_ptr, Arc\_ptr)

### Data Fields

- REAL \* **uarray**

### 4.990.1 Detailed Description

Definition at line 44 of file uarray.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/uarray.h
- src/libnurbs/internals/uarray.cc

## 4.991 un1 Union Reference

### Data Fields

- int **i**
- float **f**
- void \* **p**

### 4.991.1 Detailed Description

Definition at line 2 of file ringbuf.h.

The documentation for this union was generated from the following file:

- src/lib/scenegraph/ringbuf.h

## 4.992 unca Struct Reference

### Data Fields

- char \* **catname**
- int **iunca**
- int **lengthpower**
- int **derived**
- int **ichanged**
- double **factor**
- char \* **uname**

### 4.992.1 Detailed Description

Definition at line 1719 of file CParseParser.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.c

## 4.993 Uni\_String Struct Reference

### Data Fields

- int **len**
- char \* **strptr**
- int **touched**
- size\_t **len**

### 4.993.1 Detailed Description

Definition at line 51 of file Structs.h.

The documentation for this struct was generated from the following files:

- src/lib/vrml\_parser/Structs.h
- src/libeai/EAI\_C.h

## 4.994 unitsB Struct Reference

### Data Fields

- char \* **catname**
- int **iunca**
- int **lengthpower**
- int **derived**
- int **ichanged**
- double **factor**
- char **uname** [40]

### 4.994.1 Detailed Description


Definition at line 1774 of file CParseParser.c.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.c

## 4.995 sai.eai.UnsupportedFieldTypeException Class Reference

Inheritance diagram for sai.eai.UnsupportedFieldTypeException:



### Public Member Functions

- **UnsupportedFieldTypeException** (String str)

### 4.995.1 Detailed Description


Definition at line 19 of file UnsupportedFieldTypeException.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/UnsupportedFieldTypeException.java

## 4.996 vrml.external.FreeWRLEAI.UnsupportedFieldTypeException Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.UnsupportedFieldTypeException:



### Public Member Functions

- **UnsupportedFieldTypeException** (String str)

### 4.996.1 Detailed Description

Definition at line 19 of file UnsupportedFieldTypeException.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/UnsupportedFieldTypeException.java

## 4.997 unz64\_file\_pos\_s Struct Reference

### Data Fields

- ZPOS64\_T **pos\_in\_zip\_directory**
- ZPOS64\_T **num\_of\_file**

### 4.997.1 Detailed Description

Definition at line 272 of file unzip.h.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.h

## 4.998 unz64\_s Struct Reference

### Data Fields

- **zlib\_filefunc64\_32\_def** z\_filefunc
- int **is64bitOpenFunction**
- voidpf **filestream**
- **unz\_global\_info64** gi
- ZPOS64\_T **byte\_before\_the\_zipfile**
- ZPOS64\_T **num\_file**
- ZPOS64\_T **pos\_in\_central\_dir**
- ZPOS64\_T **current\_file\_ok**
- ZPOS64\_T **central\_pos**
- ZPOS64\_T **size\_central\_dir**
- ZPOS64\_T **offset\_central\_dir**
- **unz\_file\_info64** cur\_file\_info
- **unz\_file\_info64\_internal** cur\_file\_info\_internal
- **file\_in\_zip64\_read\_info\_s**\* pfile\_in\_zip\_read
- int **encrypted**
- int **isZip64**



### 4.998.1 Detailed Description

Definition at line 165 of file unzip.c.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.c

## 4.999 unz\_file\_info64\_internal\_s Struct Reference

### Data Fields

- ZPOS64\_T **offset\_curfile**

### 4.999.1 Detailed Description

Definition at line 126 of file unzip.c.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.c

## 4.1000 unz\_file\_info64\_s Struct Reference

### Data Fields

- uLong **version**
- uLong **version\_needed**
- uLong **flag**
- uLong **compression\_method**
- uLong **dosDate**
- uLong **crc**
- ZPOS64\_T **compressed\_size**
- ZPOS64\_T **uncompressed\_size**
- uLong **size\_filename**
- uLong **size\_file\_extra**
- uLong **size\_file\_comment**
- uLong **disk\_num\_start**
- uLong **internal\_fa**
- uLong **external\_fa**
- tm\_unz **tmu\_date**

### 4.1000.1 Detailed Description

Definition at line 111 of file unzip.h.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.h

## 4.1001 unz\_file\_info\_s Struct Reference

### Data Fields

- uLong **version**
- uLong **version\_needed**
- uLong **flag**
- uLong **compression\_method**
- uLong **dosDate**
- uLong **crc**
- uLong **compressed\_size**
- uLong **uncompressed\_size**
- uLong **size\_filename**
- uLong **size\_file\_extra**
- uLong **size\_file\_comment**
- uLong **disk\_num\_start**
- uLong **internal\_fa**
- uLong **external\_fa**
- **tm\_unz** **tmu\_date**

### 4.1001.1 Detailed Description

Definition at line 132 of file unzip.h.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.h

## 4.1002 unz\_file\_pos\_s Struct Reference

### Data Fields

- uLong **pos\_in\_zip\_directory**
- uLong **num\_of\_file**

### 4.1002.1 Detailed Description

Definition at line 258 of file unzip.h.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.h

## 4.1003 unz\_global\_info64\_s Struct Reference

### Data Fields

- ZPOS64\_T **number\_entry**
- uLong **size\_comment**

### 4.1003.1 Detailed Description

Definition at line 96 of file unzip.h.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.h

## 4.1004 unz\_global\_info\_s Struct Reference

### Data Fields

- uLong **number\_entry**
- uLong **size\_comment**

### 4.1004.1 Detailed Description


Definition at line 103 of file unzip.h.

The documentation for this struct was generated from the following file:

- src/libminizip/unzip.h

## 4.1005 freeWRLSAI\_cpp::urlUnavailableException Class Reference

Inheritance diagram for freeWRLSAI\_cpp::urlUnavailableException:



### Public Member Functions

- virtual const char \* **what** ()

### Additional Inherited Members

### 4.1005.1 Detailed Description


Definition at line 240 of file SAlexception.h.

The documentation for this class was generated from the following file:

- src/SAI\_Cpp/SAlexception.h

## 4.1006 org.web3d.x3d.sai.URLUnavailableException Class Reference

Inheritance diagram for org.web3d.x3d.sai.URLUnavailableException:



### Public Member Functions

- **URLUnavailableException** (String msg)

#### 4.1006.1 Detailed Description

Definition at line 3 of file URLUnavailableException.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/URLUnavailableException.java

## 4.1007 usehit Struct Reference

### Data Fields

- struct **X3D\_Node** \* **node**
- double **mvm** [16]
- void \* **userdata**

#### 4.1007.1 Detailed Description

Definition at line 84 of file RenderFuncs.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/RenderFuncs.h

## 4.1008 VariableDatum Struct Reference

### Data Fields

- unsigned int **variableDatumID**  
*ID of the variable datum.*
- unsigned int **variableDatumLength**  
*length of the variable datums*
- void \* **variableDatums**  
*variable length list of 64-bit datums*

### 4.1008.1 Detailed Description

Definition at line 615 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.1009 Varray Class Reference

### Public Member Functions

- long **init** (REAL, **Arc** \*, **Arc** \*)

### Data Fields

- REAL \* **varray**
- REAL **vval** [1000]
- long **voffset** [1000]
- long **numquads**

### 4.1009.1 Detailed Description

Definition at line 43 of file varray.h.

The documentation for this class was generated from the following files:

- src/libnurbs/internals/varray.h
- src/libnurbs/internals/varray.cc

## 4.1010 vec2 Struct Reference

### Data Fields

- float **X**
- float **Y**

#### 4.1010.1 Detailed Description

Definition at line 2298 of file Component\_Text.c.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Component\_Text.c

### 4.1011 vec4 Struct Reference

#### Data Fields

- float **X**
- float **Y**
- float **Z**
- float **W**

#### 4.1011.1 Detailed Description

Definition at line 728 of file MainLoop.c.

The documentation for this struct was generated from the following files:

- src/lib/main/MainLoop.c
- src/lib/scenegraph/Component\_Text.c

### 4.1012 Vector Struct Reference

#### Data Fields

- int **n**
- int **allocn**
- void \* **data**

#### 4.1012.1 Detailed Description

Definition at line 36 of file Vector.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Vector.h

## 4.1013 Vector3Double Struct Reference

### Data Fields

- double **x**  
*X value.*
- double **y**  
*Y value.*
- double **z**  
*Z value.*

### 4.1013.1 Detailed Description

Definition at line 587 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.1014 Vector3Float Struct Reference

### Data Fields

- float **x**  
*X value.*
- float **y**  
*y Value*
- float **z**  
*Z value.*

### 4.1014.1 Detailed Description

Definition at line 328 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.1015 VectoringNozzleSystemData Struct Reference

### Data Fields

- float **horizontalDeflectionAngle**  
*horizontal deflection angle*
- float **verticalDeflectionAngle**  
*vertical deflection angle*

### 4.1015.1 Detailed Description

Definition at line 232 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.1016 vertexArray Class Reference

### Public Member Functions

- **vertexArray** (Int s)
- **vertexArray** (Real vertices[ ][2], Int nVertices)
- void **appendVertex** (Real \*ptr)
- Real \* **getVertex** (Int i)
- Real \*\* **getArray** ()
- Int **getNumElements** ()
- Int **findIndexAbove** (Real v)
- Int **findIndexAboveGen** (Real v, Int startIndex, Int endIndex)
- Int **findIndexBelowGen** (Real v, Int startIndex, Int endIndex)
- Int **findIndexStrictBelowGen** (Real v, Int startIndex, Int endIndex)
- Int **findIndexFirstAboveEqualGen** (Real v, Int startIndex, Int endIndex)
- Int **skipEqualityFromStart** (Real v, Int start, Int end)
- Int **findDecreaseChainFromEnd** (Int begin, Int end)
- void **print** ()

### 4.1016.1 Detailed Description

Definition at line 77 of file monoTriangulation.h.


The documentation for this class was generated from the following files:

- src/libnurbs/nurbtess/monoTriangulation.h
- src/libnurbs/nurbtess/monoTriangulation.cc



## 4.1017 sai.eai.VField Class Reference

Inheritance diagram for sai.eai.VField:



### Public Member Functions

- byte **getType** ()
- abstract void **write** (DataOutputStream out) throws IOException

### Static Public Attributes

- static final byte **NOTHING** = -1
- static final byte **SFBOOL** = 0
- static final byte **SFCOLOR** = 1
- static final byte **SFFLOAT** = 2
- static final byte **SFIMAGE** = 3
- static final byte **SFINT32** = 4
- static final byte **SFNODE** = 5
- static final byte **SFROTATION** = 6
- static final byte **SFSTRING** = 7
- static final byte **SFTIME** = 8
- static final byte **SFVEC2F** = 9
- static final byte **SFVEC3F** = 10

- static final byte **MFCOLOR** = 11
- static final byte **MFFLOAT** = 12
- static final byte **MFINT32** = 13
- static final byte **MFNODE** = 14
- static final byte **MFROTATION** = 15
- static final byte **MFSTRING** = 16
- static final byte **MFVEC2F** = 17
- static final byte **MFVEC3F** = 18

#### 4.1017.1 Detailed Description


Definition at line 24 of file VField.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VField.java

### 4.1018 vrml.external.FreeWRLEAI.VField Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VField:



## Public Member Functions

- byte **getType** ()
- abstract void **write** (DataOutputStream out) throws IOException

## Static Public Attributes

- static final byte **NOTHING** = -1
- static final byte **SFBOOL** = 0
- static final byte **SFCOLOR** = 1
- static final byte **SFFLOAT** = 2
- static final byte **SFIMAGE** = 3
- static final byte **SFINT32** = 4
- static final byte **SFNODE** = 5
- static final byte **SFROTATION** = 6
- static final byte **SFSTRING** = 7
- static final byte **SFTIME** = 8
- static final byte **SFVEC2F** = 9
- static final byte **SFVEC3F** = 10
- static final byte **MFCOLOR** = 11
- static final byte **MFFLOAT** = 12
- static final byte **MFINT32** = 13
- static final byte **MFNODE** = 14
- static final byte **MFROTATION** = 15
- static final byte **MFSTRING** = 16
- static final byte **MFVEC2F** = 17
- static final byte **MFVEC3F** = 18

### 4.1018.1 Detailed Description

Definition at line 24 of file VField.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VField.java

## 4.1019 vid\_stream Struct Reference

### Data Fields

- unsigned int **h\_size**
- unsigned int **v\_size**
- unsigned int **mb\_height**
- unsigned int **mb\_width**
- unsigned char **aspect\_ratio**
- unsigned char **picture\_rate**
- unsigned int **bit\_rate**
- unsigned int **vbv\_buffer\_size**
- int **const\_param\_flag**
- unsigned char **intra\_quant\_matrix** [8][8]

- unsigned char **non\_intra\_quant\_matrix** [8][8]
- char \* **ext\_data**
- char \* **user\_data**
- **GoP** group
- **Pict** picture
- **Slice** slice
- **Macroblock** mblock
- **Block** block
- int **state**
- int **bit\_offset**
- unsigned int \* **buffer**
- int **buf\_length**
- unsigned int \* **buf\_start**
- int **max\_buf\_length**
- int **film\_has\_ended**
- int **sys\_layer**
- unsigned int **num\_left**
- unsigned int **leftover\_bytes**
- int **EOF\_flag**
- FILE \* **input**
- long **seekValue**
- int **swap**
- int **Parse\_done**
- int **gAudioStreamID**
- int **gVideoStreamID**
- int **gReservedStreamID**
- int **right\_for**
- int **down\_for**
- int **right\_half\_for**
- int **down\_half\_for**
- unsigned int **curBits**
- int **matched\_depth**
- char \* **filename**
- int **ditherType**
- char \* **ditherFlags**
- int **totNumFrames**
- double **realTimeStart**
- **PictImage** \* **past**
- **PictImage** \* **future**
- **PictImage** \* **current**
- **PictImage** \* **ring** [RING\_BUF\_SIZE]
- int **ppm\_width**
- int **ppm\_height**
- int **ppm\_modulus**

#### 4.1019.1 Detailed Description

Definition at line 191 of file mpeg\_berkley.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/mpeg\_berkley.h

## 4.1020 viewer Struct Reference

### Data Fields

- struct **point\_XYZ** currentPosInModel
- struct **point\_XYZ** Pos
- **Quaternion** Quat
- struct **point\_XYZ** Pos0
- **Quaternion** Quat0
- struct **point\_XYZ** Up
- int **headlight**
- int **collision**
- double **speed**
- double **Dist**
- int **isStereo**
- int **isStereoB**
- int **iside**
- int **isideB**
- int **sidebyside**
- int **updown**
- int **updownB**
- int **shutterGlasses**
- int **haveQuadbuffer**
- int **anaglyph**
- int **anaglyphB**
- int **dominantEye**
- int **eitherDominantEye**
- double **stereoParameter**
- double **eyehalf**
- double **eyehalfangle**
- double **screendist**
- double **eyedist**
- int **ipro** [2]
- unsigned int **buffer**
- int **oktypes** [18]
- **X3D\_Viewer\_Walk** walk
- **X3D\_Viewer\_Examine** examine
- **X3D\_Viewer\_Fly** fly
- **X3D\_Viewer\_Spherical** ypz
- **X3D\_Viewer\_InPlane** inplane
- struct **point\_XYZ** VPvelocity
- int **SLERPing2**
- int **SLERPing2justStarted**
- int **SLERPing**
- double **startSLERPtime**
- int **SLERPing3**
- int **type**
- int **lastType**
- int **LookatMode**
- int **transitionType**
- double **transitionTime**
- double **lasttime**
- struct **point\_XYZ** startSLERPPos
- **Quaternion** startSLERPQuat

- double **startSLERPDist**
- double **endSLERPDist**
- struct **point\_XYZ** **endSLERPPos**
- **Quaternion** **endSLERPQuat**
- double **slerp\_viewmatrix** [16]
- double **slerp\_posorimatrix** [16]
- int **vp2rnSaved**
- int **doExamineModeDistanceCalculations**
- int **ortho**
- double **orthoField** [4]
- int **screenOrientation**
- double **nearPlane**
- double **farPlane**
- double **xcenter**
- double **backgroundPlane**
- GLDOUBLE **fieldofview**
- GLDOUBLE **fovZoom**
- int **wasBound**

#### 4.1020.1 Detailed Description

Definition at line 162 of file Viewer.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.h

### 4.1021 viewer\_examine Struct Reference

#### Data Fields

- struct **point\_XYZ** **Origin**
- **Quaternion** **OQuat**
- **Quaternion** **SQuat**
- double **ODist**
- double **SY**

#### 4.1021.1 Detailed Description

Definition at line 118 of file Viewer.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.h

## 4.1022 viewer\_fly Struct Reference

### Data Fields

- double **Velocity** [2][3]
- **KeyHit down** [2][3]
- int **ndown** [2][3]
- **KeyHit wasDown** [2][3][10]
- double **lasttime**

### 4.1022.1 Detailed Description

Definition at line 152 of file Viewer.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.h

## 4.1023 viewer\_inplane Struct Reference

### Data Fields

- double **x**
- double **y**
- double **xx**
- double **yy**
- int **on**
- int **ibut**

### 4.1023.1 Detailed Description

Definition at line 132 of file Viewer.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.h

## 4.1024 viewer\_walk Struct Reference

### Data Fields

- double **SX**
- double **SY**
- double **XD**
- double **YD**
- double **ZD**
- double **RD**

### 4.1024.1 Detailed Description

Definition at line 108 of file Viewer.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.h

## 4.1025 viewer\_ypz Struct Reference

### Data Fields

- double **ypz0** [3]
- double **ypz** [3]
- float **x**
- float **y**

### 4.1025.1 Detailed Description

Definition at line 126 of file Viewer.h.

The documentation for this struct was generated from the following file:

- src/lib/scenegraph/Viewer.h

## 4.1026 sai.eai.VIP Class Reference

### Static Public Member Functions

- static String **fieldName** (short value)

### Static Public Attributes

- static final short **QUIT** = -1
- static final short **MESSAGE** = -2
- static final short **ADD\_OBJECT** = -3
- static final short **REMOVE\_OBJECT** = -4
- static final short **PRIVATE\_MESSAGE** = -5
- static final short **CREATE\_OBJECT** = -6
- static final short **USER\_INFO** = -7
- static final short **SELF\_INFO** = -8
- static final short **SSRC** = -9
- static final short **TRANSFERREQUEST** = -10
- static final short **TRANSFERACCEPT** = -11
- static final short **TRANSFERREJECT** = -12
- static final short **TRANSFERREQUESTADD** = -13
- static final short **FILERREQUEST** = -14



- static final short **FRQRESPONSE** = -15
- static final short **POSITION** = 0
- static final short **ORIENTATION** = 1
- static final short **SCALE** = 2
- static final short **NAME** = 3
- static final short **OWNER** = 4
- static final short **PARENT** = 5
- static final short **CHILDREN** = 6
- static final short **DROPPED** = 7
- static final short **NUM\_FIELDS** = 4
- static final short **MAX\_GESTURES** = 10
- static final short **MAX\_CHILDREN** = 50

### 4.1026.1 Detailed Description

Definition at line 19 of file VIP.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VIP.java

## 4.1027 vrml.external.FreeWRLEAI.VIP Class Reference

### Static Public Member Functions

- static String **fieldName** (short value)

### Static Public Attributes

- static final short **QUIT** = -1
- static final short **MESSAGE** = -2
- static final short **ADD\_OBJECT** = -3
- static final short **REMOVE\_OBJECT** = -4
- static final short **PRIVATE\_MESSAGE** = -5
- static final short **CREATE\_OBJECT** = -6
- static final short **USER\_INFO** = -7
- static final short **SELF\_INFO** = -8
- static final short **SSRC** = -9
- static final short **TRANSFERREQUEST** = -10
- static final short **TRANSFERACCEPT** = -11
- static final short **TRANSFERREJECT** = -12
- static final short **TRANSFERREQUESTADD** = -13
- static final short **FILEREQUEST** = -14
- static final short **FRQRESPONSE** = -15
- static final short **POSITION** = 0
- static final short **ORIENTATION** = 1
- static final short **SCALE** = 2
- static final short **NAME** = 3
- static final short **OWNER** = 4
- static final short **PARENT** = 5
- static final short **CHILDREN** = 6
- static final short **DROPPED** = 7
- static final short **NUM\_FIELDS** = 4
- static final short **MAX\_GESTURES** = 10
- static final short **MAX\_CHILDREN** = 50

### 4.1027.1 Detailed Description


Definition at line 19 of file VIP.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VIP.java

## 4.1028 sai.eai.VMFCOLOR Class Reference

Inheritance diagram for sai.eai.VMFCOLOR:



### Public Member Functions

- **VMFCOLOR** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

### Additional Inherited Members

### 4.1028.1 Detailed Description


Definition at line 21 of file VMFCOLOR.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VMFCOLOR.java

## 4.1029 vrml.external.FreeWRLEAI.VMFCOLOR Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VMFCOLOR:



## Public Member Functions

- **VMFColor** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1029.1 Detailed Description


Definition at line 21 of file VMFColor.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VMFColor.java

## 4.1030 sai.eai.VMFFloat Class Reference

Inheritance diagram for sai.eai.VMFFloat:



## Public Member Functions

- **VMFFloat** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1030.1 Detailed Description


Definition at line 21 of file VMFFloat.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VMFFloat.java

## 4.1031 vrml.external.FreeWRLEAI.VMFFloat Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VMFFloat:



### Public Member Functions

- **VMFFloat** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

### Additional Inherited Members

#### 4.1031.1 Detailed Description


Definition at line 21 of file VMFFloat.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VMFFloat.java

## 4.1032 sai.eai.VMFIInt32 Class Reference

Inheritance diagram for sai.eai.VMFIInt32:



### Public Member Functions

- **VMFIInt32** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1032.1 Detailed Description


Definition at line 21 of file VMFIInt32.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VMFIInt32.java

## 4.1033 vrml.external.FreeWRLEAI.VMFIInt32 Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VMFIInt32:



## Public Member Functions

- **VMFIInt32** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1033.1 Detailed Description


Definition at line 21 of file VMFIInt32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VMFIInt32.java

## 4.1034 sai.eai.VMFRotation Class Reference

Inheritance diagram for sai.eai.VMFRotation:



## Public Member Functions

- **VMFRotation** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1034.1 Detailed Description


Definition at line 21 of file VMFRotation.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VMFRotation.java

## 4.1035 vrml.external.FreeWRLEAI.VMFRotation Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VMFRotation:



## Public Member Functions

- **VMFRotation** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1035.1 Detailed Description


Definition at line 21 of file VMFRotation.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VMFRotation.java

## 4.1036 sai.eai.VMFString Class Reference

Inheritance diagram for sai.eai.VMFString:



### Public Member Functions

- **VMFString** (DataInputStream in) throws IOException
- **VMFString** (String[] strings)
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()
- String[] **getValue** ()
- String **get1Value** (int pos)
- String **toString** ()

### Additional Inherited Members

#### 4.1036.1 Detailed Description


Definition at line 21 of file VMFString.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VMFString.java

## 4.1037 vrml.external.FreeWRLEAI.VMFString Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VMFString:



### Public Member Functions

- **VMFString** (DataInputStream in) throws IOException
- **VMFString** (String[] strings)
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()
- String[] **getValue** ()
- String **get1Value** (int pos)
- String **toString** ()

## Additional Inherited Members

### 4.1037.1 Detailed Description


Definition at line 21 of file VMFString.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VMFString.java

## 4.1038 sai.eai.VMFVec2f Class Reference

Inheritance diagram for sai.eai.VMFVec2f:



## Public Member Functions

- **VMFVec2f** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1038.1 Detailed Description


Definition at line 21 of file VMFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VMFVec2f.java

## 4.1039 vrml.external.FreeWRLEAI.VMFVec2f Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VMFVec2f:





## Public Member Functions

- **VMFVec2f** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1039.1 Detailed Description


Definition at line 21 of file VMFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VMFVec2f.java

## 4.1040 sai.eai.VMFVec3f Class Reference

Inheritance diagram for sai.eai.VMFVec3f:



## Public Member Functions

- **VMFVec3f** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1040.1 Detailed Description


Definition at line 21 of file VMFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VMFVec3f.java

## 4.1041 vrml.external.FreeWRLEAI.VMFVec3f Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VMFVec3f:



### Public Member Functions

- **VMFVec3f** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

### Additional Inherited Members

#### 4.1041.1 Detailed Description

Definition at line 21 of file VMFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VMFVec3f.java

## 4.1042 void3 Struct Reference

### Data Fields

- void \* **one**
- void \* **two**
- void \* **three**

#### 4.1042.1 Detailed Description

Definition at line 697 of file headers.h.

The documentation for this struct was generated from the following file:

- src/lib/main/headers.h

## 4.1043 VRMLLexer Struct Reference

### Data Fields

- char \* **nextIn**
- char \* **startOfStringPtr** [LEXER\_INPUT\_STACK\_MAX]
- char \* **curlID**
- BOOL **isEof**
- int **lexerInputLevel**
- char \* **oldNextIn** [LEXER\_INPUT\_STACK\_MAX]
- **Stack** \* **userNodeNames**
- struct **Vector** \* **userNodeTypesVec**
- **Stack** \* **userNodeTypesStack**
- struct **Vector** \* **user\_initializeOnly**
- struct **Vector** \* **user\_inputOutput**
- struct **Vector** \* **user\_inputOnly**
- struct **Vector** \* **user\_outputOnly**

### 4.1043.1 Detailed Description

Definition at line 50 of file CParseLexer.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseLexer.h

## 4.1044 sai.eai.VRMLObject Class Reference

### Public Member Functions

- **VRMLObject** (int id, String URL, **VRMLObjectObserver** observer)
- String[] **getFieldNames** ()
- **VField** **getField** (short field)
- void **setName** (String name)
- void **setField** (short field, **VField** value)
- String **toString** ()
- void **load** ()

### Data Fields

- int **id**
- String **URL**
- **VRMLObject** **next**
- String[] **gestures**
- boolean **loaded** = false

### Protected Member Functions

- void **doSetField** (short field, **VField** value)

## Protected Attributes

- String **name**
- String[] **fieldNames**
- **VRMLObjectObserver** **observer**
- **VField**[] **fields**

### 4.1044.1 Detailed Description

Definition at line 23 of file VRMLObject.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VRMLObject.java

## 4.1045 vrml.external.FreeWRLEAI.VRMLObject Class Reference

### Public Member Functions

- **VRMLObject** (int id, String URL, **VRMLObjectObserver** observer)
- String[] **getFieldNames** ()
- **VField** **getField** (short field)
- void **setName** (String name)
- void **setField** (short field, **VField** value)
- String **toString** ()
- void **load** ()

### Data Fields

- int **id**
- String **URL**
- **VRMLObject** **next**
- String[] **gestures**
- boolean **loaded** = false

### Protected Member Functions

- void **doSetField** (short field, **VField** value)

## Protected Attributes

- String **name**
- String[] **fieldNames**
- **VRMLObjectObserver** **observer**
- **VField**[] **fields**

### 4.1045.1 Detailed Description

Definition at line 23 of file VRMLObject.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VRMLObject.java

## 4.1046 sai.eai.VRMLObjectObserver Interface Reference

### Public Member Functions

- void **onClicked** ( VRMLObject obj)
- void **onLoaded** ( VRMLObject obj)

### 4.1046.1 Detailed Description

Definition at line 19 of file VRMLObjectObserver.java.

The documentation for this interface was generated from the following file:

- src/java/sai/eai/VRMLObjectObserver.java

## 4.1047 vrml.external.FreeWRLEAI.VRMLObjectObserver Interface Reference

### Public Member Functions

- void **onClicked** ( VRMLObject obj)
- void **onLoaded** ( VRMLObject obj)

### 4.1047.1 Detailed Description

Definition at line 19 of file VRMLObjectObserver.java.

The documentation for this interface was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VRMLObjectObserver.java

## 4.1048 VRMLParser Struct Reference

### Data Fields

- struct **VRMLLexer** \* **lexer**
- void \* **ectx**
- void \* **ptr**
- unsigned **ofs**
- struct **ProtoDefinition** \* **curPROTO**
- **Stack** \* **DEFedNodes**
- struct **Vector** \* **PROTOs**
- int **parsingX3DfromXML**
- **Stack** \* **brotoDEFedNodes**

### 4.1048.1 Detailed Description


Definition at line 148 of file CParseParser.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/CParseParser.h

## 4.1049 sai.eai.VSFBool Class Reference

Inheritance diagram for sai.eai.VSFBool:



### Public Member Functions

- **VSFBool** (boolean value)
- **VSFBool** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- boolean **getValue** ()
- byte **getType** ()

### Additional Inherited Members

### 4.1049.1 Detailed Description


Definition at line 21 of file VSFBool.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VSFBool.java

## 4.1050 vrml.external.FreeWRLEAI.VSFBool Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFBool:



### Public Member Functions

- **VSFBool** (boolean value)
- **VSFBool** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- boolean **getValue** ()
- byte **getType** ()

### Additional Inherited Members

#### 4.1050.1 Detailed Description


Definition at line 21 of file VSFBool.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSFBool.java

## 4.1051 sai.eai.VSFColor Class Reference

Inheritance diagram for sai.eai.VSFColor:



### Public Member Functions

- **VSFColor** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1051.1 Detailed Description


Definition at line 21 of file VSFCOLOR.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VSFColor.java

## 4.1052 vrml.external.FreeWRLEAI.VSFColor Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFColor:



## Public Member Functions

- **VSFColor** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1052.1 Detailed Description


Definition at line 21 of file VSFCOLOR.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSFColor.java

## 4.1053 sai.eai.VSFFloat Class Reference

Inheritance diagram for sai.eai.VSFFloat:





## Public Member Functions

- **VSFFloat** (float value) throws IOException
- **VSFFloat** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1053.1 Detailed Description


Definition at line 20 of file VSFFloat.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VSSFFloat.java

## 4.1054 vrml.external.FreeWRLEAI.VSFFloat Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFFloat:



## Public Member Functions

- **VSFFloat** (float value) throws IOException
- **VSFFloat** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1054.1 Detailed Description


Definition at line 20 of file VSFFloat.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSSFFloat.java

## 4.1055 sai.eai.VSFIImage Class Reference

Inheritance diagram for sai.eai.VSFIImage:



### Public Member Functions

- **VSFIImage** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

### Additional Inherited Members

#### 4.1055.1 Detailed Description


Definition at line 21 of file VSFIImage.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VsFIImage.java

## 4.1056 vrml.external.FreeWRLEAI.VSFIImage Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFIImage:



### Public Member Functions

- **VSFIImage** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

## Additional Inherited Members

### 4.1056.1 Detailed Description


Definition at line 21 of file VSFImage.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSFImage.java

## 4.1057 sai.eai.VSFInt32 Class Reference

Inheritance diagram for sai.eai.VSFInt32:



## Public Member Functions

- **VSFInt32** (DataInputStream in) throws IOException
- **VSFInt32** (int v)
- void **write** (DataOutputStream out) throws IOException
- int **getValue** ()
- byte **getType** ()

## Additional Inherited Members

### 4.1057.1 Detailed Description


Definition at line 21 of file VSFInt32.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VSFInt32.java

## 4.1058 vrml.external.FreeWRLEAI.VSFInt32 Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFInt32:



## Public Member Functions

- **VSFInt32** (DataInputStream in) throws IOException
- **VSFInt32** (int v)
- void **write** (DataOutputStream out) throws IOException
- int **getValue** ()
- byte **getType** ()

## Additional Inherited Members

### 4.1058.1 Detailed Description


Definition at line 21 of file VSFInt32.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSFInt32.java

## 4.1059 sai.eai.VSFRotation Class Reference

Inheritance diagram for sai.eai.VSFRotation:



## Public Member Functions

- **VSFRotation** (float axisX, float axisY, float axisZ, float angle)
- **VSFRotation** (float[] values)
- **VSFRotation** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- String **toString** ()
- byte **getType** ()
- float[] **getValue** ()
- double **getAngle** ()

## Additional Inherited Members

### 4.1059.1 Detailed Description


Definition at line 20 of file VSFRotation.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VSFRotation.java

## 4.1060 vrml.external.FreeWRLEAI.VSFRotation Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFRotation:



### Public Member Functions

- **VSFRotation** (float axisX, float axisY, float axisZ, float angle)
- **VSFRotation** (float[] values)
- **VSFRotation** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- String **toString** ()
- byte **getType** ()
- float[] **getValue** ()
- double **getAngle** ()

### Additional Inherited Members

#### 4.1060.1 Detailed Description


Definition at line 20 of file VSFRotation.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSFRotation.java

## 4.1061 sai.eai.VSFString Class Reference

Inheritance diagram for sai.eai.VSFString:



### Public Member Functions

- **VSFString** (String s)
- **VSFString** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- String **toString** ()
- String **getValue** ()
- byte **getType** ()

## Additional Inherited Members

### 4.1061.1 Detailed Description


Definition at line 21 of file VSFString.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VSFString.java

## 4.1062 vrml.external.FreeWRLEAI.VSFString Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFString:



## Public Member Functions

- **VSFString** (String s)
- **VSFString** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- String **toString** ()
- String **getValue** ()
- byte **getType** ()

## Additional Inherited Members

### 4.1062.1 Detailed Description


Definition at line 21 of file VSFString.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSFString.java

## 4.1063 sai.eai.VSFTIME Class Reference

Inheritance diagram for sai.eai.VSFTIME:



## Public Member Functions

- **VSFTIME** (double time)
- **VSFTIME** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()
- double **getValue** ()

## Additional Inherited Members

### 4.1063.1 Detailed Description


Definition at line 21 of file VSFTIME.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VSTIME.java

## 4.1064 vrml.external.FreeWRLEAI.VSFTIME Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFTIME:



## Public Member Functions

- **VSFTIME** (double time)
- **VSFTIME** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()
- double **getValue** ()

## Additional Inherited Members

### 4.1064.1 Detailed Description


Definition at line 21 of file VSFTIME.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSTIME.java

## 4.1065 sai.eai.VSFVec2f Class Reference

Inheritance diagram for sai.eai.VSFVec2f:



### Public Member Functions

- **VSFVec2f** (float x, float y, float z)
- **VSFVec2f** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()

### Additional Inherited Members

#### 4.1065.1 Detailed Description


Definition at line 21 of file VSFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VSFVec2f.java

## 4.1066 vrml.external.FreeWRLEAI.VSFVec2f Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFVec2f:



### Public Member Functions

- **VSFVec2f** (float x, float y, float z)
- **VSFVec2f** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- byte **getType** ()



## Additional Inherited Members

### 4.1066.1 Detailed Description


Definition at line 21 of file VSFVec2f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSFVec2f.java

## 4.1067 sai.eai.VSFVec3f Class Reference

Inheritance diagram for sai.eai.VSFVec3f:



## Public Member Functions

- **VSFVec3f** (float x, float y, float z)
- **VSFVec3f** (float[] values)
- **VSFVec3f** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- String **toString** ()
- byte **getType** ()
- float[] **getValue** ()
- **VSFVec3f plus** ( VSFVec3f v)
- **VSFVec3f minus** ( VSFVec3f v)
- **VSFVec3f times** (float s)
- double **getDistance** ( VSFVec3f v)
- double **getAngle** ( VSFVec3f v)

## Additional Inherited Members

### 4.1067.1 Detailed Description


Definition at line 19 of file VSFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/sai/eai/VSFVec3f.java

## 4.1068 vrml.external.FreeWRLEAI.VSFVec3f Class Reference

Inheritance diagram for vrml.external.FreeWRLEAI.VSFVec3f:



### Public Member Functions

- **VSFVec3f** (float x, float y, float z)
- **VSFVec3f** (float[] values)
- **VSFVec3f** (DataInputStream in) throws IOException
- void **write** (DataOutputStream out) throws IOException
- String **toString** ()
- byte **getType** ()
- float[] **getValue** ()
- **VSFVec3f plus** ( **VSFVec3f** v)
- **VSFVec3f minus** ( **VSFVec3f** v)
- **VSFVec3f times** (float s)
- double **getDistance** ( **VSFVec3f** v)
- double **getAngle** ( **VSFVec3f** v)

### Additional Inherited Members

#### 4.1068.1 Detailed Description

Definition at line 19 of file VSFVec3f.java.

The documentation for this class was generated from the following file:

- src/java/vrml/external/FreeWRLEAI/VSFVec3f.java

## 4.1069 walk\_cbdata Struct Reference

### Data Fields

- int(\* **fkey** )(const char \* **key**, int index, **cson\_value** \*val, void \*cbdata)
- int(\* **fval** )( **cson\_value** \*val, int index, void \*cbdata)
- void \* **data**
- void \* **arr**
- int **arrtype**

### 4.1069.1 Detailed Description

Definition at line 234 of file SSRServer.c.

The documentation for this struct was generated from the following file:

- src/SSR/SSRServer.c

## 4.1070 WarfareFamilyPdu Struct Reference

### Data Fields

- struct **Pdu** **myPdu**
- struct **EntityID** **firingEntityID**  
*ID of the entity that shot.*
- struct **EntityID** **targetEntityID**  
*ID of the entity that is being shot at.*

### 4.1070.1 Detailed Description

Definition at line 994 of file DIS.h.

The documentation for this struct was generated from the following file:

- src/lib/DIS/DIS.h

## 4.1071 WEB3DNATIVE Struct Reference

### Data Fields

- int **fieldType**
- union {  
    void \* **native**  
    union **anyVrml** \* **anyvrml**  
};
- int \* **valueChanged**
- int **kind**
- char **gc**

### 4.1071.1 Detailed Description

Definition at line 84 of file FWTYPE.h.

The documentation for this struct was generated from the following file:

- src/lib/world\_script/FWTYPE.h

## 4.1072 X3D\_Anchor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **Uni\_String** \* **description**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **parameter**
- struct **Multi\_String** **url**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- void \* **\_parentResource**

### 4.1072.1 Detailed Description

Definition at line 2694 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1073 X3D\_Appearance Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**

- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **fillProperties**
- struct **X3D\_Node** \* **lineProperties**
- struct **X3D\_Node** \* **material**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **shaders**
- struct **Multi\_Node** **effects**
- struct **X3D\_Node** \* **texture**
- struct **X3D\_Node** \* **textureTransform**

### 4.1073.1 Detailed Description

Definition at line 2723 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1074 X3D\_Arc2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- float **endAngle**
- float **radius**
- float **startAngle**
- struct **Multi\_Vec2f** **\_\_points**
- int **\_\_numPoints**

### 4.1074.1 Detailed Description

Definition at line 2749 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1075 X3D\_ArcClose2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **closureType**
- float **endAngle**
- float **radius**
- int **solid**
- float **startAngle**
- struct **Multi\_Vec2f** **\_\_points**
- struct **Multi\_Vec2f** **\_\_texCoords**
- int **\_\_numPoints**
- int **\_\_simpleDisk**
- void \* **\_\_wireindices**

### 4.1075.1 Detailed Description

Definition at line 2773 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1076 X3D\_AudioClip Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**

- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Uni\_String** \* **description**
- int **loop**
- struct **X3D\_Node** \* **metadata**
- double **pauseTime**
- float **pitch**
- double **resumeTime**
- double **startTime**
- double **stopTime**
- struct **Multi\_String** **url**
- double **duration\_changed**
- double **elapsedTime**
- int **isActive**
- int **isPaused**
- void \* **\_parentResource**
- int **\_\_loadstatus**
- void \* **\_\_loadResource**
- int **\_\_sourceNumber**
- double **\_\_inittime**
- double **\_\_lasttime**

#### 4.1076.1 Detailed Description

Definition at line 2802 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1077 X3D\_BackdropBackground Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **set\_bind**
- double **bindTime**
- int **isBound**
- float **transparency**
- struct **SFColor** **color**
- struct **X3D\_Node** \* **metadata**
- int **\_\_texture**
- int **\_\_VBO**
- struct **Multi\_String** **url**

### 4.1077.1 Detailed Description

Definition at line 2839 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1078 X3D\_Background Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **set\_bind**
- struct **Multi\_Float** **groundAngle**
- struct **Multi\_Color** **groundColor**
- struct **Multi\_Float** **skyAngle**
- struct **Multi\_Color** **skyColor**
- double **bindTime**
- int **isBound**
- int **\_layerId**
- void \* **\_parentResource**
- struct **Multi\_Vec3f** **\_\_points**
- struct **Multi\_Color** **\_\_colours**
- int **\_\_quadcount**
- float **transparency**
- struct **Multi\_String** **frontUrl**
- struct **Multi\_String** **backUrl**
- struct **Multi\_String** **topUrl**
- struct **Multi\_String** **bottomUrl**
- struct **Multi\_String** **leftUrl**
- struct **Multi\_String** **rightUrl**
- struct **X3D\_Node** \* **metadata**
- int **\_\_textureright**
- struct **X3D\_Node** \* **\_\_frontTexture**
- struct **X3D\_Node** \* **\_\_backTexture**
- struct **X3D\_Node** \* **\_\_topTexture**
- struct **X3D\_Node** \* **\_\_bottomTexture**
- struct **X3D\_Node** \* **\_\_leftTexture**
- struct **X3D\_Node** \* **\_\_rightTexture**
- int **\_\_VBO**



### 4.1078.1 Detailed Description

Definition at line 2866 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1079 X3D\_BallJoint Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **anchorPoint**
- struct **X3D\_Node** \* **body1**
- struct **X3D\_Node** \* **body2**
- struct **Multi\_String** **forceOutput**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **body1AnchorPoint**
- struct **SFVec3f** **body2AnchorPoint**
- void \* **\_joint**
- int **\_forceout**
- struct **SFVec3f** **\_\_old\_anchorPoint**
- struct **X3D\_Node** \* **\_\_old\_body1**
- struct **X3D\_Node** \* **\_\_old\_body2**

### 4.1079.1 Detailed Description

Definition at line 2912 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1080 X3D\_Billboard Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **SFVec3f** **axisOfRotation**
- struct **Multi\_Node** **children**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **X3D\_Node** \* **metadata**
- double **\_rotationAngle**

### 4.1080.1 Detailed Description

Definition at line 2942 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1081 X3D\_BlendedVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**

- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **surfaceNormals**
- struct **X3D\_Node** \* **renderStyle**
- struct **X3D\_Node** \* **voxels**
- float **weightConstant1**
- float **weightConstant2**
- struct **Uni\_String** \* **weightFunction1**
- struct **Uni\_String** \* **weightFunction2**
- struct **X3D\_Node** \* **weightTransferFunction1**
- struct **X3D\_Node** \* **weightTransferFunction2**
- struct **Multi\_Int32** **\_fbohandles**
- int **\_weightFunction1**
- int **\_weightFunction2**

#### 4.1081.1 Detailed Description

Definition at line 2969 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1082 X3D\_BooleanFilter Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **set\_boolean**
- int **inputFalse**
- int **inputNegate**
- int **inputTrue**
- struct **X3D\_Node** \* **metadata**

### 4.1082.1 Detailed Description

Definition at line 3001 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1083 X3D\_BooleanSequencer Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **next**
- int **previous**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Bool** **keyValue**
- int **value\_changed**
- struct **X3D\_Node** \* **metadata**
- int **\_index**

### 4.1083.1 Detailed Description

Definition at line 3024 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1084 X3D\_BooleanToggle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **set\_boolean**
- int **toggle**
- struct **X3D\_Node** \* **metadata**

### 4.1084.1 Detailed Description

Definition at line 3050 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1085 X3D\_BooleanTrigger Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- double **set\_triggerTime**
- int **triggerTrue**
- struct **X3D\_Node** \* **metadata**

### 4.1085.1 Detailed Description

Definition at line 3071 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1086 X3D\_BoundaryEnhancementVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- float **boundaryOpacity**
- float **opacityFactor**
- float **retainedOpacity**

### 4.1086.1 Detailed Description

Definition at line 3092 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1087 X3D\_BoundedPhysicsModel Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **geometry**
- struct **X3D\_Node** \* **metadata**

### 4.1087.1 Detailed Description

Definition at line 3115 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1088 X3D\_Box Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **size**
- int **solid**
- struct **Multi\_Vec3f** **\_\_points**

### 4.1088.1 Detailed Description

Definition at line 3136 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1089 X3D\_CADAssembly Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **Multi\_Node** **\_sortedChildren**

### 4.1089.1 Detailed Description

Definition at line 3158 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1090 X3D\_CADFace Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **X3D\_Node** \* **shape**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**

### 4.1090.1 Detailed Description

Definition at line 3185 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1091 X3D\_CADLayer Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **Multi\_Bool** **visible**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**

### 4.1091.1 Detailed Description

Definition at line 3208 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1092 X3D\_CADPart Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **SFVec3f** **center**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **SFRotation** **rotation**
- struct **SFVec3f** **scale**
- struct **SFRotation** **scaleOrientation**
- struct **SFVec3f** **translation**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- int **\_\_do\_center**
- int **\_\_do\_trans**
- int **\_\_do\_rotation**
- int **\_\_do\_scaleO**
- int **\_\_do\_scale**
- int **\_\_do\_anything**
- struct **Multi\_Node** **\_sortedChildren**

### 4.1092.1 Detailed Description

Definition at line 3235 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1093 X3D\_CalibratedCameraSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- int **isActive**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **description**
- struct **Multi\_Int32** **image**
- struct **SFVec2f** **focalPoint**
- float **fieldOfView**
- struct **Uni\_String** \* **fovMode**
- float **aspectRatio**

### 4.1093.1 Detailed Description

Definition at line 3273 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1094 X3D\_CartoonVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **surfaceNormals**
- struct **SFColorRGBA** **orthogonalColor**
- struct **SFColorRGBA** **parallelColor**
- int **colorSteps**

### 4.1094.1 Detailed Description

Definition at line 3300 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1095 X3D\_Circle2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- float **radius**
- struct **Multi\_Vec2f** **\_\_points**
- int **\_\_numPoints**

### 4.1095.1 Detailed Description

Definition at line 3324 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1096 X3D\_ClipPlane Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec4f** **plane**

### 4.1096.1 Detailed Description

Definition at line 3346 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1097 X3D\_CollidableOffset Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **rotation**
- struct **SFVec3f** **translation**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- int **\_\_do\_trans**
- int **\_\_do\_rotation**
- struct **X3D\_Node** \* **collidable**
- void \* **\_geom**
- struct **SFRotation** **\_initialRotation**
- struct **SFVec3f** **\_initialTranslation**
- int **\_initialized**
- void \* **\_csensor**

### 4.1097.1 Detailed Description

Definition at line 3367 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1098 X3D\_CollidableShape Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **rotation**
- struct **SFVec3f** **translation**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- int **\_\_do\_trans**
- int **\_\_do\_rotation**
- struct **X3D\_Node** \* **shape**
- void \* **\_geom**
- struct **SFRotation** **\_initialRotation**
- struct **SFVec3f** **\_initialTranslation**
- int **\_initialized**
- void \* **\_csensor**

### 4.1098.1 Detailed Description

Definition at line 3399 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1099 X3D\_Collision Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**

- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- int **enabled**
- int **collide**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **X3D\_Node** \* **proxy**
- double **collideTime**
- struct **X3D\_Node** \* **metadata**
- int **\_\_hit**

#### 4.1099.1 Detailed Description

Definition at line 3431 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1100 X3D\_CollisionCollection Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_String** **appliedParameters**
- float **bounce**
- struct **Multi\_Node** **collidables**
- int **enabled**
- struct **SFVec2f** **frictionCoefficients**
- struct **X3D\_Node** \* **metadata**

- float **minBounceSpeed**
- struct **SFVec2f** **slipFactors**
- float **softnessConstantForceMix**
- float **softnessErrorCorrection**
- struct **SFVec2f** **surfaceSpeed**
- void \* **\_class**
- void \* **\_csensor**
- int **\_appliedParametersMask**

#### 4.1100.1 Detailed Description

Definition at line 3461 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1101 X3D\_CollisionSensor Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **collider**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **intersections**
- struct **Multi\_Node** **contacts**
- int **isActive**

#### 4.1101.1 Detailed Description

Definition at line 3493 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1102 X3D\_CollisionSpace Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **collidables**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- int **useGeometry**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- void \* **\_space**

### 4.1102.1 Detailed Description

Definition at line 3517 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1103 X3D\_Color Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Color** **color**
- struct **X3D\_Node** \* **metadata**

### 4.1103.1 Detailed Description

Definition at line 3542 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1104 X3D\_ColorChaser Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- int **isActive**
- double **duration**
- double **\_bufferendtime**
- double **\_steptime**
- struct **SFColor** **value\_changed**
- struct **SFColor** **initialDestination**
- struct **SFColor** **initialValue**
- struct **SFColor** **set\_destination**
- struct **SFColor** **set\_value**
- void \* **\_buffer**
- struct **SFColor** **\_previousvalue**
- struct **SFColor** **\_destination**

### 4.1104.1 Detailed Description

Definition at line 3562 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1105 X3D\_ColorDamper Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- double **tau**
- float **tolerance**
- int **isActive**
- int **order**
- double **\_tau**
- double **\_lasttick**
- int **\_takefirstinput**
- struct **SFColor** **value\_changed**
- struct **SFColor** **initialDestination**
- struct **SFColor** **initialValue**
- struct **SFColor** **set\_destination**
- struct **SFColor** **set\_value**
- void \* **\_values**
- struct **SFColor** **\_input**

### 4.1105.1 Detailed Description

Definition at line 3595 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1106 X3D\_ColorInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Color** **keyValue**
- struct **X3D\_Node** \* **metadata**
- struct **SFColor** **value\_changed**

### 4.1106.1 Detailed Description

Definition at line 3630 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1107 X3D\_ColorRGBA Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_ColorRGBA** **color**
- struct **X3D\_Node** \* **metadata**

### 4.1107.1 Detailed Description

Definition at line 3653 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1108 X3D\_ComposedCubeMapTexture Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **back**
- struct **X3D\_Node** \* **bottom**
- struct **X3D\_Node** \* **front**
- struct **X3D\_Node** \* **left**
- struct **X3D\_Node** \* **top**
- struct **X3D\_Node** \* **right**
- void \* **\_parentResource**

### 4.1108.1 Detailed Description

Definition at line 3673 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1109 X3D\_ComposedShader Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **activate**
- struct **Multi\_Node** parts
- int **isSelected**
- int **isValid**
- struct **Uni\_String** \* **language**
- struct **X3D\_Node** \* **metadata**
- int **\_initialized**
- struct **X3D\_Node** \* **\_shaderUserDefinedFields**
- int **\_shaderUserNumber**
- pthread\_t **\_shaderLoadThread**
- int **\_retrievedURLData**

### 4.1109.1 Detailed Description

Definition at line 3699 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1110 X3D\_ComposedTexture3D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**

- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **texture**
- struct **X3D\_Node** \* **textureProperties**
- int **repeatS**
- int **repeatT**
- int **repeatR**
- int **\_\_textureTableIndex**
- void \* **\_parentResource**

### 4.1110.1 Detailed Description

Definition at line 3728 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1111 X3D\_ComposedVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **renderStyle**

### 4.1111.1 Detailed Description

Definition at line 3754 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1112 X3D\_CompositeVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **renderStyle**

### 4.1112.1 Detailed Description

Definition at line 3775 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1113 X3D\_Cone Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- int **bottom**
- float **bottomRadius**
- float **height**
- int **side**
- int **solid**
- struct **Multi\_Vec3f** **\_\_sidepoints**
- struct **Multi\_Vec3f** **\_\_botpoints**
- struct **Multi\_Vec3f** **\_\_normals**
- int **\_\_coneVBO**
- int **\_\_coneTriangles**
- void \* **\_\_wireindices**



### 4.1113.1 Detailed Description

Definition at line 3796 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1114 X3D\_ConeEmitter Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **angle**
- struct **SFVec3f** **direction**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **position**
- float **speed**
- float **variation**
- float **mass**
- float **surfaceArea**

### 4.1114.1 Detailed Description

Definition at line 3826 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1115 X3D\_Contact Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_String** **appliedParameters**
- struct **X3D\_Node** \* **body1**
- struct **X3D\_Node** \* **body2**
- float **bounce**
- struct **SFVec3f** **contactNormal**
- float **depth**
- struct **SFVec2f** **frictionCoefficients**
- struct **SFVec3f** **frictionDirection**
- struct **X3D\_Node** \* **geometry1**
- struct **X3D\_Node** \* **geometry2**
- struct **X3D\_Node** \* **metadata**
- float **minBounceSpeed**
- struct **SFVec3f** **position**
- struct **SFVec2f** **slipCoefficients**
- float **softnessConstantForceMix**
- float **softnessErrorCorrection**
- struct **SFVec2f** **surfaceSpeed**
- int **\_appliedParameters**

### 4.1115.1 Detailed Description

Definition at line 3852 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1116 X3D\_Contour2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**

### 4.1116.1 Detailed Description

Definition at line 3888 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1117 X3D\_ContourPolyline2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec2d** **controlPoint**
- struct **Multi\_Vec2f** **point**

### 4.1117.1 Detailed Description

Definition at line 3911 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1118 X3D\_Coordinate Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Vec3f** **point**
- struct **X3D\_Node** \* **metadata**

### 4.1118.1 Detailed Description

Definition at line 3932 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1119 X3D\_CoordinateChaser Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]

- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- int **isActive**
- double **duration**
- double **\_bufferendtime**
- double **\_steptime**
- struct **Multi\_Vec3f** **value\_changed**
- struct **Multi\_Vec3f** **initialDestination**
- struct **Multi\_Vec3f** **initialValue**
- struct **Multi\_Vec3f** **set\_destination**
- struct **Multi\_Vec3f** **set\_value**
- void \* **\_buffer**
- struct **Multi\_Vec3f** **\_previousvalue**
- struct **Multi\_Vec3f** **\_destination**

#### 4.1119.1 Detailed Description

Definition at line 3952 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1120 X3D\_CoordinateDamper Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- double **tau**
- float **tolerance**

- int **isActive**
- int **order**
- double **\_tau**
- double **\_lasttick**
- int **\_takefirstinput**
- struct **Multi\_Vec3f** **value\_changed**
- struct **Multi\_Vec3f** **initialDestination**
- struct **Multi\_Vec3f** **initialValue**
- struct **Multi\_Vec3f** **set\_destination**
- struct **Multi\_Vec3f** **set\_value**
- void \* **\_values**
- struct **Multi\_Vec3f** **\_input**

#### 4.1120.1 Detailed Description

Definition at line 3985 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1121 X3D\_CoordinateDouble Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec3d** **point**

#### 4.1121.1 Detailed Description

Definition at line 4020 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1122 X3D\_CoordinateInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Vec3f** **keyValue**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec3f** **value\_changed**
- int **\_GPU\_Routes\_out**
- int **\_CPU\_Routes\_out**
- int **\_keyVBO**
- int **\_keyValueVBO**

### 4.1122.1 Detailed Description

Definition at line 4040 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1123 X3D\_CoordinateInterpolator2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Vec2f** **keyValue**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec2f** **value\_changed**

### 4.1123.1 Detailed Description

Definition at line 4067 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1124 X3D\_Cylinder Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- int **bottom**
- float **height**
- float **radius**
- int **side**
- int **solid**
- int **top**
- struct **Multi\_Vec3f** **\_\_points**
- struct **Multi\_Vec3f** **\_\_normals**
- int **\_\_cylinderVBO**
- int **\_\_cylinderTriangles**
- void \* **\_\_wireindices**

### 4.1124.1 Detailed Description

Definition at line 4090 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1125 X3D\_CylinderSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **autoOffset**
- struct **SFRotation** **axisRotation**
- float **diskAngle**
- int **enabled**
- float **maxAngle**
- float **minAngle**
- float **offset**
- int **isActive**
- int **isOver**
- struct **Uni\_String** \* **description**
- struct **SFRotation** **rotation\_changed**
- struct **SFVec3f** **trackPoint\_changed**
- struct **X3D\_Node** \* **metadata**
- int **sensorLocalOutput**
- struct **SFVec3f** **\_oldtrackPoint**
- struct **SFRotation** **\_oldrotation**
- struct **SFVec3f** **\_origPoint**
- float **\_radius**
- int **\_usingDisk**
- int **\_\_oldEnabled**

### 4.1125.1 Detailed Description

Definition at line 4120 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1126 X3D\_DirectionalLight Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **ambientIntensity**
- struct **SFColor** **color**
- struct **SFVec3f** **direction**
- int **global**
- float **intensity**
- struct **X3D\_Node** \* **metadata**
- int **on**
- struct **SFVec4f** **\_dir**
- struct **SFVec4f** **\_col**
- struct **SFVec4f** **\_amb**

### 4.1126.1 Detailed Description

Definition at line 4237 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1127 X3D\_DISEntityManager Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**

- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- int **isActive**
- double **timestamp**
- struct **Uni\_String** \* **address**
- int **port**
- struct **Uni\_String** \* **multicastRelayHost**
- int **multicastRelayPort**
- struct **Uni\_String** \* **networkMode**
- int **isNetworkReader**
- int **isNetworkWriter**
- int **isStandAlone**
- double **readInterval**
- double **writeInterval**
- int **rtpHeaderExpected**
- int **isRtpHeaderHeard**
- int **\_registered**
- struct **X3D\_Node** \* **\_dsock**
- double **\_lasttime**
- int **\_pduchange\_networksensor**
- struct **X3D\_Node** \* **\_oldState**
- int **entityID**
- int **applicationID**
- int **siteID**
- struct **Multi\_Node** mapping
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** addedEntities
- struct **Multi\_Node** removedEntities
- struct **Multi\_Node** addEntities
- struct **Multi\_Node** removeEntities
- struct **Multi\_Node** entities
- int **\_pduchange\_create**
- int **\_pduchange\_remove**
- int **\_pduchange\_em\_info**

### 4.1127.1 Detailed Description

Definition at line 4158 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1128 X3D\_DISEntityTypeMapping Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **url**
- int **kind**
- int **domain**
- int **country**
- int **category**
- int **subcategory**
- int **specific**
- int **extra**
- struct **X3D\_Node** \* **\_child**

### 4.1128.1 Detailed Description

Definition at line 4209 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1129 X3D\_Disk2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**

- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- float **innerRadius**
- float **outerRadius**
- int **solid**
- struct **Multi\_Vec2f** **\_\_points**
- struct **Multi\_Vec2f** **\_\_texCoords**
- int **\_\_numPoints**
- int **\_\_simpleDisk**
- void \* **\_\_wireindices**

### 4.1129.1 Detailed Description

Definition at line 4265 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1130 X3D\_DoubleAxisHingeJoint Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **anchorPoint**
- struct **SFVec3f** **axis1**
- struct **SFVec3f** **axis2**
- struct **X3D\_Node** \* **body1**
- struct **X3D\_Node** \* **body2**
- float **desiredAngularVelocity1**
- float **desiredAngularVelocity2**
- struct **Multi\_String** **forceOutput**
- float **maxAngle1**
- float **maxTorque1**
- float **maxTorque2**
- struct **X3D\_Node** \* **metadata**
- float **minAngle1**

- float **stopBounce1**
- float **stopConstantForceMix1**
- float **stopErrorCorrection1**
- float **suspensionErrorCorrection**
- float **suspensionForce**
- struct **SFVec3f** **body1AnchorPoint**
- struct **SFVec3f** **body1Axis**
- struct **SFVec3f** **body2AnchorPoint**
- struct **SFVec3f** **body2Axis**
- float **hinge1Angle**
- float **hinge1AngleRate**
- float **hinge2Angle**
- float **hinge2AngleRate**
- void \* **\_joint**
- int **\_forceout**
- struct **SFVec3f** **\_\_old\_anchorPoint**
- struct **SFVec3f** **\_\_old\_axis1**
- struct **SFVec3f** **\_\_old\_axis2**
- struct **X3D\_Node** \* **\_\_old\_body1**
- struct **X3D\_Node** \* **\_\_old\_body2**
- void \* **\_motor1**
- void \* **\_motor2**
- float **axis1Angle**

#### 4.1130.1 Detailed Description

Definition at line 4292 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1131 X3D\_EaseInEaseOut Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Vec2f** **easeInEaseOut**
- struct **Multi\_Float** **key**
- struct **X3D\_Node** \* **metadata**
- float **modifiedFraction\_changed**

### 4.1131.1 Detailed Description

Definition at line 4346 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1132 X3D\_EdgeEnhancementVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **surfaceNormals**
- struct **SFColorRGBA** **edgeColor**
- float **gradientThreshold**

### 4.1132.1 Detailed Description

Definition at line 4369 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1133 X3D\_Effect Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **activate**
- struct **Multi\_Node** parts
- int **isSelected**
- int **isValid**
- struct **Uni\_String** \* **language**
- struct **X3D\_Node** \* **metadata**
- int **\_initialized**
- struct **X3D\_Node** \* **\_shaderUserDefinedFields**
- int **\_shaderUserNumber**
- pthread\_t **\_shaderLoadThread**
- int **\_retrievedURLData**

### 4.1133.1 Detailed Description

Definition at line 4392 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1134 X3D\_EffectPart Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**



- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **url**
- struct **Uni\_String** \* **type**
- int **\_\_loadstatus**
- void \* **\_parentResource**
- void \* **\_\_loadResource**
- struct **X3D\_Node** \* **\_shaderUserDefinedFields**

#### 4.1134.1 Detailed Description

Definition at line 4421 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1135 X3D\_ElevationGrid Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Float** **set\_height**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- int **colorPerVertex**
- float **creaseAngle**
- struct **Multi\_Float** **height**
- int **normalPerVertex**
- int **solid**
- int **xDimension**
- float **xSpacing**
- int **zDimension**
- float **zSpacing**
- struct **Multi\_Int32** **\_coordIndex**

### 4.1135.1 Detailed Description

Definition at line 4446 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1136 X3D\_EspduTransform Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- int **isActive**
- double **timestamp**
- struct **Uni\_String** \* **address**
- int **port**
- struct **Uni\_String** \* **multicastRelayHost**
- int **multicastRelayPort**
- struct **Uni\_String** \* **networkMode**
- int **isNetworkReader**
- int **isNetworkWriter**
- int **isStandAlone**
- double **readInterval**
- double **writeInterval**
- int **rtpHeaderExpected**
- int **isRtpHeaderHeard**
- int **\_registered**
- struct **X3D\_Node** \* **\_dsock**
- double **\_lasttime**
- int **\_pduchange\_networksensor**
- struct **X3D\_Node** \* **\_oldState**
- int **entityID**
- int **applicationID**
- int **siteID**
- struct **Multi\_String** **geoSystem**
- struct **SFVec3d** **geoCoords**
- struct **X3D\_Node** \* **\_\_geoSystem**
- int **entityKind**

- int **entityDomain**
- int **entityCountry**
- int **entityCategory**
- int **entitySubCategory**
- int **entitySpecific**
- int **entityExtra**
- int **forceID**
- struct **Uni\_String** \* **marking**
- int **deadReckoning**
- struct **SFVec3f** **linearVelocity**
- struct **SFVec3f** **linearAcceleration**
- struct **SFVec3f** **\_p0**
- struct **SFVec3f** **\_v0**
- struct **SFVec3f** **\_a0**
- struct **SFRotation** **\_angularVelocity**
- struct **SFRotation** **\_r0**
- int **\_change\_count**
- int **\_sent**
- struct **SFVec3f** **\_lastp0**
- struct **SFRotation** **\_lastr0**
- double **\_lastp0time**
- double **\_lastframetime**
- struct **SFVec3f** **\_smoothingDelta**
- int **\_smoothingCount**
- float **set\_articulationParameterValue0**
- float **set\_articulationParameterValue1**
- float **set\_articulationParameterValue2**
- float **set\_articulationParameterValue3**
- float **set\_articulationParameterValue4**
- float **set\_articulationParameterValue5**
- float **set\_articulationParameterValue6**
- float **set\_articulationParameterValue7**
- int **articulationParameterCount**
- struct **Multi\_Int32** **articulationParameterDesignatorArray**
- struct **Multi\_Int32** **articulationParameterChangeIndicatorArr**
- struct **Multi\_Int32** **articulationParameterIdPartAttachedToAr**
- struct **Multi\_Int32** **articulationParameterTypeArray**
- struct **Multi\_Float** **articulationParameterArray**
- float **articulationParameterValue0\_changed**
- float **articulationParameterValue1\_changed**
- float **articulationParameterValue2\_changed**
- float **articulationParameterValue3\_changed**
- float **articulationParameterValue4\_changed**
- float **articulationParameterValue5\_changed**
- float **articulationParameterValue6\_changed**
- float **articulationParameterValue7\_changed**
- int **\_pduchange\_es**
- int **collisionType**
- double **collideTime**
- int **isCollided**
- int **\_pduchange\_collision**
- int **eventEntityID**
- int **eventApplicationID**
- int **eventSiteID**
- int **eventNumber**

- int **fired1**
- int **fired2**
- int **fireMissionIndex**
- float **firingRange**
- double **firedTime**
- int **\_pduchange\_fire**
- struct **SFVec3f** **detonationLocation**
- struct **SFVec3f** **detonationRelativeLocation**
- int **detonationResult**
- double **detonateTime**
- int **isDetonated**
- int **\_pduchange\_detonation**
- int **munitionEntityID**
- int **munitionApplicationID**
- int **munitionSiteID**
- struct **SFVec3f** **munitionStartPoint**
- struct **SFVec3f** **munitionEndPoint**
- int **munitionQuantity**
- int **firingRate**
- int **fuse**
- int **warhead**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **SFVec3f** **center**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **rotation**
- struct **SFVec3f** **scale**
- struct **SFRotation** **scaleOrientation**
- struct **SFVec3f** **translation**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- int **\_\_do\_center**
- int **\_\_do\_trans**
- int **\_\_do\_rotation**
- int **\_\_do\_scaleO**
- int **\_\_do\_scale**
- int **\_\_do\_anything**
- struct **Multi\_Node** **\_sortedChildren**

#### 4.1136.1 Detailed Description

Definition at line 4482 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1137 X3D\_ExplosionEmitter Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **position**
- float **speed**
- float **variation**
- float **mass**
- float **surfaceArea**

### 4.1137.1 Detailed Description

Definition at line 4622 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1138 X3D\_Extrusion Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Vec2f** **set\_crossSection**

- struct **Multi\_Rotation** set\_orientation
- struct **Multi\_Vec2f** set\_scale
- struct **Multi\_Vec3f** set\_spine
- struct **X3D\_Node** \* metadata
- int **beginCap**
- int **ccw**
- int **convex**
- float **creaseAngle**
- struct **Multi\_Vec2f** crossSection
- int **endCap**
- struct **Multi\_Rotation** orientation
- struct **Multi\_Vec2f** scale
- int **solid**
- struct **Multi\_Vec3f** spine

#### 4.1138.1 Detailed Description

Definition at line 4646 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1139 X3D\_FillProperties Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **filled**
- struct **SFColor** **hatchColor**
- int **hatched**
- int **hatchStyle**
- struct **X3D\_Node** \* **metadata**
- int **\_enabled**
- struct **SFVec2f** **\_hatchScale**

### 4.1139.1 Detailed Description

Definition at line 4679 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1140 X3D\_FloatVertexAttribute Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Float** **value**
- struct **Uni\_String** \* **name**
- int **numComponents**
- struct **X3D\_Node** \* **metadata**

### 4.1140.1 Detailed Description

Definition at line 4704 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1141 X3D\_Fog Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFColor** **color**
- struct **Uni\_String** \* **fogType**
- float **visibilityRange**
- float **\_\_fogScale**
- int **\_\_fogType**
- int **set\_bind**
- double **bindTime**
- int **isBound**
- int **\_layerId**
- struct **X3D\_Node** \* **metadata**

### 4.1141.1 Detailed Description

Definition at line 4726 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1142 X3D\_FogCoordinate Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Float** **depth**
- struct **X3D\_Node** \* **metadata**



### 4.1142.1 Detailed Description

Definition at line 4754 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1143 X3D\_FontStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** family
- int **horizontal**
- struct **Multi\_String** justify
- struct **Uni\_String** \* **language**
- int **leftToRight**
- float **size**
- float **spacing**
- struct **Uni\_String** \* **style**
- int **topToBottom**

### 4.1143.1 Detailed Description

Definition at line 4774 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1144 X3D\_ForcePhysicsModel Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **SFVec3f** **force**
- struct **X3D\_Node** \* **metadata**

### 4.1144.1 Detailed Description

Definition at line 4802 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1145 X3D\_GeneratedCubeMapTexture Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **textureProperties**
- int **\_\_textureTableIndex**
- void \* **\_parentResource**
- struct **Multi\_Node** **\_\_subTextures**
- int **\_\_regenSubTextures**
- struct **Uni\_String** \* **update**
- int **size**

### 4.1145.1 Detailed Description

Definition at line 4823 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1146 X3D\_GeoConvert Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3d** **set\_geoCoords**
- struct **SFVec3d** **set\_gcCoords**
- struct **Multi\_String** **geoSystem**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3d** **gcCoords\_changed**
- struct **SFVec3d** **geoCoords\_changed**
- struct **X3D\_Node** \* **\_\_geoSystem**
- struct **SFVec3d** **\_\_oldgeoCoords**
- struct **SFVec3d** **\_\_oldgcCoords**

### 4.1146.1 Detailed Description

Definition at line 4849 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1147 X3D\_GeoCoordinate Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec3d** **point**
- struct **X3D\_Node** \* **geoOrigin**
- struct **Multi\_String** **geoSystem**
- struct **X3D\_Node** \* **\_\_geoSystem**
- struct **Multi\_Vec3f** **\_\_movedCoords**

### 4.1147.1 Detailed Description

Definition at line 4876 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1148 X3D\_GeoElevationGrid Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Double** **set\_height**

- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- float **yScale**
- int **ccw**
- int **colorPerVertex**
- double **creaseAngle**
- struct **SFVec3d** **geoGridOrigin**
- struct **X3D\_Node** \* **geoOrigin**
- struct **Multi\_String** **geoSystem**
- struct **Multi\_Double** **height**
- int **normalPerVertex**
- int **solid**
- int **xDimension**
- double **xSpacing**
- int **zDimension**
- double **zSpacing**
- struct **Multi\_Int32** **\_coordIndex**
- struct **X3D\_Node** \* **\_\_geoSystem**
- struct **SFVec3d** **\_\_autoOffset**
- struct **SFVec4d** **\_\_localOrient**
- struct **Multi\_Int32** **\_\_planets**

#### 4.1148.1 Detailed Description

Definition at line 4900 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1149 X3D\_GeoLocation Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**

- struct **Multi\_Node \_\_sibAffectors**
- struct **Multi\_Node children**
- struct **SFVec3d geoCoords**
- struct **X3D\_Node \* metadata**
- struct **X3D\_Node \* geoOrigin**
- struct **Multi\_String geoSystem**
- struct **SFVec3f bboxCenter**
- struct **SFVec3f bboxSize**
- int **relativeHeight**
- double **\_gridHeight**
- struct **X3D\_Node \* \_\_geoSystem**
- struct **SFVec3d \_\_position**
- struct **SFVec3d \_\_movedCoords**
- struct **SFVec3d \_\_movedgd**
- struct **SFVec4d \_\_localOrient**
- struct **SFVec4d \_\_offsetOrient**
- struct **SFVec3d \_\_oldgeoCoords**
- struct **Multi\_Node \_\_oldChildren**
- struct **Multi\_Node \_sortedChildren**

#### 4.1149.1 Detailed Description

Definition at line 4986 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1150 X3D\_GeoLOD Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector \* \_parentVector**
- double **\_dist**
- float **\_extent [6]**
- struct **X3D\_PolyRep \* \_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node \* \_executionContext**
- struct **X3D\_Node \* metadata**
- struct **Multi\_Node children**
- int **level\_changed**
- struct **SFVec3d center**
- struct **Multi\_String child1Url**
- struct **Multi\_String child2Url**

- struct **Multi\_String** child3Url
- struct **Multi\_String** child4Url
- struct **X3D\_Node** \* geoOrigin
- struct **Multi\_String** geoSystem
- float range
- struct **Multi\_String** rootUrl
- struct **Multi\_Node** rootNode
- struct **SFVec3f** bboxCenter
- struct **SFVec3f** bboxSize
- struct **X3D\_Node** \* \_\_geoSystem
- struct **SFVec3d** \_\_movedCoords
- int \_\_inRange
- struct **X3D\_Node** \* \_\_child1Node
- struct **X3D\_Node** \* \_\_child2Node
- struct **X3D\_Node** \* \_\_child3Node
- struct **X3D\_Node** \* \_\_child4Node
- struct **X3D\_Node** \* \_\_rootUrl
- int \_\_childloadstatus
- int \_\_rooturlloadstatus
- int \_\_level

#### 4.1150.1 Detailed Description

Definition at line 4942 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1151 X3D\_GeoMetadata Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** data
- struct **Multi\_String** summary
- struct **Multi\_String** url
- struct **X3D\_Node** \* metadata

### 4.1151.1 Detailed Description

Definition at line 5025 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1152 X3D\_GeoOrigin Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3d** **geoCoords**
- struct **Multi\_String** **geoSystem**
- struct **X3D\_Node** \* **metadata**
- int **rotateYUp**
- struct **X3D\_Node** \* **\_\_geoSystem**
- struct **SFVec3d** **\_\_movedCoords**
- struct **SFVec3d** **\_\_movedgd**
- struct **SFVec3d** **\_\_oldgeoCoords**
- struct **Multi\_String** **\_\_oldMFString**
- struct **SFVec4d** **\_\_rotyup**

### 4.1152.1 Detailed Description

Definition at line 5047 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1153 X3D\_GeoPlanet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **Uni\_String** \* **description**
- int **planetId**
- struct **Multi\_Node** **\_\_oldChildren**
- struct **Multi\_Node** **\_sortedChildren**

### 4.1153.1 Detailed Description

Definition at line 5075 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1154 X3D\_GeoPositionInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**

- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Vec3d** **keyValue**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3d** **geovalue\_changed**
- struct **SFVec3f** **value\_changed**
- struct **X3D\_Node** \* **geoOrigin**
- struct **Multi\_String** **geoSystem**
- struct **X3D\_Node** \* **\_\_geoSystem**
- struct **Multi\_Vec3f** **\_\_movedValue**
- struct **Multi\_Float** **\_\_oldKeyPtr**
- struct **Multi\_Vec3d** **\_\_oldKeyValuePtr**

#### 4.1154.1 Detailed Description

Definition at line 5104 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1155 X3D\_GeoProximitySensor Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **SFVec3d** **geoCenter**
- struct **SFVec3d** **center**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **size**
- struct **SFVec3f** **centerOfRotation\_changed**
- double **enterTime**
- double **exitTime**
- struct **SFVec3d** **geoCoord\_changed**

- int **isActive**
- struct **SFRotation** orientation\_changed
- struct **SFVec3f** position\_changed
- struct **X3D\_Node** \* geoOrigin
- struct **Multi\_String** geoSystem
- int \_\_hit
- struct **SFVec3f** \_\_t1
- struct **SFRotation** \_\_t2
- struct **SFVec3d** \_\_t3
- struct **X3D\_Node** \* \_\_geoSystem
- struct **SFVec3d** \_\_movedCoords
- struct **SFVec4d** \_\_localOrient
- int \_\_oldEnabled
- struct **SFVec3d** \_\_oldGeoCenter
- struct **SFVec3f** \_\_oldSize

### 4.1155.1 Detailed Description

Definition at line 5134 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1156 X3D\_GeoTouchSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Uni\_String** \* **description**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** hitNormal\_changed
- struct **SFVec3f** hitPoint\_changed
- struct **SFVec2f** hitTexCoord\_changed
- struct **SFVec3d** hitGeoCoord\_changed
- int **isActive**
- int **isOver**
- double **touchTime**
- struct **X3D\_Node** \* **geoOrigin**
- struct **Multi\_String** **geoSystem**
- struct **X3D\_Node** \* **\_\_geoSystem**
- struct **SFVec3f** **\_oldhitNormal**
- struct **SFVec3f** **\_oldhitPoint**
- struct **SFVec2f** **\_oldhitTexCoord**
- int **\_\_oldEnabled**

### 4.1156.1 Detailed Description

Definition at line 5176 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1157 X3D\_GeoTransform Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **SFVec3f** **center**
- struct **Multi\_Node** **children**
- struct **SFVec3d** **geoCenter**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **rotation**
- struct **SFVec3f** **scale**
- struct **SFRotation** **scaleOrientation**
- struct **SFVec3f** **translation**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **X3D\_Node** \* **geoOrigin**
- struct **Multi\_String** **geoSystem**
- int **\_\_do\_center**
- int **\_\_do\_trans**
- int **\_\_do\_rotation**
- int **\_\_do\_scaleO**
- int **\_\_do\_scale**
- int **\_\_do\_anything**
- struct **X3D\_Node** \* **\_\_geoSystem**
- struct **SFVec3d** **\_\_movedCoords**
- struct **SFVec4d** **\_\_localOrient**
- struct **SFVec3d** **\_\_oldGeoCenter**
- struct **Multi\_Node** **\_\_oldChildren**
- struct **Multi\_Node** **\_sortedChildren**

### 4.1157.1 Detailed Description

Definition at line 5211 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1158 X3D\_GeoViewpoint Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **\_layerId**
- int **\_donethispass**
- int **set\_bind**
- double **bindTime**
- int **isBound**
- struct **Uni\_String** \* **description**
- int **jump**
- float **fieldOfView**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **orientation**
- struct **SFVec3d** **position**
- struct **SFVec3d** **centerOfRotation**
- int **headlight**
- struct **Multi\_String** **navType**
- struct **X3D\_Node** \* **geoOrigin**
- struct **Multi\_String** **geoSystem**
- float **speedFactor**
- int **retainUserOffsets**
- int **\_initializedOnce**
- struct **SFRotation** **\_orientation**
- struct **SFVec3d** **\_position**
- int **relativeHeight**
- int **\_resetRelativeHeight**
- int **\_prepped\_planet**
- struct **X3D\_Node** \* **\_\_geoSystem**
- struct **SFVec3d** **\_\_movedPosition**
- struct **SFRotation** **\_\_movedOrientation**

- struct **SFRotation** \_\_movedOrientationB
- struct **SFVec3d** \_\_movedgd
- struct **Uni\_String** \* \_\_oldSFString
- float \_\_oldFieldOfView
- int \_\_oldHeadlight
- int \_\_oldJump
- struct **Multi\_String** \_\_oldMFString

#### 4.1158.1 Detailed Description

Definition at line 5256 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1159 X3D\_Group Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **Multi\_Node** **\_sortedChildren**

#### 4.1159.1 Detailed Description

Definition at line 5308 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1160 X3D\_HAnimDisplacer Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **coordIndex**
- struct **Multi\_Vec3f** **displacements**
- struct **Uni\_String** \* **name**
- float **weight**
- struct **X3D\_Node** \* **metadata**

### 4.1160.1 Detailed Description

Definition at line 5334 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1161 X3D\_HAnimHumanoid Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **center**
- struct **Multi\_String** **info**

- struct **Multi\_Node** joints
- struct **Uni\_String** \* name
- struct **SFRotation** rotation
- struct **SFVec3f** scale
- struct **SFRotation** scaleOrientation
- struct **Multi\_Node** segments
- struct **Multi\_Node** sites
- struct **Multi\_Node** skeleton
- struct **Multi\_Node** skin
- struct **X3D\_Node** \* skinCoord
- struct **X3D\_Node** \* skinNormal
- struct **Multi\_Node** \_\_sibAffectors
- struct **SFVec3f** translation
- struct **Uni\_String** \* version
- struct **Multi\_Node** viewpoints
- struct **SFVec3f** bboxCenter
- struct **SFVec3f** bboxSize
- struct **X3D\_Node** \* metadata
- void \* \_JT
- void \* \_PVI
- void \* \_PVW
- int \_NV
- void \* \_origCoords
- void \* \_origNorms

#### 4.1161.1 Detailed Description

Definition at line 5357 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1162 X3D\_HAnimJoint Struct Reference

#### Data Fields

- int \_nodeType
- int \_renderFlags
- int \_hit
- int \_change
- int \_ichange
- struct **Vector** \* \_parentVector
- double \_dist
- float \_extent [6]
- struct **X3D\_PolyRep** \* \_intern
- int referenceCount
- int \_defaultContainer
- void \* \_gc
- struct **X3D\_Node** \* \_executionContext
- struct **Multi\_Node** addChildren



- struct **Multi\_Node** removeChildren
- struct **Multi\_Node** \_\_sibAffectors
- struct **Multi\_Node** children
- struct **SFVec3f** center
- struct **SFRotation** rotation
- struct **SFVec3f** scale
- struct **SFRotation** scaleOrientation
- struct **SFVec3f** translation
- struct **Multi\_Node** displacers
- struct **SFRotation** limitOrientation
- struct **Multi\_Float** llimit
- struct **Uni\_String** \* name
- struct **Multi\_Int32** skinCoordIndex
- struct **Multi\_Float** skinCoordWeight
- struct **Multi\_Float** stiffness
- struct **Multi\_Float** ulimit
- struct **SFVec3f** bboxCenter
- struct **SFVec3f** bboxSize
- struct **X3D\_Node** \* metadata
- int \_\_do\_center
- int \_\_do\_trans
- int \_\_do\_rotation
- int \_\_do\_scaleO
- int \_\_do\_scale
- int \_\_do\_anything

#### 4.1162.1 Detailed Description

Definition at line 5401 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1163 X3D\_HAnimSegment Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**

- struct **Multi\_Node** addChildren
- struct **Multi\_Node** removeChildren
- struct **Multi\_Node** \_\_sibAffectors
- struct **Multi\_Node** children
- struct **Uni\_String** \* name
- struct **SFVec3f** bboxCenter
- struct **SFVec3f** bboxSize
- struct **SFVec3f** centerOfMass
- struct **X3D\_Node** \* coord
- struct **Multi\_Node** displacers
- float **mass**
- struct **Multi\_Float** momentsOfInertia
- struct **X3D\_Node** \* metadata
- void \* **\_origCoords**

#### 4.1163.1 Detailed Description

Definition at line 5445 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1164 X3D\_HAnimSite Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** addChildren
- struct **Multi\_Node** removeChildren
- struct **Multi\_Node** \_\_sibAffectors
- struct **Multi\_Node** children
- struct **Uni\_String** \* name
- struct **SFVec3f** bboxCenter
- struct **SFVec3f** bboxSize
- struct **SFVec3f** center
- struct **SFRotation** rotation
- struct **SFVec3f** scale
- struct **SFRotation** scaleOrientation

- struct **SFVec3f** translation
- struct **X3D\_Node** \* metadata
- int **\_\_do\_center**
- int **\_\_do\_trans**
- int **\_\_do\_rotation**
- int **\_\_do\_scaleO**
- int **\_\_do\_scale**
- int **\_\_do\_anything**

#### 4.1164.1 Detailed Description

Definition at line 5477 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1165 X3D\_ImageBackdropBackground Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **set\_bind**
- double **bindTime**
- int **isBound**
- float **transparency**
- struct **SFColor** **color**
- struct **X3D\_Node** \* **metadata**
- int **\_\_texture**
- int **\_\_VBO**
- struct **Multi\_Int32** **image**

#### 4.1165.1 Detailed Description

Definition at line 5514 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1166 X3D\_ImageCubeMapTexture Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **textureProperties**
- int **\_\_textureTableIndex**
- void \* **\_parentResource**
- struct **Multi\_Node** **\_\_subTextures**
- int **\_\_regenSubTextures**
- struct **Multi\_String** **url**

### 4.1166.1 Detailed Description

Definition at line 5541 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1167 X3D\_ImageTexture Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **url**
- int **repeatS**
- int **repeatT**
- struct **X3D\_Node** \* **textureProperties**
- int **\_\_textureTableIndex**
- void \* **\_parentResource**

### 4.1167.1 Detailed Description

Definition at line 5566 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1168 X3D\_ImageTexture3D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **url**
- int **repeatS**
- int **repeatT**
- int **repeatR**
- struct **X3D\_Node** \* **textureProperties**
- int **\_\_textureTableIndex**
- void \* **\_parentResource**
- int **\_needs\_gradient**

### 4.1168.1 Detailed Description

Definition at line 5591 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1169 X3D\_IndexedFaceSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **set\_colorIndex**
- struct **Multi\_Int32** **set\_coordIndex**
- struct **Multi\_Int32** **set\_normalIndex**
- struct **Multi\_Int32** **set\_texCoordIndex**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- struct **Multi\_Int32** **colorIndex**
- int **colorPerVertex**
- int **convex**
- struct **Multi\_Int32** **coordIndex**
- float **creaseAngle**
- struct **Multi\_Int32** **normalIndex**
- int **normalPerVertex**
- int **solid**
- struct **Multi\_Int32** **texCoordIndex**

### 4.1169.1 Detailed Description

Definition at line 5618 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1170 X3D\_IndexedLineSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **set\_colorIndex**
- struct **Multi\_Int32** **set\_coordIndex**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Int32** **colorIndex**
- int **colorPerVertex**
- struct **Multi\_Int32** **coordIndex**
- void \* **\_\_vertArr**
- void \* **\_\_vertIndx**
- void \* **\_\_xcolours**
- void \* **\_\_vertices**
- void \* **\_\_vertexCount**
- int **\_\_segCount**

### 4.1170.1 Detailed Description

Definition at line 5657 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1171 X3D\_IndexedQuadSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **set\_index**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- struct **Multi\_Int32** **index**
- int **colorPerVertex**
- int **normalPerVertex**
- int **solid**
- struct **Multi\_Int32** **\_coordIndex**

### 4.1171.1 Detailed Description

Definition at line 5691 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1172 X3D\_IndexedTriangleFanSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**



- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **set\_index**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- int **colorPerVertex**
- int **normalPerVertex**
- int **solid**
- struct **Multi\_Int32** **index**
- struct **Multi\_Int32** **\_coordIndex**

### 4.1172.1 Detailed Description

Definition at line 5723 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1173 X3D\_IndexedTriangleSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **set\_index**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**

- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- int **colorPerVertex**
- int **normalPerVertex**
- int **solid**
- struct **Multi\_Int32** **index**
- struct **Multi\_Int32** **\_coordIndex**

#### 4.1173.1 Detailed Description

Definition at line 5755 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1174 X3D\_IndexedTriangleStripSet Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **set\_index**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- int **colorPerVertex**
- int **normalPerVertex**
- int **solid**
- struct **Multi\_Int32** **index**
- struct **Multi\_Int32** **\_coordIndex**

### 4.1174.1 Detailed Description

Definition at line 5787 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1175 X3D\_Inline Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **\_\_children**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **Multi\_Node** **\_sortedChildren**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- void \* **\_\_protoDeclares**
- void \* **\_\_externProtoDeclares**
- void \* **\_\_nodes**
- void \* **\_\_subcontexts**
- void \* **\_\_GC**
- void \* **\_\_protoDef**
- int **\_\_protoFlags**
- struct **X3D\_Node** \* **\_\_prototype**
- struct **X3D\_Node** \* **\_\_parentProto**
- void \* **\_\_ROUTES**
- void \* **\_\_EXPORTS**
- void \* **\_\_IMPORTS**
- void \* **\_\_DEFnames**
- void \* **\_\_IS**
- void \* **\_\_scripts**
- struct **Multi\_String** **url**
- struct **Multi\_String** **\_\_oldurl**
- void \* **\_\_afterPound**
- int **\_\_loadstatus**

- void \* **\_parentResource**
- void \* **\_\_loadResource**
- void \* **\_\_typename**
- int **load**
- int **\_\_oldload**
- double **\_\_unitlengthfactor**
- int **\_\_specversion**

#### 4.1175.1 Detailed Description

Definition at line 5819 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1176 X3D\_IntegerSequencer Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **next**
- int **previous**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Int32** **keyValue**
- int **value\_changed**
- struct **X3D\_Node** \* **metadata**
- int **\_index**

#### 4.1176.1 Detailed Description

Definition at line 5871 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1177 X3D\_IntegerTrigger Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **set\_boolean**
- int **integerKey**
- int **triggerValue**
- struct **X3D\_Node** \* **metadata**

### 4.1177.1 Detailed Description

Definition at line 5897 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1178 X3D\_IsoSurfaceVolumeData Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **dimensions**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **voxels**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- void \* **\_boxtris**
- struct **Multi\_Node** **renderStyle**
- float **contourStepSize**
- struct **X3D\_Node** \* **gradients**
- float **surfaceTolerance**
- struct **Multi\_Float** **surfaceValues**

### 4.1178.1 Detailed Description

Definition at line 5919 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1179 X3D\_KeySensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- int **actionKeyPress**
- int **actionKeyRelease**
- int **altKey**
- int **controlKey**
- int **isActive**
- struct **Uni\_String** \* **keyPress**
- struct **Uni\_String** \* **keyRelease**
- int **shiftKey**
- struct **X3D\_Node** \* **metadata**
- int **\_\_oldEnabled**

### 4.1179.1 Detailed Description

Definition at line 5948 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1180 X3D\_Layer Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- int **isPickable**
- struct **X3D\_Node** \* **viewport**

### 4.1180.1 Detailed Description

Definition at line 6009 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1181 X3D\_LayerSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **activeLayer**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **layers**
- struct **Multi\_Int32** **order**

### 4.1181.1 Detailed Description

Definition at line 6034 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1182 X3D\_Layout Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_String** **align**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Float** **offset**
- struct **Multi\_String** **offsetUnits**
- struct **Multi\_String** **scaleMode**
- struct **Multi\_Float** **size**
- struct **Multi\_String** **sizeUnits**
- struct **Multi\_Int32** **\_align**
- struct **Multi\_Int32** **\_offsetUnits**
- struct **Multi\_Int32** **\_scaleMode**
- struct **Multi\_Int32** **\_sizeUnits**
- struct **Multi\_Float** **\_scale**

### 4.1182.1 Detailed Description

Definition at line 6056 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1183 X3D\_LayoutGroup Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **X3D\_Node** \* **layout**
- struct **X3D\_Node** \* **viewport**

### 4.1183.1 Detailed Description

Definition at line 6086 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1184 X3D\_LayoutLayer Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**

- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- int **isPickable**
- struct **X3D\_Node** \* **viewport**
- struct **X3D\_Node** \* **layout**

#### 4.1184.1 Detailed Description

Definition at line 6113 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1185 X3D\_LinePickSensor Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **objectType**
- struct **X3D\_Node** \* **pickingGeometry**
- struct **Multi\_Node** **pickTarget**
- int **isActive**
- struct **Multi\_Node** **pickedGeometry**
- struct **Uni\_String** \* **intersectionType**
- struct **Uni\_String** \* **sortOrder**
- struct **Uni\_String** \* **matchCriterion**
- int **\_\_oldEnabled**
- struct **Multi\_Vec3f** **pickedPoint**
- struct **Multi\_Vec3f** **pickedNormal**
- struct **Multi\_Vec3f** **pickedTextureCoordinate**

### 4.1185.1 Detailed Description

Definition at line 6139 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1186 X3D\_LineProperties Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **applied**
- int **linetype**
- float **linewidthScaleFactor**
- struct **X3D\_Node** \* **metadata**

### 4.1186.1 Detailed Description

Definition at line 6171 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1187 X3D\_LineSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **autoOffset**
- struct **SFVec3f** **direction**
- int **enabled**
- float **maxPosition**
- float **minPosition**
- float **offset**
- int **isActive**
- int **isOver**
- struct **Uni\_String** \* **description**
- struct **SFVec3f** **trackPoint\_changed**
- struct **SFVec3f** **translation\_changed**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **\_oldtrackPoint**
- struct **SFVec3f** **\_oldtranslation**
- struct **SFVec3f** **\_origPoint**
- int **\_\_oldEnabled**

### 4.1187.1 Detailed Description

Definition at line 6193 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1188 X3D\_LineSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **fogCoord**
- struct **Multi\_Int32** **vertexCount**
- void \* **\_\_vertArr**
- void \* **\_\_vertIndx**
- int **\_\_segCount**

### 4.1188.1 Detailed Description

Definition at line 6227 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1189 X3D\_LoadSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**

- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- double **timeOut**
- struct **Multi\_Node** **watchList**
- int **isActive**
- int **isLoading**
- double **loadTime**
- float **progress**
- int **\_\_loading**
- int **\_\_finishedloading**
- double **\_\_StartLoadTime**
- int **\_\_oldEnabled**

#### 4.1189.1 Detailed Description

Definition at line 6254 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1190 X3D\_LocalFog Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFColor** **color**
- struct **Uni\_String** \* **fogType**
- float **visibilityRange**
- float **\_\_fogScale**
- int **\_\_fogType**
- int **enabled**
- struct **X3D\_Node** \* **metadata**

### 4.1190.1 Detailed Description

Definition at line 6284 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1191 X3D\_LOD Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **level**
- struct **Multi\_Node** **children**
- struct **SFVec3f** **center**
- struct **Multi\_Float** **range**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **X3D\_Node** \* **metadata**
- int **level\_changed**
- int **forceTransitions**
- int **\_\_isX3D**
- void \* **\_selected**

### 4.1191.1 Detailed Description

Definition at line 5977 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1192 X3D\_Material Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **ambientIntensity**
- struct **SFColor** **diffuseColor**
- struct **SFColor** **emissiveColor**
- struct **X3D\_Node** \* **metadata**
- float **shininess**
- struct **SFColor** **specularColor**
- float **transparency**
- struct **Multi\_Float** **\_verifiedColor**

### 4.1192.1 Detailed Description

Definition at line 6309 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1193 X3D\_Matrix3VertexAttribute Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Matrix3f** **value**
- struct **Uni\_String** \* **name**
- struct **X3D\_Node** \* **metadata**



### 4.1193.1 Detailed Description

Definition at line 6335 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1194 X3D\_Matrix4VertexAttribute Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Matrix4f** value
- struct **Uni\_String** \* **name**

### 4.1194.1 Detailed Description

Definition at line 6356 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1195 X3D\_MetadataBoolean Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **Uni\_String** \* **reference**
- struct **Multi\_Bool** value

### 4.1195.1 Detailed Description

Definition at line 6377 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1196 X3D\_MetadataDouble Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **Uni\_String** \* **reference**
- struct **Multi\_Double** **value**

### 4.1196.1 Detailed Description

Definition at line 6399 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1197 X3D\_MetadataFloat Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **Uni\_String** \* **reference**
- struct **Multi\_Float** value

### 4.1197.1 Detailed Description

Definition at line 6421 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1198 X3D\_MetadataInteger Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **Uni\_String** \* **reference**
- struct **Multi\_Int32** value

### 4.1198.1 Detailed Description

Definition at line 6443 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1199 X3D\_MetadataMFBool Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Bool** **value**
- struct **Multi\_Bool** **valueChanged**
- struct **Multi\_Bool** **setValue**
- double **tickTime**

### 4.1199.1 Detailed Description

Definition at line 6465 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1200 X3D\_MetadataMFColor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Color** value
- struct **Multi\_Color** valueChanged
- struct **Multi\_Color** setValue
- double **tickTime**

### 4.1200.1 Detailed Description

Definition at line 6487 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1201 X3D\_MetadataMFColorRGBA Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_ColorRGBA** value
- struct **Multi\_ColorRGBA** valueChanged
- struct **Multi\_ColorRGBA** setValue
- double **tickTime**

### 4.1201.1 Detailed Description

Definition at line 6509 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1202 X3D\_MetadataMFDouble Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Double** **value**
- struct **Multi\_Double** **valueChanged**
- struct **Multi\_Double** **setValue**
- double **tickTime**

### 4.1202.1 Detailed Description

Definition at line 6531 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1203 X3D\_MetadataMFFloat Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Float** value
- struct **Multi\_Float** valueChanged
- struct **Multi\_Float** setValue
- double **tickTime**

### 4.1203.1 Detailed Description

Definition at line 6553 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1204 X3D\_MetadataMFloat32 Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** value
- struct **Multi\_Int32** valueChanged
- struct **Multi\_Int32** setValue
- double **tickTime**

### 4.1204.1 Detailed Description

Definition at line 6575 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1205 X3D\_MetadataMFMatrix3d Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Matrix3d** value
- struct **Multi\_Matrix3d** valueChanged
- struct **Multi\_Matrix3d** setValue
- double **tickTime**

### 4.1205.1 Detailed Description

Definition at line 6597 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1206 X3D\_MetadataMFMatrix3f Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Matrix3f** value
- struct **Multi\_Matrix3f** valueChanged
- struct **Multi\_Matrix3f** setValue
- double **tickTime**

### 4.1206.1 Detailed Description

Definition at line 6619 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1207 X3D\_MetadataMFMatrix4d Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Matrix4d** value
- struct **Multi\_Matrix4d** valueChanged
- struct **Multi\_Matrix4d** setValue
- double **tickTime**

### 4.1207.1 Detailed Description

Definition at line 6641 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1208 X3D\_MetadataMFMatrix4f Struct Reference

### Data Fields

- `int _nodeType`
- `int _renderFlags`
- `int _hit`
- `int _change`
- `int _ichange`
- `struct Vector * _parentVector`
- `double _dist`
- `float _extent [6]`
- `struct X3D_PolyRep * _intern`
- `int referenceCount`
- `int _defaultContainer`
- `void * _gc`
- `struct X3D_Node * _executionContext`
- `struct Multi_Matrix4f value`
- `struct Multi_Matrix4f valueChanged`
- `struct Multi_Matrix4f setValue`
- `double tickTime`

### 4.1208.1 Detailed Description

Definition at line 6663 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1209 X3D\_MetadataMFNode Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** value
- struct **Multi\_Node** valueChanged
- struct **Multi\_Node** setValue
- double **tickTime**

### 4.1209.1 Detailed Description

Definition at line 6685 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1210 X3D\_MetadataMFRotation Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Rotation** value
- struct **Multi\_Rotation** valueChanged
- struct **Multi\_Rotation** setValue
- double **tickTime**

### 4.1210.1 Detailed Description

Definition at line 6707 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1211 X3D\_MetadataMFString Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_String** value
- struct **Multi\_String** valueChanged
- struct **Multi\_String** setValue
- double **tickTime**

### 4.1211.1 Detailed Description

Definition at line 6729 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1212 X3D\_MetadataMFTIME Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Time** value
- struct **Multi\_Time** valueChanged
- struct **Multi\_Time** setValue
- double **tickTime**

### 4.1212.1 Detailed Description

Definition at line 6751 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1213 X3D\_MetadataMFVec2d Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Vec2d** value
- struct **Multi\_Vec2d** valueChanged
- struct **Multi\_Vec2d** setValue
- double **tickTime**

### 4.1213.1 Detailed Description

Definition at line 6773 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1214 X3D\_MetadataMFVec2f Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Vec2f** **value**
- struct **Multi\_Vec2f** **valueChanged**
- struct **Multi\_Vec2f** **setValue**
- double **tickTime**

### 4.1214.1 Detailed Description

Definition at line 6795 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1215 X3D\_MetadataMFVec3d Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Vec3d** value
- struct **Multi\_Vec3d** valueChanged
- struct **Multi\_Vec3d** setValue
- double **tickTime**

### 4.1215.1 Detailed Description

Definition at line 6817 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1216 X3D\_MetadataMFVec3f Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Vec3f** value
- struct **Multi\_Vec3f** valueChanged
- struct **Multi\_Vec3f** setValue
- double **tickTime**

### 4.1216.1 Detailed Description

Definition at line 6839 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1217 X3D\_MetadataMFVec4d Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Vec4d** value
- struct **Multi\_Vec4d** valueChanged
- struct **Multi\_Vec4d** setValue
- double **tickTime**

### 4.1217.1 Detailed Description

Definition at line 6861 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1218 X3D\_MetadataMFVec4f Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Vec4f** value
- struct **Multi\_Vec4f** valueChanged
- struct **Multi\_Vec4f** setValue
- double **tickTime**

### 4.1218.1 Detailed Description

Definition at line 6883 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1219 X3D\_MetadataSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **Uni\_String** \* **reference**
- struct **Multi\_Node** value

### 4.1219.1 Detailed Description

Definition at line 7367 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1220 X3D\_MetadataSFBool Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **value**
- int **valueChanged**
- int **setValue**
- double **tickTime**

### 4.1220.1 Detailed Description

Definition at line 6905 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1221 X3D\_MetadataSFCOLOR Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFCOLOR** value
- struct **SFCOLOR** valueChanged
- struct **SFCOLOR** setValue
- double **tickTime**

### 4.1221.1 Detailed Description

Definition at line 6927 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1222 X3D\_MetadataSFCOLORRGBA Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFCOLORRGBA** value
- struct **SFCOLORRGBA** valueChanged
- struct **SFCOLORRGBA** setValue
- double **tickTime**

### 4.1222.1 Detailed Description

Definition at line 6949 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1223 X3D\_MetadataSFDouble Struct Reference

### Data Fields

- `int _nodeType`
- `int _renderFlags`
- `int _hit`
- `int _change`
- `int _ichange`
- `struct Vector * _parentVector`
- `double _dist`
- `float _extent [6]`
- `struct X3D_PolyRep * _intern`
- `int referenceCount`
- `int _defaultContainer`
- `void * _gc`
- `struct X3D_Node * _executionContext`
- `double value`
- `double valueChanged`
- `double setValue`
- `double tickTime`

### 4.1223.1 Detailed Description

Definition at line 6971 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1224 X3D\_MetadataSFFloat Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **value**
- float **valueChanged**
- float **setValue**
- double **tickTime**

### 4.1224.1 Detailed Description

Definition at line 6993 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1225 X3D\_MetadataSFImage Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **value**
- struct **Multi\_Int32** **valueChanged**
- struct **Multi\_Int32** **setValue**
- double **tickTime**

### 4.1225.1 Detailed Description

Definition at line 7015 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1226 X3D\_MetadataSFInt32 Struct Reference

### Data Fields

- `int _nodeType`
- `int _renderFlags`
- `int _hit`
- `int _change`
- `int _ichange`
- `struct Vector * _parentVector`
- `double _dist`
- `float _extent [6]`
- `struct X3D_PolyRep * _intern`
- `int referenceCount`
- `int _defaultContainer`
- `void * _gc`
- `struct X3D_Node * _executionContext`
- `int value`
- `int valueChanged`
- `int setValue`
- `double tickTime`

### 4.1226.1 Detailed Description

Definition at line 7037 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1227 X3D\_MetadataSfMatrix3d Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SfMatrix3d** **value**
- struct **SfMatrix3d** **valueChanged**
- struct **SfMatrix3d** **setValue**
- double **tickTime**

### 4.1227.1 Detailed Description

Definition at line 7059 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1228 X3D\_MetadataSfMatrix3f Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SfMatrix3f** **value**
- struct **SfMatrix3f** **valueChanged**
- struct **SfMatrix3f** **setValue**
- double **tickTime**

### 4.1228.1 Detailed Description

Definition at line 7081 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1229 X3D\_MetadataSFMatrix4d Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFMatrix4d** **value**
- struct **SFMatrix4d** **valueChanged**
- struct **SFMatrix4d** **setValue**
- double **tickTime**

### 4.1229.1 Detailed Description

Definition at line 7103 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1230 X3D\_MetadataSFMatrix4f Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFMatrix4f** **value**
- struct **SFMatrix4f** **valueChanged**
- struct **SFMatrix4f** **setValue**
- double **tickTime**

### 4.1230.1 Detailed Description

Definition at line 7125 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1231 X3D\_MetadataSFNode Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **value**
- struct **X3D\_Node** \* **valueChanged**
- struct **X3D\_Node** \* **setValue**
- double **tickTime**

### 4.1231.1 Detailed Description

Definition at line 7147 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1232 X3D\_MetadataSFRotation Struct Reference

### Data Fields

- `int _nodeType`
- `int _renderFlags`
- `int _hit`
- `int _change`
- `int _ichange`
- `struct Vector * _parentVector`
- `double _dist`
- `float _extent [6]`
- `struct X3D_PolyRep * _intern`
- `int referenceCount`
- `int _defaultContainer`
- `void * _gc`
- `struct X3D_Node * _executionContext`
- `struct SFRotation value`
- `struct SFRotation valueChanged`
- `struct SFRotation setValue`
- `double tickTime`

### 4.1232.1 Detailed Description

Definition at line 7169 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1233 X3D\_MetadataSFString Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Uni\_String** \* **value**
- struct **Uni\_String** \* **valueChanged**
- struct **Uni\_String** \* **setValue**
- double **tickTime**

### 4.1233.1 Detailed Description

Definition at line 7191 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1234 X3D\_MetadataSFTime Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- double **value**
- double **valueChanged**
- double **setValue**
- double **tickTime**

#### 4.1234.1 Detailed Description

Definition at line 7213 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

### 4.1235 X3D\_MetadataSFVec2d Struct Reference

#### Data Fields

- `int _nodeType`
- `int _renderFlags`
- `int _hit`
- `int _change`
- `int _ichange`
- `struct Vector * _parentVector`
- `double _dist`
- `float _extent [6]`
- `struct X3D_PolyRep * _intern`
- `int referenceCount`
- `int _defaultContainer`
- `void * _gc`
- `struct X3D_Node * _executionContext`
- `struct SFVec2d value`
- `struct SFVec2d valueChanged`
- `struct SFVec2d setValue`
- `double tickTime`

#### 4.1235.1 Detailed Description

Definition at line 7235 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1236 X3D\_MetadataSFVec2f Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec2f** value
- struct **SFVec2f** valueChanged
- struct **SFVec2f** setValue
- double **tickTime**

### 4.1236.1 Detailed Description

Definition at line 7257 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1237 X3D\_MetadataSFVec3d Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3d** value
- struct **SFVec3d** valueChanged
- struct **SFVec3d** setValue
- double **tickTime**

### 4.1237.1 Detailed Description

Definition at line 7279 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1238 X3D\_MetadataSFVec3f Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **value**
- struct **SFVec3f** **valueChanged**
- struct **SFVec3f** **setValue**
- double **tickTime**

### 4.1238.1 Detailed Description

Definition at line 7301 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1239 X3D\_MetadataSFVec4d Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec4d** **value**
- struct **SFVec4d** **valueChanged**
- struct **SFVec4d** **setValue**
- double **tickTime**

### 4.1239.1 Detailed Description

Definition at line 7323 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1240 X3D\_MetadataSFVec4f Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec4f** **value**
- struct **SFVec4f** **valueChanged**
- struct **SFVec4f** **setValue**
- double **tickTime**

### 4.1240.1 Detailed Description

Definition at line 7345 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1241 X3D\_MetadataString Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **name**
- struct **Uni\_String** \* **reference**
- struct **Multi\_String** value

### 4.1241.1 Detailed Description

Definition at line 7389 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1242 X3D\_MotorJoint Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **axis1Angle**
- float **axis1Torque**
- float **axis2Angle**
- float **axis2Torque**
- float **axis3Angle**
- float **axis3Torque**
- struct **X3D\_Node** \* **body1**
- struct **X3D\_Node** \* **body2**
- int **enabledAxes**
- struct **Multi\_String** **forceOutput**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **motor1Axis**
- struct **SFVec3f** **motor2Axis**
- struct **SFVec3f** **motor3Axis**
- float **stop1Bounce**
- float **stop1ErrorCorrection**
- float **stop2Bounce**
- float **stop2ErrorCorrection**
- float **stop3Bounce**
- float **stop3ErrorCorrection**
- float **motor1Angle**
- float **motor1AngleRate**
- float **motor2Angle**
- float **motor2AngleRate**
- float **motor3Angle**
- float **motor3AngleRate**
- int **autoCalc**
- void \* **\_joint**
- int **\_forceout**
- struct **SFVec3f** **\_\_old\_motor1Axis**
- struct **SFVec3f** **\_\_old\_motor2Axis**
- struct **SFVec3f** **\_\_old\_motor3Axis**
- struct **X3D\_Node** \* **\_\_old\_body1**
- struct **X3D\_Node** \* **\_\_old\_body2**
- float **\_\_old\_axis1Angle**
- float **\_\_old\_axis2Angle**
- float **\_\_old\_axis3Angle**

### 4.1242.1 Detailed Description

Definition at line 7411 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1243 X3D\_MovieTexture Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Uni\_String** \* **description**
- int **loop**
- struct **X3D\_Node** \* **metadata**
- double **pauseTime**
- float **pitch**
- double **resumeTime**
- double **startTime**
- double **stopTime**
- struct **Multi\_String** **url**
- double **duration\_changed**
- double **elapsedTime**
- int **isActive**
- int **isPaused**
- void \* **\_parentResource**
- int **\_\_loadstatus**
- void \* **\_\_loadResource**
- int **\_\_sourceNumber**
- double **\_\_inittime**
- double **\_\_lasttime**
- int **repeatS**
- int **repeatT**
- struct **X3D\_Node** \* **textureProperties**
- int **\_\_textureTableIndex**
- float **speed**
- float **\_\_frac**
- int **\_\_ctex**
- int **\_\_lowest**
- int **\_\_highest**
- void \* **\_\_fw\_movie**

### 4.1243.1 Detailed Description

Definition at line 7466 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1244 X3D\_MultiTexture Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **alpha**
- struct **SFColor** **color**
- struct **Multi\_String** **function**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **mode**
- struct **Multi\_String** **source**
- struct **Multi\_Node** **texture**
- void \* **\_\_xparams**

### 4.1244.1 Detailed Description

Definition at line 7513 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1245 X3D\_MultiTextureCoordinate Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **texCoord**

### 4.1245.1 Detailed Description

Definition at line 7539 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1246 X3D\_MultiTextureTransform Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **textureTransform**

### 4.1246.1 Detailed Description

Definition at line 7559 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1247 X3D\_NavigationInfo Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **set\_bind**
- struct **Multi\_Float** **avatarSize**
- int **headlight**
- float **speed**
- struct **Multi\_String** **type**
- float **visibilityLimit**
- int **isBound**
- int **\_layerId**
- struct **Multi\_String** **transitionType**
- double **bindTime**
- struct **X3D\_Node** \* **metadata**
- double **transitionTime**
- int **transitionComplete**

### 4.1247.1 Detailed Description

Definition at line 7579 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1248 X3D\_Node Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**

### 4.1248.1 Detailed Description

Definition at line 2589 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1249 X3D\_Normal Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec3f** **vector**

### 4.1249.1 Detailed Description

Definition at line 7610 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1250 X3D\_NormalInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Vec3f** **keyValue**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec3f** **value\_changed**

### 4.1250.1 Detailed Description

Definition at line 7630 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1251 X3D\_NurbsCurve Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **controlPoint**
- struct **Multi\_Double** **weight**
- struct **Multi\_Double** **knot**
- int **order**
- int **tessellation**
- int **closed**
- float **\_tscale**
- struct **Multi\_Vec3f** **\_\_points**
- int **\_\_numPoints**

### 4.1251.1 Detailed Description

Definition at line 7653 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1252 X3D\_NurbsCurve2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**



- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec2d** **controlPoint**
- struct **Multi\_Double** **weight**
- struct **Multi\_Double** **knot**
- int **order**
- int **tessellation**
- int **closed**
- float **\_tscale**

### 4.1252.1 Detailed Description

Definition at line 7681 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1253 X3D\_NurbsOrientationInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **controlPoint**
- struct **Multi\_Double** **weight**
- struct **Multi\_Double** **knot**
- int **order**
- float **set\_fraction**
- struct **SFRotation** **value\_changed**
- struct **Multi\_Float** **\_knot**
- struct **Multi\_Vec4f** **\_xyzw**
- int **\_OK**
- struct **SFVec2f** **\_knotrange**

### 4.1253.1 Detailed Description

Definition at line 7707 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1254 X3D\_NurbsPatchSurface Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **controlPoint**
- struct **Multi\_Double** **weight**
- struct **Multi\_Double** **uKnot**
- int **uOrder**
- int **uDimension**
- int **uTessellation**
- int **uClosed**
- struct **Multi\_Double** **vKnot**
- int **vOrder**
- int **vDimension**
- int **vTessellation**
- int **vClosed**
- struct **X3D\_Node** \* **texCoord**
- int **solid**
- float **\_tscale**

### 4.1254.1 Detailed Description

Definition at line 7736 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1255 X3D\_NurbsPositionInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **controlPoint**
- struct **Multi\_Double** **weight**
- struct **Multi\_Double** **knot**
- int **order**
- float **set\_fraction**
- struct **SFVec3f** **value\_changed**
- struct **Multi\_Float** **knot**
- struct **Multi\_Vec4f** **\_xyzw**
- int **\_OK**
- struct **SFVec2f** **\_knotrange**

### 4.1255.1 Detailed Description

Definition at line 7770 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1256 X3D\_NurbsSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**

- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addGeometry**
- struct **Multi\_Node** **removeGeometry**
- struct **Multi\_Node** **geometry**
- struct **X3D\_Node** \* **metadata**
- float **tessellationScale**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**

#### 4.1256.1 Detailed Description

Definition at line 7799 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1257 X3D\_NurbsSurfaceInterpolator Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **controlPoint**
- struct **Multi\_Double** **weight**
- struct **Multi\_Double** **uKnot**
- int **uOrder**
- int **uDimension**
- struct **Multi\_Double** **vKnot**
- int **vOrder**
- int **vDimension**
- struct **SFVec2f** **set\_fraction**
- struct **SFVec3f** **position\_changed**
- struct **SFVec3f** **normal\_changed**
- struct **Multi\_Float** **uKnot**
- struct **Multi\_Float** **vKnot**
- struct **Multi\_Vec4f** **\_controlPoint**
- int **\_OK**

### 4.1257.1 Detailed Description

Definition at line 7824 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1258 X3D\_NurbsSweptSurface Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **crossSectionCurve**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **trajectoryCurve**
- int **ccw**
- int **solid**
- struct **Uni\_String** \* **method**
- struct **X3D\_Node** \* **\_patch**
- int **\_method**

### 4.1258.1 Detailed Description

Definition at line 7858 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1259 X3D\_NurbsSwungSurface Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **profileCurve**
- struct **X3D\_Node** \* **trajectoryCurve**
- int **ccw**
- int **solid**
- struct **X3D\_Node** \* **\_patch**

### 4.1259.1 Detailed Description

Definition at line 7884 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1260 X3D\_NurbsTextureCoordinate Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**

- struct **Multi\_Vec2f** controlPoint
- struct **Multi\_Float** weight
- struct **Multi\_Double** uKnot
- int **uOrder**
- int **uDimension**
- struct **Multi\_Double** vKnot
- int **vOrder**
- int **vDimension**
- struct **Multi\_Float** \_uKnot
- struct **Multi\_Float** \_vKnot
- struct **Multi\_Vec4f** \_controlPoint

#### 4.1260.1 Detailed Description

Definition at line 7908 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1261 X3D\_NurbsTrimmedSurface Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **controlPoint**
- struct **Multi\_Double** weight
- struct **Multi\_Double** uKnot
- int **uOrder**
- int **uDimension**
- int **uTessellation**
- int **uClosed**
- struct **Multi\_Double** vKnot
- int **vOrder**
- int **vDimension**
- int **vTessellation**
- int **vClosed**
- struct **X3D\_Node** \* **texCoord**
- int **solid**
- struct **Multi\_Node** addTrimmingContour
- struct **Multi\_Node** removeTrimmingContour
- struct **Multi\_Node** trimmingContour
- float **\_tscale**

### 4.1261.1 Detailed Description

Definition at line 7938 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1262 X3D\_OpacityMapVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **transferFunction**

### 4.1262.1 Detailed Description

Definition at line 8016 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1263 X3D\_OrientationChaser Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- int **isActive**
- double **duration**
- double **\_bufferendtime**
- double **\_steptime**
- struct **SFRotation** **value\_changed**
- struct **SFRotation** **initialDestination**
- struct **SFRotation** **initialValue**
- struct **SFRotation** **set\_destination**
- struct **SFRotation** **set\_value**
- void \* **\_buffer**
- struct **SFRotation** **\_previousvalue**
- struct **SFRotation** **\_destination**

### 4.1263.1 Detailed Description

Definition at line 8037 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1264 X3D\_OrientationDamper Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- double **tau**
- float **tolerance**
- int **isActive**
- int **order**
- double **\_tau**
- double **\_lasttick**
- int **\_takefirstinput**
- struct **SFRotation** **value\_changed**
- struct **SFRotation** **initialDestination**
- struct **SFRotation** **initialValue**
- struct **SFRotation** **set\_destination**
- struct **SFRotation** **set\_value**
- void \* **\_values**
- struct **SFRotation** **\_input**

### 4.1264.1 Detailed Description

Definition at line 8070 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1265 X3D\_OrientationInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Rotation** **keyValue**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **value\_changed**

### 4.1265.1 Detailed Description

Definition at line 8105 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1266 X3D\_OrthoViewpoint Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **\_layerId**
- int **\_donethispass**

- int **set\_bind**
- double **bindTime**
- int **isBound**
- struct **Uni\_String** \* **description**
- int **jump**
- struct **Multi\_Float** **fieldOfView**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **orientation**
- struct **SFVec3f** **position**
- struct **SFVec3f** **centerOfRotation**
- int **retainUserOffsets**
- int **\_initializedOnce**
- struct **SFRotation** **\_orientation**
- struct **SFVec3f** **\_position**

#### 4.1266.1 Detailed Description

Definition at line 8128 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1267 X3D\_OSC\_Sensor Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **Uni\_String** \* **description**
- struct **Uni\_String** \* **protocol**
- struct **Uni\_String** \* **listenfor**
- int **port**
- struct **Uni\_String** \* **filter**
- struct **Uni\_String** \* **handler**
- struct **Multi\_String** **talksTo**
- int **FIFOsize**
- int **int32Inp**
- float **floatInp**

- struct **Uni\_String** \* **stringInp**
- int **gotEvents**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node\_talkToNodes**
- int **\_status**
- void \* **\_int32InpFIFO**
- void \* **\_floatInpFIFO**
- void \* **\_stringInpFIFO**
- void \* **\_int32OutFIFO**
- void \* **\_floatOutFIFO**
- void \* **\_stringOutFIFO**
- struct **X3D\_Node** \* **\_\_oldmetadata**

### 4.1267.1 Detailed Description

Definition at line 7975 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1268 X3D\_PackagedShader Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **activate**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **url**
- int **isSelected**
- int **isValid**
- struct **Uni\_String** \* **language**
- int **\_initialized**
- int **\_shaderUserNumber**
- struct **X3D\_Node** \* **\_shaderUserDefinedFields**
- pthread\_t **\_shaderLoadThread**
- int **\_retrievedURLData**

### 4.1268.1 Detailed Description

Definition at line 8162 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1269 X3D\_ParticleSystem Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **appearance**
- struct **X3D\_Node** \* **geometry**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- int **\_shaderflags\_base**
- int **\_shaderflags\_effects**
- int **\_shaderflags\_usershaders**
- int **createParticles**
- int **enabled**
- float **lifetimeVariation**
- int **maxParticles**
- float **particleLifetime**
- struct **SFVec2f** **particleSize**
- int **isActive**
- struct **X3D\_Node** \* **colorRamp**
- struct **Multi\_Float** **colorKey**
- struct **X3D\_Node** \* **emitter**
- struct **Uni\_String** \* **geometryType**
- struct **Multi\_Node** **physics**
- struct **X3D\_Node** \* **texCoordRamp**
- struct **Multi\_Float** **texCoordKey**
- void \* **\_tris**
- void \* **\_ttex**
- void \* **\_ltex**
- void \* **\_particles**
- double **\_lasttime**
- int **\_geometryType**
- float **\_remainder**

### 4.1269.1 Detailed Description

Definition at line 8191 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1270 X3D\_PickableGroup Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **objectType**
- int **pickable**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**

### 4.1270.1 Detailed Description

Definition at line 8238 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1271 X3D\_PixelTexture Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **image**
- struct **X3D\_Node** \* **metadata**
- int **repeatS**
- int **repeatT**
- struct **X3D\_Node** \* **textureProperties**
- void \* **\_parentResource**
- int **\_\_textureTableIndex**

### 4.1271.1 Detailed Description

Definition at line 8265 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1272 X3D\_PixelTexture3D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**



- struct **Multi\_Int32** image
- struct **X3D\_Node** \* metadata
- int **repeatS**
- int **repeatT**
- int **repeatR**
- struct **X3D\_Node** \* textureProperties
- int **\_\_textureTableIndex**
- void \* **\_parentResource**
- int **\_needs\_gradient**

### 4.1272.1 Detailed Description

Definition at line 8290 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1273 X3D\_PlaneSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **autoOffset**
- struct **SFRotation** axisRotation
- int **enabled**
- struct **SFVec2f** maxPosition
- struct **SFVec2f** minPosition
- struct **SFVec3f** offset
- int **isActive**
- int **isOver**
- struct **Uni\_String** \* **description**
- struct **SFVec3f** trackPoint\_changed
- struct **SFVec3f** translation\_changed
- struct **X3D\_Node** \* metadata
- int **sensorLocalOutput**
- struct **SFVec3f** \_oldtrackPoint
- struct **SFVec3f** \_oldtranslation
- struct **SFVec3f** \_origPoint
- int **\_\_oldEnabled**

### 4.1273.1 Detailed Description

Definition at line 8317 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1274 X3D\_PointEmitter Struct Reference

### Data Fields

- `int _nodeType`
- `int _renderFlags`
- `int _hit`
- `int _change`
- `int _ichange`
- `struct Vector * _parentVector`
- `double _dist`
- `float _extent [6]`
- `struct X3D_PolyRep * _intern`
- `int referenceCount`
- `int _defaultContainer`
- `void * _gc`
- `struct X3D_Node * _executionContext`
- `struct SFVec3f direction`
- `struct X3D_Node * metadata`
- `struct SFVec3f position`
- `float speed`
- `float variation`
- `float mass`
- `float surfaceArea`

### 4.1274.1 Detailed Description

Definition at line 8352 of file Structs.h.

The documentation for this struct was generated from the following file:

- `src/lib/vrml_parser/Structs.h`

## 4.1275 X3D\_PointLight Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **ambientIntensity**
- struct **SFVec3f** **attenuation**
- struct **SFColor** **color**
- int **global**
- float **intensity**
- struct **SFVec3f** **location**
- struct **X3D\_Node** \* **metadata**
- int **on**
- float **radius**
- struct **SFVec4f** **\_loc**
- struct **SFVec4f** **\_col**
- struct **SFVec4f** **\_amb**

### 4.1275.1 Detailed Description

Definition at line 8377 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1276 X3D\_PointPickSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]

- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **objectType**
- struct **X3D\_Node** \* **pickingGeometry**
- struct **Multi\_Node** **pickTarget**
- int **isActive**
- struct **Multi\_Node** **pickedGeometry**
- struct **Uni\_String** \* **intersectionType**
- struct **Uni\_String** \* **sortOrder**
- struct **Uni\_String** \* **matchCriterion**
- int **\_\_oldEnabled**
- struct **Multi\_Vec3f** **pickedPoint**
- int **\_oldIsActive**
- struct **Multi\_Node** **\_oldpickTarget**
- struct **Multi\_Node** **\_oldpickedGeometry**
- struct **Multi\_Vec3f** **\_oldpickedPoint**
- struct **SFVec3f** **\_bboxCenter**
- struct **SFVec3f** **\_bboxSize**
- struct **Uni\_String** \* **set\_intersectionType**
- struct **Uni\_String** \* **set\_sortOrder**

#### 4.1276.1 Detailed Description

Definition at line 8407 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1277 X3D\_PointSensor Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**

- int **autoOffset**
- int **enabled**
- struct **SFVec3f** **maxPosition**
- struct **SFVec3f** **minPosition**
- struct **SFVec3f** **offset**
- int **isActive**
- int **isOver**
- struct **Uni\_String** \* **description**
- struct **SFVec3f** **trackPoint\_changed**
- struct **SFVec3f** **translation\_changed**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **\_oldtrackPoint**
- struct **SFVec3f** **\_oldtranslation**
- struct **SFVec3f** **\_origPoint**
- int **\_\_oldEnabled**

### 4.1277.1 Detailed Description

Definition at line 8445 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1278 X3D\_PointSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- int **\_pointsVBO**
- int **\_coloursVBO**
- int **\_npoints**
- int **\_colourSize**

### 4.1278.1 Detailed Description

Definition at line 8478 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1279 X3D\_Polyline2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec2f** **lineSegments**

### 4.1279.1 Detailed Description

Definition at line 8505 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1280 X3D\_PolylineEmitter Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]

- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **set\_coordIndex**
- int **set\_coordinate**
- struct **X3D\_Node** \* **coord**
- struct **SFVec3f** **direction**
- struct **X3D\_Node** \* **metadata**
- float **speed**
- float **variation**
- struct **Multi\_Int32** **coordIndex**
- float **mass**
- float **surfaceArea**
- int **\_method**
- int **\_nseg**
- void \* **\_segs**
- void \* **\_portions**

#### 4.1280.1 Detailed Description

Definition at line 8525 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1281 X3D\_Polypoint2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec2f** **point**

### 4.1281.1 Detailed Description

Definition at line 8557 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1282 X3D\_PolyRep Struct Reference

### Data Fields

- int **irep\_change**
- int **ccw**
- int **ntri**
- int **streamed**
- GLuint \* **cindex**
- GLuint \* **colindex**
- GLuint \* **norindex**
- GLuint \* **tcindex**
- ushort \* **tri\_indices**
- ushort \* **wire\_indices**
- float \* **actualCoord**
- float \* **actualFog**
- float \* **color**
- float \* **normal**
- float \* **flat\_normal**
- int **last\_normal\_type**
- int **last\_index\_type**
- float \* **GeneratedTexCoords** [4]
- int **ntexdim** [4]
- int **ntcoord**
- int **tcoordtype**
- int **texgentype**
- GLfloat **minVals** [3]
- GLfloat **maxVals** [3]
- GLfloat **transparency**
- int **isRGBAcolorNode**
- GLuint **VBO\_buffers** [VBO\_COUNT]

### 4.1282.1 Detailed Description

Definition at line 62 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1283 X3D\_PositionChaser Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- int **isActive**
- double **duration**
- double **\_bufferendtime**
- double **\_steptime**
- struct **SFVec3f** **value\_changed**
- struct **SFVec3f** **initialDestination**
- struct **SFVec3f** **initialValue**
- struct **SFVec3f** **set\_destination**
- struct **SFVec3f** **set\_value**
- void \* **\_buffer**
- struct **SFVec3f** **\_previousvalue**
- struct **SFVec3f** **\_destination**

### 4.1283.1 Detailed Description

Definition at line 8577 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1284 X3D\_PositionChaser2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- int **isActive**
- double **duration**
- double **\_bufferendtime**
- double **\_steptime**
- struct **SFVec2f** **value\_changed**
- struct **SFVec2f** **initialDestination**
- struct **SFVec2f** **initialValue**
- struct **SFVec2f** **set\_destination**
- struct **SFVec2f** **set\_value**
- void \* **\_buffer**
- struct **SFVec2f** **\_previousvalue**
- struct **SFVec2f** **\_destination**

### 4.1284.1 Detailed Description

Definition at line 8610 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1285 X3D\_PositionDamper Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- double **tau**
- float **tolerance**
- int **isActive**
- int **order**
- double **\_tau**
- double **\_lasttick**
- int **\_takefirstinput**
- struct **SFVec3f** **value\_changed**
- struct **SFVec3f** **initialDestination**
- struct **SFVec3f** **initialValue**
- struct **SFVec3f** **set\_destination**
- struct **SFVec3f** **set\_value**
- void \* **\_values**
- struct **SFVec3f** **\_input**

### 4.1285.1 Detailed Description

Definition at line 8643 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1286 X3D\_PositionDamper2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- double **tau**
- float **tolerance**
- int **isActive**
- int **order**
- double **\_tau**
- double **\_lasttick**
- int **\_takefirstinput**
- struct **SFVec2f** **value\_changed**
- struct **SFVec2f** **initialDestination**
- struct **SFVec2f** **initialValue**
- struct **SFVec2f** **set\_destination**
- struct **SFVec2f** **set\_value**
- void \* **\_values**
- struct **SFVec2f** **\_input**

### 4.1286.1 Detailed Description

Definition at line 8678 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1287 X3D\_PositionInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Vec3f** **keyValue**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **value\_changed**

### 4.1287.1 Detailed Description

Definition at line 8713 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1288 X3D\_PositionInterpolator2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Vec2f** **keyValue**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec2f** **value\_changed**

### 4.1288.1 Detailed Description

Definition at line 8736 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1289 X3D\_PrimitivePickSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **objectType**
- struct **X3D\_Node** \* **pickingGeometry**
- struct **Multi\_Node** **pickTarget**
- int **isActive**
- struct **Multi\_Node** **pickedGeometry**
- struct **Uni\_String** \* **intersectionType**
- struct **Uni\_String** \* **sortOrder**
- struct **Uni\_String** \* **matchCriterion**
- int **\_\_oldEnabled**

### 4.1289.1 Detailed Description

Definition at line 8759 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1290 X3D\_ProgramShader Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **activate**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **programs**
- int **isSelected**
- int **isValid**
- struct **Uni\_String** \* **language**
- int **\_initialized**
- int **\_shaderUserNumber**
- pthread\_t **\_shaderLoadThread**
- int **\_retrievedURLData**

### 4.1290.1 Detailed Description

Definition at line 8788 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1291 X3D\_ProjectionVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- float **intensityThreshold**
- struct **Uni\_String** \* **type**
- int **\_type**

### 4.1291.1 Detailed Description

Definition at line 8816 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1292 X3D\_Proto Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **\_\_children**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **Multi\_Node** **\_sortedChildren**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- void \* **\_\_protoDeclares**
- void \* **\_\_externProtoDeclares**
- void \* **\_\_nodes**
- void \* **\_\_subcontexts**
- void \* **\_\_GC**
- void \* **\_\_protoDef**
- int **\_\_protoFlags**
- struct **X3D\_Node** \* **\_\_prototype**
- struct **X3D\_Node** \* **\_\_parentProto**
- void \* **\_\_ROUTES**
- void \* **\_\_EXPORTS**
- void \* **\_\_IMPORTS**
- void \* **\_\_DEFnames**
- void \* **\_\_IS**
- void \* **\_\_scripts**
- struct **Multi\_String** **url**
- struct **Multi\_String** **\_\_oldurl**
- void \* **\_\_afterPound**
- int **\_\_loadstatus**



- void \* **\_parentResource**
- void \* **\_\_loadResource**
- void \* **\_\_typename**
- int **load**
- int **\_\_oldload**
- double **\_\_unitlengthfactor**
- int **\_\_specversion**

#### 4.1292.1 Detailed Description

Definition at line 8839 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1293 X3D\_ProximitySensor Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **center**
- struct **SFVec3f** **size**
- int **enabled**
- int **isActive**
- struct **SFVec3f** **position\_changed**
- struct **SFRotation** **orientation\_changed**
- double **enterTime**
- double **exitTime**
- struct **SFVec3f** **centerOfRotation\_changed**
- struct **X3D\_Node** \* **metadata**
- int **\_\_hit**
- struct **SFVec3f** **\_\_t1**
- struct **SFRotation** **\_\_t2**
- int **\_\_oldEnabled**

### 4.1293.1 Detailed Description

Definition at line 8891 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1294 X3D\_QuadSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- int **colorPerVertex**
- int **normalPerVertex**
- int **solid**
- struct **Multi\_Int32** **\_coordIndex**

### 4.1294.1 Detailed Description

Definition at line 8923 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1295 X3D\_ReceiverPdu Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- int **isActive**
- double **timestamp**
- struct **Uni\_String** \* **address**
- int **port**
- struct **Uni\_String** \* **multicastRelayHost**
- int **multicastRelayPort**
- struct **Uni\_String** \* **networkMode**
- int **isNetworkReader**
- int **isNetworkWriter**
- int **isStandAlone**
- double **readInterval**
- double **writeInterval**
- int **rtpHeaderExpected**
- int **isRtpHeaderHeard**
- int **\_registered**
- struct **X3D\_Node** \* **\_dsock**
- double **\_lasttime**
- int **\_pduchange\_networksensor**
- struct **X3D\_Node** \* **\_oldState**
- int **entityID**
- int **applicationID**
- int **siteID**
- struct **Multi\_String** **geoSystem**
- struct **SFVec3d** **geoCoords**
- struct **X3D\_Node** \* **\_\_geoSystem**
- int **radioID**
- int **whichGeometry**
- int **receiverState**
- float **receivedPower**
- int **transmitterEntityID**
- int **transmitterApplicationID**
- int **transmitterSiteID**
- int **transmitterRadioID**
- int **\_pduchange\_receiver**

### 4.1295.1 Detailed Description

Definition at line 8953 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1296 X3D\_Rectangle2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec2f** **size**
- int **solid**
- struct **Multi\_Vec3f** **\_\_points**
- int **\_\_numPoints**

### 4.1296.1 Detailed Description

Definition at line 9006 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1297 X3D\_RigidBody Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **angularDampingFactor**
- struct **SFVec3f** **angularVelocity**
- int **autoDamp**
- int **autoDisable**
- struct **SFVec3f** **centerOfMass**
- float **disableAngularSpeed**
- float **disableLinearSpeed**
- float **disableTime**
- int **enabled**
- struct **SFVec3f** **finiteRotationAxis**
- int **fixed**
- struct **Multi\_Vec3f** **forces**
- struct **Multi\_Node** **geometry**
- struct **SFMatrix3f** **inertia**
- float **linearDampingFactor**
- struct **SFVec3f** **linearVelocity**
- float **mass**
- struct **X3D\_Node** \* **massDensityModel**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **orientation**
- struct **SFVec3f** **position**
- struct **Multi\_Vec3f** **torques**
- int **useFiniteRotation**
- int **useGlobalGravity**
- void \* **\_body**
- struct **SFVec3f** **\_\_old\_angularVelocity**
- struct **SFVec3f** **\_\_old\_centerOfMass**
- struct **SFVec3f** **\_\_old\_finiteRotationAxis**
- struct **SFVec3f** **\_\_old\_linearVelocity**
- struct **SFRotation** **\_\_old\_orientation**
- struct **SFVec3f** **\_\_old\_position**
- void \* **\_geomIdentityTransform**

### 4.1297.1 Detailed Description

Definition at line 9029 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1298 X3D\_RigidBodyCollection Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **set\_contacts**
- int **autoDisable**
- struct **Multi\_Node** **bodies**
- float **constantForceMix**
- float **contactSurfaceThickness**
- float **disableAngularSpeed**
- float **disableLinearSpeed**
- float **disableTime**
- int **enabled**
- float **errorCorrection**
- struct **SFVec3f** **gravity**
- int **iterations**
- struct **Multi\_Node** **joints**
- float **maxCorrectionSpeed**
- struct **X3D\_Node** \* **metadata**
- int **preferAccuracy**
- struct **X3D\_Node** \* **collider**
- void \* **\_world**
- void \* **\_group**

### 4.1298.1 Detailed Description

Definition at line 9079 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1299 X3D\_ScalarChaser Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- int **isActive**
- double **duration**
- double **\_bufferendtime**
- double **\_steptime**
- float **value\_changed**
- float **initialDestination**
- float **initialValue**
- float **set\_destination**
- float **set\_value**
- void \* **\_buffer**
- float **\_previousvalue**
- float **\_destination**

### 4.1299.1 Detailed Description

Definition at line 9116 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1300 X3D\_ScalarDamper Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- double **tau**
- float **tolerance**
- int **isActive**
- int **order**
- double **\_tau**
- double **\_lasttick**
- int **\_takefirstinput**
- float **value\_changed**
- float **initialDestination**
- float **initialValue**
- float **set\_destination**
- float **set\_value**
- void \* **\_values**
- float **\_input**

### 4.1300.1 Detailed Description

Definition at line 9149 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1301 X3D\_ScalarInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Float** **keyValue**
- struct **X3D\_Node** \* **metadata**
- float **value\_changed**

### 4.1301.1 Detailed Description

Definition at line 9184 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1302 X3D\_ScreenFontStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **family**
- int **horizontal**
- struct **Multi\_String** **justify**
- struct **Uni\_String** \* **language**
- int **leftToRight**
- float **pointSize**
- float **spacing**
- struct **Uni\_String** \* **style**
- int **topToBottom**

### 4.1302.1 Detailed Description

Definition at line 9207 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1303 X3D\_ScreenGroup Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**

### 4.1303.1 Detailed Description

Definition at line 9235 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1304 X3D\_Script Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_String** **url**
- int **directOutput**
- int **mustEvaluate**
- struct **X3D\_Node** \* **metadata**
- void \* **\_\_scriptObj**
- void \* **\_parentResource**

### 4.1304.1 Detailed Description

Definition at line 9260 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1305 X3D\_SegmentedVolumeData Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **dimensions**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **voxels**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- void \* **\_boxtris**
- struct **Multi\_Node** **renderStyle**
- struct **Multi\_Bool** **segmentEnabled**
- struct **X3D\_Node** \* **segmentIdentifiers**

### 4.1305.1 Detailed Description

Definition at line 9284 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1306 X3D\_ShadedVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **surfaceNormals**
- int **lighting**
- int **shadows**
- struct **X3D\_Node** \* **material**
- struct **Uni\_String** \* **phaseFunction**
- int **\_phaseFunction**

### 4.1306.1 Detailed Description

Definition at line 9311 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1307 X3D\_ShaderPart Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **url**
- struct **Uni\_String** \* **type**
- int **\_\_loadstatus**
- void \* **\_parentResource**
- void \* **\_\_loadResource**
- struct **X3D\_Node** \* **\_shaderUserDefinedFields**

### 4.1307.1 Detailed Description

Definition at line 9337 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1308 X3D\_ShaderProgram Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **url**
- struct **Uni\_String** \* **type**
- int **\_\_loadstatus**
- void \* **\_parentResource**
- void \* **\_\_loadResource**
- struct **X3D\_Node** \* **\_shaderUserDefinedFields**

### 4.1308.1 Detailed Description

Definition at line 9362 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1309 X3D\_Shape Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **appearance**
- struct **X3D\_Node** \* **geometry**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- int **\_shaderflags\_base**
- int **\_shaderflags\_effects**
- int **\_shaderflags\_usershaders**
- int **\_\_visible**
- int **\_\_occludeCheckCount**
- int **\_\_Samples**

### 4.1309.1 Detailed Description

Definition at line 9387 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1310 X3D\_SignalPdu Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- int **isActive**
- double **timestamp**
- struct **Uni\_String** \* **address**
- int **port**
- struct **Uni\_String** \* **multicastRelayHost**
- int **multicastRelayPort**
- struct **Uni\_String** \* **networkMode**
- int **isNetworkReader**
- int **isNetworkWriter**
- int **isStandAlone**
- double **readInterval**
- double **writeInterval**
- int **rtpHeaderExpected**
- int **isRtpHeaderHeard**
- int **\_registered**
- struct **X3D\_Node** \* **\_dsock**
- double **\_lasttime**
- int **\_pduchange\_networksensor**
- struct **X3D\_Node** \* **\_oldState**
- int **entityID**
- int **applicationID**
- int **siteID**
- struct **Multi\_String** **geoSystem**
- struct **SFVec3d** **geoCoords**
- struct **X3D\_Node** \* **\_\_geoSystem**
- int **radioID**
- int **whichGeometry**
- struct **Multi\_Int32** **data**
- int **dataLength**
- int **encodingScheme**
- int **sampleRate**
- int **samples**
- int **tdlType**
- int **\_pduchange\_signal**

### 4.1310.1 Detailed Description

Definition at line 9416 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1311 X3D\_SilhouetteEnhancementVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **surfaceNormals**
- float **silhouetteBoundaryOpacity**
- float **silhouetteRetainedOpacity**
- float **silhouetteSharpness**

### 4.1311.1 Detailed Description

Definition at line 9469 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1312 X3D\_SingleAxisHingeJoint Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **anchorPoint**
- struct **SFVec3f** **axis**
- struct **X3D\_Node** \* **body1**
- struct **X3D\_Node** \* **body2**
- struct **Multi\_String** **forceOutput**
- float **maxAngle**
- struct **X3D\_Node** \* **metadata**
- float **minAngle**
- float **stopBounce**
- float **stopErrorCorrection**
- float **angle**
- float **angleRate**
- struct **SFVec3f** **body1AnchorPoint**
- struct **SFVec3f** **body2AnchorPoint**
- void \* **\_joint**
- int **\_forceout**
- struct **SFVec3f** **\_\_old\_anchorPoint**
- struct **SFVec3f** **\_\_old\_axis**
- struct **X3D\_Node** \* **\_\_old\_body1**
- struct **X3D\_Node** \* **\_\_old\_body2**

### 4.1312.1 Detailed Description

Definition at line 9493 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1313 X3D\_SliderJoint Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **axis**
- struct **X3D\_Node** \* **body1**
- struct **X3D\_Node** \* **body2**
- struct **Multi\_String** **forceOutput**
- float **maxSeparation**
- struct **X3D\_Node** \* **metadata**
- float **minSeparation**
- float **sliderForce**
- float **stopBounce**
- float **stopErrorCorrection**
- float **separation**
- float **separationRate**
- void \* **\_joint**
- int **\_forceout**
- struct **SFVec3f** **\_\_old\_axis**
- struct **X3D\_Node** \* **\_\_old\_body1**
- struct **X3D\_Node** \* **\_\_old\_body2**

### 4.1313.1 Detailed Description

Definition at line 9531 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1314 X3D\_Sound Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **direction**
- float **intensity**
- struct **SFVec3f** **location**
- float **maxBack**
- float **maxFront**
- struct **X3D\_Node** \* **metadata**
- float **minBack**
- float **minFront**
- float **priority**
- struct **X3D\_Node** \* **source**
- int **spatialize**
- int **\_\_sourceNumber**
- struct **SFVec3f** **\_\_lastlocation**
- double **\_\_lasttime**

### 4.1314.1 Detailed Description

Definition at line 9566 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1315 X3D\_Sphere Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**

- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- float **radius**
- int **solid**
- struct **Multi\_Vec3f** **\_\_points**
- int **\_sideVBO**
- int **\_\_SphereIndxVBO**
- void \* **\_\_pindices**
- int **\_\_wireindicesVBO**

#### 4.1315.1 Detailed Description

Definition at line 9598 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1316 X3D\_SphereSensor Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **autoOffset**
- int **enabled**
- struct **SFRotation** **offset**
- int **isActive**
- struct **SFRotation** **rotation\_changed**
- struct **SFVec3f** **trackPoint\_changed**
- struct **SFVec3f** **\_oldtrackPoint**
- struct **SFRotation** **\_oldrotation**
- int **isOver**
- struct **Uni\_String** \* **description**
- struct **X3D\_Node** \* **metadata**
- struct **SFVec3f** **\_origPoint**
- struct **SFVec3f** **\_origNormalizedPoint**
- float **\_radius**
- int **\_\_oldEnabled**

### 4.1316.1 Detailed Description

Definition at line 9624 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1317 X3D\_SplinePositionInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- int **closed**
- struct **Multi\_Float** **key**
- struct **Multi\_Vec3f** **keyValue**
- struct **Multi\_Vec3f** **keyVelocity**
- struct **X3D\_Node** \* **metadata**
- int **normalizeVelocity**
- struct **SFVec3f** **value\_changed**
- struct **Multi\_Vec3f** **\_T0**
- struct **Multi\_Vec3f** **\_T1**

### 4.1317.1 Detailed Description

Definition at line 9657 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1318 X3D\_SplinePositionInterpolator2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- int **closed**
- struct **Multi\_Float** **key**
- struct **Multi\_Vec2f** **keyValue**
- struct **Multi\_Vec2f** **keyVelocity**
- struct **X3D\_Node** \* **metadata**
- int **normalizeVelocity**
- struct **SFVec2f** **value\_changed**
- struct **Multi\_Vec2f** **\_T0**
- struct **Multi\_Vec2f** **\_T1**

### 4.1318.1 Detailed Description

Definition at line 9685 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1319 X3D\_SplineScalarInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**

- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- int **closed**
- struct **Multi\_Float** **key**
- struct **Multi\_Float** **keyValue**
- struct **Multi\_Float** **keyVelocity**
- struct **X3D\_Node** \* **metadata**
- int **normalizeVelocity**
- float **value\_changed**
- struct **Multi\_Float\_T0**
- struct **Multi\_Float\_T1**

### 4.1319.1 Detailed Description

Definition at line 9713 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1320 X3D\_SpotLight Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **ambientIntensity**
- struct **SFVec3f** **attenuation**
- float **beamWidth**
- struct **SFColor** **color**
- float **cutOffAngle**
- struct **SFVec3f** **direction**
- int **global**
- float **intensity**
- struct **SFVec3f** **location**
- struct **X3D\_Node** \* **metadata**
- int **on**
- float **radius**
- struct **SFVec4f** **\_dir**
- struct **SFVec4f** **\_loc**
- struct **SFVec4f** **\_col**
- struct **SFVec4f** **\_amb**

### 4.1320.1 Detailed Description

Definition at line 9741 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1321 X3D\_SquadOrientationInterpolator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **set\_fraction**
- struct **Multi\_Float** **key**
- struct **Multi\_Rotation** **keyValue**
- struct **X3D\_Node** \* **metadata**
- int **normalizeVelocity**
- int **closed**
- struct **SFRotation** **value\_changed**
- struct **Multi\_Float** **\_normkey**
- struct **Multi\_Rotation** **\_normkeyValue**

### 4.1321.1 Detailed Description

Definition at line 9775 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1322 X3D\_StaticGroup Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Node** **children**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- struct **Multi\_Node** **\_\_sibAffectors**
- int **\_\_transparency**
- int **\_\_solid**
- struct **Multi\_Node** **\_sortedChildren**

### 4.1322.1 Detailed Description

Definition at line 9802 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1323 X3D\_StringSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**

- struct **X3D\_Node** \* **\_executionContext**
- int **deletionAllowed**
- int **enabled**
- struct **Uni\_String** \* **enteredText**
- struct **Uni\_String** \* **finalText**
- int **isActive**
- struct **X3D\_Node** \* **metadata**
- int **singleton**
- int **\_initialized**
- int **\_\_oldEnabled**

#### 4.1323.1 Detailed Description

Definition at line 9828 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1324 X3D\_SurfaceEmitter Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **set\_coordIndex**
- int **set\_coordinate**
- struct **X3D\_Node** \* **metadata**
- float **speed**
- float **variation**
- struct **Multi\_Int32** **coordIndex**
- float **mass**
- struct **X3D\_Node** \* **surface**
- float **surfaceArea**
- struct **X3D\_Node** \* **geometry**
- void \* **\_ifs**

### 4.1324.1 Detailed Description

Definition at line 9855 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1325 X3D\_Switch Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **choice**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- int **whichChoice**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- int **\_\_isX3D**

### 4.1325.1 Detailed Description

Definition at line 9884 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1326 X3D\_Teapot Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- int **solid**
- void \* **\_\_ifsnode**

### 4.1326.1 Detailed Description

Definition at line 9912 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1327 X3D\_TexCoordChaser2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- int **isActive**

- double **duration**
- double **\_bufferendtime**
- double **\_steptime**
- struct **Multi\_Vec2f** **value\_changed**
- struct **Multi\_Vec2f** **initialDestination**
- struct **Multi\_Vec2f** **initialValue**
- struct **Multi\_Vec2f** **set\_destination**
- struct **Multi\_Vec2f** **set\_value**
- void \* **\_buffer**
- struct **Multi\_Vec2f** **\_previousvalue**
- struct **Multi\_Vec2f** **\_destination**

### 4.1327.1 Detailed Description

Definition at line 9933 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1328 X3D\_TexCoordDamper2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- void \* **\_p**
- void \* **\_t**
- double **tau**
- float **tolerance**
- int **isActive**
- int **order**
- double **\_tau**
- double **\_lasttick**
- int **\_takefirstinput**
- struct **Multi\_Vec2f** **value\_changed**
- struct **Multi\_Vec2f** **initialDestination**
- struct **Multi\_Vec2f** **initialValue**
- struct **Multi\_Vec2f** **set\_destination**
- struct **Multi\_Vec2f** **set\_value**
- void \* **\_values**
- struct **Multi\_Vec2f** **\_input**

### 4.1328.1 Detailed Description

Definition at line 9966 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1329 X3D\_Text Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **fontStyle**
- struct **Multi\_Float** **length**
- float **maxExtent**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **string**
- struct **Multi\_Vec2f** **lineBounds**
- struct **SFVec3f** **origin**
- int **solid**
- struct **SFVec2f** **textBounds**
- int **\_isScreen**
- void \* **\_screendata**

### 4.1329.1 Detailed Description

Definition at line 10001 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1330 X3D\_TextureBackground Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **set\_bind**
- struct **Multi\_Float** **groundAngle**
- struct **Multi\_Color** **groundColor**
- struct **Multi\_Float** **skyAngle**
- struct **Multi\_Color** **skyColor**
- double **bindTime**
- int **isBound**
- int **\_layerId**
- struct **X3D\_Node** \* **metadata**
- void \* **\_parentResource**
- struct **Multi\_Vec3f** **\_\_points**
- struct **Multi\_Vec3f** **\_\_colours**
- int **\_\_quadcount**
- int **\_\_VBO**
- struct **X3D\_Node** \* **frontTexture**
- struct **X3D\_Node** \* **backTexture**
- struct **X3D\_Node** \* **topTexture**
- struct **X3D\_Node** \* **bottomTexture**
- struct **X3D\_Node** \* **leftTexture**
- struct **X3D\_Node** \* **rightTexture**
- struct **Multi\_Float** **transparency**

### 4.1330.1 Detailed Description

Definition at line 10030 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1331 X3D\_TextureCoordinate Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec2f** **point**

### 4.1331.1 Detailed Description

Definition at line 10069 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1332 X3D\_TextureCoordinate3D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec3f** **point**



### 4.1332.1 Detailed Description

Definition at line 10089 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1333 X3D\_TextureCoordinate4D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec4f** **point**

### 4.1333.1 Detailed Description

Definition at line 10109 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1334 X3D\_TextureCoordinateGenerator Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **mode**
- struct **Multi\_Float** **parameter**

### 4.1334.1 Detailed Description

Definition at line 10129 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1335 X3D\_TextureProjectorParallel Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **description**
- struct **SFVec3f** **location**
- struct **SFVec3f** **direction**
- struct **SFVec3f** **upVector**
- struct **Multi\_Float** **fieldOfView**
- float **aspectRatio**
- float **nearDistance**
- float **farDistance**
- int **global**
- int **on**
- struct **X3D\_Node** \* **texture**
- int **backCull**
- struct **SFVec4f** **\_dir**
- struct **SFVec4f** **\_loc**
- struct **SFVec4f** **\_upVec**

### 4.1335.1 Detailed Description

Definition at line 10150 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1336 X3D\_TextureProjectorPerspective Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **description**
- struct **SFVec3f** **location**
- struct **SFVec3f** **direction**
- struct **SFVec3f** **upVector**
- float **fieldOfView**
- float **aspectRatio**
- float **nearDistance**
- float **farDistance**
- int **global**
- int **on**
- struct **X3D\_Node** \* **texture**
- int **backCull**
- struct **SFVec4f** **\_dir**
- struct **SFVec4f** **\_loc**
- struct **SFVec4f** **\_upVec**

### 4.1336.1 Detailed Description

Definition at line 10184 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1337 X3D\_TextureProperties Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **anisotropicDegree**
- struct **SFColorRGBA** **borderColor**
- int **borderWidth**
- struct **Uni\_String** \* **boundaryModeS**
- struct **Uni\_String** \* **boundaryModeT**
- struct **Uni\_String** \* **boundaryModeR**
- struct **Uni\_String** \* **magnificationFilter**
- struct **X3D\_Node** \* **metadata**
- struct **Uni\_String** \* **minificationFilter**
- struct **Uni\_String** \* **textureCompression**
- float **texturePriority**
- int **generateMipMaps**

### 4.1337.1 Detailed Description

Definition at line 10218 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1338 X3D\_TextureTransform Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]

- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec2f** **center**
- struct **X3D\_Node** \* **metadata**
- float **rotation**
- struct **SFVec2f** **scale**
- struct **SFVec2f** **translation**

### 4.1338.1 Detailed Description

Definition at line 10248 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1339 X3D\_TextureTransform3D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **center**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **rotation**
- struct **SFVec3f** **scale**
- struct **SFVec3f** **translation**

### 4.1339.1 Detailed Description

Definition at line 10271 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1340 X3D\_TextureTransformMatrix3D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **SFMatrix4f** **matrix**

### 4.1340.1 Detailed Description

Definition at line 10294 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1341 X3D\_TimeSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- double **cycleInterval**
- int **enabled**
- int **loop**
- struct **X3D\_Node** \* **metadata**
- double **pauseTime**

- double **resumeTime**
- double **startTime**
- double **stopTime**
- double **cycleTime**
- double **elapsedTime**
- float **fraction\_changed**
- int **isActive**
- double **isPaused**
- double **time**
- double **\_\_inittime**
- double **\_\_ctflag**
- int **\_\_oldEnabled**
- double **\_\_lasttime**

#### 4.1341.1 Detailed Description

Definition at line 10314 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1342 X3D\_TimeTrigger Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **set\_boolean**
- double **triggerTime**
- struct **X3D\_Node** \* **metadata**

#### 4.1342.1 Detailed Description

Definition at line 10350 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1343 X3D\_ToneMappedVolumeStyle Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **surfaceNormals**
- struct **SFColorRGBA** **coolColor**
- struct **SFColorRGBA** **warmColor**

### 4.1343.1 Detailed Description

Definition at line 10371 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1344 X3D\_TouchSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **SFVec3f** **hitNormal\_changed**



- struct **SFVec3f** hitPoint\_changed
- struct **SFVec2f** hitTexCoord\_changed
- struct **SFVec3f** \_oldhitNormal
- struct **SFVec3f** \_oldhitPoint
- struct **SFVec2f** \_oldhitTexCoord
- int **isActive**
- int **isOver**
- struct **Uni\_String** \* **description**
- double **touchTime**
- struct **X3D\_Node** \* **metadata**
- int **\_\_oldEnabled**

#### 4.1344.1 Detailed Description

Definition at line 10394 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1345 X3D\_TrackingSensor Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **SFVec3f** **position**
- struct **SFRotation** **rotation**
- int **isActive**
- struct **Uni\_String** \* **description**
- struct **X3D\_Node** \* **metadata**
- int **isPositionAvailable**
- int **isRotationAvailable**

### 4.1345.1 Detailed Description

Definition at line 10425 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1346 X3D\_Transform Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **SFVec3f** **center**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **rotation**
- struct **SFVec3f** **scale**
- struct **SFRotation** **scaleOrientation**
- struct **SFVec3f** **translation**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- int **\_\_do\_center**
- int **\_\_do\_trans**
- int **\_\_do\_rotation**
- int **\_\_do\_scaleO**
- int **\_\_do\_scale**
- int **\_\_do\_anything**
- struct **Multi\_Node** **\_sortedChildren**

### 4.1346.1 Detailed Description

Definition at line 10451 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1347 X3D\_TransformSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **center**
- struct **SFVec3f** **size**
- int **enabled**
- int **isActive**
- struct **SFVec3f** **position\_changed**
- struct **SFRotation** **orientation\_changed**
- double **enterTime**
- double **exitTime**
- struct **X3D\_Node** \* **targetObject**
- struct **X3D\_Node** \* **metadata**
- int **\_\_hit**
- struct **SFVec3f** **\_\_t1**
- struct **SFRotation** **\_\_t2**
- int **\_\_oldEnabled**

### 4.1347.1 Detailed Description

Definition at line 10488 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1348 X3D\_TransmitterPdu Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**

- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- int **isActive**
- double **timestamp**
- struct **Uni\_String** \* **address**
- int **port**
- struct **Uni\_String** \* **multicastRelayHost**
- int **multicastRelayPort**
- struct **Uni\_String** \* **networkMode**
- int **isNetworkReader**
- int **isNetworkWriter**
- int **isStandAlone**
- double **readInterval**
- double **writeInterval**
- int **rtpHeaderExpected**
- int **isRtpHeaderHeard**
- int **\_registered**
- struct **X3D\_Node** \* **\_dsock**
- double **\_lasttime**
- int **\_pduchange\_networksensor**
- struct **X3D\_Node** \* **\_oldState**
- int **entityID**
- int **applicationID**
- int **siteID**
- struct **Multi\_String** **geoSystem**
- struct **SFVec3d** **geoCoords**
- struct **X3D\_Node** \* **\_\_geoSystem**
- int **radioID**
- int **whichGeometry**
- int **radioEntityTypeKind**
- int **radioEntityTypeDomain**
- int **radioEntityTypeCountry**
- int **radioEntityTypeCategory**
- int **radioEntityTypeNomenclature**
- int **radioEntityTypeNomenclatureVersion**
- struct **SFVec3f** **antennaLocation**
- int **antennaPatternLength**
- int **antennaPatternType**
- struct **SFVec3f** **relativeAntennaLocation**
- int **inputSource**
- int **transmitState**
- float **power**
- int **frequency**
- float **transmitFrequencyBandwidth**
- int **lengthOfModulationParameters**
- int **modulationTypeDetail**
- int **modulationTypeMajor**
- int **modulationTypeSpreadSpectrum**
- int **modulationTypeSystem**
- int **cryptoSystem**
- int **cryptoKeyID**
- int **\_pduchange\_transmitter**

### 4.1348.1 Detailed Description

Definition at line 10520 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1349 X3D\_TriangleFanSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **Multi\_Int32** **fanCount**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- int **colorPerVertex**
- int **normalPerVertex**
- int **solid**
- struct **Multi\_Int32** **\_coordIndex**

### 4.1349.1 Detailed Description

Definition at line 10589 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1350 X3D\_TriangleSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- int **colorPerVertex**
- int **normalPerVertex**
- int **solid**
- struct **Multi\_Int32** **\_coordIndex**

### 4.1350.1 Detailed Description

Definition at line 10620 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1351 X3D\_TriangleSet2D Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]

- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Vec2f** **vertices**
- int **solid**
- struct **Multi\_Vec2f** **\_\_texCoords**
- void \* **\_\_wireindices**

#### 4.1351.1 Detailed Description

Definition at line 10650 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1352 X3D\_TriangleStripSet Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **attrib**
- struct **X3D\_Node** \* **color**
- struct **X3D\_Node** \* **coord**
- struct **X3D\_Node** \* **fogCoord**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **normal**
- struct **Multi\_Int32** **stripCount**
- struct **X3D\_Node** \* **texCoord**
- int **ccw**
- int **colorPerVertex**
- int **normalPerVertex**
- int **solid**
- struct **Multi\_Int32** **\_coordIndex**

### 4.1352.1 Detailed Description

Definition at line 10673 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1353 X3D\_TwoSidedMaterial Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- float **ambientIntensity**
- float **backAmbientIntensity**
- struct **SFColor** **backDiffuseColor**
- struct **SFColor** **backEmissiveColor**
- float **backShininess**
- struct **SFColor** **backSpecularColor**
- float **backTransparency**
- struct **SFColor** **diffuseColor**
- struct **SFColor** **emissiveColor**
- struct **X3D\_Node** \* **metadata**
- float **shininess**
- int **separateBackColor**
- struct **SFColor** **specularColor**
- float **transparency**
- struct **Multi\_Float** **\_verifiedFrontColor**
- struct **Multi\_Float** **\_verifiedBackColor**

### 4.1353.1 Detailed Description

Definition at line 10704 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h



## 4.1354 X3D\_UniversalJoint Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **anchorPoint**
- struct **SFVec3f** **axis1**
- struct **SFVec3f** **axis2**
- struct **X3D\_Node** \* **body1**
- struct **X3D\_Node** \* **body2**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **forceOutput**
- float **stop1Bounce**
- float **stop1ErrorCorrection**
- float **stop2Bounce**
- float **stop2ErrorCorrection**
- struct **SFVec3f** **body1AnchorPoint**
- struct **SFVec3f** **body1Axis**
- struct **SFVec3f** **body2AnchorPoint**
- struct **SFVec3f** **body2Axis**
- void \* **\_joint**
- int **\_forceout**
- struct **SFVec3f** **\_\_old\_anchorPoint**
- struct **SFVec3f** **\_\_old\_axis1**
- struct **SFVec3f** **\_\_old\_axis2**
- struct **X3D\_Node** \* **\_\_old\_body1**
- struct **X3D\_Node** \* **\_\_old\_body2**

### 4.1354.1 Detailed Description

Definition at line 10738 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1355 X3D\_Viewpoint Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **\_layerId**
- int **\_donethispass**
- int **set\_bind**
- double **bindTime**
- int **isBound**
- struct **Uni\_String** \* **description**
- int **jump**
- float **fieldOfView**
- struct **X3D\_Node** \* **metadata**
- struct **SFRotation** **orientation**
- struct **SFVec3f** **position**
- struct **SFVec3f** **centerOfRotation**
- int **retainUserOffsets**
- struct **Uni\_String** \* **fovMode**
- float **aspectRatio**
- int **\_initializedOnce**
- struct **SFRotation** **\_orientation**
- struct **SFVec3f** **\_position**

### 4.1355.1 Detailed Description

Definition at line 10778 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1356 X3D\_ViewpointGroup Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **center**
- struct **Multi\_Node** **children**
- struct **Uni\_String** \* **description**
- int **displayed**
- struct **X3D\_Node** \* **metadata**
- int **retainUserOffsets**
- struct **SFVec3f** **size**
- struct **X3D\_Node** \* **\_\_proxNode**

### 4.1356.1 Detailed Description

Definition at line 10814 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1357 X3D\_Viewport Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**

- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Node** **addChildren**
- struct **Multi\_Node** **removeChildren**
- struct **Multi\_Node** **\_\_sibAffectors**
- struct **Multi\_Node** **children**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_Float** **clipBoundary**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**

#### 4.1357.1 Detailed Description

Definition at line 10840 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1358 X3D\_Virt Struct Reference

#### Data Fields

- void(\* **prep** )(void \*)
- void(\* **rend** )(void \*)
- void(\* **children** )(void \*)
- void(\* **fin** )(void \*)
- void(\* **rendray** )(void \*)
- void(\* **mkpolyrep** )(void \*)
- void(\* **proximity** )(void \*)
- void(\* **other** )(void \*)
- void(\* **collision** )(void \*)
- void(\* **compile** )(void \*, void \*, void \*, void \*, void \*, void \*)

#### 4.1358.1 Detailed Description

Definition at line 37 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1359 X3D\_VisibilitySensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **center**
- int **enabled**
- struct **SFVec3f** **size**
- double **enterTime**
- double **exitTime**
- int **isActive**
- struct **X3D\_Node** \* **metadata**
- int **\_\_visible**
- int **\_\_occludeCheckCount**
- struct **Multi\_Vec3f** **\_\_points**
- int **\_\_Samples**
- int **\_\_oldEnabled**

### 4.1359.1 Detailed Description

Definition at line 10866 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1360 X3D\_VolumeData Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]

- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **dimensions**
- struct **X3D\_Node** \* **metadata**
- struct **X3D\_Node** \* **voxels**
- struct **SFVec3f** **bboxCenter**
- struct **SFVec3f** **bboxSize**
- void \* **\_boxtris**
- struct **X3D\_Node** \* **renderStyle**

#### 4.1360.1 Detailed Description

Definition at line 10896 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

### 4.1361 X3D\_VolumeEmitter Struct Reference

#### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_Int32** **set\_coordIndex**
- int **set\_coordinate**
- struct **X3D\_Node** \* **coord**
- struct **SFVec3f** **direction**
- struct **X3D\_Node** \* **metadata**
- float **speed**
- float **variation**
- struct **Multi\_Int32** **coordIndex**
- int **internal**
- float **mass**
- float **surfaceArea**
- void \* **\_ifs**

### 4.1361.1 Detailed Description

Definition at line 10921 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1362 X3D\_VolumePickSensor Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- int **enabled**
- struct **X3D\_Node** \* **metadata**
- struct **Multi\_String** **objectType**
- struct **X3D\_Node** \* **pickingGeometry**
- struct **Multi\_Node** **pickTarget**
- int **isActive**
- struct **Multi\_Node** **pickedGeometry**
- struct **Uni\_String** \* **intersectionType**
- struct **Uni\_String** \* **sortOrder**
- struct **Uni\_String** \* **matchCriterion**
- int **\_\_oldEnabled**

### 4.1362.1 Detailed Description

Definition at line 10951 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1363 X3D\_WindPhysicsModel Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **SFVec3f** **direction**
- int **enabled**
- float **gustiness**
- struct **X3D\_Node** \* **metadata**
- float **speed**
- float **turbulence**
- float **\_frameSpeed**

### 4.1363.1 Detailed Description

Definition at line 10980 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1364 X3D\_WorldInfo Struct Reference

### Data Fields

- int **\_nodeType**
- int **\_renderFlags**
- int **\_hit**
- int **\_change**
- int **\_ichange**
- struct **Vector** \* **\_parentVector**
- double **\_dist**
- float **\_extent** [6]
- struct **X3D\_PolyRep** \* **\_intern**
- int **referenceCount**
- int **\_defaultContainer**
- void \* **\_gc**
- struct **X3D\_Node** \* **\_executionContext**
- struct **Multi\_String** **info**
- struct **Uni\_String** \* **title**
- struct **X3D\_Node** \* **metadata**



### 4.1364.1 Detailed Description


Definition at line 11005 of file Structs.h.

The documentation for this struct was generated from the following file:

- src/lib/vrml\_parser/Structs.h

## 4.1365 org.web3d.x3d.sai.X3DAppearanceChildNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DAppearanceChildNode:



### Additional Inherited Members

### 4.1365.1 Detailed Description


Definition at line 3 of file X3DAppearanceChildNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DAppearanceChildNode.java

## 4.1366 org.web3d.x3d.sai.X3DAppearanceNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DAppearanceNode:



### Additional Inherited Members

### 4.1366.1 Detailed Description


Definition at line 3 of file X3DAppearanceNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DAppearanceNode.java

## 4.1367 org.web3d.x3d.sai.X3DAudioClipNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DAudioClipNode:



### Public Member Functions

- String **getDescription** ()
- void **setDescription** ()
- float **getPitch** ()
- void **setPitch** (float pitch) throws `InvalidFieldValueException`
- double **getDuration** ()
- void **setDuration** (double time)

### 4.1367.1 Detailed Description


Definition at line 3 of file `X3DAudioClipNode.java`.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DAudioClipNode.java`

## 4.1368 org.web3d.x3d.sai.X3DBackgroundNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DBackgroundNode:



## Public Member Functions

- int **getNumSkyAngle** ()
- void **getSkyAngle** (float[] angles)
- void **setSkyAngle** (float[] angles)
- int **getNumGroundAngle** ()
- void **getGroundAngle** (float[] angle)
- void **setGroundAngle** (float[] angle)
- int **getNumSkyColor** ()
- void **getSkyColor** (float[] colors)
- void **setSkyColor** (float[] colors)
- int **getNumGroundColor** ()
- void **getGroundColor** (float[] color)
- void **setGroundColor** (float[] color)

### 4.1368.1 Detailed Description


Definition at line 3 of file X3DBackgroundNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DBackgroundNode.java

## 4.1369 org.web3d.x3d.sai.X3DBindableNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DBindableNode:



## Public Member Functions

- void **setBind** (boolean enable)
- boolean **isBound** ()
- double **getBindTime** ()

### 4.1369.1 Detailed Description


Definition at line 3 of file X3DBindableNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DBindableNode.java

## 4.1370 org.web3d.x3d.sai.X3DBoundedObject Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DBoundedObject:



### 4.1370.1 Detailed Description


Definition at line 3 of file `X3DBoundedObject.java`.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DBoundedObject.java`

## 4.1371 org.web3d.x3d.sai.X3DChildNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DChildNode:



## Additional Inherited Members

### 4.1371.1 Detailed Description


Definition at line 3 of file X3DChildNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DChildNode.java

## 4.1372 org.web3d.x3d.sai.X3DColorNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DColorNode:



## Public Member Functions

- int **getNumColors** ()
- int **getNumComponents** ()
- void **setColor** (float[] colors)
- void **getColor** (float[] color)

### 4.1372.1 Detailed Description


Definition at line 3 of file X3DColorNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DColorNode.java

## 4.1373 org.web3d.x3d.sai.X3DComponent Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DComponent:



## Public Member Functions

- **ExternalBrowser** `getBrowser ()`
- **Object** `getImplementation ()`
- **void** `shutdown ()`

### 4.1373.1 Detailed Description


Definition at line 3 of file X3DComponent.java.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DComponent.java`

## 4.1374 **org.web3d.x3d.sai.X3DComposedGeometryNode** Interface Reference

Inheritance diagram for `org.web3d.x3d.sai.X3DComposedGeometryNode`:



## Public Member Functions

- **X3DNode** `getColor ()`
- **void** `setColor ( X3DColorNode node)`
- **void** `setColor ( X3DProtoInstance comp)`
- **X3DNode** `getCoord ()`
- **void** `setCoord ( X3DCoordinateNode node)`
- **void** `setCoord ( X3DProtoInstance node)`
- **X3DNode** `getTexCoord ()`
- **void** `setTexCoord ( X3DTextureCoordinateNode node)`
- **void** `setTexCoord ( X3DProtoInstance node)`
- **X3DNode** `getNormal ()`
- **void** `setNormal ( X3DNormalNode node)`
- **void** `setNormal ( X3DProtoInstance node)`
- **boolean** `getIsSolid ()`
- **void** `setIsSolid (boolean solid)`
- **boolean** `getIsCCW ()`
- **void** `setIsCCW (boolean ccw)`
- **boolean** `getColorPerVertex ()`
- **void** `setColorPerVertex (boolean perVertex)`
- **boolean** `getNormalPerVertex ()`
- **void** `setNormalPerVertex (boolean perVertex)`

### 4.1374.1 Detailed Description


Definition at line 3 of file X3DComposedGeometryNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DComposedGeometryNode.java

## 4.1375 org.web3d.x3d.sai.X3DCoordinateNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DCoordinateNode:



### Public Member Functions

- int **getNumCoordinates** ()
- void **setPoint** (float[] points)
- void **getPoint** (float[] points)

### 4.1375.1 Detailed Description


Definition at line 3 of file X3DCoordinateNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DCoordinateNode.java

## 4.1376 org.web3d.x3d.sai.X3DDragSensorNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DDragSensorNode:



## Public Member Functions

- void **setAutoOffset** (boolean newAutoOffset)
- boolean **getAutoOffset** ()
- void **getTrackPoint** (float[] points)

### 4.1376.1 Detailed Description


Definition at line 3 of file X3DDragSensorNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DDragSensorNode.java

## 4.1377 org.web3d.x3d.sai.X3DEnvironmentalSensorNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DEnvironmentalSensorNode:



## Public Member Functions

- double **getEnterTime** ()
- double **getExitTime** ()
- void **getCenter** (float[] pos)
- void **setCenter** (float[] pos)
- void **getSize** (float[] size)
- void **setSize** (float[] size)

### 4.1377.1 Detailed Description

Definition at line 3 of file X3DEnvironmentalSensorNode.java.


The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DEnvironmentalSensorNode.java



## 4.1378 org.web3d.x3d.sai.X3DException Class Reference

Inheritance diagram for org.web3d.x3d.sai.X3DException:



### Public Member Functions

- **X3DException** (String msg)

#### 4.1378.1 Detailed Description


Definition at line 3 of file `X3DException.java`.

The documentation for this class was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DException.java`

## 4.1379 org.web3d.x3d.sai.X3DExecutionContext Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DExecutionContext:



### Public Member Functions

- String **getSpecificationVersion** () throws InvalidExecutionContextException
- int **getEncoding** () throws InvalidExecutionContextException
- **ProfileInfo** **getProfile** () throws InvalidExecutionContextException
- **ComponentInfo[]** **getComponents** () throws InvalidExecutionContextException
- String **getWorldURL** () throws InvalidExecutionContextException
- **X3DNode** **getNamedNode** (String nodeName) throws InvalidExecutionContextException, Node←UnavailableException, InvalidNameException
- **X3DNode** **getImportedNode** (String nodeName) throws InvalidExecutionContextException, Node←UnavailableException, InvalidNameException
- **X3DNode** **createNode** (String nodeName) throws InvalidExecutionContextException, InvalidName←Exception
- **X3DProtoInstance** **createProto** (String protoName) throws InvalidExecutionContextException, Invalid←NameException
- void **updateNamedNode** (String nodeName, **X3DNode** nodeRef) throws InvalidExecutionContextException, InvalidNameException, ImportedNodeException
- void **updateImportedNode** (String nodeName, String importedName, **X3DNode** nodeRef) throws Invalid←ExecutionContextException, InvalidNameException, ImportedNodeException
- void **removeNamedNode** (String nodeName) throws InvalidExecutionContextException, InvalidName←Exception
- void **removeImportedNode** (String nodeName) throws InvalidExecutionContextException, InvalidName←Exception
- **X3DProtoDeclaration** **getProtoDeclaration** (String protoName) throws InvalidExecutionContextException, InvalidNameException
- void **updateProtoDeclaration** (String protoName, **X3DProtoDeclaration** newDeclaration) throws Invalid←ExecutionContextException, InvalidNameException
- void **removeProtoDeclaration** (String protoName) throws InvalidExecutionContextException, Invalid←NameException
- **X3DExternProtoDeclaration** **getExternProtoDeclaration** (String protoName) throws InvalidExecution←ContextException, InvalidNameException, URLUnavailableException
- void **updateExternProtoDeclaration** (String protoName, **X3DExternProtoDeclaration** newDeclaration) throws InvalidExecutionContextException
- void **removeExternProtoDeclaration** (String protoName) throws InvalidExecutionContextException
- **X3DNode[]** **getRootNodes** () throws InvalidExecutionContextException
- **X3DRoute[]** **getRoutes** () throws InvalidExecutionContextException
- **X3DRoute** **addRoute** ( **X3DNode** startNode, String starttName, **X3DNode** endNode, String endEvent) throws InvalidExecutionContextException, InvalidNodeException, InvalidFieldException
- void **removeRoute** ( **X3DRoute** route) throws InvalidExecutionContextException

### 4.1379.1 Detailed Description


Definition at line 3 of file X3DExecutionContext.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DExecutionContext.java

## 4.1380 org.web3d.x3d.sai.X3DExternProtoDeclaration Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DExternProtoDeclaration:



### Public Member Functions

- `int getLoadState ()` throws `InvalidOperationTimingException`, `InvalidProtoException`
- `void loadNow ()` throws `InvalidOperationTimingException`, `InvalidProtoException`

### 4.1380.1 Detailed Description


Definition at line 3 of file X3DExternProtoDeclaration.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DExternProtoDeclaration.java

## 4.1381 org.web3d.x3d.sai.X3DField Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DField:



## Public Member Functions

- **X3DFieldDefinition** **getDefinition** () throws InvalidFieldException, ConnectionException
- boolean **isReadable** () throws InvalidFieldException, ConnectionException
- boolean **isWritable** () throws InvalidFieldException, ConnectionException
- void **addX3DEventListener** ( **X3DFieldEventListener** l) throws InvalidFieldException, ConnectionException
- void **removeX3DEventListener** ( **X3DFieldEventListener** l) throws InvalidFieldException, ConnectionException
- void **setUserData** (Object data) throws InvalidFieldException, ConnectionException
- Object **getUserData** () throws InvalidFieldException, ConnectionException
- void **dispose** ()

### 4.1381.1 Detailed Description


Definition at line 3 of file X3DField.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DField.java

## 4.1382 org.web3d.x3d.sai.X3DFieldDefinition Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DFieldDefinition:



### Public Member Functions

- String **getName** ()
- int **getAccessType** ()
- int **getFieldType** ()
- String **getFieldTypeString** ()

### 4.1382.1 Detailed Description


Definition at line 3 of file X3DFieldDefinition.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DFieldDefinition.java

## 4.1383 org.web3d.x3d.sai.X3DFieldEvent Class Reference

Inheritance diagram for org.web3d.x3d.sai.X3DFieldEvent:



### Public Member Functions

- **X3DFieldEvent** (Object src, double t, Object d)
- double **getTime** ()
- Object **getData** ()

### 4.1383.1 Detailed Description


Definition at line 4 of file X3DFieldEvent.java.

The documentation for this class was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DFieldEvent.java

## 4.1384 org.web3d.x3d.sai.X3DFieldEventListener Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DFieldEventListener:



### Public Member Functions

- void **readableFieldChanged** ( X3DFieldEvent evt)

### 4.1384.1 Detailed Description


Definition at line 3 of file X3DFieldEventListener.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DFieldEventListener.java

## 4.1385 org.web3d.x3d.sai.X3DFieldTypes Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DFieldTypes:



### Data Fields

- int **INPUT\_ONLY** = 1
- int **INITIALIZE\_ONLY** = 2
- int **INPUT\_OUTPUT** = 3
- int **OUTPUT\_ONLY** = 4
- int **SFBOOL** = 1
- int **MFBOOL** = 2
- int **SFCOLOR** = 21
- int **MFCOLOR** = 22
- int **SFCOLORRGBA** = 23
- int **MFCOLORRGBA** = 24
- int **SFDOUBLE** = 7
- int **MFDOUBLE** = 8
- int **SFFLOAT** = 5

- int **MFLOAT** = 6
- int **SFIMAGE** = 25
- int **MFIMAGE** = 26
- int **SFINT32** = 3
- int **MFINT32** = 4
- int **SFNODE** = 11
- int **MFNODE** = 12
- int **SFROTATION** = 19
- int **MFROTATION** = 20
- int **SFSTRING** = 27
- int **MFSTRING** = 28
- int **SFTIME** = 9
- int **MFTIME** = 10
- int **SFVEC2F** = 13
- int **MFVEC2F** = 14
- int **SFVEC3F** = 15
- int **MFVEC3F** = 16
- int **SFVEC3D** = 17
- int **MFVEC3D** = 18
- int **SFVEC2D** = 29
- int **MFVEC2D** = 30

#### 4.1385.1 Detailed Description


Definition at line 3 of file X3DFieldTypes.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DFieldTypes.java

### 4.1386 org.web3d.x3d.sai.X3DFontStyleNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DFontStyleNode:



#### Public Member Functions

- Font **getFont** ()
- int **getHorizontalJustification** ()
- int **getVerticalJustification** ()
- float **getSpacing** ()
- float **getSize** ()
- boolean **isTopToBottom** ()
- boolean **isLeftToRight** ()

## Data Fields

- int **PLAIN\_STYLE** = java.awt.Font.PLAIN
- int **ITALIC\_STYLE** = java.awt.Font.ITALIC
- int **BOLD\_STYLE** = java.awt.Font.BOLD
- int **BOLDITALIC\_STYLE** = java.awt.Font.BOLD + java.awt.Font.ITALIC
- int **BEGIN\_JUSTIFY** = 1
- int **END\_JUSTIFY** = 2
- int **MIDDLE\_JUSTIFY** = 3
- int **FIRST\_JUSTIFY** = 4

### 4.1386.1 Detailed Description


Definition at line 4 of file X3DFontStyleNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DFontStyleNode.java

## 4.1387 org.web3d.x3d.sai.X3DGeometricPropertyNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DGeometricPropertyNode:



## Additional Inherited Members

### 4.1387.1 Detailed Description

Definition at line 3 of file X3DGeometricPropertyNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DGeometricPropertyNode.java

## 4.1388 org.web3d.x3d.sai.X3DGeometryNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DGeometryNode:





## Additional Inherited Members

### 4.1388.1 Detailed Description


Definition at line 3 of file X3DGeometryNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DGeometryNode.java

## 4.1389 org.web3d.x3d.sai.X3DGroupingNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DGroupingNode:



## Public Member Functions

- void **getChildren** ( `X3DNode[]` nodes)
- void **setChildren** ( `X3DNode[]` kids) throws `InvalidNodeException`
- void **addChildren** ( `X3DNode[]` added) throws `InvalidNodeException`
- void **removeChildren** ( `X3DNode[]` removed) throws `InvalidNodeException`
- void **removeChild** ( `X3DNode` removed) throws `InvalidNodeException`
- int **getNumChildren** ()

### 4.1389.1 Detailed Description


Definition at line 3 of file X3DGroupingNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DGroupingNode.java

## 4.1390 org.web3d.x3d.sai.X3DInfoNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DInfoNode:



## Additional Inherited Members

### 4.1390.1 Detailed Description


Definition at line 3 of file X3DInfoNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DInfoNode.java

## 4.1391 org.web3d.x3d.sai.X3DInterpolatorNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DInterpolatorNode:



## Public Member Functions

- void **setFraction** (float value)
- int **getNumKeys** ()
- void **setKey** (float[] keys)
- void **getKey** (float[] keys)

### 4.1391.1 Detailed Description


Definition at line 3 of file X3DInterpolatorNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DInterpolatorNode.java

## 4.1392 org.web3d.x3d.sai.X3DKeyDeviceSensorNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DKeyDeviceSensorNode:



## Additional Inherited Members

### 4.1392.1 Detailed Description


Definition at line 3 of file X3DKeyDeviceSensorNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DKeyDeviceSensorNode.java

## 4.1393 org.web3d.x3d.sai.X3DLightNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DLightNode:



## Public Member Functions

- boolean **getOn** ()
- void **setOn** (boolean state)
- float **getAmbientIntensity** ()
- void **setAmbientIntensity** (float intensity) throws InvalidFieldValueException
- void **getColor** (float[] color)
- void **setColor** (float[] color) throws InvalidFieldValueException
- void **getIntensity** ()
- void **setIntensity** (float newIntensity) throws InvalidFieldValueException

### 4.1393.1 Detailed Description


Definition at line 3 of file X3DLightNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DLightNode.java

## 4.1394 org.web3d.x3d.sai.X3DMaterialNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DMaterialNode:



### Additional Inherited Members

#### 4.1394.1 Detailed Description

Definition at line 3 of file X3DMaterialNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DMaterialNode.java

## 4.1395 org.web3d.x3d.sai.X3DMetadataObject Interface Reference

### Public Member Functions

- void **setStandard** (String std)
- String **getStandard** ()
- void **setName** (String name)
- String **getName** ()

#### 4.1395.1 Detailed Description


Definition at line 3 of file X3DMetadataObject.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DMetadataObject.java

## 4.1396 org.web3d.x3d.sai.X3DNetworkSensorNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DNetworkSensorNode:



### Additional Inherited Members

#### 4.1396.1 Detailed Description


Definition at line 3 of file X3DNetworkSensorNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DNetworkSensorNode.java

## 4.1397 org.web3d.x3d.sai.X3DNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DNode:



## Public Member Functions

- void **setMetadata** ( **X3DMetadataObject** data) throws `InvalidNodeException`, `ConnectionException`
- **X3DMetadataObject** **getMetadata** () throws `InvalidNodeException`, `ConnectionException`
- String **getNodeName** () throws `InvalidNodeException`, `ConnectionException`
- **X3DFieldDefinition**[] **getFieldDefinitions** () throws `InvalidNodeException`, `ConnectionException`
- int[] **getNodeTypes** () throws `InvalidNodeException`, `ConnectionException`
- **X3DField** **getField** (String name) throws `InvalidNameException`, `InvalidNodeException`, `ConnectionException`
- void **dispose** ()

### 4.1397.1 Detailed Description


Definition at line 3 of file `X3DNode.java`.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DNode.java`

## 4.1398 org.web3d.x3d.sai.X3DNodeTypes Interface Reference

Inheritance diagram for `org.web3d.x3d.sai.X3DNodeTypes`:



## Data Fields

- int **X3DBoundedObject** = 1
- int **X3DBounded2DObject** = 2
- int **X3DURLObject** = 3
- int **X3DAppearanceNode** = 10
- int **X3DAppearanceChildNode** = 11
- int **X3DMaterialNode** = 12
- int **X3DTextureNode** = 13
- int **X3DTexture2DNode** = 14
- int **X3DTexture3DNode** = 15
- int **X3DTextureTransformNode** = 16
- int **X3DTextureTransform2DNode** = 17
- int **X3DGeometryNode** = 18
- int **X3DTextNode** = 19
- int **X3DParametricGeometryNode** = 20
- int **X3DGeometricPropertyNode** = 21
- int **X3DColorNode** = 22
- int **X3DCoordinateNode** = 23
- int **X3DNormalNode** = 24

- int **X3DTextureCoordinateNode** = 25
- int **X3DFontStyleNode** = 26
- int **X3DProtoInstance** = 27
- int **X3DChildNode** = 28
- int **X3DBindableNode** = 29
- int **X3DBackgroundNode** = 30
- int **X3DGroupingNode** = 31
- int **X3DShapeNode** = 32
- int **X3DInterpolatorNode** = 33
- int **X3DLightNode** = 34
- int **X3DScriptNode** = 35
- int **X3DSensorNode** = 36
- int **X3DEnvironmentalSensorNode** = 37
- int **X3DKeyDeviceSensorNode** = 38
- int **X3DNetworkSensorNode** = 39
- int **X3DPointingDeviceSensorNode** = 40
- int **X3DDragSensorNode** = 41
- int **X3DTouchSensorNode** = 42
- int **X3DSequencerNode** = 43
- int **X3DTimeDependentNode** = 44
- int **X3DSoundSourceNode** = 45
- int **X3DTriggerNode** = 46
- int **X3DInfoNode** = 47

#### 4.1398.1 Detailed Description


Definition at line 3 of file X3DNodeTypes.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DNodeTypes.java

## 4.1399 org.web3d.x3d.sai.X3DNormalNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DNormalNode:



### Public Member Functions

- int **getNumNormals** ()
- void **setVector** (float[] value)
- void **getVector** (float[] value)

#### 4.1399.1 Detailed Description


Definition at line 3 of file X3DNormalNode.java.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DNormalNode.java`

#### 4.1400 **org.web3d.x3d.sai.X3DParametricGeometryNode** Interface Reference

Inheritance diagram for `org.web3d.x3d.sai.X3DParametricGeometryNode`:



#### Additional Inherited Members

##### 4.1400.1 Detailed Description


Definition at line 3 of file X3DParametricGeometryNode.java.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DParametricGeometryNode.java`

#### 4.1401 **org.web3d.x3d.sai.X3DPerFrameObserverScript** Interface Reference

Inheritance diagram for `org.web3d.x3d.sai.X3DPerFrameObserverScript`:



#### Public Member Functions

- `void prepareEvents ()`



### 4.1401.1 Detailed Description


Definition at line 3 of file X3DPerFrameObserverScript.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DPerFrameObserverScript.java

## 4.1402 org.web3d.x3d.sai.X3DPointingDeviceSensorNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DPointingDeviceSensorNode:



### Additional Inherited Members

### 4.1402.1 Detailed Description


Definition at line 3 of file X3DPointingDeviceSensorNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DPointingDeviceSensorNode.java

## 4.1403 org.web3d.x3d.sai.X3DProtoDeclaration Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DProtoDeclaration:



## Public Member Functions

- **X3DProtoInstance createInstance ()** throws `InvalidOperationTimingException`, `InvalidProtoException`
- **X3DFieldDefinition[] getFieldDefinitions ()** throws `InvalidOperationTimingException`, `InvalidProtoException`
- void **dispose ()**

### 4.1403.1 Detailed Description


Definition at line 3 of file `X3DProtoDeclaration.java`.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DProtoDeclaration.java`

## 4.1404 org.web3d.x3d.sai.X3DProtoInstance Interface Reference

Inheritance diagram for `org.web3d.x3d.sai.X3DProtoInstance`:



## Public Member Functions

- `int[]` **getImplementationTypes ()**

### 4.1404.1 Detailed Description


Definition at line 3 of file `X3DProtoInstance.java`.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DProtoInstance.java`

## 4.1405 org.web3d.x3d.sai.X3DRoute Interface Reference

Inheritance diagram for `org.web3d.x3d.sai.X3DRoute`:



## Public Member Functions

- **X3DNode getSourceNode** () throws InvalidOperationTimingException, InvalidRouteException
- String **getSourceField** () throws InvalidOperationTimingException, InvalidRouteException
- **X3DNode getDestinationNode** () throws InvalidOperationTimingException, InvalidRouteException
- String **getDestinationField** () throws InvalidOperationTimingException, InvalidRouteException
- void **dispose** () throws InvalidOperationTimingException

### 4.1405.1 Detailed Description


Definition at line 3 of file X3DRoute.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DRoute.java

## 4.1406 org.web3d.x3d.sai.X3DScene Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DScene:



## Public Member Functions

- String **getMetaData** (String **key**) throws InvalidExecutionContextException
- void **setMetaData** (String **key**, String value) throws InvalidExecutionContextException
- **X3DNode getExportedNode** (String nodeName) throws InvalidExecutionContextException, Node↔UnavailableException, InvalidNameException
- void **updateExportedNode** (String nodeName, String newName) throws InvalidExecutionContextException, InvalidNameException
- void **removeExportedNode** (String nodeName) throws InvalidExecutionContextException, InvalidName↔Exception
- void **addRootNode** ( **X3DNode** rootNode) throws InvalidExecutionContextException, NodeInUseException, InsufficientCapabilitiesException
- void **removeRootNode** ( **X3DNode** rootNode) throws InvalidExecutionContextException
- void **dispose** ()

### 4.1406.1 Detailed Description


Definition at line 3 of file X3DScene.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DScene.java

## 4.1407 org.web3d.x3d.sai.X3DScriptImplementation Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DScriptImplementation:



### Public Member Functions

- void **setBrowser** ( **Browser** browser)
- void **setFields** ( **X3DScriptNode** externalView, java.util.Map fields)
- void **initialize** ()
- void **eventsProcessed** ()
- void **shutdown** ()

### 4.1407.1 Detailed Description


Definition at line 3 of file `X3DScriptImplementation.java`.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DScriptImplementation.java`

## 4.1408 org.web3d.x3d.sai.X3DScriptNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DScriptNode:



### Additional Inherited Members

### 4.1408.1 Detailed Description


Definition at line 3 of file `X3DScriptNode.java`.

The documentation for this interface was generated from the following file:

- `src/java/org/web3d/x3d/sai/X3DScriptNode.java`

## 4.1409 org.web3d.x3d.sai.X3DSensorNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DSensorNode:



### Public Member Functions

- void **setEnabled** (boolean state)
- boolean **getEnabled** ()
- boolean **getIsActive** ()

### 4.1409.1 Detailed Description


Definition at line 3 of file X3DSensorNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DSensorNode.java

## 4.1410 org.web3d.x3d.sai.X3DSequencerNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DSequencerNode:



### Public Member Functions

- void **setFraction** (float fraction)
- int **getNumKey** ()
- void **getKey** (float[] keys)
- void **setKey** (float[] keys)
- int **getNumKeyValue** ()

#### 4.1410.1 Detailed Description


Definition at line 3 of file X3DSequencerNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DSequencerNode.java

### 4.1411 org.web3d.x3d.sai.X3DShapeNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DShapeNode:



#### Public Member Functions

- **X3DNode** **getAppearance** ()
- void **setAppearance** ( **X3DAppearanceNode** app)
- void **setAppearance** ( **X3DProtolInstance** app)
- **X3DNode** **getGeometry** ()
- void **setGeometry** ( **X3DGeometryNode** geom)
- void **setGeometry** ( **X3DProtolInstance** geom)

#### 4.1411.1 Detailed Description


Definition at line 3 of file X3DShapeNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DShapeNode.java

### 4.1412 org.web3d.x3d.sai.X3DSoundNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DSoundNode:



## Additional Inherited Members

### 4.1412.1 Detailed Description

Definition at line 3 of file X3DSoundNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DSoundNode.java

## 4.1413 org.web3d.x3d.sai.X3DSoundSourceNode Interface Reference

### Public Member Functions

- float **getPitch** ()
- void **setPitch** (float pitch) throws InvalidFieldValueException
- void **setDescription** (String text)
- String **getDescription** (String text)

### 4.1413.1 Detailed Description


Definition at line 3 of file X3DSoundSourceNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DSoundSourceNode.java

## 4.1414 org.web3d.x3d.sai.X3DTextNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DTextNode:



### Public Member Functions

- void **setFontStyle** ( X3DFontStyleNode fs)
- void **setFontStyle** ( X3DProtoInstance fs)
- X3DNode **getFontStyle** ()
- int **getNumText** ()
- void **setText** (String[] text)
- void **getText** (String[] text)

#### 4.1414.1 Detailed Description


Definition at line 3 of file X3DTextNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DTextNode.java

### 4.1415 org.web3d.x3d.sai.X3DTexture2DNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DTexture2DNode:



#### Public Member Functions

- void **setRepeatS** (boolean state)
- boolean **getRepeatS** ()
- void **setRepeatT** (boolean state)
- boolean **getRepeatT** ()

#### 4.1415.1 Detailed Description


Definition at line 3 of file X3DTexture2DNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DTexture2DNode.java

### 4.1416 org.web3d.x3d.sai.X3DTextureCoordinateNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DTextureCoordinateNode:





## Public Member Functions

- int **getNumCoordinates** ()
- int **getNumComponents** ()
- void **setPoint** (float[] points)
- void **getPoint** (float[] points)

### 4.1416.1 Detailed Description


Definition at line 3 of file X3DTextureCoordinateNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DTextureCoordinateNode.java

## 4.1417 org.web3d.x3d.sai.X3DTextureNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DTextureNode:



## Additional Inherited Members

### 4.1417.1 Detailed Description


Definition at line 3 of file X3DTextureNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DTextureNode.java

## 4.1418 org.web3d.x3d.sai.X3DTextureTransform2DNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DTextureTransform2DNode:



### Public Member Functions

- void **getCenter** (float[] position)
- void **setCenter** (float[] position)
- float **getRotation** ()
- void **setRotation** (float angle)
- void **getScale** (float[] scale)
- void **setScale** (float[] scale)
- void **getTranslation** (float[] trans)
- void **setTranslation** (float[] trans)

### 4.1418.1 Detailed Description


Definition at line 3 of file X3DTextureTransform2DNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DTextureTransform2DNode.java

## 4.1419 org.web3d.x3d.sai.X3DTextureTransformNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DTextureTransformNode:



## Additional Inherited Members

### 4.1419.1 Detailed Description


Definition at line 3 of file X3DTextureTransformNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DTextureTransformNode.java

## 4.1420 org.web3d.x3d.sai.X3DTimeDependentNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DTimeDependentNode:



## Public Member Functions

- boolean **getIsActive** ()
- boolean **getIsPaused** ()
- double **getElapsedTime** ()
- void **setNumLoops** (float count)
- float **getNumLoops** ()
- void **setLoop** (boolean loop)
- boolean **getLoop** ()
- void **setStartTime** (double time)
- double **getStartTime** ()
- void **setStopTime** (double time)
- double **getStopTime** ()
- void **setPauseTime** (double time)
- double **getPauseTime** ()
- void **setUnPauseTime** (double time)
- double **getUnPauseTime** ()

### 4.1420.1 Detailed Description


Definition at line 3 of file X3DTimeDependentNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DTimeDependentNode.java

## 4.1421 org.web3d.x3d.sai.X3DTouchSensorNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DTouchSensorNode:



### Public Member Functions

- boolean **getIsOver** ()
- double **getEnterTime** ()
- double **getTouchTime** ()

### 4.1421.1 Detailed Description


Definition at line 3 of file X3DTouchSensorNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DTouchSensorNode.java

## 4.1422 org.web3d.x3d.sai.X3DTriggerNode Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DTriggerNode:



## Additional Inherited Members

### 4.1422.1 Detailed Description


Definition at line 3 of file X3DTriggerNode.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DTriggerNode.java

## 4.1423 org.web3d.x3d.sai.X3DUrlObject Interface Reference

Inheritance diagram for org.web3d.x3d.sai.X3DUrlObject:



## Public Member Functions

- int **getNumUrls** ()
- void **geturl** (String[] urls)
- void **setUrl** (String[] urls)

### 4.1423.1 Detailed Description

Definition at line 3 of file X3DUrlObject.java.

The documentation for this interface was generated from the following file:

- src/java/org/web3d/x3d/sai/X3DUrlObject.java

## 4.1424 xml\_user\_data Struct Reference

## Data Fields

- Stack \* **context**
- Stack \* **nodes**
- Stack \* **atts**
- Stack \* **modes**
- Stack \* **fields**

#### 4.1424.1 Detailed Description

Definition at line 89 of file X3DParser.c.

The documentation for this struct was generated from the following file:

- `src/lib/x3d_parser/X3DParser.c`

### 4.1425 XY Struct Reference

#### Data Fields

- `int x`
- `int y`

#### 4.1425.1 Detailed Description

Definition at line 212 of file CursorDraw.c.

The documentation for this struct was generated from the following file:

- `src/lib/ui/CursorDraw.c`

### 4.1426 zip64\_internal Struct Reference

#### Data Fields

- `zlib_filefunc64_32_def z_filefunc`
- `voidpf filestream`
- `linkedlist_data central_dir`
- `int in_opened_file_inzip`
- `curfile64_info ci`
- `ZPOS64_T begin_pos`
- `ZPOS64_T add_position_when_writing_offset`
- `ZPOS64_T number_entry`
- `char * globalcomment`

#### 4.1426.1 Detailed Description

Definition at line 165 of file zip.c.

The documentation for this struct was generated from the following file:

- `src/libminizip/zip.c`

## 4.1427 zip\_fileinfo Struct Reference

### Data Fields

- **tm\_zip** **tmz\_date**
- uLong **dosDate**
- uLong **internal\_fa**
- uLong **external\_fa**

### 4.1427.1 Detailed Description

Definition at line 99 of file zip.h.

The documentation for this struct was generated from the following file:

- src/libminizip/zip.h

## 4.1428 zlib\_filefunc64\_32\_def\_s Struct Reference

### Data Fields

- **zlib\_filefunc64\_def** **zfile\_func64**
- open\_file\_func **zopen32\_file**
- tell\_file\_func **ztell32\_file**
- seek\_file\_func **zseek32\_file**

### 4.1428.1 Detailed Description

Definition at line 170 of file ioapi.h.

The documentation for this struct was generated from the following file:

- src/libminizip/ioapi.h

## 4.1429 zlib\_filefunc64\_def\_s Struct Reference

### Data Fields

- open64\_file\_func **zopen64\_file**
- read\_file\_func **zread\_file**
- write\_file\_func **zwrite\_file**
- tell64\_file\_func **ztell64\_file**
- seek64\_file\_func **zseek64\_file**
- close\_file\_func **zclose\_file**
- testerror\_file\_func **zerror\_file**
- voidpf **opaque**

### 4.1429.1 Detailed Description

Definition at line 154 of file ioapi.h.

The documentation for this struct was generated from the following file:

- src/libminizip/ioapi.h

## 4.1430 zlib\_filefunc\_def\_s Struct Reference

### Data Fields

- open\_file\_func **zopen\_file**
- read\_file\_func **zread\_file**
- write\_file\_func **zwrite\_file**
- tell\_file\_func **ztell\_file**
- seek\_file\_func **zseek\_file**
- close\_file\_func **zclose\_file**
- testerror\_file\_func **zerror\_file**
- voidpf **opaque**

### 4.1430.1 Detailed Description

Definition at line 138 of file ioapi.h.

The documentation for this struct was generated from the following file:

- src/libminizip/ioapi.h

## 4.1431 zone Struct Reference

### Data Fields

- char \* **name**
- **Point** center
- **Point** \* **poly**
- int **n**
- char \* **ssrname**
- void \* **ssr**
- void \* **next**

### 4.1431.1 Detailed Description

Definition at line 543 of file SSRServer.c.

The documentation for this struct was generated from the following file:

- src/SSR/SSRServer.c



# Index

- [\\_AnyNative](#), 57
- [\\_Atlas](#), 57
- [\\_AtlasEntry](#), 58
- [\\_AtlasFont](#), 58
- [\\_BUTitem](#), 59
- [\\_BrowserNative](#), 59
- [\\_CRnodeStruct](#), 60
- [\\_FW\\_PluginInstance](#), 60
- [\\_GLwDrawingAreaClassPart](#), 61
- [\\_GLwDrawingAreaClassRec](#), 62
- [\\_GLwDrawingAreaRec](#), 62
- [\\_GUIElement](#), 62
- [\\_NPByteRange](#), 72
- [\\_NPEmbedPrint](#), 73
- [\\_NPFfullPrint](#), 73
- [\\_NPImageExpose](#), 74
- [\\_NPNetscapeFuncs](#), 74
- [\\_NPP](#), 75
- [\\_NPPluginFuncs](#), 76
- [\\_NPPrint](#), 76
- [\\_NPRect](#), 77
- [\\_NPSavedData](#), 77
- [\\_NPSize](#), 77
- [\\_NPStream](#), 78
- [\\_NPString](#), 78
- [\\_NPVariant](#), 78
- [\\_NPWindow](#), 79
- [\\_SFColorNative](#), 80
- [\\_SFColorRGBANative](#), 80
- [\\_SFImageNative](#), 81
- [\\_SFNodeNative](#), 81
- [\\_SFRotationNative](#), 81
- [\\_SFVec2fNative](#), 82
- [\\_SFVec3dNative](#), 82
- [\\_SFVec3fNative](#), 82
- [\\_SFVec4dNative](#), 83
- [\\_SFVec4fNative](#), 83
- [\\_X3DNode](#), 84
- [\\_cd\\_list\\_t](#), 59
- [\\_contenttype](#), 60
- [\\_geosys](#), 61
- [\\_intX3D\\_EventIn](#), 72
- [\\_intX3D\\_MFBool](#), 63
- [\\_intX3D\\_MFColor](#), 63
- [\\_intX3D\\_MFColorRGBA](#), 63
- [\\_intX3D\\_MFFloat](#), 64
- [\\_intX3D\\_MFImage](#), 64
- [\\_intX3D\\_MFInt32](#), 64
- [\\_intX3D\\_MFNode](#), 65
- [\\_intX3D\\_MFRotation](#), 65
- [\\_intX3D\\_MFString](#), 65
- [\\_intX3D\\_MFTime](#), 66
- [\\_intX3D\\_MFVec2d](#), 66
- [\\_intX3D\\_MFVec2f](#), 66
- [\\_intX3D\\_MFVec3d](#), 67
- [\\_intX3D\\_MFVec3f](#), 67
- [\\_intX3D\\_SFBool](#), 67
- [\\_intX3D\\_SFColor](#), 68
- [\\_intX3D\\_SFColorRGBA](#), 68
- [\\_intX3D\\_SFFloat](#), 68
- [\\_intX3D\\_SFImage](#), 69
- [\\_intX3D\\_SFInt32](#), 69
- [\\_intX3D\\_SFNode](#), 69
- [\\_intX3D\\_SFRotation](#), 70
- [\\_intX3D\\_SFString](#), 70
- [\\_intX3D\\_SFTime](#), 70
- [\\_intX3D\\_SFVec2d](#), 71
- [\\_intX3D\\_SFVec2f](#), 71
- [\\_intX3D\\_SFVec3d](#), 71
- [\\_intX3D\\_SFVec3f](#), 72
- [\\_s\\_list\\_t](#), 79
- [\\_urlRequest](#), 83
- [AcknowledgePdu](#), 84
- [AcknowledgeReliablePdu](#), 85
- [AcousticBeamData](#), 85
- [AcousticBeamFundamentalParameter](#), 86
- [AcousticEmitter](#), 86
- [AcousticEmitterSystem](#), 87
  - [acousticFunction](#), 87
  - [acousticID](#), 87
- [AcousticEmitterSystemData](#), 88
  - [beamRecords](#), 88
- [acousticFunction](#)
  - [AcousticEmitterSystem](#), 87
- [acousticID](#)
  - [AcousticEmitterSystem](#), 87
- [ActionRequestPdu](#), 89
- [ActionRequestReliablePdu](#), 90
- [ActionResponsePdu](#), 90
- [ActionResponseReliablePdu](#), 91
- [ActiveRegion](#), 91
- [AggregateID](#), 92
- [AggregateMarking](#), 92
- [AggregateStatePdu](#), 93
  - [pad2](#), 94
- [AggregateType](#), 94
- [allocateMenuID](#)
  - [nsIPluginManager2](#), 468

- allowComments
  - cson\_parse\_opt, 170
- AngularVelocityVector, 95
- AntennaLocation, 95
- anyVrml, 95
- ApaData, 96
- api
  - cson\_value, 173
- Arc, 96
- ArcSdirSorter, 98
- ArcSorter, 98
- ArcTdirSorter, 99
- ArcTessellator, 100
- ArealObjectStatePdu, 100
- ArgListType, 101
- ArticulationParameter, 101
- AtlasEntrySet, 102
- Backend, 102
- BasePlugin, 104
- BasicCurveEvaluator, 105
- BasicSurfaceEvaluator, 105
- BeamAntennaPattern, 107
  - beamDirection, 107
- BeamData, 108
  - beamSweepSync, 108
- beamDirection
  - BeamAntennaPattern, 107
- beamParameterIndex
  - ElectronicEmissionBeamData, 228
- beamRecords
  - AcousticEmitterSystemData, 88
- beamSweepSync
  - BeamData, 108
  - FundamentalParameterData, 284
- beginWaitCursor
  - nsIPluginManager2, 468
- BezierArc, 108
- bezierPatch, 109
- bezierPatchMesh, 110
- Bin, 110
- bindablestack, 111
- block, 111
- Breakpt, 112
- brotoDefpair, 112
- brotoIS, 113
- brotoRoute, 113
- brouteEnd, 114
- Buffer, 122
- BurstDescriptor, 123
- CachedVertex, 123
- CachingEvaluator, 123
- callback
  - JSON\_config, 363
- callback\_ctx
  - JSON\_config, 364
- capacity
  - cson\_buffer, 163
- cbDataExactName, 124
- cbDataRootNameAndRouteDir, 125
- CdllFreeWRL, 125
- chardata, 126
- chaser\_ptrs, 127
- cleanup
  - cson\_value\_api, 175
- cline, 127
- ClockTime, 127
- coded\_block\_pattern\_entry, 128
- CollisionElasticPdu, 128
  - unitSurfaceNormal, 129
- CollisionPdu, 129
- colorScheme, 130
- command, 130
- CommentPdu, 131
- CommentReliablePdu, 131
- connection\_info\_struct, 132
- consoleLine, 134
- contenttype\_captiontext, 151
- contenttype\_e3dmouse, 151
- contenttype\_layer, 152
- contenttype\_multitouch, 152
- contenttype\_orientation, 153
- contenttype\_quadrant, 153
- contenttype\_scene, 153
- contenttype\_splitter, 154
- contenttype\_statusbar, 154
- contenttype\_stereo\_anaglyph, 154
- contenttype\_stereo\_shutter, 155
- contenttype\_stereo\_sidebyside, 155
- contenttype\_stereo\_updown, 155
- contenttype\_switch, 156
- contenttype\_textpanel, 156
- contenttype\_texturegrid, 157
- CoveAndTiler, 157
- CPlugin, 158
  - CPlugin, 158
- CR\_RegStruct, 159
- CreateEntityPdu, 159
- CreateEntityReliablePdu, 160
- createPluginInstance
  - nsIPlugin, 432
  - nsIPluginOld, 472
- createWidget
  - nsIPluginInstanceOwner, 454
- CRjsnameStruct, 160
- CRscriptStruct, 161
- CRStruct, 161
- cson\_array, 162
- cson\_buffer, 162
  - capacity, 163
  - mem, 163
  - timesExpanded, 163
  - used, 164
- cson\_data\_source\_StringSource\_, 164
  - pos, 165
- cson\_kv, 165

- cson\_kv\_list, 166
- cson\_object, 166
- cson\_object\_iterator, 167
- cson\_output\_opt, 167
  - escapeForwardSlashes, 168
  - indentation, 168
  - maxDepth, 168
- cson\_parse\_info, 169
- cson\_parse\_opt, 170
  - allowComments, 170
- cson\_parser, 170
- cson\_string, 171
- cson\_value, 172
  - api, 173
  - refcount, 173
  - value, 174
- cson\_value\_api, 174
  - cleanup, 175
- cson\_value\_list, 175
- curfile64\_info, 176
- currayhit, 176
- Curve, 177
- curveEvalMachine, 177
- Curvelist, 178
  
- damper\_ptr, 178
- DataPdu, 179
- DataQueryPdu, 179
  - timeInterval, 180
- DataQueryReliablePdu, 180
- DataReliablePdu, 181
- datChnk, 181
- dct\_dc\_size\_entry, 182
- DDS\_header, 182
- DdsLoadInfo, 183
- DeadReckoningParameter, 183
- deallocateMenuID
  - nsIPluginManager2, 468
- depth
  - JSON\_config, 364
- depth\_slice, 184
- DesignatorPdu, 184
- destroy
  - nsIPluginInstanceOld, 449
- DetonationPdu, 185
  - locationInEntityCoordinates, 185
- Dict, 186
- DictNode, 186
- directedLine, 187
- dis\_class, 188
- dis\_socket, 188
- disfieldattr, 189
- DisplayList, 189
- DistributedEmissionsFamilyPdu, 190
- Dlnode, 190
- DOMElement
  - nsIPluginTagInfo, 481
  - nsIPluginTagInfo2, 485
- draw\_call\_params, 191
  
- duk\_\_bigint, 192
- duk\_\_compile\_raw\_args, 192
- duk\_\_compiler\_stkstate, 192
- duk\_\_decode\_context, 193
- duk\_\_encode\_context, 193
- duk\_\_exp\_limits, 193
- duk\_\_id\_lookup\_result, 194
- duk\_\_numconv\_stringify\_ctx, 194
- duk\_\_objlit\_state, 195
- duk\_\_pcall\_prop\_args, 195
- duk\_\_re\_disjunction\_info, 195
- duk\_\_transform\_context, 196
- duk\_activation, 196
- duk\_bitdecoder\_ctx, 197
- duk\_bitencoder\_ctx, 197
- duk\_breakpoint, 197
- duk\_bufwriter\_ctx, 198
- duk\_catcher, 198
- duk\_compiler\_ctx, 199
- duk\_compiler\_func, 199
- duk\_compiler\_instr, 200
- duk\_double\_union, 201
- duk\_function\_list\_entry, 201
- duk\_harray, 202
- duk\_hbuffer, 202
- duk\_hbuffer\_dynamic, 202
- duk\_hbuffer\_external, 203
- duk\_hbuffer\_fixed, 203
- duk\_hbufobj, 203
- duk\_hcompfunc, 204
- duk\_heap, 204
- duk\_heaphdr, 205
- duk\_heaphdr\_string, 205
- duk\_hnatfunc, 206
- duk\_hobject, 206
- duk\_hstring, 207
- duk\_hstring\_external, 207
- duk\_hthread, 208
- duk\_internal\_thread\_state, 208
- duk\_ispec, 209
- duk\_ivalue, 209
- duk\_jmpbuf, 209
- duk\_json\_dec\_ctx, 210
- duk\_json\_enc\_ctx, 210
- duk\_labelinfo, 211
- duk\_lexer\_codepoint, 211
- duk\_lexer\_ctx, 212
- duk\_lexer\_point, 212
- duk\_ljstate, 213
- duk\_memory\_functions, 213
- duk\_number\_list\_entry, 213
- duk\_propaccessor, 214
- duk\_propdesc, 214
- duk\_propvalue, 215
- duk\_re\_compiler\_ctx, 215
- duk\_re\_matcher\_ctx, 215
- duk\_re\_token, 216
- duk\_strcache, 216

- duk\_strtab\_entry, 217
- duk\_thread\_state, 217
- duk\_time\_components, 217
- duk\_token, 218
- duk\_tval\_struct, 218
- duk\_tval\_unused, 219
  
- EAI\_Extra\_Data, 219
- EAI\_ListenerStruct, 220
- EAINodeIndexStruct, 224
- EAINodeParams, 225
- EdgePair, 227
- effectiveRadiatedPower
  - FundamentalParameterData, 284
- EightByteChunk, 227
- ElectronicEmissionBeamData, 228
  - beamParameterIndex, 228
- ElectronicEmissionsPdu, 229
- ElectronicEmissionSystemData, 230
  - numberOfBeams, 230
  - systemDataLength, 230
- ellipsoid, 231
- EmitterSystem, 231
- endWaitCursor
  - nsIPluginManager2, 469
- EntityID, 231
- EntityInformationFamilyPdu, 232
- EntityManagementFamilyPdu, 232
- EntityStatePdu, 233
- EntityStateUpdatePdu, 234
- EntityType, 234
- Environment, 235
- EnvironmentalProcessPdu, 235
- escapeForwardSlashes
  - cson\_output\_opt, 168
- EventID, 236
- EventReportPdu, 261
- EventReportReliablePdu, 261
- extrusion, 262
  
- FaceCount, 263
- FastEntityStatePdu, 263
- field\_info, 266
- FieldDecl, 266
- file\_in\_zip64\_read\_info\_s, 268
- findProxyForURL
  - nsIPluginHost, 436
  - nsIPluginManager2, 469
- FirePdu, 268
- FirstStruct, 269
- FixedDatum, 269
- Flist, 270
- FlistSorter, 270
- flychord, 271
- fmtChnk, 271
- FourByteChunk, 272
- free
  - JSON\_config, 364
- freewrl\_params, 272
  
- freeWRLSAI\_cpp::\_SAIParameter, 80
- freeWRLSAI\_cpp::browserNotSharedException, 121
- freeWRLSAI\_cpp::connectionException, 133
- freeWRLSAI\_cpp::disposedException, 190
- freeWRLSAI\_cpp::insufficientCapabilitiesException, 335
- freeWRLSAI\_cpp::invalidAccessTypeException, 339
- freeWRLSAI\_cpp::invalidBrowserException, 339
- freeWRLSAI\_cpp::invalidDocumentException, 340
- freeWRLSAI\_cpp::invalidExecutionContextException, 344
- freeWRLSAI\_cpp::invalidFieldException, 346
- freeWRLSAI\_cpp::invalidImportException, 348
- freeWRLSAI\_cpp::invalidNodeException, 349
- freeWRLSAI\_cpp::invalidOperationTimingException, 351
- freeWRLSAI\_cpp::InvalidReadableFieldException, 353
- freeWRLSAI\_cpp::invalidUrlException, 355
- freeWRLSAI\_cpp::InvalidWritableFieldException, 357
- freeWRLSAI\_cpp::invalidX3DException, 358
- freeWRLSAI\_cpp::nodeInUseException, 419
- freeWRLSAI\_cpp::nodeUnavailableException, 420
- freeWRLSAI\_cpp::noSuchBrowserException, 421
- freeWRLSAI\_cpp::notSupportedException, 422
- freeWRLSAI\_cpp::saiBrowser, 559
- freeWRLSAI\_cpp::saiComponent, 560
- freeWRLSAI\_cpp::saiCustomException, 560
- freeWRLSAI\_cpp::saiException, 561
- freeWRLSAI\_cpp::saiExecutionContext, 562
- freeWRLSAI\_cpp::saiField, 562
- freeWRLSAI\_cpp::saiNode, 563
- freeWRLSAI\_cpp::saiProfileDeclaration, 563
- freeWRLSAI\_cpp::saiProto, 563
- freeWRLSAI\_cpp::saiRoute, 564
- freeWRLSAI\_cpp::saiScene, 564
- freeWRLSAI\_cpp::urlUnavailableException, 647
- ftype, 283
- fundamentalIffParameters
  - IffAtcNavAidsLayer2Pdu, 330
- FundamentalParameterData, 284
  - beamSweepSync, 284
  - effectiveRadiatedPower, 284
- FundamentalParameterDataIff, 285
- fw\_MaterialParameters, 286
- FWBITMAPFILEHEADER, 286
- FWBITMAPINFO, 286
- FWBITMAPINFOHEADER, 287
- FWFunctionSpec, 289
- FWJavaScriptClassLoader
  - vrml.FWJavaScriptClassLoader, 291
- FWPropertySpec, 302
- FWRGBQUAD, 303
- FWSNDMSG, 313
- FWTYPE, 314
- FWVAL, 314
- FX, 315
  
- gcgd, 315
- getAttribute
  - nsIPluginTagInfo, 480

- nsIPluginTagInfoOld, 486
- getAttributes
  - nsIPluginTagInfo, 480
  - nsIPluginTagInfoOld, 487
- GetAuthenticationInfo
  - nsIJVMAuthTools, 430
- getCookie
  - nsICookieStorage, 425
- getMIMEDescription
  - nsIPlugin, 432
  - nsIPluginOld, 473
- getMIMEType
  - nsIPluginInstance, 443
- getParameter
  - nsIPluginTagInfo, 481
  - nsIPluginTagInfo2, 483
- getParameters
  - nsIPluginTagInfo, 481
  - nsIPluginTagInfo2, 485
- GetPluginInstance
  - nsPluginNativeWindow, 491
- getPluginName
  - nsIPluginHost, 436
- getPluginTagForInstance
  - nsIPluginHost, 436
- getProgramPath
  - nsIFileUtilities, 427
- getTempDirPath
  - nsIFileUtilities, 427
- GetURL
  - nsIPluginHost, 437
  - nsIPluginInstanceOwner, 454
  - nsIPluginManager, 462
- GetURLWithHeaders
  - nsIPluginManager, 463
- GetValue
  - nsIPluginManager, 464
- getValue
  - nsIPlugin, 432
  - nsIPluginInstance, 443
  - nsIPluginInstanceOld, 450
  - nsIPluginInstancePeer, 456
  - nsIPluginOld, 473
- getWindow
  - nsIPluginInstanceOwner, 455
- GLUface, 316
- GLUhalfEdge, 316
- GLUmesh, 317
- GLUnurbs, 317
- GLUtesselator, 318
- GLUvertex, 319
- GLwDrawingAreaCallbackStruct, 319
- GLwDrawingAreaPart, 320
- GoP, 321
- GridAxisRecord, 321
- GridAxisRecordRepresentation0, 321
- GridAxisRecordRepresentation1, 322
- GridAxisRecordRepresentation2, 322
- gridBoundaryChain, 323
- GriddedDataPdu, 323
- Gridline, 324
- GridTrimVertex, 325
- GridVertex, 325
- gridWrap, 326
- groupedEntityDescriptions
  - IsGroupOfPdu, 360
- GUINamedType, 326
- GUIScreen, 327
- handleEvent
  - nsIPluginInstance, 444
  - nsIPluginInstanceOld, 450
- hasAllocatedMenuID
  - nsIPluginManager2, 469
- Hull, 327
- IffAtcNavAidsLayer1Pdu, 329
  - location, 329
- IffAtcNavAidsLayer2Pdu, 330
  - fundamentalIffParameters, 330
- IffFundamentalData, 331
- iiglobal, 331
- iiglobal::tBindable, 610
- iiglobal::tcollision, 611
- iiglobal::tcommon, 611
- iiglobal::tComponent\_CubeMapTexturing, 611
- iiglobal::tComponent\_EnviroSensor, 612
- iiglobal::tComponent\_Followers, 612
- iiglobal::tComponent\_Geometry3D, 612
- iiglobal::tComponent\_Geospatial, 613
- iiglobal::tComponent\_HAnim, 613
- iiglobal::tComponent\_KeyDevice, 613
- iiglobal::tComponent\_Layering, 614
- iiglobal::tComponent\_Layout, 614
- iiglobal::tComponent\_NURBS, 614
- iiglobal::tComponent\_ParticleSystems, 615
- iiglobal::tComponent\_Picking, 615
- iiglobal::tComponent\_ProgrammableShaders, 615
- iiglobal::tComponent\_PTM, 616
- iiglobal::tComponent\_Rendering, 616
- iiglobal::tComponent\_RigidBodyPhysics, 616
- iiglobal::tComponent\_Shape, 617
- iiglobal::tComponent\_Sound, 617
- iiglobal::tComponent\_Text, 617
- iiglobal::tComponent\_VolumeRendering, 618
- iiglobal::tComponent\_VRML1, 618
- iiglobal::tConsoleMessage, 618
- iiglobal::tCParse, 619
- iiglobal::tCParseParser, 619
- iiglobal::tCRoutes, 620
- iiglobal::tCScripts, 620
- iiglobal::tCursorDraw, 621
- iiglobal::tdisplay, 621
- iiglobal::tEAI\_C\_CommonFunctions, 621
- iiglobal::tEAICore, 622
- iiglobal::tEAIEventsIn, 622
- iiglobal::tEAHelpers, 622

- iiglobal::tFrustum, 624
- iiglobal::tinternalc, 625
- iiglobal::tLoadTextures, 625
- iiglobal::tMainloop, 626
- iiglobal::tOpenGL\_Utills, 627
- iiglobal::tPluginSocket, 628
- iiglobal::tpluginUtills, 629
- iiglobal::tProdCon, 629
- iiglobal::tRenderFuncs, 632
- iiglobal::tRenderTextures, 633
- iiglobal::tresources, 633
- iiglobal::tSensInterps, 636
- iiglobal::tSnapshot, 636
- iiglobal::tstatusbar, 637
- iiglobal::tStreamPoly, 637
- iiglobal::tTess, 637
- iiglobal::tTextures, 638
- iiglobal::tthreads, 638
- iiglobal::tViewer, 639
- iiglobal::tX3DParser, 639
- IMEXPORT, 334
- indentation
  - cson\_output\_opt, 168
- initialize
  - nsIPlugin, 433
  - nsIPluginInstance, 444
  - nsIPluginInstanceOld, 451
  - nsIPluginOld, 474
- initialRouteStruct, 334
- instantiateDummyJavaPlugin
  - nsIPluginHost, 437
- instantiatePluginForChannel
  - nsIPluginHost, 438
  - nsIPluginHostOld, 441
- IntercomCommunicationsParameters, 336
  - recordSpecificField, 336
- IntercomControlPdu, 337
  - intercomParameters, 337
- intercomParameters
  - IntercomControlPdu, 337
- IntercomSignalPdu, 338
- intersection\_info, 338
- InvalidEventInException
  - vrml.external.exception.InvalidEventInException, 342
- InvalidNodeException
  - vrml.external.exception.InvalidNodeException, 351
- InvalidVrmlException
  - vrml.external.exception.InvalidVrmlException, 356
- IsGroupOfPdu, 360
  - groupedEntityDescriptions, 360
- IsPartOfPdu, 361
  - partLocation, 361
- ivec2, 361
- ivec4, 362
- Jarcloc, 362
- JMATRIX, 363
- JSContext
  - nsIPluginInstance, 447
  - nsIPluginInstancePeer2, 460
- JSON\_config, 363
  - callback, 363
  - callback\_ctx, 364
  - depth, 364
  - free, 364
  - malloc, 364
- JSON\_parser\_struct, 365
- JSON\_value\_struct, 366
- JSThread
  - nsIPluginInstancePeer2, 460
- JSWindow
  - nsIPluginInstancePeer2, 460
- key, 366
- keyHit, 366
- keyval, 367
- Knotspec, 367
- Knotvector, 368
- LayerHeader, 369
- layout\_scale\_item, 369
- layoutmode, 370
- LinearObjectStatePdu, 370
- LinearSegmentParameter, 371
- linkedlist\_data\_s, 371
- linkedlist\_datablock\_internal\_s, 372
- location
  - IffAtcNavAidsLayer1Pdu, 329
- locationInEntityCoordinates
  - DetonationPdu, 185
- LogisticsFamilyPdu, 372
- macroblock, 372
- malloc
  - JSON\_config, 364
- Mapdesc, 373
- Maplist, 374
- Marking, 375
- matpropstruct, 375
- maxDepth
  - cson\_output\_opt, 168
- mb\_addr\_inc\_entry, 378
- mb\_type\_entry, 378
- mem
  - cson\_buffer, 163
- Meshes, 379
- MIMEType
  - nsIPluginInstancePeer, 458
- MinefieldDataPdu, 401
  - pad3, 401
- MinefieldFamilyPdu, 402
- MinefieldQueryPdu, 402
- MinefieldResponseNackPdu, 403
- MinefieldStatePdu, 403
- mode
  - nsIPluginInstancePeer, 458
- mode\_name, 404

ModulationType, 404  
monoChain, 405  
Monotonizer, 406  
motion\_vectors\_entry, 406  
Multi\_Any, 406  
Multi\_Bool, 407  
Multi\_Color, 407  
Multi\_ColorRGBA, 407  
Multi\_Double, 408  
Multi\_Float, 408  
Multi\_Int32, 409  
Multi\_Matrix3d, 409  
Multi\_Matrix3f, 409  
Multi\_Matrix4d, 410  
Multi\_Matrix4f, 410  
Multi\_Node, 411  
Multi\_Rotation, 411  
Multi\_String, 411  
Multi\_Time, 412  
Multi\_Vec2d, 412  
Multi\_Vec2f, 413  
Multi\_Vec3d, 413  
Multi\_Vec3f, 413  
Multi\_Vec4d, 414  
Multi\_Vec4f, 414  
multiTexParams, 415  
myArgs, 415  
MyVertex, 415  
  
name\_num, 416  
NamedLocation, 416  
navmode, 417  
newResponseHeader  
    nsIHTTPHeaderListener, 429  
newStream  
    nsIPluginInstanceOld, 451  
    nsIPluginInstancePeer, 457  
newStreamFromPlugin  
    nsIPluginInstance, 444  
newStreamToPlugin  
    nsIPluginInstance, 445  
newTempFileName  
    nsIFileUtilities, 427  
nodedistance, 418  
notifyStatusChange  
    nsIPluginManager2, 470  
NPClass, 423  
NPObject, 423  
nsByteRange, 424  
nsIAuthenticationInfo, 424  
nsICookieStorage, 425  
    getCookie, 425  
    setCookie, 426  
nsIFileUtilities, 426  
    getProgramPath, 427  
    getTempDirPath, 427  
    newTempFileName, 427  
nsIHTTPHeaderListener, 428  
    newResponseHeader, 429  
    statusLine, 429  
nsIJVMAuthTools, 429  
    GetAuthenticationInfo, 430  
    SetAuthenticationInfo, 430  
nsIPlugin, 431  
    createPluginInstance, 432  
    getMIMEDescription, 432  
    getValue, 432  
    initialize, 433  
    shutdown, 433  
nsIPluginDocument, 433  
    willHandleInstantiation, 434  
nsIPluginHost, 434  
    findProxyForURL, 436  
    getPluginName, 436  
    getPluginTagForInstance, 436  
    GetURL, 437  
    instantiateDummyJavaPlugin, 437  
    instantiatePluginForChannel, 438  
    parsePostBufferToFixHeaders, 438  
    PostURL, 438  
    reloadPlugins, 439  
nsIPluginHostOld, 440  
    instantiatePluginForChannel, 441  
nsIPluginInputStream, 441  
nsIPluginInstance, 442  
    getMIMEType, 443  
    getValue, 443  
    handleEvent, 444  
    initialize, 444  
    JSContext, 447  
    newStreamFromPlugin, 444  
    newStreamToPlugin, 445  
    print, 445  
    setWindow, 446  
    showStatus, 446  
    start, 447  
    stop, 447  
nsIPluginInstanceInternal, 448  
nsIPluginInstanceOld, 448  
    destroy, 449  
    getValue, 450  
    handleEvent, 450  
    initialize, 451  
    newStream, 451  
    peer, 453  
    print, 451  
    setWindow, 452  
    start, 452  
    stop, 452  
nsIPluginInstanceOwner, 453  
    createWidget, 454  
    GetURL, 454  
    getWindow, 455  
nsIPluginInstancePeer, 455  
    getValue, 456  
    MIMEType, 458  
    mode, 458

- newStream, 457
- setWindowSize, 457
- showStatus, 457
- nsIPluginInstancePeer2, 459
  - JSContext, 460
  - JSThread, 460
  - JSWindow, 460
- nsIPluginInstancePeer2\_1\_9\_1\_BRANCH, 461
- nsIPluginManager, 462
  - GetURL, 462
  - GetURLWithHeaders, 463
  - GetValue, 464
  - PostURL, 464
  - RegisterPlugin, 465
  - reloadPlugins, 466
  - UnregisterPlugin, 466
  - UserAgent, 466
- nsIPluginManager2, 467
  - allocateMenuID, 468
  - beginWaitCursor, 468
  - deallocateMenuID, 468
  - endWaitCursor, 469
  - findProxyForURL, 469
  - hasAllocatedMenuID, 469
  - notifyStatusChange, 470
  - registerWindow, 470
  - supportsURLProtocol, 471
  - unregisterWindow, 471
- nsIPluginOld, 472
  - createPluginInstance, 472
  - getMIMEDescription, 473
  - getValue, 473
  - initialize, 474
  - shutdown, 474
- nsIPluginStreamInfo, 474
- nsIPluginStreamListener, 475
  - onDataAvailable, 476
  - onFileAvailable, 476
  - onStartBinding, 477
  - onStopBinding, 477
  - streamType, 478
- nsIPluginTag, 478
- nsIPluginTagInfo, 479
  - DOMElement, 481
  - getAttribute, 480
  - getAttributes, 480
  - getParameter, 481
  - getParameters, 481
  - tagType, 482
- nsIPluginTagInfo2, 482
  - DOMElement, 485
  - getParameter, 483
  - getParameters, 485
  - tagType, 485
- nsIPluginTagInfoOld, 486
  - getAttribute, 486
  - getAttributes, 487
- nsIScriptablePlugin, 487
  - scriptableInterface, 488
  - scriptablePeer, 488
- nsIWindowlessPluginInstancePeer, 488
- nsPIPluginInstancePeer, 489
- nsPluginEmbedPrint, 489
- nsPluginEvent, 490
- nsPluginFullPrint, 490
- nsPluginLogging, 490
- nsPluginNativeWindow, 491
  - GetPluginInstance, 491
- nsPluginPrint, 492
- nsPluginRect, 492
- nsPluginWindow, 493
- numberOfBeams
  - ElectronicEmissionSystemData, 230
- NurbsTessellator, 493
- O\_curve, 495
- O\_nurbscurve, 495
- O\_nurbssurface, 496
- O\_pwlcurve, 497
- O\_surface, 497
- O\_trim, 498
- ObjectType, 498
- onDataAvailable
  - nsIPluginStreamListener, 476
- OneByteChunk, 499
- onFileAvailable
  - nsIPluginStreamListener, 476
- onStartBinding
  - nsIPluginStreamListener, 477
- onStopBinding
  - nsIPluginStreamListener, 477
- OpenGLCurveEvaluator, 499
- OpenGLSurfaceEvaluator, 501
- opened\_file, 502
- org.web3d.x3d.sai.Browser, 114
- org.web3d.x3d.sai.BrowserEvent, 117
- org.web3d.x3d.sai.BrowserFactoryImpl, 118
- org.web3d.x3d.sai.BrowserInterface, 120
- org.web3d.x3d.sai.BrowserListener, 121
- org.web3d.x3d.sai.BrowserNotSharedException, 122
- org.web3d.x3d.sai.ComponentInfo, 132
- org.web3d.x3d.sai.ConnectionException, 133
- org.web3d.x3d.sai.ExternalBrowser, 262
- org.web3d.x3d.sai.ImportedNodeException, 334
- org.web3d.x3d.sai.InsufficientCapabilitiesException, 335
- org.web3d.x3d.sai.InvalidBrowserException, 340
- org.web3d.x3d.sai.InvalidDocumentException, 341
- org.web3d.x3d.sai.InvalidExecutionContextException, 344
- org.web3d.x3d.sai.InvalidFieldException, 347
- org.web3d.x3d.sai.InvalidFieldValueException, 348
- org.web3d.x3d.sai.InvalidNameException, 349
- org.web3d.x3d.sai.InvalidNodeException, 350
- org.web3d.x3d.sai.InvalidOperationTimingException, 352
- org.web3d.x3d.sai.InvalidProtoException, 353



- org.web3d.x3d.sai.InvalidRouteException, 354
- org.web3d.x3d.sai.InvalidURLException, 355
- org.web3d.x3d.sai.InvalidX3DException, 359
- org.web3d.x3d.sai.Matrix, 376
- org.web3d.x3d.sai.Matrix3, 376
- org.web3d.x3d.sai.Matrix4, 377
- org.web3d.x3d.sai.MFBool, 379
- org.web3d.x3d.sai.MFColor, 380
- org.web3d.x3d.sai.MFColorRGBA, 382
- org.web3d.x3d.sai.MFDouble, 382
- org.web3d.x3d.sai.MFFloat, 383
- org.web3d.x3d.sai.MField, 385
- org.web3d.x3d.sai.MFImage, 387
- org.web3d.x3d.sai.MFInt32, 388
- org.web3d.x3d.sai.MFNode, 389
- org.web3d.x3d.sai.MFRotation, 391
- org.web3d.x3d.sai.MFString, 393
- org.web3d.x3d.sai.MFTime, 394
- org.web3d.x3d.sai.MFVec2d, 396
- org.web3d.x3d.sai.MFVec2f, 397
- org.web3d.x3d.sai.MFVec3d, 398
- org.web3d.x3d.sai.MFVec3f, 399
- org.web3d.x3d.sai.NodeInUseException, 419
- org.web3d.x3d.sai.NodeUnavailableException, 420
- org.web3d.x3d.sai.NoSuchBrowserException, 421
- org.web3d.x3d.sai.NotSupportedException, 422
- org.web3d.x3d.sai.ProfileInfo, 536
- org.web3d.x3d.sai.SFBool, 574
- org.web3d.x3d.sai.SFColor, 576
- org.web3d.x3d.sai.SFColorRGBA, 577
- org.web3d.x3d.sai.SFDouble, 578
- org.web3d.x3d.sai.SFFloat, 579
- org.web3d.x3d.sai.SFImage, 580
- org.web3d.x3d.sai.SFInt32, 582
- org.web3d.x3d.sai.SFNode, 584
- org.web3d.x3d.sai.SFRotation, 585
- org.web3d.x3d.sai.SFString, 587
- org.web3d.x3d.sai.SFTime, 588
- org.web3d.x3d.sai.SFVec2d, 590
- org.web3d.x3d.sai.SFVec2f, 591
- org.web3d.x3d.sai.SFVec3d, 592
- org.web3d.x3d.sai.SFVec3f, 593
- org.web3d.x3d.sai.URLUnavailableException, 648
- org.web3d.x3d.sai.X3DAppearanceChildNode, 909
- org.web3d.x3d.sai.X3DAppearanceNode, 909
- org.web3d.x3d.sai.X3DAudioClipNode, 910
- org.web3d.x3d.sai.X3DBackgroundNode, 910
- org.web3d.x3d.sai.X3DBindableNode, 911
- org.web3d.x3d.sai.X3DBoundedObject, 912
- org.web3d.x3d.sai.X3DChildNode, 912
- org.web3d.x3d.sai.X3DColorNode, 913
- org.web3d.x3d.sai.X3DComponent, 913
- org.web3d.x3d.sai.X3DComposedGeometryNode, 914
- org.web3d.x3d.sai.X3DCoordinateNode, 915
- org.web3d.x3d.sai.X3DDragSensorNode, 915
- org.web3d.x3d.sai.X3DEnvironmentalSensorNode, 916
- org.web3d.x3d.sai.X3DException, 917
- org.web3d.x3d.sai.X3DExecutionContext, 918
- org.web3d.x3d.sai.X3DExternProtoDeclaration, 919
- org.web3d.x3d.sai.X3DField, 919
- org.web3d.x3d.sai.X3DFieldDefinition, 921
- org.web3d.x3d.sai.X3DFieldEvent, 921
- org.web3d.x3d.sai.X3DFieldEventListener, 922
- org.web3d.x3d.sai.X3DFieldTypes, 922
- org.web3d.x3d.sai.X3DFontStyleNode, 923
- org.web3d.x3d.sai.X3DGeometricPropertyNode, 924
- org.web3d.x3d.sai.X3DGeometryNode, 924
- org.web3d.x3d.sai.X3DGroupingNode, 925
- org.web3d.x3d.sai.X3DInfoNode, 925
- org.web3d.x3d.sai.X3DInterpolatorNode, 926
- org.web3d.x3d.sai.X3DKeyDeviceSensorNode, 926
- org.web3d.x3d.sai.X3DLightNode, 927
- org.web3d.x3d.sai.X3DMaterialNode, 928
- org.web3d.x3d.sai.X3DMetadataObject, 928
- org.web3d.x3d.sai.X3DNetworkSensorNode, 929
- org.web3d.x3d.sai.X3DNode, 929
- org.web3d.x3d.sai.X3DNodeTypes, 930
- org.web3d.x3d.sai.X3DNormalNode, 931
- org.web3d.x3d.sai.X3DParametricGeometryNode, 932
- org.web3d.x3d.sai.X3DPerFrameObserverScript, 932
- org.web3d.x3d.sai.X3DPointingDeviceSensorNode, 933
- org.web3d.x3d.sai.X3DProtoDeclaration, 933
- org.web3d.x3d.sai.X3DProtoInstance, 934
- org.web3d.x3d.sai.X3DRoute, 934
- org.web3d.x3d.sai.X3DScene, 935
- org.web3d.x3d.sai.X3DScriptImplementation, 936
- org.web3d.x3d.sai.X3DScriptNode, 936
- org.web3d.x3d.sai.X3DSensorNode, 937
- org.web3d.x3d.sai.X3DSequencerNode, 937
- org.web3d.x3d.sai.X3DShapeNode, 938
- org.web3d.x3d.sai.X3DSoundNode, 938
- org.web3d.x3d.sai.X3DSoundSourceNode, 939
- org.web3d.x3d.sai.X3DTextNode, 939
- org.web3d.x3d.sai.X3DTexture2DNode, 940
- org.web3d.x3d.sai.X3DTextureCoordinateNode, 940
- org.web3d.x3d.sai.X3DTextureNode, 941
- org.web3d.x3d.sai.X3DTextureTransform2DNode, 942
- org.web3d.x3d.sai.X3DTextureTransformNode, 942
- org.web3d.x3d.sai.X3DTimeDependentNode, 943
- org.web3d.x3d.sai.X3DTouchSensorNode, 944
- org.web3d.x3d.sai.X3DTriggerNode, 944
- org.web3d.x3d.sai.X3DUrlObject, 945
- orient\_XYZA, 503
- Orientation, 503
- pad1
  - RecordQueryReliablePdu, 549
  - SetRecordReliablePdu, 573
- pad2
  - AggregateStatePdu, 94
- pad3
  - MinefieldDataPdu, 401
- parsePostBufferToFixHeaders
  - nsIPluginHost, 438
- particle, 503
- partLocation
  - IsPartOfPdu, 361

- passiveParameterIndex
  - UaPdu, 640
- Patch, 504
- Patchlist, 504
- Patchspec, 505
- pBindable, 506
- pcollision, 506
- pcommon, 507
- pComponent\_CubeMapTexturing, 507
- pComponent\_EnviroSensor, 508
- pComponent\_Followers, 508
- pComponent\_Geometry3D, 508
- pComponent\_Geospatial, 509
- pComponent\_HAnim, 509
- pComponent\_KeyDevice, 509
- pComponent\_Layering, 510
- pComponent\_Layout, 510
- pComponent\_NURBS, 510
- pComponent\_ParticleSystems, 511
- pComponent\_Picking, 511
- pComponent\_ProgrammableShaders, 511
- pComponent\_PTM, 512
- pComponent\_Rendering, 512
- pComponent\_RigidBodyPhysics, 512
- pComponent\_Shape, 513
- pComponent\_Sound, 513
- pComponent\_Text, 514
- pComponent\_VolumeRendering, 515
- pConsoleMessage, 515
- pCParse, 516
- pCParseParser, 516
- pCRoutes, 517
- pCScripts, 517
- pCursorDraw, 518
- pdisplay, 518
- Pdu, 518
  - protocolVersion, 519
- PduContainer, 519
- pEAI\_C\_CommonFunctions, 519
- pEAICore, 520
- pEAIEventsIn, 520
- pEAHelpers, 520
- pedal\_state, 521
- peer
  - nsIPluginInstanceOld, 453
- pFrustum, 521
- pict, 522
- pict\_image, 522
- Planet, 523
- pLoadTextures, 523
- pMainloop, 524
- Point, 525
- point\_XYZ, 525
- point\_XYZ3, 526
- pointer2pointer, 526
- PointObjectStatePdu, 526
- polygon, 527
- polyrep\_combiner\_data, 527
- Pool, 528
- PooledObj, 529
- pOpenGL\_Utils, 530
- pos
  - cson\_data\_source\_StringSource\_, 165
- PostURL
  - nsIPluginHost, 438
  - nsIPluginManager, 464
- pPluginSocket, 530
- ppluginUtils, 531
- pProdCon, 531
- PQhandleElem, 531
- PQnode, 532
- pRasterFont, 532
- pRenderFuncs, 533
- pRenderTextures, 534
- presources, 534
- primStream, 535
- print
  - nsIPluginInstance, 445
  - nsIPluginInstanceOld, 451
- PriorityQ, 535
- profile\_entry, 536
- proftablestruct, 537
- projective\_Texdata, 537
- projector\_tuple, 538
- Property, 538
- propulsionPlantConfiguration
  - UaPdu, 640
- PropulsionSystemData, 539
- protocolVersion
  - Pdu, 519
- ProtoDefinition, 539
- ProtoFieldDecl, 539
- pSensInterps, 540
- pSnapshot, 540
- Pspec, 541
- PSStruct, 541
- pstatusbar, 542
- pStreamPoly, 542
- pTess, 542
- pTextures, 543
- pViewer, 543
- PwlArc, 544
- pX3DParser, 544
- quaternion, 545
- Quilt, 545
- Quiltspec, 546
- RadioCommunicationsFamilyPdu, 546
- RadioEntityType, 547
- rb1, 547
- ReceiverPdu, 548
- RecordQueryReliablePdu, 548
  - pad1, 549
- RecordSet, 549
- recordSpecificField
  - IntercomCommunicationsParameters, 336

rectBlock, 550  
rectBlockArray, 550  
refcount  
    cson\_value, 173  
reflexChain, 551  
RegisterPlugin  
    nsIPluginManager, 465  
registerWindow  
    nsIPluginManager2, 470  
Relationship, 551  
reloadPlugins  
    nsIPluginHost, 439  
    nsIPluginManager, 466  
RemoveEntityPdu, 551  
RemoveEntityReliablePdu, 552  
Renderhints, 552  
RepairCompletePdu, 553  
RepairResponsePdu, 553  
resource\_item, 554  
ResupplyCancelPdu, 555  
ResupplyOfferPdu, 555  
ResupplyReceivedPdu, 556  
row32, 556  
  
s\_renderer\_capabilities\_t, 557  
s\_shader\_capabilities, 557  
sai.BrowserFactory, 118  
sai.BrowserGlobals, 119  
sai.eai.EAIAsyncMessage, 220  
sai.eai.EAIAsyncQueue, 221  
sai.eai.EAIAsyncThread, 222  
sai.eai.EAIinThread, 223  
sai.eai.EAIMessage, 224  
sai.eai.EAIoutQueue, 225  
sai.eai.EAIoutThread, 226  
sai.eai.UnsupportedFieldTypeException, 643  
sai.eai.VField, 653  
sai.eai.VIP, 660  
sai.eai.VMFCColor, 662  
sai.eai.VMFFloat, 663  
sai.eai.VMFInt32, 664  
sai.eai.VMFRotation, 665  
sai.eai.VMFString, 667  
sai.eai.VMFVec2f, 668  
sai.eai.VMFVec3f, 669  
sai.eai.VRMLObject, 671  
sai.eai.VRMLObjectObserver, 673  
sai.eai.VSFBool, 674  
sai.eai.VSFColor, 675  
sai.eai.VSFFloat, 676  
sai.eai.VSFImage, 678  
sai.eai.VSFInt32, 679  
sai.eai.VSFRotation, 680  
sai.eai.VSFString, 681  
sai.eai.VSFTIME, 682  
sai.eai.VSFVec2f, 684  
sai.eai.VSFVec3f, 685  
sai.FreeWRLBrowser, 273  
sai.FreeWRLBrowserInfo, 275  
sai.FreeWRLComponent, 275  
sai.FreeWRLField, 276  
sai.FreeWRLFieldDefinition, 277  
sai.FreeWRLFieldTypes, 278  
sai.FreeWRLMField, 279  
sai.FreeWRLNode, 280  
sai.FreeWRLNodeTypes, 280  
sai.FreeWRLRendererInfo, 281  
sai.FreeWRLScene, 282  
sai.FWComponentInfo, 287  
sai.FWExternProtoDeclaration, 288  
sai.FWMFColor, 292  
sai.FWMFColorRGBA, 292  
sai.FWMFDouble, 293  
sai.FWMFFloat, 294  
sai.FWMFInt32, 295  
sai.FWMFNode, 295  
sai.FWMFRotation, 296  
sai.FWMFString, 297  
sai.FWMFVec2d, 298  
sai.FWMFVec2f, 298  
sai.FWMFVec3d, 299  
sai.FWMFVec3f, 300  
sai.FWProfileInfo, 301  
sai.FWProfInfo, 301  
sai.FWProtoDeclaration, 302  
sai.FWProtoInstance, 303  
sai.FWRoute, 304  
sai.FWSFBool, 304  
sai.FWSFColor, 305  
sai.FWSFColorRGBA, 306  
sai.FWSFDouble, 306  
sai.FWSFFloat, 307  
sai.FWSFImage, 307  
sai.FWSFInt32, 308  
sai.FWSFNode, 309  
sai.FWSFRotation, 309  
sai.FWSFString, 310  
sai.FWSFTIME, 310  
sai.FWSFVec2d, 311  
sai.FWSFVec2f, 312  
sai.FWSFVec3d, 312  
sai.FWSFVec3f, 313  
sampledLine, 565  
sCollisionGeometry, 565  
sCollisionInfo, 566  
screentextdata, 566  
scriptableInterface  
    nsIScriptablePlugin, 488  
scriptablePeer  
    nsIScriptablePlugin, 488  
ScriptablePluginObjectBase, 567  
ScriptFieldDecl, 569  
ScriptFieldInstanceInfo, 569  
ScriptParamList, 569  
SeesPdu, 570  
SensStruct, 570  
ServiceRequestPdu, 571

- SetAuthenticationInfo
  - nsIJVMAuthTools, 430
- setCookie
  - nsICookieStorage, 426
- SetDataPdu, 571
- SetDataReliablePdu, 572
- SetRecordReliablePdu, 573
  - pad1, 573
- setWindow
  - nsIPluginInstance, 446
  - nsIPluginInstanceOld, 452
- setWindowSize
  - nsIPluginInstancePeer, 457
- sFallInfo, 574
- SFColor, 576
- SFColorRGBA, 578
- SFMatrix3d, 583
- SFMatrix3f, 583
- SFMatrix4d, 583
- SFMatrix4f, 584
- SFRotation, 586
- SFVec2d, 590
- SFVec2f, 591
- SFVec3d, 593
- SFVec3f, 594
- SFVec4d, 595
- SFVec4f, 595
- Shader\_Script, 596
- shaderflagsstruct, 596
- shaderTableEntry, 596
- ShaftRPMs, 597
- showStatus
  - nsIPluginInstance, 446
  - nsIPluginInstancePeer, 457
- shutdown
  - nsIPlugin, 433
  - nsIPluginOld, 474
- SignalPdu, 597
- SimulationAddress, 598
- SimulationManagementFamilyPdu, 598
- SimulationManagementWithReliabilityFamilyPdu, 599
- SixByteChunk, 599
- slice, 599
- Slicer, 600
- sNavInfo, 601
- SNDFILE, 601
- Sorter, 601
- SphericalHarmonicAntennaPattern, 602
- Splinespec, 602
- ssr, 603
- SSR\_request, 603
- stage, 604
- start
  - nsIPluginInstance, 447
  - nsIPluginInstanceOld, 452
- StartResumePdu, 604
- StartResumeReliablePdu, 605
- statusLine
  - nsIHTTPHeaderListener, 429
- stop
  - nsIPluginInstance, 447
  - nsIPluginInstanceOld, 452
- StopFreezePdu, 605
- StopFreezeReliablePdu, 606
- StoredVertex, 606
- streamType
  - nsIPluginStreamListener, 478
- stringint, 607
- Subdivider, 607
- SupplyQuantity, 608
- supportsURLProtocol
  - nsIPluginManager2, 471
- surfEvalMachine, 608
- sweepRange, 609
- SyntheticEnvironmentFamilyPdu, 609
- systemDataLength
  - ElectronicEmissionSystemData, 230
- SystemID, 609
- tagType
  - nsIPluginTagInfo, 482
  - nsIPluginTagInfo2, 485
- targetwindow, 610
- tcontenttype, 619
- text\_combiner\_data, 623
- textureTableIndexStruct, 623
- textureVertexInfo, 624
- timeInterval
  - DataQueryPdu, 180
- timesExpanded
  - cson\_buffer, 163
- tm\_unz\_s, 625
- tm\_zip\_s, 626
- Touch, 628
- TrackJamTarget, 630
- TransferControlRequestPdu, 630
- TransmitterPdu, 631
- treeNode, 632
- trenderstate, 633
- Trimline, 634
- TrimRegion, 634
- TrimVertex, 635
- TrimVertexPool, 636
- TwoByteChunk, 639
- UaPdu, 640
  - passiveParameterIndex, 640
  - propulsionPlantConfiguration, 640
- Uarray, 641
- un1, 641
- unca, 642
- Uni\_String, 642
- unitsB, 642
- unitSurfaceNormal
  - CollisionElasticPdu, 129
- UnregisterPlugin
  - nsIPluginManager, 466

- unregisterWindow
  - nsIPluginManager2, 471
- unz64\_file\_pos\_s, 644
- unz64\_s, 644
- unz\_file\_info64\_internal\_s, 645
- unz\_file\_info64\_s, 645
- unz\_file\_info\_s, 646
- unz\_file\_pos\_s, 646
- unz\_global\_info64\_s, 646
- unz\_global\_info\_s, 647
- used
  - cson\_buffer, 164
- usehit, 648
- UserAgent
  - nsIPluginManager, 466
- value
  - cson\_value, 174
- VariableDatum, 649
- Varray, 649
- vec2, 649
- vec4, 650
- Vector, 650
- Vector3Double, 651
- Vector3Float, 651
- VectoringNozzleSystemData, 651
- vertexArray, 652
- vid\_stream, 655
- viewer, 657
- viewer\_examine, 658
- viewer\_fly, 659
- viewer\_inplane, 659
- viewer\_walk, 659
- viewer\_ypz, 660
- void3, 670
- vrml.BaseNode, 103
- vrml.Browser, 115
- vrml.ConstField, 134
- vrml.ConstMField, 136
- vrml.Event, 236
- vrml.external.Browser, 116
- vrml.external.BrowserGlobals, 119
- vrml.external.BrowserInterface, 120
- vrml.external.exception.InvalidEventInException, 341
  - InvalidEventInException, 342
- vrml.external.exception.InvalidEventOutException, 343
- vrml.external.exception.InvalidNodeException, 350
  - InvalidNodeException, 351
- vrml.external.exception.InvalidVrmlException, 356
  - InvalidVrmlException, 356
- vrml.external.field.EventIn, 237
- vrml.external.field.EventInMFColor, 238
- vrml.external.field.EventInMFFloat, 238
- vrml.external.field.EventInMFInt32, 239
- vrml.external.field.EventInMFNode, 240
- vrml.external.field.EventInMFRotation, 240
- vrml.external.field.EventInMFString, 241
- vrml.external.field.EventInMFVec2f, 241
- vrml.external.field.EventInMFVec3f, 242
- vrml.external.field.EventInSFBBool, 242
- vrml.external.field.EventInSFColor, 243
- vrml.external.field.EventInSFFloat, 243
- vrml.external.field.EventInSFImage, 244
- vrml.external.field.EventInSFInt32, 244
- vrml.external.field.EventInSFNode, 245
- vrml.external.field.EventInSFRotation, 245
- vrml.external.field.EventInSFString, 246
- vrml.external.field.EventInSFTime, 246
- vrml.external.field.EventInSFVec2f, 247
- vrml.external.field.EventInSFVec3f, 247
- vrml.external.field.EventOut, 248
- vrml.external.field.EventOutMFColor, 249
- vrml.external.field.EventOutMFFloat, 249
- vrml.external.field.EventOutMField, 250
- vrml.external.field.EventOutMFInt32, 251
- vrml.external.field.EventOutMFNode, 251
- vrml.external.field.EventOutMFRotation, 252
- vrml.external.field.EventOutMFString, 253
- vrml.external.field.EventOutMFVec2f, 253
- vrml.external.field.EventOutMFVec3f, 254
- vrml.external.field.EventOutObserver, 254
- vrml.external.field.EventOutSFBBool, 255
- vrml.external.field.EventOutSFColor, 255
- vrml.external.field.EventOutSFFloat, 256
- vrml.external.field.EventOutSFImage, 256
- vrml.external.field.EventOutSFInt32, 257
- vrml.external.field.EventOutSFNode, 258
- vrml.external.field.EventOutSFRotation, 258
- vrml.external.field.EventOutSFString, 259
- vrml.external.field.EventOutSFTime, 259
- vrml.external.field.EventOutSFVec2f, 260
- vrml.external.field.EventOutSFVec3f, 260
- vrml.external.field.FieldTypes, 267
- vrml.external.FreeWRLEAI.EAIAsyncMessage, 220
- vrml.external.FreeWRLEAI.EAIAsyncQueue, 221
- vrml.external.FreeWRLEAI.EAIAsyncThread, 222
- vrml.external.FreeWRLEAI.EAIInThread, 223
- vrml.external.FreeWRLEAI.EAIMessage, 224
- vrml.external.FreeWRLEAI.EAIOutQueue, 226
- vrml.external.FreeWRLEAI.EAIOutThread, 227
- vrml.external.FreeWRLEAI.UnsupportedFieldTypeException, 643
- vrml.external.FreeWRLEAI.VField, 654
- vrml.external.FreeWRLEAI.VIP, 661
- vrml.external.FreeWRLEAI.VMFCColor, 662
- vrml.external.FreeWRLEAI.VMFFloat, 664
- vrml.external.FreeWRLEAI.VMFInt32, 665
- vrml.external.FreeWRLEAI.VMFRotation, 666
- vrml.external.FreeWRLEAI.VMFString, 667
- vrml.external.FreeWRLEAI.VMFVec2f, 668
- vrml.external.FreeWRLEAI.VMFVec3f, 670
- vrml.external.FreeWRLEAI.VRMLObject, 672
- vrml.external.FreeWRLEAI.VRMLObjectObserver, 673
- vrml.external.FreeWRLEAI.VSFBBool, 675
- vrml.external.FreeWRLEAI.VSFColor, 676
- vrml.external.FreeWRLEAI.VSFFloat, 677
- vrml.external.FreeWRLEAI.VSFImage, 678

- vrml.external.FreeWRLEAI.VSFInt32, 679
- vrml.external.FreeWRLEAI.VSFRotation, 681
- vrml.external.FreeWRLEAI.VSFString, 682
- vrml.external.FreeWRLEAI.VSFTime, 683
- vrml.external.FreeWRLEAI.VSFVec2f, 684
- vrml.external.FreeWRLEAI.VSFVec3f, 686
- vrml.external.IBrowser, 328
- vrml.external.Node, 417
- vrml.Field, 265
- vrml.field.ConstMFCColor, 135
- vrml.field.ConstMFFloat, 136
- vrml.field.ConstMFInt32, 138
- vrml.field.ConstMFNode, 138
- vrml.field.ConstMFRotation, 139
- vrml.field.ConstMFString, 140
- vrml.field.ConstMFTime, 141
- vrml.field.ConstMFVec2f, 141
- vrml.field.ConstMFVec3f, 142
- vrml.field.ConstSFBool, 143
- vrml.field.ConstSFColor, 144
- vrml.field.ConstSFFloat, 144
- vrml.field.ConstSFImage, 145
- vrml.field.ConstSFInt32, 146
- vrml.field.ConstSFNode, 147
- vrml.field.ConstSFRotation, 147
- vrml.field.ConstSFString, 148
- vrml.field.ConstSFTime, 149
- vrml.field.ConstSFVec2f, 149
- vrml.field.ConstSFVec3f, 150
- vrml.field.MFCColor, 381
- vrml.field.MFFloat, 384
- vrml.field.MFInt32, 388
- vrml.field.MFNode, 390
- vrml.field.MFRotation, 392
- vrml.field.MFString, 393
- vrml.field.MFTime, 395
- vrml.field.MFVec2f, 397
- vrml.field.MFVec3f, 400
- vrml.field.SFBool, 575
- vrml.field.SFColor, 577
- vrml.field.SFFloat, 579
- vrml.field.SFImage, 581
- vrml.field.SFInt32, 582
- vrml.field.SFNode, 585
- vrml.field.SFRotation, 586
- vrml.field.SFString, 588
- vrml.field.SFTime, 589
- vrml.field.SFVec2f, 592
- vrml.field.SFVec3f, 594
- vrml.FWCreateField, 288
- vrml.FWHelper, 289
- vrml.FWJavaScript, 290
- vrml.FWJavaScriptBinding, 290
- vrml.FWJavaScriptClassLoader, 291
  - FWJavaScriptClassLoader, 291
- vrml.InvalidEventInException, 342
- vrml.InvalidEventOutException, 343
- vrml.InvalidExposedFieldException, 345
- vrml.InvalidFieldChangeException, 345
- vrml.InvalidFieldException, 347
- vrml.InvalidRouteException, 354
- vrml.InvalidVRMLSyntaxException, 357
- vrml.InvalidX3DSyntaxException, 359
- vrml.MField, 386
- vrml.node.Node, 418
- vrml.node.Script, 567
- VRMLLexer, 671
- VRMLParser, 674
- walk\_cbdata, 686
- WarfareFamilyPdu, 687
- WEB3DNATIVE, 687
- willHandleInstantiation
  - nsIPluginDocument, 434
- X3D\_Anchor, 688
- X3D\_Appearance, 688
- X3D\_Arc2D, 689
- X3D\_ArcClose2D, 690
- X3D\_AudioClip, 690
- X3D\_BackdropBackground, 691
- X3D\_Background, 692
- X3D\_BallJoint, 693
- X3D\_Billboard, 694
- X3D\_BlendedVolumeStyle, 694
- X3D\_BooleanFilter, 695
- X3D\_BooleanSequencer, 696
- X3D\_BooleanToggle, 697
- X3D\_BooleanTrigger, 697
- X3D\_BoundaryEnhancementVolumeStyle, 698
- X3D\_BoundedPhysicsModel, 699
- X3D\_Box, 699
- X3D\_CADAssembly, 700
- X3D\_CADFace, 701
- X3D\_CADLayer, 701
- X3D\_CADPart, 702
- X3D\_CalibratedCameraSensor, 703
- X3D\_CartoonVolumeStyle, 703
- X3D\_Circle2D, 704
- X3D\_ClipPlane, 704
- X3D\_CollidableOffset, 705
- X3D\_CollidableShape, 706
- X3D\_Collision, 706
- X3D\_CollisionCollection, 707
- X3D\_CollisionSensor, 708
- X3D\_CollisionSpace, 709
- X3D\_Color, 709
- X3D\_ColorChaser, 710
- X3D\_ColorDamper, 711
- X3D\_ColorInterpolator, 712
- X3D\_ColorRGBA, 712
- X3D\_ComposedCubeMapTexture, 713
- X3D\_ComposedShader, 714
- X3D\_ComposedTexture3D, 714
- X3D\_ComposedVolumeStyle, 715
- X3D\_CompositeVolumeStyle, 716
- X3D\_Cone, 716

X3D\_ConeEmitter, 717  
X3D\_Contact, 718  
X3D\_Contour2D, 719  
X3D\_ContourPolyline2D, 719  
X3D\_Coordinate, 720  
X3D\_CoordinateChaser, 720  
X3D\_CoordinateDamper, 721  
X3D\_CoordinateDouble, 722  
X3D\_CoordinateInterpolator, 723  
X3D\_CoordinateInterpolator2D, 723  
X3D\_Cylinder, 724  
X3D\_CylinderSensor, 725  
X3D\_DirectionalLight, 726  
X3D\_DISEntityManager, 726  
X3D\_DISEntityTypeMapping, 728  
X3D\_Disk2D, 728  
X3D\_DoubleAxisHingeJoint, 729  
X3D\_EaseInEaseOut, 730  
X3D\_EdgeEnhancementVolumeStyle, 731  
X3D\_Effect, 732  
X3D\_EffectPart, 732  
X3D\_ElevationGrid, 733  
X3D\_EspduTransform, 734  
X3D\_ExplosionEmitter, 737  
X3D\_Extrusion, 737  
X3D\_FillProperties, 738  
X3D\_FloatVertexAttribute, 739  
X3D\_Fog, 740  
X3D\_FogCoordinate, 740  
X3D\_FontStyle, 741  
X3D\_ForcePhysicsModel, 742  
X3D\_GeneratedCubeMapTexture, 742  
X3D\_GeoConvert, 743  
X3D\_GeoCoordinate, 744  
X3D\_GeoElevationGrid, 744  
X3D\_GeoLocation, 745  
X3D\_GeoLOD, 746  
X3D\_GeoMetadata, 747  
X3D\_GeoOrigin, 748  
X3D\_GeoPlanet, 749  
X3D\_GeoPositionInterpolator, 749  
X3D\_GeoProximitySensor, 750  
X3D\_GeoTouchSensor, 751  
X3D\_GeoTransform, 752  
X3D\_GeoViewpoint, 753  
X3D\_Group, 754  
X3D\_HAnimDisplacer, 755  
X3D\_HAnimHumanoid, 755  
X3D\_HAnimJoint, 756  
X3D\_HAnimSegment, 757  
X3D\_HAnimSite, 758  
X3D\_ImageBackdropBackground, 759  
X3D\_ImageCubeMapTexture, 760  
X3D\_ImageTexture, 760  
X3D\_ImageTexture3D, 761  
X3D\_IndexedFaceSet, 762  
X3D\_IndexedLineSet, 763  
X3D\_IndexedQuadSet, 764  
X3D\_IndexedTriangleFanSet, 764  
X3D\_IndexedTriangleSet, 765  
X3D\_IndexedTriangleStripSet, 766  
X3D\_Inline, 767  
X3D\_IntegerSequencer, 768  
X3D\_IntegerTrigger, 769  
X3D\_IsoSurfaceVolumeData, 769  
X3D\_KeySensor, 770  
X3D\_Layer, 771  
X3D\_LayerSet, 771  
X3D\_Layout, 772  
X3D\_LayoutGroup, 773  
X3D\_LayoutLayer, 773  
X3D\_LinePickSensor, 774  
X3D\_LineProperties, 775  
X3D\_LineSensor, 776  
X3D\_LineSet, 777  
X3D\_LoadSensor, 777  
X3D\_LocalFog, 778  
X3D\_LOD, 779  
X3D\_Material, 780  
X3D\_Matrix3VertexAttribute, 780  
X3D\_Matrix4VertexAttribute, 781  
X3D\_MetadataBoolean, 781  
X3D\_MetadataDouble, 782  
X3D\_MetadataFloat, 783  
X3D\_MetadataInteger, 783  
X3D\_MetadataMFBool, 784  
X3D\_MetadataMFColor, 785  
X3D\_MetadataMFColorRGBA, 785  
X3D\_MetadataMFDouble, 786  
X3D\_MetadataMFFloat, 787  
X3D\_MetadataMFInt32, 787  
X3D\_MetadataMFMatrix3d, 788  
X3D\_MetadataMFMatrix3f, 789  
X3D\_MetadataMFMatrix4d, 789  
X3D\_MetadataMFMatrix4f, 790  
X3D\_MetadataMFNode, 791  
X3D\_MetadataMFRotation, 791  
X3D\_MetadataMFString, 792  
X3D\_MetadataMFTime, 793  
X3D\_MetadataMFVec2d, 793  
X3D\_MetadataMFVec2f, 794  
X3D\_MetadataMFVec3d, 795  
X3D\_MetadataMFVec3f, 795  
X3D\_MetadataMFVec4d, 796  
X3D\_MetadataMFVec4f, 797  
X3D\_MetadataSet, 797  
X3D\_MetadataSFBool, 798  
X3D\_MetadataSFColor, 799  
X3D\_MetadataSFColorRGBA, 799  
X3D\_MetadataSFDouble, 800  
X3D\_MetadataSFFloat, 801  
X3D\_MetadataSFImage, 801  
X3D\_MetadataSFInt32, 802  
X3D\_MetadataSFMMatrix3d, 803  
X3D\_MetadataSFMMatrix3f, 803  
X3D\_MetadataSFMMatrix4d, 804

X3D\_MetadataSFMatrix4f, 805  
X3D\_MetadataSFNode, 805  
X3D\_MetadataSFRotation, 806  
X3D\_MetadataSFString, 807  
X3D\_MetadataSFTime, 807  
X3D\_MetadataSFVec2d, 808  
X3D\_MetadataSFVec2f, 809  
X3D\_MetadataSFVec3d, 809  
X3D\_MetadataSFVec3f, 810  
X3D\_MetadataSFVec4d, 811  
X3D\_MetadataSFVec4f, 811  
X3D\_MetadataString, 812  
X3D\_MotorJoint, 813  
X3D\_MovieTexture, 814  
X3D\_MultiTexture, 815  
X3D\_MultiTextureCoordinate, 816  
X3D\_MultiTextureTransform, 816  
X3D\_NavigationInfo, 817  
X3D\_Node, 818  
X3D\_Normal, 818  
X3D\_NormalInterpolator, 819  
X3D\_NurbsCurve, 820  
X3D\_NurbsCurve2D, 820  
X3D\_NurbsOrientationInterpolator, 821  
X3D\_NurbsPatchSurface, 822  
X3D\_NurbsPositionInterpolator, 823  
X3D\_NurbsSet, 823  
X3D\_NurbsSurfaceInterpolator, 824  
X3D\_NurbsSweptSurface, 825  
X3D\_NurbsSwungSurface, 826  
X3D\_NurbsTextureCoordinate, 826  
X3D\_NurbsTrimmedSurface, 827  
X3D\_OpacityMapVolumeStyle, 828  
X3D\_OrientationChaser, 829  
X3D\_OrientationDamper, 830  
X3D\_OrientationInterpolator, 831  
X3D\_OrthoViewpoint, 831  
X3D\_OSC\_Sensor, 832  
X3D\_PackagedShader, 833  
X3D\_ParticleSystem, 834  
X3D\_PickableGroup, 835  
X3D\_PixelTexture, 836  
X3D\_PixelTexture3D, 836  
X3D\_PlaneSensor, 837  
X3D\_PointEmitter, 838  
X3D\_PointLight, 839  
X3D\_PointPickSensor, 839  
X3D\_PointSensor, 840  
X3D\_PointSet, 841  
X3D\_Polyline2D, 842  
X3D\_PolylineEmitter, 842  
X3D\_Polypoint2D, 843  
X3D\_PolyRep, 844  
X3D\_PositionChaser, 845  
X3D\_PositionChaser2D, 846  
X3D\_PositionDamper, 847  
X3D\_PositionDamper2D, 848  
X3D\_PositionInterpolator, 849  
X3D\_PositionInterpolator2D, 849  
X3D\_PrimitivePickSensor, 850  
X3D\_ProgramShader, 851  
X3D\_ProjectionVolumeStyle, 851  
X3D\_Proto, 852  
X3D\_ProximitySensor, 853  
X3D\_QuadSet, 854  
X3D\_ReceiverPdu, 855  
X3D\_Rectangle2D, 856  
X3D\_RigidBody, 857  
X3D\_RigidBodyCollection, 858  
X3D\_ScalarChaser, 859  
X3D\_ScalarDamper, 860  
X3D\_ScalarInterpolator, 861  
X3D\_ScreenFontStyle, 861  
X3D\_ScreenGroup, 862  
X3D\_Script, 863  
X3D\_SegmentedVolumeData, 863  
X3D\_ShadedVolumeStyle, 864  
X3D\_ShaderPart, 865  
X3D\_ShaderProgram, 865  
X3D\_Shape, 866  
X3D\_SignalPdu, 867  
X3D\_SilhouetteEnhancementVolumeStyle, 868  
X3D\_SingleAxisHingeJoint, 869  
X3D\_SliderJoint, 870  
X3D\_Sound, 871  
X3D\_Sphere, 871  
X3D\_SphereSensor, 872  
X3D\_SplinePositionInterpolator, 873  
X3D\_SplinePositionInterpolator2D, 874  
X3D\_SplineScalarInterpolator, 874  
X3D\_SpotLight, 875  
X3D\_SquadOrientationInterpolator, 876  
X3D\_StaticGroup, 877  
X3D\_StringSensor, 877  
X3D\_SurfaceEmitter, 878  
X3D\_Switch, 879  
X3D\_Teapot, 880  
X3D\_TexCoordChaser2D, 880  
X3D\_TexCoordDamper2D, 881  
X3D\_Text, 882  
X3D\_TextureBackground, 883  
X3D\_TextureCoordinate, 884  
X3D\_TextureCoordinate3D, 884  
X3D\_TextureCoordinate4D, 885  
X3D\_TextureCoordinateGenerator, 885  
X3D\_TextureProjectorParallel, 886  
X3D\_TextureProjectorPerspective, 887  
X3D\_TextureProperties, 888  
X3D\_TextureTransform, 888  
X3D\_TextureTransform3D, 889  
X3D\_TextureTransformMatrix3D, 890  
X3D\_TimeSensor, 890  
X3D\_TimeTrigger, 891  
X3D\_ToneMappedVolumeStyle, 892  
X3D\_TouchSensor, 892  
X3D\_TrackingSensor, 893



X3D\_Transform, 894  
X3D\_TransformSensor, 895  
X3D\_TransmitterPdu, 895  
X3D\_TriangleFanSet, 897  
X3D\_TriangleSet, 898  
X3D\_TriangleSet2D, 898  
X3D\_TriangleStripSet, 899  
X3D\_TwoSidedMaterial, 900  
X3D\_UniversalJoint, 901  
X3D\_Viewpoint, 902  
X3D\_ViewpointGroup, 903  
X3D\_Viewport, 903  
X3D\_Virt, 904  
X3D\_VisibilitySensor, 905  
X3D\_VolumeData, 905  
X3D\_VolumeEmitter, 906  
X3D\_VolumePickSensor, 907  
X3D\_WindPhysicsModel, 908  
X3D\_WorldInfo, 908  
xml\_user\_data, 945  
XY, 946  
  
zip64\_internal, 946  
zip\_fileinfo, 947  
zlib\_filefunc64\_32\_def\_s, 947  
zlib\_filefunc64\_def\_s, 947  
zlib\_filefunc\_def\_s, 948  
zone, 948